

# eBRFSS 2013-2014 Health Indicators: Livingston

General Description .....	2
Improve Health Status and Reduce Health Disparities .....	3
Percentage of adults who did not receive medical care because of cost .....	3
Percentage of adults who have a regular health care provider .....	4
Percentage of adults who had a dentist visit within the past year .....	5
Percentage of adults living with a disability.....	6
Percentage of adults aged 18-64 years with healthcare coverage .....	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year .....	8
Percentage of adults experiencing housing insecurity in the past 12 months.....	9
Percentage of adults experiencing food insecurity in the past 12 months.....	10
Percentage of adults with poor self-reported health .....	11
Percentage of adults who report 14 or more days of poor physical health.....	12
Prevent Chronic Diseases .....	13
Percentage of adults who are obese .....	13
Percentage of adults with an annual household income less than \$25,000 who are obese .....	14
Percentage of adults living with a disability who are obese .....	15
Percentage of adults overweight or obese .....	16
Percentage of adults who participated in leisure time physical activity in the past 30 days.....	17
Percentage of adults who consume one or more sugary drinks daily .....	18
Percentage of adults who consume fast-food three or more times per week .....	19
Percentage of adults with physician diagnosed diabetes .....	20
Percentage of adults who are current smokers.....	21
Percentage of adults with annual household income less than \$25,000 who are current smokers .....	22
Percentage of adults aged 18-24 years who are current smokers.....	23
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines .....	24
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines.....	25
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines .....	26
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines.....	27
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.....	28
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines.....	29
Percentage of adults who had a test for high blood sugar or diabetes within the past three years .....	30
Percentage of adults with physician-diagnosed prediabetes .....	31
Percentage of adults with physician-diagnosed high blood pressure.....	32
Percentage of adults with diagnosed high blood pressure taking high blood pressure medication .....	33
Percentage of adults with current asthma .....	34
Percent of adults with cholesterol checked.....	35
Percentage of adults 18 years and older with elevated cholesterol.....	36
Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition .....	37
Percentage of adults with arthritis .....	38
Promote a Healthy and Safe Environment .....	39
Percentage of adults who consider their neighborhood suitable for walking and physical activity.....	39
Percentage of adults aged 65+ years with at least one fall in the past 12 months.....	40
Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.....	41
Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.....	42
Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).....	42
Percentage of adults aged 18+ years with flu immunization in the past year .....	43
Percentage of adults aged 65+ years with flu immunization in the past year .....	44
Percentage of adults aged 65+ years with pneumococcal immunization.....	45
Promote Healthy Women, Infants, and Children .....	46
Percentage of women aged 18-44 years who had dental visit within the last year .....	46
Women aged 18-44 years who saw a doctor for a routine checkup within the last year.....	47
Percentage of women aged 18-64 years with health care coverage .....	48
Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy .....	49
Promote Mental Health and Prevention Substance Abuse .....	50
Percentage of adults with poor mental health for 14 or more days in the last month .....	50
Percentage of adult binge drinking during the past month.....	51
Percentage of cigarette smoking among adults who report poor mental health.....	52

## General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

### Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

### Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.

Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.


### Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than  $\pm 10\%$  are noted.

# Livingston

## Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	4,468	8.5	(4.8-14.9)	105,514	10.5	(9.0-12.3)
<b>Age</b>		#				
18-24		#		18,069	13.6	(8.4-21.2)
25-34		#		23,656	15.2	(10.8-21.1)
35-44		#		18,598	12.5	(8.5-17.9)
45-64	701	3.7	(1.7-7.8)	35,930	10.1	(7.9-12.8)
65+		#		7,633	3.9	(2.5-6.1)
<b>Race</b>						
White, NH	3,560	8.2	(4.2-15.3)	78,405	9.9	(8.3-11.7)
Black, NH		#		11,314	14.5	(8.2-24.2)
Hispanic		#		8,090	15.4	(9.2-24.8)
Other, NH		#		7,706	10.2 <sup>^</sup>	(4.8-20.4)
<b>Sex</b>						
male		#		46,595	9.7	(7.5-12.3)
female	2,892	11.0 <sup>^</sup>	(5.2-22.0)	58,919	11.4	(9.3-13.9)
<b>Age-adjusted<sup>&amp;</sup></b>		9.0	(5.1-15.5)		11.0	(9.3-12.9)

\* Among people needing to see a doctor in the past 12 months

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

### Percentage of adults who have a regular health care provider



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	46,339	88.7	(81.3-93.4)	891,951	89.5	(87.7-91.0)
<b>Age</b>		#				
18-24		#		98,637	75.1	(65.5-82.8)
25-34		#		124,962	80.4	(74.7-85.1)
35-44	9,927	87.8 <sup>^</sup>	(72.5-95.2)	130,769	88.1	(82.8-91.9)
45-64	17,629	93.7	(84.6-97.6)	336,849	94.7	(92.7-96.1)
65+	8,932	95.3	(87.9-98.3)	190,189	97.8	(96.5-98.6)
<b>Race</b>						
White, NH	38,510	88.6	(80.3-93.7)	717,170	90.5	(88.8-92.0)
Black, NH		#		64,548	83.7	(73.7-90.4)
Hispanic		#		40,023	77.2 <sup>^</sup>	(63.5-86.8)
Other, NH		#		70,210	93.3	(84.6-97.2)
<b>Sex</b>						
male	21,071	80.7 <sup>^</sup>	(67.4-89.4)	407,470	84.7	(81.6-87.3)
female	25,267	96.6	(93.3-98.3)	484,481	94.0	(92.0-95.5)
<b>Age-adjusted<sup>&amp;</sup></b>		87.5	(79.4-92.7)		88.6	(86.7-90.4)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

### Percentage of adults who had a dentist visit within the past year



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	38,976	79.0	(73.1-83.9)	684,119	72.7	(69.7-75.6)
<b>Age</b>		#				
18-24		#		90,313	71.2 <sup>^</sup>	(57.6-81.8)
25-34		#		89,852	61.3	(52.1-69.7)
35-44	9,658	89.6 <sup>^</sup>	(79.3-95.0)	107,877	77.2	(69.7-83.3)
45-64	13,830	78.9	(69.2-86.1)	254,354	76.5	(72.6-79.9)
65+	6,184	70.6	(60.7-78.9)	136,480	72.9	(67.8-77.5)
<b>Race</b>						
White, NH	31,430	76.5	(70.2-81.8)	562,395	74.8	(72.3-77.1)
Black, NH		#		45,366	66.5	(56.6-75.2)
Hispanic		#		38,236	76.0 <sup>^</sup>	(62.5-85.8)
Other, NH		#		38,122	54.6 <sup>^</sup>	(32.4-75.0)
<b>Sex</b>						
male	19,375	79.6	(70.3-86.5)	317,427	70.0	(65.6-74.1)
female	19,601	78.4	(70.5-84.7)	366,693	75.2	(70.9-79.1)
<b>Age-adjusted<sup>&amp;</sup></b>		78.8	(72.9-83.7)		72.6	(69.4-75.5)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

### Percentage of adults living with a disability\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	14,321	27.8	(20.7-36.3)	248,993	25.3	(22.9-27.8)
<b>Age</b>						
18-24	#	#		13,165	9.9	(5.7-16.7)
25-34	#	#		24,795	16.2	(11.5-22.3)
35-44	4,186	38.3 <sup>^</sup>	(19.3-61.8)	30,187	21.0	(15.4-28.0)
45-64	6,032	32.4 <sup>^</sup>	(21.2-46.1)	103,044	29.1	(25.3-33.2)
65+	2,649	28.8	(21.0-38.0)	74,769	39.3	(34.1-44.7)
<b>Race</b>						
White, NH	8,444	19.8	(15.3-25.2)	193,463	24.7	(22.3-27.3)
Black, NH	#	#		23,963	31.7 <sup>^</sup>	(22.9-41.9)
Hispanic	#	#		17,435	34.3 <sup>^</sup>	(23.4-47.2)
Other, NH	#	#		14,132	18.8 <sup>^</sup>	(9.4-34.1)
<b>Sex</b>						
male	7,389	28.9 <sup>^</sup>	(17.8-43.3)	112,778	23.7	(20.7-27.1)
female	6,932	26.8 <sup>^</sup>	(18.6-36.8)	136,215	26.7	(23.3-30.5)
<b>Age-adjusted<sup>&amp;</sup></b>		26.5	(19.9-34.3)		24.2	(22.0-26.7)

\* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

### Percentage of adults aged 18-64 years with healthcare coverage



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total Age<sup>+</sup></b>	36,560	85.8	(78.1-91.1)	694,148	87.8	(85.7-89.6)
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	29,817	86.6	(77.9-92.3)	546,972	89.1	(87.0-90.9)
Black, NH		#		54,874	83.7	(75.1-89.8)
Hispanic		#		37,833	76.4 <sup>^</sup>	(61.7-86.6)
Other, NH		#		54,469	88.5 <sup>^</sup>	(75.0-95.2)
<b>Sex</b>						
male	18,775	86.9	(77.1-92.9)	329,824	84.5	(80.9-87.5)
female	17,785	84.7 <sup>^</sup>	(71.4-92.5)	364,324	91.0	(88.6-93.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	29,438	70.0	(60.3-78.2)	501,658	63.5	(59.9-66.9)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	23,795	70.2	(61.6-77.6)	387,058	63.1	(59.7-66.4)
Black, NH		#		52,686	79.2 <sup>^</sup>	(68.3-87.1)
Hispanic		#		32,661	66.3 <sup>^</sup>	(51.9-78.3)
Other, NH		#		29,253	47.7 <sup>^</sup>	(25.7-70.6)
<b>Sex</b>						
male	14,654	69.5 <sup>^</sup>	(54.1-81.6)	228,555	58.5	(53.4-63.5)
female	14,784	70.4 <sup>^</sup>	(58.1-80.4)	273,103	68.3	(63.6-72.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

### Percentage of adults experiencing housing insecurity in the past 12 months\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	20,617	43.1	(34.9-51.7)	314,889	34.4	(31.5-37.4)
<b>Age</b>		#				
18-24		#		32,879	32.4 <sup>^</sup>	(22.8-43.7)
25-34		#		72,916	51.0	(42.6-59.4)
35-44	6,019	56.7 <sup>^</sup>	(36.8-74.6)	49,765	35.8	(29.2-43.0)
45-64	6,177	35.2 <sup>^</sup>	(24.8-47.3)	111,638	33.0	(28.9-37.4)
65+	1,873	22.1 <sup>^</sup>	(13.4-34.2)	42,474	23.1	(17.9-29.3)
<b>Race</b>						
White, NH	15,794	40.4	(33.0-48.3)	232,180	31.9	(29.2-34.7)
Black, NH		#		34,856	49.6 <sup>^</sup>	(39.3-60.0)
Hispanic		#		18,970	38.4 <sup>^</sup>	(26.4-51.9)
Other, NH		#		28,883	42.5 <sup>^</sup>	(23.1-64.4)
<b>Sex</b>						
male	10,235	44.8 <sup>^</sup>	(31.5-58.8)	141,970	32.0	(27.8-36.6)
female	10,381	41.5 <sup>^</sup>	(31.9-51.9)	172,920	36.6	(32.7-40.7)
<b>Age-adjusted<sup>&amp;</sup></b>		46.2	(39.2-53.4)		35.1	(32.2-38.2)

\* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

### Percentage of adults experiencing food insecurity in the past 12 months\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	12,704	25.1	(17.7-34.3)	213,556	22.2	(19.7-24.8)
<b>Age</b>		#				
18-24		#		27,370	21.4	(15.0-29.6)
25-34		#		52,899	35.3	(27.0-44.7)
35-44	5,603	52.0 <sup>^</sup>	(31.9-71.4)	36,748	26.0	(20.2-32.8)
45-64	2,818	15.4	(9.3-24.4)	70,256	20.4	(17.2-24.1)
65+	945	10.5	(6.0-17.6)	23,573	12.4	(9.0-17.0)
<b>Race</b>						
White, NH	10,248	24.5	(17.7-32.9)	154,900	20.2	(18.0-22.7)
Black, NH		#		27,276	37.2 <sup>^</sup>	(28.1-47.4)
Hispanic		#		14,323	28.0 <sup>^</sup>	(18.4-40.2)
Other, NH		#		17,057	23.4 <sup>^</sup>	(9.5-47.1)
<b>Sex</b>						
male	6,204	24.6 <sup>^</sup>	(13.3-41.1)	97,708	21.1	(17.2-25.4)
female	6,500	25.6 <sup>^</sup>	(17.4-35.9)	115,848	23.2	(20.2-26.5)
<b>Age-adjusted<sup>&amp;</sup></b>		26.2	(19.3-34.6)		23.1	(20.6-25.9)

\* Worried or stressed about having enough money to buy nutritious meals.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

### Percentage of adults with poor self-reported health



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	3,541	6.8	(2.7-16.1)	35,254	3.5	(2.8-4.5)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		16,753	4.7	(3.4-6.4)
65+	765	8.1	(3.9-16.3)	11,921	6.1	(4.4-8.5)
<b>Race</b>						
White, NH	1,605	3.7	(2.2-6.2)	23,699	3.0	(2.3-3.8)
Black, NH		#		4,892	6.3	(3.1-12.1)
Hispanic		#		4,142	7.9 <sup>^</sup>	(3.2-18.0)
Other, NH		#		2,522	3.4	(1.3-8.5)
<b>Sex</b>						
male		#		19,535	4.1	(2.9-5.6)
female	1,145	4.4	(2.4-8.0)	15,719	3.1	(2.2-4.2)
<b>Age-adjusted<sup>&amp;</sup></b>		6.6	(2.8-15.0)		3.3	(2.6-4.3)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health\*



	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	7,556	14.6	(10.2-20.4)	113,479	11.6	(10.0-13.5)
<b>Age</b>		#				
18-24		#		6,519	4.9	(1.9-12.4)
25-34		#		11,848	7.9	(5.0-12.3)
35-44		#		13,334	9.1	(5.5-14.7)
45-64	2,783	14.9	(8.9-23.8)	53,981	15.3	(12.4-18.8)
65+	1,759	19.1	(12.3-28.5)	26,922	14.7	(11.9-18.1)
<b>Race</b>						
White, NH	4,917	11.4	(8.2-15.6)	91,151	11.7	(10.0-13.8)
Black, NH		#		10,140	13.4	(8.2-21.4)
Hispanic		#		8,112	16.1	(9.8-25.5)
Other, NH		#		4,076	5.6	(2.7-11.2)
<b>Sex</b>						
male	3,406	13.1 <sup>^</sup>	(6.9-23.5)	53,813	11.3	(9.0-14.1)
female	4,150	16.1	(10.9-23.1)	59,667	11.9	(9.8-14.4)
<b>Age-adjusted<sup>&amp;</sup></b>		14.3	(9.8-20.3)		11.2	(9.6-13.0)

\* Out of the past 30 days.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults who are obese\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	16,450	33.6	(26.0-42.2)	254,425	27.0	(24.4-29.8)
<b>Age</b>						
18-24	#	#		16,808	13.5	(7.9-22.1)
25-34	#	#		43,074	29.7	(21.3-39.6)
35-44	3,038	27.4 <sup>^</sup>	(10.5-55.1)	41,076	28.7	(22.4-36.0)
45-64	7,412	45.3 <sup>^</sup>	(33.7-57.5)	100,327	30.0	(26.3-34.1)
65+	3,200	34.9 <sup>^</sup>	(25.4-45.7)	51,798	27.9	(23.3-33.1)
<b>Race</b>						
White, NH	11,593	27.7	(21.9-34.4)	195,881	26.2	(23.8-28.8)
Black, NH	#	#		25,307	34.7	(26.0-44.5)
Hispanic	#	#		17,493	34.1 <sup>^</sup>	(22.9-47.5)
Other, NH	#	#		15,744	22.5 <sup>^</sup>	(8.5-47.8)
<b>Sex</b>						
male	9,213	35.9 <sup>^</sup>	(24.2-49.5)	131,663	27.7	(23.8-32.0)
female	7,237	31.2 <sup>^</sup>	(22.5-41.4)	122,762	26.3	(23.0-29.9)
<b>Age-adjusted<sup>&amp;</sup></b>		32.7	(25.1-41.2)		27.2	(24.5-30.1)

\* Obesity defined as a Body Mass Index (BMI)  $\geq 30$ . BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $< 10$  in the numerator or  $< 50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	7,288	44.2 <sup>^</sup>	(27.5-62.2)	83,889	36.9	(30.6-43.7)
<b>Age</b>						
18-24		#		5,671	17.5 <sup>^</sup>	(7.9-34.3)
25-34		#		19,305	46.4 <sup>^</sup>	(25.9-68.2)
35-44		#		9,968	34.8 <sup>^</sup>	(22.0-50.3)
45-64		#		28,074	40.1	(31.3-49.6)
65+	1,677	45.0 <sup>^</sup>	(28.2-63.1)	20,012	37.5 <sup>^</sup>	(28.1-48.0)
<b>Race</b>						
White, NH	3,979	32.0 <sup>^</sup>	(20.0-47.0)	56,366	36.0	(30.2-42.2)
Black, NH		#		10,712	30.8 <sup>^</sup>	(20.0-44.3)
Hispanic		#			#	
Other, NH		#		10,722	55.3 <sup>^</sup>	(20.0-85.9)
<b>Sex</b>						
male		#		38,883	32.8 <sup>^</sup>	(23.0-44.5)
female	3,453	43.9 <sup>^</sup>	(24.6-65.2)	45,006	41.3	(34.4-48.7)
<b>Age-adjusted<sup>&amp;</sup></b>		42.7 <sup>^</sup>	(28.3-58.5)		36.7	(30.6-43.3)

\* Obesity defined as a Body Mass Index (BMI)  $\geq 30$ . BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $< 10$  in the numerator or  $< 50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults living with a disability who are obese\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	8,191	61.3 <sup>^</sup>	(44.0-76.2)	90,664	38.5	(33.5-43.7)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		7,827	35.1 <sup>^</sup>	(21.1-52.2)
35-44		#		10,209	34.6 <sup>^</sup>	(21.2-50.8)
45-64		#		43,860	45.1	(37.3-53.1)
65+	1,487	58.9 <sup>^</sup>	(41.6-74.3)	25,854	36.6	(28.1-46.1)
<b>Race</b>						
White, NH	3,990	51.2 <sup>^</sup>	(37.5-64.7)	68,651	37.7	(32.3-43.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		40,686	36.9	(30.2-44.1)
female	4,078	65.5 <sup>^</sup>	(47.5-79.9)	49,978	40.0	(32.9-47.5)
<b>Age-adjusted<sup>&amp;</sup></b>		68.9 <sup>^</sup>	(54.0-80.8)		35.8	(30.4-41.6)

\* Obesity defined as a Body Mass Index (BMI)  $\geq 30$ . BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $<10$  in the numerator or  $<50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults overweight or obese\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	30,381	62.1	(53.8-69.8)	581,065	61.8	(58.6-64.8)
<b>Age</b>		#				
18-24		#		41,425	33.2 <sup>^</sup>	(23.5-44.5)
25-34		#		83,868	57.7	(49.6-65.5)
35-44	7,656	69.2 <sup>^</sup>	(49.2-83.8)	83,850	58.6	(50.5-66.3)
45-64	11,224	68.7 <sup>^</sup>	(57.3-78.1)	241,793	72.4	(68.0-76.4)
65+	6,515	71.0	(62.0-78.7)	125,252	67.6	(62.1-72.6)
<b>Race</b>						
White, NH	24,080	57.6	(49.3-65.5)	471,523	63.1	(60.2-66.0)
Black, NH		#		49,324	67.6 <sup>^</sup>	(57.0-76.7)
Hispanic		#		33,809	65.9 <sup>^</sup>	(50.0-78.9)
Other, NH		#		26,409	37.8 <sup>^</sup>	(20.1-59.5)
<b>Sex</b>						
male	17,508	68.1 <sup>^</sup>	(54.7-79.1)	329,186	69.4	(65.4-73.1)
female	12,874	55.5 <sup>^</sup>	(45.0-65.5)	251,879	54.0	(49.3-58.6)
<b>Age-adjusted<sup>&amp;</sup></b>		60.4	(52.7-67.5)		60.8	(57.7-63.8)

\* Defined as a Body Mass Index (BMI)  $\geq 25$ . BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $< 10$  in the numerator or  $< 50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days\*



### Livingston County

### Finger Lakes


	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	34,590	68.4	(60.2-75.6)	703,242	72.6	(69.5-75.6)
<b>Age</b>						
18-24	#			97,421	75.5 <sup>^</sup>	(60.0-86.3)
25-34	#			106,989	71.1 <sup>^</sup>	(60.7-79.7)
35-44	8,228	77.2 <sup>^</sup>	(57.7-89.4)	105,857	74.8	(66.9-81.3)
45-64	10,411	56.9 <sup>^</sup>	(43.1-69.7)	256,126	73.8	(69.9-77.4)
65+	5,880	65.2	(55.4-73.9)	128,648	67.9	(62.3-73.0)
<b>Race</b>						
White, NH	30,019	71.8	(65.0-77.8)	588,978	76.4	(73.9-78.8)
Black, NH	#			53,055	72.5	(63.6-79.9)
Hispanic	#			33,495	65.3 <sup>^</sup>	(52.7-76.0)
Other, NH	#			27,713	38.0 <sup>^</sup>	(22.0-57.0)
<b>Sex</b>						
male	17,786	70.9 <sup>^</sup>	(59.8-80.0)	346,071	74.1	(69.7-78.0)
female	16,803	65.9 <sup>^</sup>	(53.8-76.2)	357,171	71.3	(66.6-75.6)
<b>Age-adjusted<sup>&amp;</sup></b>		70.2	(62.9-76.5)		72.7	(69.4-75.9)

\* Any physical activities or exercises such as running or walking  
 & Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*



	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	13,015	25.9	(18.7-34.6)	214,679	22.5	(19.9-25.3)
<b>Age</b>						
18-24	#	#		55,277	43.6 <sup>^</sup>	(31.8-56.0)
25-34	#	#		35,087	23.6	(18.5-29.7)
35-44	4,991	46.3 <sup>^</sup>	(26.2-67.7)	34,865	24.9	(19.2-31.6)
45-64	3,062	16.9 <sup>^</sup>	(9.6-28.0)	57,660	16.9	(13.8-20.6)
65+	1,632	18.4 <sup>^</sup>	(10.4-30.6)	30,644	16.3	(12.8-20.6)
<b>Race</b>						
White, NH	9,491	22.9	(16.9-30.2)	150,493	19.8	(17.6-22.2)
Black, NH	#	#		22,275	31.3 <sup>^</sup>	(22.6-41.4)
Hispanic	#	#		15,272	30.5 <sup>^</sup>	(19.3-44.5)
Other, NH	#	#		26,640	36.6 <sup>^</sup>	(18.8-59.1)
<b>Sex</b>						
male	8,976	35.9 <sup>^</sup>	(24.0-49.9)	120,224	26.1	(22.7-29.8)
female	4,038	15.9	(9.8-24.9)	94,456	19.2	(15.4-23.6)
<b>Age-adjusted<sup>&amp;</sup></b>		26.7	(19.6-35.3)		23.2	(20.7-26.0)

\* Sugary drinks include regular soda, and sugar-sweetened drinks.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults who consume fast-food three or more times per week



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	3,592	7.2	(4.3-11.7)	58,515	6.2	(5.0-7.7)
<b>Age</b>		#				
18-24		#		16,427	12.9	(7.6-20.9)
25-34		#		9,670	6.5	(3.9-10.9)
35-44		#		5,131	3.7	(2.0-6.7)
45-64	1,494	8.3	(4.0-16.3)	20,550	6.2	(4.2-8.9)
65+		#		6,737	3.6	(2.4-5.6)
<b>Race</b>						
White, NH	2,611	6.3	(3.7-10.6)	39,988	5.3	(4.1-6.8)
Black, NH		#		7,235	10.4	(5.5-18.9)
Hispanic		#		6,059	12.1 <sup>^</sup>	(5.1-25.9)
Other, NH		#		5,233	7.4 <sup>^</sup>	(2.8-18.0)
<b>Sex</b>						
male	2,964	12.0	(6.6-20.6)	43,869	9.7	(7.5-12.5)
female		#		14,646	3.0	(2.0-4.5)
<b>Age-adjusted<sup>&amp;</sup></b>		7.1	(4.2-11.7)		6.1	(4.9-7.6)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults with physician diagnosed diabetes\*



	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,407	12.2	(7.7-18.9)	100,031	10.0	(8.7-11.5)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		7,103	4.6	(2.5-8.4)
35-44		#		6,332	4.3	(2.4-7.6)
45-64	3,254	17.3 <sup>^</sup>	(8.3-32.6)	47,349	13.3	(10.8-16.3)
65+	1,960	20.8	(14.5-28.9)	38,439	19.6	(16.4-23.3)
<b>Race</b>						
White, NH	4,593	10.6	(7.0-15.5)	70,994	8.9	(7.7-10.3)
Black, NH		#		17,328	22.6	(15.2-32.3)
Hispanic		#		6,956	13.5	(8.0-21.9)
Other, NH		#		4,753	6.3	(2.5-15.0)
<b>Sex</b>						
male	2,201	8.4	(4.6-14.9)	50,941	10.6	(8.7-12.8)
female	4,207	16.1 <sup>^</sup>	(8.7-27.9)	49,090	9.5	(7.8-11.5)
<b>Age-adjusted<sup>&amp;</sup></b>		11.4	(7.3-17.5)		9.1	(8.0-10.5)

\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults who are current smokers



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	11,804	23.0	(16.8-30.8)	170,861	17.4	(15.5-19.6)
<b>Age</b>		#				
18-24		#		25,688	19.3	(12.8-28.2)
25-34		#		40,770	26.8	(21.3-33.1)
35-44	2,276	20.8 <sup>^</sup>	(8.6-42.2)	27,819	19.5	(14.0-26.5)
45-64	5,235	28.1 <sup>^</sup>	(17.3-42.2)	61,479	17.5	(14.6-20.8)
65+	485	5.3	(2.4-11.2)	14,504	7.6	(5.5-10.5)
<b>Race</b>						
White, NH	9,309	21.9	(16.2-29.1)	134,960	17.4	(15.3-19.6)
Black, NH		#		20,478	26.8 <sup>^</sup>	(18.6-37.0)
Hispanic		#		6,643	12.9	(7.7-20.9)
Other, NH		#		8,780	11.8 <sup>^</sup>	(5.6-23.2)
<b>Sex</b>						
male	5,454	21.4 <sup>^</sup>	(13.9-31.5)	95,560	20.3	(17.2-23.8)
female	6,351	24.7 <sup>^</sup>	(15.4-37.1)	75,301	14.8	(12.6-17.4)
<b>Age-adjusted<sup>&amp;</sup></b>		23.5	(17.2-31.2)		18.2	(16.1-20.5)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers




	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	5,835	35.9 <sup>^</sup>	(21.1-53.9)	69,503	29.6	(24.7-34.9)
<b>Age</b>		#				
18-24		#		14,247	40.5 <sup>^</sup>	(26.5-56.2)
25-34		#		16,608	37.7 <sup>^</sup>	(22.9-55.2)
35-44		#		9,252	33.3 <sup>^</sup>	(19.5-50.8)
45-64		#		23,452	32.4	(24.6-41.5)
65+		#		5,766	10.6	(6.7-16.2)
<b>Race</b>						
White, NH	4,206	34.5 <sup>^</sup>	(20.8-51.4)	48,760	29.6	(24.4-35.3)
Black, NH		#		15,001	43.1 <sup>^</sup>	(29.3-58.0)
Hispanic		#			#	
Other, NH		#		3,255	16.8 <sup>^</sup>	(5.4-41.5)
<b>Sex</b>						
male		#		36,273	31.2	(23.4-40.3)
female	3,944	51.1 <sup>^</sup>	(30.5-71.2)	33,230	27.9	(22.4-34.1)
<b>Age-adjusted<sup>&amp;</sup></b>		42.2 <sup>^</sup>	(30.0-55.4)		30.9	(25.5-36.9)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults aged 18-24 years who are current smokers



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>		#		25,688	19.3	(12.8-28.2)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		18,243	21.5	(14.1-31.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		13,906	22.2 <sup>^</sup>	(13.2-34.9)
female		#		11,783	16.8 <sup>^</sup>	(8.6-30.1)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	8,367	79.1 <sup>^</sup>	(67.7-87.2)	156,901	82.4	(78.1-86.0)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	6,898	78.2 <sup>^</sup>	(67.9-85.8)	136,370	83.2	(78.8-86.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	8,367	79.1 <sup>^</sup>	(67.7-87.2)	156,901	82.4	(78.1-86.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*



	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>		#		32,858	75.7 <sup>^</sup>	(65.5-83.6)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		24,468	77.6	(68.5-84.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female		#		32,858	75.7 <sup>^</sup>	(65.5-83.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	16,365	81.7 <sup>^</sup>	(69.5-89.7)	287,036	83.6	(80.3-86.4)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	13,346	80.9 <sup>^</sup>	(67.1-89.8)	236,785	84.1	(80.7-87.0)
Black, NH		#		23,521	86.1 <sup>^</sup>	(71.0-94.0)
Hispanic		#		12,743	79.7 <sup>^</sup>	(63.4-89.9)
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	16,365	81.7 <sup>^</sup>	(69.5-89.7)	287,036	83.6	(80.3-86.4)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Pap test within past 3 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>		#		55,266	73.1	(65.6-79.5)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		37,702	73.2	(64.7-80.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female		#		55,266	73.1	(65.6-79.5)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Pap test within past 3 years.

& Percent is age-adjusted to the 2000 United States Population.


+ Age-adjusted and age specific percent not generated for health indicators with age range limits.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Livingston

## Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	13,110	68.6	(59.2-76.7)	250,507	69.3	(65.3-73.0)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	10,590	66.5	(58.1-74.0)	218,863	70.7	(66.5-74.6)
Black, NH		#		18,387	75.8 <sup>^</sup>	(61.6-86.0)
Hispanic		#			#	
Other, NH		#		9,650	51.4 <sup>^</sup>	(30.2-72.2)
<b>Sex</b>						
male	5,667	65.9 <sup>^</sup>	(51.7-77.7)	116,224	69.1	(62.9-74.7)
female	7,443	70.8 <sup>^</sup>	(58.3-80.8)	134,284	69.5	(64.2-74.3)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total Age<sup>+</sup></b>	2,747	58.2 <sup>^</sup>	(39.8-74.5)	51,562	66.4	(59.0-73.2)
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	2,073	57.2 <sup>^</sup>	(42.0-71.1)	38,437	68.1	(60.3-74.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		21,576	64.5 <sup>^</sup>	(53.7-74.1)
female		#		29,986	67.9 <sup>^</sup>	(57.5-76.7)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	23,621	52.9	(43.7-61.9)	473,695	54.6	(51.3-57.9)
<b>Age</b>						
18-24	#	#		26,476	20.7	(14.1-29.4)
25-34	#	#		60,826	42.3	(34.5-50.4)
35-44	3,998	37.7 <sup>^</sup>	(21.5-57.2)	68,543	50.5	(42.7-58.3)
45-64	9,401	62.9 <sup>^</sup>	(47.8-75.8)	205,917	68.5	(63.9-72.9)
65+	4,780	66.6 <sup>^</sup>	(55.6-76.1)	106,367	71.4	(66.0-76.3)
<b>Race</b>						
White, NH	21,023	55.8	(46.9-64.3)	397,203	57.1	(54.1-60.2)
Black, NH	#	#		32,135	55.7 <sup>^</sup>	(44.5-66.3)
Hispanic	#	#		21,736	48.1 <sup>^</sup>	(33.4-63.1)
Other, NH	#	#		22,622	32.5 <sup>^</sup>	(17.6-52.2)
<b>Sex</b>						
male	11,933	51.1 <sup>^</sup>	(37.6-64.6)	220,518	52.8	(48.1-57.4)
female	11,688	54.8 <sup>^</sup>	(42.9-66.2)	253,177	56.3	(51.5-61.0)
<b>Age-adjusted<sup>&amp;</sup></b>		52.7	(44.1-61.1)		54.1	(51.2-57.0)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed prediabetes




	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	2,443	5.4	(3.1-9.3)	49,926	5.6	(4.5-7.0)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		2,644	1.8	(0.9-3.7)
35-44		#		5,077	3.6	(1.7-7.7)
45-64	987	6.5	(3.1-12.9)	23,774	7.9	(5.9-10.5)
65+		#		15,665	10.3	(7.2-14.4)
<b>Race</b>						
White, NH	1,698	4.4	(2.6-7.4)	42,109	5.9	(4.7-7.5)
Black, NH		#		4,034	7.0	(3.0-15.7)
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	1,541	6.5	(3.1-13.2)	25,274	6.0	(4.3-8.2)
female	902	4.1	(1.7-9.7)	24,651	5.3	(3.9-7.2)
<b>Age-adjusted<sup>&amp;</sup></b>		5.4	(3.1-9.3)		5.5	(4.4-6.9)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Livingston

## Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed high blood pressure



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	17,804	34.1	(26.8-42.2)	314,920	31.7	(29.2-34.2)
<b>Age</b>		#				
18-24		#		8,315	6.4	(3.1-12.6)
25-34		#		20,783	13.5	(9.7-18.4)
35-44		#		29,430	19.8	(14.6-26.2)
45-64	7,212	38.3 <sup>^</sup>	(26.8-51.4)	134,360	37.8	(33.7-42.1)
65+	6,244	66.5	(57.4-74.6)	118,288	60.8	(55.4-66.0)
<b>Race</b>						
White, NH	13,107	30.1	(24.6-36.4)	256,263	32.3	(29.8-34.9)
Black, NH		#		32,880	44.2	(34.8-54.0)
Hispanic		#		14,927	28.5 <sup>^</sup>	(19.0-40.3)
Other, NH		#		10,850	14.4 <sup>^</sup>	(7.9-25.0)
<b>Sex</b>						
male	9,884	37.8 <sup>^</sup>	(26.4-50.7)	158,361	33.0	(29.5-36.6)
female	7,920	30.3	(21.9-40.2)	156,559	30.4	(27.1-33.9)
<b>Age-adjusted<sup>&amp;</sup></b>		31.5	(25.0-38.9)		29.3	(27.1-31.5)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	13,295	74.7 <sup>^</sup>	(56.3-87.2)	243,314	77.3	(73.4-80.8)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		5,688	27.4 <sup>^</sup>	(15.6-43.5)
35-44		#		16,627	56.5 <sup>^</sup>	(40.3-71.4)
45-64	6,747	93.6	(86.9-96.9)	108,563	80.8	(74.8-85.7)
65+	5,696	91.5	(82.6-96.0)	108,613	91.9	(88.6-94.3)
<b>Race</b>						
White, NH	10,487	80.1 <sup>^</sup>	(69.0-87.9)	196,305	76.7	(72.2-80.6)
Black, NH		#		27,437	83.4 <sup>^</sup>	(71.8-90.9)
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	5,901	59.7 <sup>^</sup>	(36.2-79.5)	113,745	71.9	(66.0-77.1)
female	7,394	93.6	(85.6-97.3)	129,569	82.8	(77.4-87.2)
<b>Age-adjusted<sup>&amp;</sup></b>		48.5	(41.0-56.0)		58.7	(53.6-63.6)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults with current asthma\*



	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	3,302	6.4	(4.0-10.0)	112,310	11.3	(9.6-13.3)
<b>Age</b>		#				
18-24		#		20,356	15.3	(8.9-25.2)
25-34		#		20,425	13.3	(9.3-18.6)
35-44		#		13,324	9.1	(5.4-15.0)
45-64	1,430	7.7	(4.0-14.2)	40,947	11.6	(9.0-14.7)
65+	622	6.6	(3.4-12.5)	15,560	8.0	(5.9-10.6)
<b>Race</b>						
White, NH	3,302	7.6	(4.8-11.9)	81,926	10.4	(8.7-12.4)
Black, NH		#		11,764	15.4	(9.3-24.3)
Hispanic		#		7,513	14.3	(8.6-23.0)
Other, NH		#		11,106	14.8 <sup>^</sup>	(6.3-30.8)
<b>Sex</b>						
male	1,346	5.2	(2.1-12.5)	41,563	8.7	(6.6-11.3)
female	1,955	7.5	(4.5-12.2)	70,747	13.8	(11.2-16.8)
<b>Age-adjusted<sup>&amp;</sup></b>		5.8	(3.6-9.2)		11.2	(9.4-13.3)

\* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percent of adults with cholesterol checked\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	41,627	80.7	(72.0-87.2)	798,681	82.4	(79.3-85.0)
<b>Age</b>		#				
18-24		#		49,911	42.6 <sup>^</sup>	(31.0-55.0)
25-34		#		95,361	64.6	(55.3-72.9)
35-44	8,515	75.9 <sup>^</sup>	(53.9-89.5)	117,490	80.4	(73.0-86.1)
45-64	17,664	95.3	(89.0-98.0)	336,574	95.0	(93.5-96.3)
65+	9,188	97.9	(93.8-99.3)	188,822	97.7	(96.4-98.5)
<b>Race</b>						
White, NH	33,425	78.1	(68.3-85.5)	646,121	83.9	(81.6-86.0)
Black, NH		#		59,974	80.5 <sup>^</sup>	(70.4-87.8)
Hispanic		#		42,285	84.3 <sup>^</sup>	(74.0-91.0)
Other, NH		#		50,300	67.0 <sup>^</sup>	(41.4-85.4)
<b>Sex</b>						
male	19,388	74.8 <sup>^</sup>	(60.6-85.1)	375,301	80.0	(75.5-83.8)
female	22,239	86.6 <sup>^</sup>	(75.9-93.0)	423,380	84.6	(80.3-88.1)
<b>Age-adjusted<sup>&amp;</sup></b>		77.3	(69.4-83.6)		80.0	(77.1-82.5)

\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults 18 years and older with elevated cholesterol\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	18,547	44.6	(35.9-53.8)	300,637	37.9	(35.0-40.9)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		17,828	18.8	(12.5-27.2)
35-44		#		30,289	25.8	(19.3-33.5)
45-64	8,034	45.5 <sup>^</sup>	(32.7-58.9)	139,330	41.7	(37.3-46.4)
65+	4,990	54.8	(44.9-64.3)	102,175	54.6	(49.2-60.0)
<b>Race</b>						
White, NH	13,098	39.3	(32.4-46.7)	241,155	37.6	(34.7-40.6)
Black, NH		#		23,513	39.5 <sup>^</sup>	(29.4-50.5)
Hispanic		#		15,023	35.5 <sup>^</sup>	(23.3-50.0)
Other, NH		#		20,947	41.7 <sup>^</sup>	(24.0-61.8)
<b>Sex</b>						
male	9,135	47.2 <sup>^</sup>	(33.8-61.1)	151,064	40.6	(36.4-44.9)
female	9,412	42.4 <sup>^</sup>	(31.5-54.0)	149,573	35.6	(31.6-39.7)
<b>Age-adjusted<sup>&amp;</sup></b>		41.1 <sup>^</sup>	(31.4-51.5)		32.7	(29.1-36.6)

\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	2,191	7.7 <sup>^</sup>	(2.9-18.9)	51,667	10.0	(7.8-12.8)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#			#	
35-44		#		3,726	6.8	(3.1-14.2)
45-64	1,817	17.6 <sup>^</sup>	(5.8-42.6)	26,449	12.7	(9.1-17.5)
65+	374	5.1	(2.6-9.8)	12,705	8.1	(5.8-11.2)
<b>Race</b>						
White, NH	1,084	4.8	(3.1-7.5)	34,619	8.2	(6.3-10.7)
Black, NH		#		6,746	15.1 <sup>^</sup>	(8.2-26.3)
Hispanic		#			#	
Other, NH		#		8,215	31.5 <sup>^</sup>	(12.6-59.6)
<b>Sex</b>						
male	558	3.9	(1.9-7.9)	23,976	9.8	(6.9-13.9)
female	1,633	11.5 <sup>^</sup>	(3.2-33.8)	27,691	10.2	(7.2-14.2)
<b>Age-adjusted<sup>&amp;</sup></b>		6.1	(2.5-14.4)		9.5	(6.8-13.3)

\* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent Chronic Diseases

### Percentage of adults with arthritis\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	15,819	30.3	(23.4-38.1)	273,908	27.5	(25.1-30.0)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		11,753	7.6	(4.9-11.6)
35-44	2,890	25.6 <sup>^</sup>	(12.2-46.0)	27,015	18.2	(12.9-25.1)
45-64	6,460	34.3 <sup>^</sup>	(23.1-47.7)	122,234	34.4	(30.2-38.9)
65+	5,194	55.3	(45.5-64.6)	107,901	55.4	(50.3-60.3)
<b>Race</b>						
White, NH	11,731	27.0	(21.2-33.7)	230,014	29.0	(26.4-31.7)
Black, NH		#		21,965	28.9	(21.1-38.3)
Hispanic		#		10,718	20.5	(13.4-30.1)
Other, NH		#		11,212	14.9 <sup>^</sup>	(6.7-29.9)
<b>Sex</b>						
male	6,570	25.1 <sup>^</sup>	(16.5-36.3)	118,312	24.6	(21.3-28.2)
female	9,250	35.4 <sup>^</sup>	(25.7-46.5)	155,596	30.1	(26.7-33.8)
<b>Age-adjusted<sup>&amp;</sup></b>		28.5	(21.9-36.1)		25.3	(23.2-27.5)

\* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote a Healthy and Safe Environment

### Percentage of adults who consider their neighborhood suitable for walking and physical activity




	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	48,938	97.1	(94.1-98.6)	897,106	93.4	(92.0-94.6)
<b>Age</b>		#				
18-24		#		114,680	89.2	(81.1-94.1)
25-34		#		134,928	90.1	(85.9-93.2)
35-44	10,338	95.9 <sup>^</sup>	(75.7-99.4)	134,641	95.3	(92.3-97.2)
45-64	17,850	97.7	(95.0-99.0)	326,991	94.9	(93.0-96.3)
65+	8,395	95.2	(88.8-98.0)	176,297	94.4	(92.1-96.1)
<b>Race</b>						
White, NH	40,150	96.5	(92.9-98.3)	723,466	94.7	(93.4-95.8)
Black, NH		#		58,381	80.4 <sup>^</sup>	(70.2-87.8)
Hispanic		#		45,612	89.3	(79.9-94.6)
Other, NH		#		69,648	95.6	(90.2-98.0)
<b>Sex</b>						
male	24,609	98.1	(95.1-99.3)	435,275	93.9	(91.7-95.5)
female	24,328	96.1	(90.1-98.5)	461,832	92.9	(91.0-94.5)
<b>Age-adjusted<sup>&amp;</sup></b>		97.2	(94.1-98.7)		93.3	(91.9-94.5)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote a Health and Safe Environment

### Percentage of adults aged 65+ years with at least one fall in the past 12 months



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	2,617	29.6	(21.5-39.2)	57,486	30.5	(25.8-35.7)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	2,464	29.9	(22.0-39.3)	43,381	26.6	(22.9-30.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	1,196	29.0 <sup>^</sup>	(17.0-45.0)	26,845	31.6	(25.8-38.1)
female	1,420	30.1 <sup>^</sup>	(20.2-42.3)	30,641	29.6	(22.7-37.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>		#		19,362	33.9	(26.1-42.8)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		16,678	38.8	(31.4-46.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		8,530	32.0 <sup>^</sup>	(22.0-43.9)
female		#		10,832	35.6 <sup>^</sup>	(24.2-49.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Falls that limited regular activities or lead to doctor visits.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,714	39.2 <sup>^</sup>	(26.8-53.2)	106,026	32.9	(28.9-37.2)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	5,085	39.2 <sup>^</sup>	(29.3-49.9)	83,817	31.1	(26.9-35.6)
Black, NH		#		14,865	57.1 <sup>^</sup>	(40.3-72.4)
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	3,251	44.4 <sup>^</sup>	(29.2-60.6)	56,263	36.6	(30.6-43.1)
female	3,463	35.3 <sup>^</sup>	(18.4-57.0)	49,763	29.6	(24.4-35.3)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 18+ years with flu immunization in the past year\*



	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	25,505	50.4	(41.9-58.9)	556,353	57.7	(54.7-60.6)
<b>Age</b>		#				
18-24		#		52,329	40.8 <sup>^</sup>	(30.1-52.4)
25-34		#		65,604	43.6	(35.2-52.4)
35-44	4,300	39.9 <sup>^</sup>	(22.6-60.1)	69,933	49.5	(41.8-57.1)
45-64	10,757	58.9 <sup>^</sup>	(45.7-70.9)	205,087	59.5	(55.2-63.7)
65+	7,398	82.2	(74.1-88.2)	157,801	83.2	(80.0-85.9)
<b>Race</b>						
White, NH	21,714	51.9	(43.9-59.9)	443,049	57.6	(54.7-60.4)
Black, NH		#		40,970	57.1 <sup>^</sup>	(47.0-66.7)
Hispanic		#		30,516	59.7 <sup>^</sup>	(46.2-71.9)
Other, NH		#		41,817	57.3 <sup>^</sup>	(35.8-76.4)
<b>Sex</b>						
male	11,216	44.7 <sup>^</sup>	(32.9-57.1)	260,048	55.9	(51.8-60.0)
female	14,289	56.0 <sup>^</sup>	(44.7-66.8)	296,305	59.3	(54.9-63.5)
<b>Age-adjusted<sup>&amp;</sup></b>		47.6	(40.0-55.4)		56.0	(52.9-59.1)

\* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 65+ years with flu immunization in the past year\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	7,398	82.2	(74.1-88.2)	157,801	83.2	(80.0-85.9)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	6,788	80.9	(72.6-87.2)	136,667	83.2	(80.1-85.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	3,454	80.7 <sup>^</sup>	(66.8-89.7)	72,669	85.0	(80.9-88.3)
female	3,944	83.6 <sup>^</sup>	(73.3-90.4)	85,131	81.7	(76.8-85.8)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 65+ years with pneumococcal immunization



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,752	77.0	(67.8-84.3)	135,060	74.0	(68.5-78.8)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	6,143	75.3	(65.9-82.8)	122,920	78.0	(74.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	3,171	74.1 <sup>^</sup>	(58.1-85.5)	56,221	68.3	(61.1-74.7)
female	3,581	79.8 <sup>^</sup>	(69.2-87.5)	78,839	78.7	(70.1-85.3)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	8,459	84.3 <sup>^</sup>	(71.6-92.0)	158,478	76.1	(67.5-83.1)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		120,797	78.0	(71.5-83.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	8,459	84.3 <sup>^</sup>	(71.6-92.0)	158,478	76.1	(67.5-83.1)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,065	58.0 <sup>^</sup>	(39.7-74.4)	135,013	61.9	(54.3-68.9)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	6,065	61.5 <sup>^</sup>	(41.9-78.0)	99,001	61.6	(54.7-68.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	6,065	58.0 <sup>^</sup>	(39.7-74.4)	135,013	61.9	(54.3-68.9)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote Healthy Women, Infants, and Children

### Percentage of women aged 18-64 years with health care coverage



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	17,785	84.7 <sup>^</sup>	(71.4-92.5)	364,324	91.0	(88.6-93.0)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	14,744	84.4 <sup>^</sup>	(69.2-92.9)	282,703	91.1	(88.4-93.2)
Black, NH		#		28,417	85.7 <sup>^</sup>	(74.1-92.6)
Hispanic		#		16,002	91.5 <sup>^</sup>	(74.4-97.5)
Other, NH		#		37,203	94.7 <sup>^</sup>	(84.6-98.3)
<b>Sex</b>						
male		#			#	
female	17,785	84.7 <sup>^</sup>	(71.4-92.5)	364,324	91.0	(88.6-93.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



### Livingston County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,570	63.7 <sup>^</sup>	(47.1-77.6)	89,890	43.1	(35.9-50.6)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	6,098	62.8 <sup>^</sup>	(45.5-77.3)	72,684	46.8	(39.7-54.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	6,570	63.7 <sup>^</sup>	(47.1-77.6)	89,890	43.1	(35.9-50.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Livingston County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,179	12.0	(7.4-18.9)	120,784	12.3	(10.6-14.2)
<b>Age</b>		#				
18-24		#		18,248	13.9	(8.2-22.4)
25-34		#		21,945	14.4	(10.5-19.4)
35-44		#		17,847	12.2	(8.1-18.0)
45-64	1,939	10.5	(5.2-20.2)	50,391	14.4	(11.5-17.7)
65+		#		11,819	6.3	(4.5-8.7)
<b>Race</b>						
White, NH	4,293	10.0	(5.8-16.8)	90,447	11.6	(9.9-13.6)
Black, NH		#		12,561	16.5	(10.8-24.5)
Hispanic		#		9,450	18.5 <sup>^</sup>	(11.2-29.0)
Other, NH		#		8,325	11.1 <sup>^</sup>	(4.0-27.3)
<b>Sex</b>						
male	2,609	10.1 <sup>^</sup>	(4.5-21.1)	49,351	10.4	(8.2-13.2)
female	3,570	14.0 <sup>^</sup>	(7.7-24.1)	71,433	14.1	(11.7-16.9)
<b>Age-adjusted<sup>&amp;</sup></b>		12.4	(7.7-19.5)		12.5	(10.7-14.5)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote Mental Health and Prevention Substance Abuse

### Percentage of adult binge drinking during the past month\*



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	9,324	18.7	(12.4-27.3)	154,347	16.1	(14.1-18.4)
<b>Age</b>		#				
18-24		#		32,152	24.8	(17.7-33.6)
25-34		#		37,099	24.8	(19.2-31.4)
35-44		#		26,167	18.7	(12.6-26.7)
45-64	3,076	16.8	(10.4-26.0)	52,235	15.2	(12.0-19.1)
65+		#		5,899	3.2	(2.2-4.5)
<b>Race</b>						
White, NH	7,537	18.4	(11.8-27.4)	129,788	17.1	(14.7-19.6)
Black, NH		#		8,750	12.2	(7.4-19.5)
Hispanic		#		10,236	19.8 <sup>^</sup>	(12.0-30.9)
Other, NH		#		5,572	7.5	(3.2-16.9)
<b>Sex</b>						
male	7,059	29.2 <sup>^</sup>	(17.8-44.1)	99,542	21.7	(18.3-25.4)
female	2,265	8.8	(5.1-14.8)	54,805	11.0	(8.8-13.7)
<b>Age-adjusted<sup>&amp;</sup></b>		21.3	(15.2-29.1)		16.9	(14.6-19.5)

\* Men who have five or more drinks , women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Livingston

## Promote Mental Health and Prevention Substance Abuse

### Percentage of cigarette smoking among adults who report poor mental health



#### Livingston County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>		#		41,696	34.8	(27.8-42.5)
<b>Age</b>		#			#	
18-24		#				
25-34		#		10,400	48.1 <sup>^</sup>	(33.0-63.5)
35-44		#		7,009	39.7 <sup>^</sup>	(20.7-62.3)
45-64		#		19,075	38.1 <sup>^</sup>	(27.3-50.2)
65+		#		740	6.3	(3.3-11.9)
<b>Race</b>		#			#	
White, NH		#		32,992	36.8	(28.9-45.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>		#			#	
male		#		19,261	39.2 <sup>^</sup>	(27.0-53.0)
female		#		22,435	31.7	(24.4-40.1)
<b>Age-adjusted<sup>&amp;</sup></b>		#			33.1	(26.5-40.5)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).