

# eBRFSS 2013-2014 Health Indicators: Steuben

General Description .....	2
Improve Health Status and Reduce Health Disparities .....	3
Percentage of adults who did not receive medical care because of cost .....	3
Percentage of adults who have a regular health care provider .....	4
Percentage of adults who had a dentist visit within the past year .....	5
Percentage of adults living with a disability.....	6
Percentage of adults aged 18-64 years with healthcare coverage .....	7
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year .....	8
Percentage of adults experiencing housing insecurity in the past 12 months.....	9
Percentage of adults experiencing food insecurity in the past 12 months.....	10
Percentage of adults with poor self-reported health .....	11
Percentage of adults who report 14 or more days of poor physical health.....	12
Prevent Chronic Diseases .....	13
Percentage of adults who are obese .....	13
Percentage of adults with an annual household income less than \$25,000 who are obese .....	14
Percentage of adults living with a disability who are obese .....	15
Percentage of adults overweight or obese .....	16
Percentage of adults who participated in leisure time physical activity in the past 30 days.....	17
Percentage of adults who consume one or more sugary drinks daily .....	18
Percentage of adults who consume fast-food three or more times per week .....	19
Percentage of adults with physician diagnosed diabetes .....	20
Percentage of adults who are current smokers .....	21
Percentage of adults with annual household income less than \$25,000 who are current smokers .....	22
Percentage of adults aged 18-24 years who are current smokers.....	23
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines .....	24
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines.....	25
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines .....	26
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines.....	27
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines.....	28
Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines.....	29
Percentage of adults who had a test for high blood sugar or diabetes within the past three years .....	30
Percentage of adults with physician-diagnosed prediabetes .....	31
Percentage of adults with physician-diagnosed high blood pressure.....	32
Percentage of adults with diagnosed high blood pressure taking high blood pressure medication .....	33
Percentage of adults with current asthma .....	34
Percent of adults with cholesterol checked.....	35
Percentage of adults 18 years and older with elevated cholesterol.....	36
Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition .....	37
Percentage of adults with arthritis .....	38
Promote a Healthy and Safe Environment .....	39
Percentage of adults who consider their neighborhood suitable for walking and physical activity.....	39
Percentage of adults aged 65+ years with at least one fall in the past 12 months.....	40
Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.....	41
Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections.....	42
Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV).....	42
Percentage of adults aged 18+ years with flu immunization in the past year .....	43
Percentage of adults aged 65+ years with flu immunization in the past year .....	44
Percentage of adults aged 65+ years with pneumococcal immunization.....	45
Promote Healthy Women, Infants, and Children .....	46
Percentage of women aged 18-44 years who had dental visit within the last year .....	46
Women aged 18-44 years who saw a doctor for a routine checkup within the last year.....	47
Percentage of women aged 18-64 years with health care coverage .....	48
Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy .....	49
Promote Mental Health and Prevention Substance Abuse .....	50
Percentage of adults with poor mental health for 14 or more days in the last month .....	50
Percentage of adult binge drinking during the past month .....	51
Percentage of cigarette smoking among adults who report poor mental health.....	52

## General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

### Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

### Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.

Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.


### Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than  $\pm 10\%$  are noted.

# Steuben

## Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost\*




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	8,823	11.5	(8.1-16.1)	105,514	10.5	(9.0-12.3)
<b>Age</b>						
18-24	#			18,069	13.6	(8.4-21.2)
25-34	#			23,656	15.2	(10.8-21.1)
35-44	#			18,598	12.5	(8.5-17.9)
45-64	4,030	14.2	(8.6-22.7)	35,930	10.1	(7.9-12.8)
65+	642	3.9	(1.6-9.1)	7,633	3.9	(2.5-6.1)
<b>Race</b>						
White, NH	6,520	9.8	(6.9-13.8)	78,405	9.9	(8.3-11.7)
Black, NH	#			11,314	14.5	(8.2-24.2)
Hispanic	#			8,090	15.4	(9.2-24.8)
Other, NH	#			7,706	10.2 <sup>^</sup>	(4.8-20.4)
<b>Sex</b>						
male	3,240	8.6	(4.9-14.7)	46,595	9.7	(7.5-12.3)
female	5,582	14.4	(9.2-21.8)	58,919	11.4	(9.3-13.9)
<b>Age-adjusted<sup>&amp;</sup></b>		12.0	(8.2-17.0)		11.0	(9.3-12.9)

\* Among people needing to see a doctor in the past 12 months  
 & Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

### Percentage of adults who have a regular health care provider



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	68,650	89.6	(84.5-93.1)	891,951	89.5	(87.7-91.0)
<b>Age</b>		#				
18-24		#		98,637	75.1	(65.5-82.8)
25-34		#		124,962	80.4	(74.7-85.1)
35-44	10,753	92.1	(82.1-96.7)	130,769	88.1	(82.8-91.9)
45-64	26,104	92.1	(86.8-95.3)	336,849	94.7	(92.7-96.1)
65+	16,053	96.9	(92.5-98.7)	190,189	97.8	(96.5-98.6)
<b>Race</b>						
White, NH	59,206	89.3	(83.7-93.1)	717,170	90.5	(88.8-92.0)
Black, NH		#		64,548	83.7	(73.7-90.4)
Hispanic		#		40,023	77.2 <sup>^</sup>	(63.5-86.8)
Other, NH		#		70,210	93.3	(84.6-97.2)
<b>Sex</b>						
male	31,419	83.1	(73.5-89.7)	407,470	84.7	(81.6-87.3)
female	37,231	95.9	(92.6-97.7)	484,481	94.0	(92.0-95.5)
<b>Age-adjusted<sup>&amp;</sup></b>		89.0	(83.6-92.8)		88.6	(86.7-90.4)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

### Percentage of adults who had a dentist visit within the past year




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	50,616	68.2	(62.0-73.9)	684,119	72.7	(69.7-75.6)
<b>Age</b>		#				
18-24		#		90,313	71.2 <sup>^</sup>	(57.6-81.8)
25-34		#		89,852	61.3	(52.1-69.7)
35-44	7,964	70.0 <sup>^</sup>	(51.8-83.6)	107,877	77.2	(69.7-83.3)
45-64	17,671	65.8	(57.1-73.4)	254,354	76.5	(72.6-79.9)
65+	10,279	63.8	(55.1-71.7)	136,480	72.9	(67.8-77.5)
<b>Race</b>						
White, NH	43,105	66.7	(60.2-72.5)	562,395	74.8	(72.3-77.1)
Black, NH		#		45,366	66.5	(56.6-75.2)
Hispanic		#		38,236	76.0 <sup>^</sup>	(62.5-85.8)
Other, NH		#		38,122	54.6 <sup>^</sup>	(32.4-75.0)
<b>Sex</b>						
male	24,363	66.9	(57.2-75.4)	317,427	70.0	(65.6-74.1)
female	26,253	69.5	(61.3-76.6)	366,693	75.2	(70.9-79.1)
<b>Age-adjusted<sup>&amp;</sup></b>		69.1	(62.2-75.2)		72.6	(69.4-75.5)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

### Percentage of adults living with a disability\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	17,343	22.8	(18.7-27.4)	248,993	25.3	(22.9-27.8)
<b>Age</b>						
18-24	#			13,165	9.9	(5.7-16.7)
25-34	#			24,795	16.2	(11.5-22.3)
35-44	2,349	20.1 <sup>^</sup>	(10.0-36.2)	30,187	21.0	(15.4-28.0)
45-64	7,665	27.1	(20.8-34.4)	103,044	29.1	(25.3-33.2)
65+	5,962	36.6	(28.8-45.1)	74,769	39.3	(34.1-44.7)
<b>Race</b>						
White, NH	15,175	23.1	(19.0-27.7)	193,463	24.7	(22.3-27.3)
Black, NH	#			23,963	31.7 <sup>^</sup>	(22.9-41.9)
Hispanic	#			17,435	34.3 <sup>^</sup>	(23.4-47.2)
Other, NH	#			14,132	18.8 <sup>^</sup>	(9.4-34.1)
<b>Sex</b>						
male	7,761	20.6	(15.4-27.0)	112,778	23.7	(20.7-27.1)
female	9,582	24.9	(19.1-31.8)	136,215	26.7	(23.3-30.5)
<b>Age-adjusted<sup>&amp;</sup></b>		20.6	(16.6-25.2)		24.2	(22.0-26.7)

\* Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

### Percentage of adults aged 18-64 years with healthcare coverage



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	46,585	78.5	(70.4-84.9)	694,148	87.8	(85.7-89.6)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	40,932	81.0	(73.1-86.9)	546,972	89.1	(87.0-90.9)
Black, NH		#		54,874	83.7	(75.1-89.8)
Hispanic		#		37,833	76.4 <sup>^</sup>	(61.7-86.6)
Other, NH		#		54,469	88.5 <sup>^</sup>	(75.0-95.2)
<b>Sex</b>						
male	22,144	75.0 <sup>^</sup>	(61.6-84.9)	329,824	84.5	(80.9-87.5)
female	24,440	82.0	(72.0-89.0)	364,324	91.0	(88.6-93.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	38,636	66.5	(59.5-72.9)	501,658	63.5	(59.9-66.9)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	31,468	63.9	(56.7-70.4)	387,058	63.1	(59.7-66.4)
Black, NH		#		52,686	79.2 <sup>^</sup>	(68.3-87.1)
Hispanic		#		32,661	66.3 <sup>^</sup>	(51.9-78.3)
Other, NH		#		29,253	47.7 <sup>^</sup>	(25.7-70.6)
<b>Sex</b>						
male	20,295	69.7	(60.1-77.8)	228,555	58.5	(53.4-63.5)
female	18,342	63.4 <sup>^</sup>	(53.1-72.6)	273,103	68.3	(63.6-72.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.  
 + Age-adjusted and age specific percent not generated for health indicators with age range limits.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	26,790	37.9	(32.0-44.1)	314,889	34.4	(31.5-37.4)
<b>Age</b>		#				
18-24		#		32,879	32.4 <sup>^</sup>	(22.8-43.7)
25-34		#		72,916	51.0	(42.6-59.4)
35-44	6,557	61.1 <sup>^</sup>	(45.1-75.0)	49,765	35.8	(29.2-43.0)
45-64	10,486	39.6	(31.5-48.3)	111,638	33.0	(28.9-37.4)
65+	3,313	21.0	(15.0-28.5)	42,474	23.1	(17.9-29.3)
<b>Race</b>						
White, NH	22,219	36.0	(30.5-41.9)	232,180	31.9	(29.2-34.7)
Black, NH		#		34,856	49.6 <sup>^</sup>	(39.3-60.0)
Hispanic		#		18,970	38.4 <sup>^</sup>	(26.4-51.9)
Other, NH		#		28,883	42.5 <sup>^</sup>	(23.1-64.4)
<b>Sex</b>						
male	11,846	33.9	(25.7-43.2)	141,970	32.0	(27.8-36.6)
female	14,944	41.7	(33.6-50.3)	172,920	36.6	(32.7-40.7)
<b>Age-adjusted<sup>&amp;</sup></b>		40.0	(33.6-46.7)		35.1	(32.2-38.2)

\* Worried or stressed about having enough money to pay for rent or mortgage.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

### Percentage of adults experiencing food insecurity in the past 12 months\*




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	21,774	29.0	(23.6-35.1)	213,556	22.2	(19.7-24.8)
<b>Age</b>		#				
18-24		#		27,370	21.4	(15.0-29.6)
25-34		#		52,899	35.3	(27.0-44.7)
35-44	5,105	44.7 <sup>^</sup>	(29.7-60.6)	36,748	26.0	(20.2-32.8)
45-64	7,985	28.9	(22.0-37.0)	70,256	20.4	(17.2-24.1)
65+	1,952	12.0	(7.7-18.3)	23,573	12.4	(9.0-17.0)
<b>Race</b>						
White, NH	17,156	26.3	(21.2-32.1)	154,900	20.2	(18.0-22.7)
Black, NH		#		27,276	37.2 <sup>^</sup>	(28.1-47.4)
Hispanic		#		14,323	28.0 <sup>^</sup>	(18.4-40.2)
Other, NH		#		17,057	23.4 <sup>^</sup>	(9.5-47.1)
<b>Sex</b>						
male	9,531	26.0	(18.1-35.8)	97,708	21.1	(17.2-25.4)
female	12,243	31.9	(24.9-39.8)	115,848	23.2	(20.2-26.5)
<b>Age-adjusted<sup>&amp;</sup></b>		31.1	(25.0-38.0)		23.1	(20.6-25.9)

\* Worried or stressed about having enough money to buy nutritious meals.  
 & Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

### Percentage of adults with poor self-reported health




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	3,468	4.6	(2.8-7.3)	35,254	3.5	(2.8-4.5)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	2,023	7.2	(4.0-12.4)	16,753	4.7	(3.4-6.4)
65+	899	5.6	(2.9-10.4)	11,921	6.1	(4.4-8.5)
<b>Race</b>						
White, NH	2,403	3.7	(2.3-5.8)	23,699	3.0	(2.3-3.8)
Black, NH		#		4,892	6.3	(3.1-12.1)
Hispanic		#		4,142	7.9 <sup>^</sup>	(3.2-18.0)
Other, NH		#		2,522	3.4	(1.3-8.5)
<b>Sex</b>						
male	1,581	4.2	(2.4-7.5)	19,535	4.1	(2.9-5.6)
female	1,887	4.9	(2.3-10.0)	15,719	3.1	(2.2-4.2)
<b>Age-adjusted<sup>&amp;</sup></b>		3.9	(2.3-6.7)		3.3	(2.6-4.3)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	9,193	12.6	(9.5-16.6)	113,479	11.6	(10.0-13.5)
<b>Age</b>		#				
18-24		#		6,519	4.9	(1.9-12.4)
25-34		#		11,848	7.9	(5.0-12.3)
35-44		#		13,334	9.1	(5.5-14.7)
45-64	5,199	18.9	(13.5-25.7)	53,981	15.3	(12.4-18.8)
65+	1,828	11.7	(7.9-17.0)	26,922	14.7	(11.9-18.1)
<b>Race</b>						
White, NH	7,782	12.2	(9.2-16.0)	91,151	11.7	(10.0-13.8)
Black, NH		#		10,140	13.4	(8.2-21.4)
Hispanic		#		8,112	16.1	(9.8-25.5)
Other, NH		#		4,076	5.6	(2.7-11.2)
<b>Sex</b>						
male	3,945	11.0	(7.5-16.0)	53,813	11.3	(9.0-14.1)
female	5,249	14.1	(9.4-20.7)	59,667	11.9	(9.8-14.4)
<b>Age-adjusted<sup>&amp;</sup></b>		11.7	(8.4-16.0)		11.2	(9.6-13.0)

\* Out of the past 30 days.


& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Steuben

## Prevent Chronic Diseases

### Percentage of adults who are obese\*



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	23,603	32.2	(26.6-38.3)	254,425	27.0	(24.4-29.8)
<b>Age</b>						
18-24	#	#		16,808	13.5	(7.9-22.1)
25-34	#	#		43,074	29.7	(21.3-39.6)
35-44	5,418	49.5 <sup>^</sup>	(33.8-65.3)	41,076	28.7	(22.4-36.0)
45-64	9,775	36.2	(28.3-44.9)	100,327	30.0	(26.3-34.1)
65+	3,779	24.1	(18.0-31.5)	51,798	27.9	(23.3-33.1)
<b>Race</b>						
White, NH	20,515	32.3	(26.7-38.5)	195,881	26.2	(23.8-28.8)
Black, NH	#	#		25,307	34.7	(26.0-44.5)
Hispanic	#	#		17,493	34.1 <sup>^</sup>	(22.9-47.5)
Other, NH	#	#		15,744	22.5 <sup>^</sup>	(8.5-47.8)
<b>Sex</b>						
male	10,467	28.1	(20.2-37.6)	131,663	27.7	(23.8-32.0)
female	13,135	36.4	(28.9-44.6)	122,762	26.3	(23.0-29.9)
<b>Age-adjusted<sup>&amp;</sup></b>		32.8	(27.0-39.3)		27.2	(24.5-30.1)

\* Obesity defined as a Body Mass Index (BMI)  $\geq 30$ . BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $<10$  in the numerator or  $<50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese\*



### Steuben County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,615	31.2 <sup>^</sup>	(22.4-41.6)	83,889	36.9	(30.6-43.7)
<b>Age</b>		#				
18-24		#		5,671	17.5 <sup>^</sup>	(7.9-34.3)
25-34		#		19,305	46.4 <sup>^</sup>	(25.9-68.2)
35-44		#		9,968	34.8 <sup>^</sup>	(22.0-50.3)
45-64	3,738	52.2 <sup>^</sup>	(36.1-67.9)	28,074	40.1	(31.3-49.6)
65+	1,704	29.3 <sup>^</sup>	(19.5-41.5)	20,012	37.5 <sup>^</sup>	(28.1-48.0)
<b>Race</b>						
White, NH	5,876	32.7 <sup>^</sup>	(23.6-43.5)	56,366	36.0	(30.2-42.2)
Black, NH		#		10,712	30.8 <sup>^</sup>	(20.0-44.3)
Hispanic		#			#	
Other, NH		#		10,722	55.3 <sup>^</sup>	(20.0-85.9)
<b>Sex</b>						
male	2,600	23.5 <sup>^</sup>	(13.7-37.2)	38,883	32.8 <sup>^</sup>	(23.0-44.5)
female	4,014	39.6 <sup>^</sup>	(26.1-55.0)	45,006	41.3	(34.4-48.7)
<b>Age-adjusted<sup>&amp;</sup></b>		27.8	(20.2-36.9)		36.7	(30.6-43.3)

\* Obesity defined as a Body Mass Index (BMI)  $\geq 30$ . BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $< 10$  in the numerator or  $< 50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults living with a disability who are obese\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,699	40.0 <sup>^</sup>	(30.4-50.5)	90,664	38.5	(33.5-43.7)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		7,827	35.1 <sup>^</sup>	(21.1-52.2)
35-44		#		10,209	34.6 <sup>^</sup>	(21.2-50.8)
45-64	3,005	40.8 <sup>^</sup>	(27.5-55.6)	43,860	45.1	(37.3-53.1)
65+	2,184	38.3 <sup>^</sup>	(26.1-52.2)	25,854	36.6	(28.1-46.1)
<b>Race</b>						
White, NH	6,009	41.3 <sup>^</sup>	(31.3-52.0)	68,651	37.7	(32.3-43.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	2,088	26.9 <sup>^</sup>	(16.6-40.5)	40,686	36.9	(30.2-44.1)
female	4,611	51.4 <sup>^</sup>	(37.2-65.4)	49,978	40.0	(32.9-47.5)
<b>Age-adjusted<sup>&amp;</sup></b>		32.8	(24.8-42.0)		35.8	(30.4-41.6)

\* Obesity defined as a Body Mass Index (BMI)  $\geq 30$ . BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $<10$  in the numerator or  $<50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults overweight or obese\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	50,717	69.2	(62.8-75.0)	581,065	61.8	(58.6-64.8)
<b>Age</b>						
18-24	#	#		41,425	33.2 <sup>^</sup>	(23.5-44.5)
25-34	#	#		83,868	57.7	(49.6-65.5)
35-44	8,944	81.6 <sup>^</sup>	(65.9-91.1)	83,850	58.6	(50.5-66.3)
45-64	20,370	75.5	(67.7-82.0)	241,793	72.4	(68.0-76.4)
65+	11,302	72.1	(64.5-78.5)	125,252	67.6	(62.1-72.6)
<b>Race</b>						
White, NH	43,730	68.8	(62.6-74.4)	471,523	63.1	(60.2-66.0)
Black, NH	#	#		49,324	67.6 <sup>^</sup>	(57.0-76.7)
Hispanic	#	#		33,809	65.9 <sup>^</sup>	(50.0-78.9)
Other, NH	#	#		26,409	37.8 <sup>^</sup>	(20.1-59.5)
<b>Sex</b>						
male	27,155	73.0	(63.6-80.7)	329,186	69.4	(65.4-73.1)
female	23,562	65.3	(56.3-73.4)	251,879	54.0	(49.3-58.6)
<b>Age-adjusted<sup>&amp;</sup></b>		68.4	(62.0-74.2)		60.8	(57.7-63.8)

\* Defined as a Body Mass Index (BMI)  $\geq 25$ . BMI is calculated based on weight and height.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with  $< 10$  in the numerator or  $< 50$  in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days\*




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	57,062	75.8	(70.1-80.7)	703,242	72.6	(69.5-75.6)
<b>Age</b>		#				
18-24		#		97,421	75.5 <sup>^</sup>	(60.0-86.3)
25-34		#		106,989	71.1 <sup>^</sup>	(60.7-79.7)
35-44	7,885	69.0 <sup>^</sup>	(51.8-82.2)	105,857	74.8	(66.9-81.3)
45-64	20,490	74.0	(65.7-81.0)	256,126	73.8	(69.9-77.4)
65+	11,980	73.5	(66.1-79.8)	128,648	67.9	(62.3-73.0)
<b>Race</b>						
White, NH	50,156	76.7	(70.9-81.6)	588,978	76.4	(73.9-78.8)
Black, NH		#		53,055	72.5	(63.6-79.9)
Hispanic		#		33,495	65.3 <sup>^</sup>	(52.7-76.0)
Other, NH		#		27,713	38.0 <sup>^</sup>	(22.0-57.0)
<b>Sex</b>						
male	27,993	76.1	(67.1-83.2)	346,071	74.1	(69.7-78.0)
female	29,069	75.5	(67.9-81.8)	357,171	71.3	(66.6-75.6)
<b>Age-adjusted<sup>&amp;</sup></b>		76.2	(69.9-81.5)		72.7	(69.4-75.9)

\* Any physical activities or exercises such as running or walking  
 & Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily\*




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	17,115	22.8	(17.6-29.0)	214,679	22.5	(19.9-25.3)
<b>Age</b>						
18-24		#		55,277	43.6 <sup>^</sup>	(31.8-56.0)
25-34		#		35,087	23.6	(18.5-29.7)
35-44	4,061	35.7 <sup>^</sup>	(21.2-53.4)	34,865	24.9	(19.2-31.6)
45-64	4,778	17.3	(11.9-24.6)	57,660	16.9	(13.8-20.6)
65+	1,738	10.7	(6.7-16.7)	30,644	16.3	(12.8-20.6)
<b>Race</b>						
White, NH	14,421	22.1	(17.1-28.1)	150,493	19.8	(17.6-22.2)
Black, NH		#		22,275	31.3 <sup>^</sup>	(22.6-41.4)
Hispanic		#		15,272	30.5 <sup>^</sup>	(19.3-44.5)
Other, NH		#		26,640	36.6 <sup>^</sup>	(18.8-59.1)
<b>Sex</b>						
male	10,726	29.2	(20.9-39.1)	120,224	26.1	(22.7-29.8)
female	6,389	16.7	(11.2-24.1)	94,456	19.2	(15.4-23.6)
<b>Age-adjusted<sup>&amp;</sup></b>		25.2	(19.2-32.4)		23.2	(20.7-26.0)

\* Sugary drinks include regular soda, and sugar-sweetened drinks.  
 & Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults who consume fast-food three or more times per week




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	1,808	2.5	(1.2-4.8)	58,515	6.2	(5.0-7.7)
<b>Age</b>		#				
18-24		#		16,427	12.9	(7.6-20.9)
25-34		#		9,670	6.5	(3.9-10.9)
35-44		#		5,131	3.7	(2.0-6.7)
45-64		#		20,550	6.2	(4.2-8.9)
65+		#		6,737	3.6	(2.4-5.6)
<b>Race</b>						
White, NH	1,279	2.0	(1.2-3.4)	39,988	5.3	(4.1-6.8)
Black, NH		#		7,235	10.4	(5.5-18.9)
Hispanic		#		6,059	12.1 <sup>^</sup>	(5.1-25.9)
Other, NH		#		5,233	7.4 <sup>^</sup>	(2.8-18.0)
<b>Sex</b>						
male	1,471	4.1	(1.8-8.9)	43,869	9.7	(7.5-12.5)
female		#		14,646	3.0	(2.0-4.5)
<b>Age-adjusted<sup>&amp;</sup></b>		2.4	(1.1-5.3)		6.1	(4.9-7.6)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults with physician diagnosed diabetes\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	9,261	12.1	(9.1-15.8)	100,031	10.0	(8.7-11.5)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		7,103	4.6	(2.5-8.4)
35-44		#		6,332	4.3	(2.4-7.6)
45-64	3,898	13.7	(9.0-20.4)	47,349	13.3	(10.8-16.3)
65+	4,128	24.9	(18.2-33.1)	38,439	19.6	(16.4-23.3)
<b>Race</b>						
White, NH	8,253	12.5	(9.4-16.3)	70,994	8.9	(7.7-10.3)
Black, NH		#		17,328	22.6	(15.2-32.3)
Hispanic		#		6,956	13.5	(8.0-21.9)
Other, NH		#		4,753	6.3	(2.5-15.0)
<b>Sex</b>						
male	4,956	13.1	(8.8-19.2)	50,941	10.6	(8.7-12.8)
female	4,305	11.1	(7.5-16.1)	49,090	9.5	(7.8-11.5)
<b>Age-adjusted<sup>&amp;</sup></b>		10.4	(7.6-14.0)		9.1	(8.0-10.5)

\* As diagnosed by a health professional.


& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Steuben

## Prevent Chronic Diseases

### Percentage of adults who are current smokers




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	17,794	23.7	(18.9-29.2)	170,861	17.4	(15.5-19.6)
<b>Age</b>		#				
18-24		#		25,688	19.3	(12.8-28.2)
25-34		#		40,770	26.8	(21.3-33.1)
35-44	4,652	39.8 <sup>^</sup>	(25.0-56.8)	27,819	19.5	(14.0-26.5)
45-64	6,598	23.9	(17.7-31.4)	61,479	17.5	(14.6-20.8)
65+	2,118	13.1 <sup>^</sup>	(6.6-24.3)	14,504	7.6	(5.5-10.5)
<b>Race</b>						
White, NH	14,971	22.9	(18.1-28.5)	134,960	17.4	(15.3-19.6)
Black, NH		#		20,478	26.8 <sup>^</sup>	(18.6-37.0)
Hispanic		#		6,643	12.9	(7.7-20.9)
Other, NH		#		8,780	11.8 <sup>^</sup>	(5.6-23.2)
<b>Sex</b>						
male	8,019	21.8	(15.5-29.8)	95,560	20.3	(17.2-23.8)
female	9,775	25.4	(18.7-33.5)	75,301	14.8	(12.6-17.4)
<b>Age-adjusted<sup>&amp;</sup></b>		25.1	(19.7-31.4)		18.2	(16.1-20.5)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	7,217	34.1 <sup>^</sup>	(24.1-45.8)	69,503	29.6	(24.7-34.9)
<b>Age</b>						
18-24		#		14,247	40.5 <sup>^</sup>	(26.5-56.2)
25-34		#		16,608	37.7 <sup>^</sup>	(22.9-55.2)
35-44		#		9,252	33.3 <sup>^</sup>	(19.5-50.8)
45-64	2,747	39.2 <sup>^</sup>	(24.8-55.7)	23,452	32.4	(24.6-41.5)
65+	483	8.2	(4.1-15.4)	5,766	10.6	(6.7-16.2)
<b>Race</b>						
White, NH	6,230	34.8 <sup>^</sup>	(24.7-46.6)	48,760	29.6	(24.4-35.3)
Black, NH		#		15,001	43.1 <sup>^</sup>	(29.3-58.0)
Hispanic		#			#	
Other, NH		#		3,255	16.8 <sup>^</sup>	(5.4-41.5)
<b>Sex</b>						
male	2,958	27.4 <sup>^</sup>	(16.2-42.4)	36,273	31.2	(23.4-40.3)
female	4,259	41.2 <sup>^</sup>	(26.4-57.7)	33,230	27.9	(22.4-34.1)
<b>Age-adjusted<sup>&amp;</sup></b>		40.3 <sup>^</sup>	(28.8-53.0)		30.9	(25.5-36.9)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults aged 18-24 years who are current smokers



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>		#		25,688	19.3	(12.8-28.2)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		18,243	21.5	(14.1-31.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		13,906	22.2 <sup>^</sup>	(13.2-34.9)
female		#		11,783	16.8 <sup>^</sup>	(8.6-30.1)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines\*



### Steuben County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	11,018	74.5 <sup>^</sup>	(63.1-83.2)	156,901	82.4	(78.1-86.0)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	9,191	76.2	(67.0-83.5)	136,370	83.2	(78.8-86.8)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	11,018	74.5 <sup>^</sup>	(63.1-83.2)	156,901	82.4	(78.1-86.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Mammogram within past 2 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines\*




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total Age<sup>+</sup></b>	2,580	70.0 <sup>^</sup>	(51.3-83.8)	32,858	75.7 <sup>^</sup>	(65.5-83.6)
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		24,468	77.6	(68.5-84.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	2,580	70.0 <sup>^</sup>	(51.3-83.8)	32,858	75.7 <sup>^</sup>	(65.5-83.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Mammogram within past 2 years.  
 & Percent is age-adjusted to the 2000 United States Population.  
 + Age-adjusted and age specific percent not generated for health indicators with age range limits.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines\*




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	21,239	75.0	(65.5-82.7)	287,036	83.6	(80.3-86.4)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	18,295	75.6	(66.1-83.1)	236,785	84.1	(80.7-87.0)
Black, NH		#		23,521	86.1 <sup>^</sup>	(71.0-94.0)
Hispanic		#		12,743	79.7 <sup>^</sup>	(63.4-89.9)
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	21,239	75.0	(65.5-82.7)	287,036	83.6	(80.3-86.4)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Pap test within past 3 years.  
 & Percent is age-adjusted to the 2000 United States Population.  
 + Age-adjusted and age specific percent not generated for health indicators with age range limits.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total Age<sup>+</sup></b>	4,755	67.9 <sup>^</sup>	(45.1-84.5)	55,266	73.1	(65.6-79.5)
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH		#		37,702	73.2	(64.7-80.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	4,755	67.9 <sup>^</sup>	(45.1-84.5)	55,266	73.1	(65.6-79.5)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Pap test within past 3 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	21,217	70.9	(63.9-76.9)	250,507	69.3	(65.3-73.0)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	17,963	69.1	(62.1-75.3)	218,863	70.7	(66.5-74.6)
Black, NH		#		18,387	75.8 <sup>^</sup>	(61.6-86.0)
Hispanic		#			#	
Other, NH		#		9,650	51.4 <sup>^</sup>	(30.2-72.2)
<b>Sex</b>						
male	11,127	73.3 <sup>^</sup>	(62.9-81.6)	116,224	69.1	(62.9-74.7)
female	10,090	68.3	(58.7-76.6)	134,284	69.5	(64.2-74.3)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total Age<sup>+</sup></b>	5,730	71.2 <sup>^</sup>	(57.5-81.9)	51,562	66.4	(59.0-73.2)
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	4,898	70.1 <sup>^</sup>	(55.4-81.6)	38,437	68.1	(60.3-74.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		21,576	64.5 <sup>^</sup>	(53.7-74.1)
female	2,775	74.3 <sup>^</sup>	(57.9-85.9)	29,986	67.9 <sup>^</sup>	(57.5-76.7)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	33,290	51.5	(44.4-58.4)	473,695	54.6	(51.3-57.9)
<b>Age</b>						
18-24		#		26,476	20.7	(14.1-29.4)
25-34		#		60,826	42.3	(34.5-50.4)
35-44	4,930	47.0 <sup>^</sup>	(31.1-63.4)	68,543	50.5	(42.7-58.3)
45-64	14,388	61.6	(52.6-69.9)	205,917	68.5	(63.9-72.9)
65+	7,422	66.3 <sup>^</sup>	(56.2-75.0)	106,367	71.4	(66.0-76.3)
<b>Race</b>						
White, NH	28,839	51.9	(44.9-58.7)	397,203	57.1	(54.1-60.2)
Black, NH		#		32,135	55.7 <sup>^</sup>	(44.5-66.3)
Hispanic		#		21,736	48.1 <sup>^</sup>	(33.4-63.1)
Other, NH		#		22,622	32.5 <sup>^</sup>	(17.6-52.2)
<b>Sex</b>						
male	16,661	52.2 <sup>^</sup>	(41.4-62.7)	220,518	52.8	(48.1-57.4)
female	16,629	50.8	(41.7-59.8)	253,177	56.3	(51.5-61.0)
<b>Age-adjusted<sup>&amp;</sup></b>		50.1	(43.4-56.7)		54.1	(51.2-57.0)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed prediabetes




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	2,850	4.3	(2.8-6.6)	49,926	5.6	(4.5-7.0)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		2,644	1.8	(0.9-3.7)
35-44		#		5,077	3.6	(1.7-7.7)
45-64	1,297	5.5	(2.7-10.7)	23,774	7.9	(5.9-10.5)
65+	1,392	11.2	(6.4-18.9)	15,665	10.3	(7.2-14.4)
<b>Race</b>						
White, NH	2,737	4.8	(3.1-7.4)	42,109	5.9	(4.7-7.5)
Black, NH		#		4,034	7.0	(3.0-15.7)
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	2,131	6.6	(3.8-11.3)	25,274	6.0	(4.3-8.2)
female	718	2.1	(1.2-3.7)	24,651	5.3	(3.9-7.2)
<b>Age-adjusted<sup>&amp;</sup></b>		3.8	(2.5-5.7)		5.5	(4.4-6.9)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.

# Steuben

## Prevent Chronic Diseases

### Percentage of adults with physician-diagnosed high blood pressure




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	27,745	36.9	(31.5-42.7)	314,920	31.7	(29.2-34.2)
<b>Age</b>						
18-24		#		8,315	6.4	(3.1-12.6)
25-34		#		20,783	13.5	(9.7-18.4)
35-44	2,758	23.6 <sup>^</sup>	(13.1-38.8)	29,430	19.8	(14.6-26.2)
45-64	11,211	39.5	(31.8-47.9)	134,360	37.8	(33.7-42.1)
65+	11,453	69.2	(61.1-76.3)	118,288	60.8	(55.4-66.0)
<b>Race</b>						
White, NH	24,272	36.6	(31.2-42.5)	256,263	32.3	(29.8-34.9)
Black, NH		#		32,880	44.2	(34.8-54.0)
Hispanic		#		14,927	28.5 <sup>^</sup>	(19.0-40.3)
Other, NH		#		10,850	14.4 <sup>^</sup>	(7.9-25.0)
<b>Sex</b>						
male	14,357	38.0	(29.5-47.3)	158,361	33.0	(29.5-36.6)
female	13,388	35.8	(29.3-42.9)	156,559	30.4	(27.1-33.9)
<b>Age-adjusted<sup>&amp;</sup></b>		32.3	(27.1-38.1)		29.3	(27.1-31.5)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults with diagnosed high blood pressure taking high blood pressure medication




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	20,984	75.6	(65.8-83.4)	243,314	77.3	(73.4-80.8)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		5,688	27.4 <sup>^</sup>	(15.6-43.5)
35-44		#		16,627	56.5 <sup>^</sup>	(40.3-71.4)
45-64	8,052	71.8 <sup>^</sup>	(57.7-82.6)	108,563	80.8	(74.8-85.7)
65+	10,605	92.6	(84.8-96.6)	108,613	91.9	(88.6-94.3)
<b>Race</b>						
White, NH	18,629	76.8 <sup>^</sup>	(66.1-84.8)	196,305	76.7	(72.2-80.6)
Black, NH		#		27,437	83.4 <sup>^</sup>	(71.8-90.9)
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	10,655	74.2 <sup>^</sup>	(57.9-85.7)	113,745	71.9	(66.0-77.1)
female	10,328	77.1 <sup>^</sup>	(65.2-85.9)	129,569	82.8	(77.4-87.2)
<b>Age-adjusted<sup>&amp;</sup></b>		57.4 <sup>^</sup>	(46.8-67.4)		58.7	(53.6-63.6)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults with current asthma\*



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	8,204	10.8	(7.5-15.2)	112,310	11.3	(9.6-13.3)
<b>Age</b>		#				
18-24		#		20,356	15.3	(8.9-25.2)
25-34		#		20,425	13.3	(9.3-18.6)
35-44		#		13,324	9.1	(5.4-15.0)
45-64	3,414	12.2	(7.9-18.4)	40,947	11.6	(9.0-14.7)
65+	1,399	8.4	(5.1-13.8)	15,560	8.0	(5.9-10.6)
<b>Race</b>						
White, NH	7,767	11.8	(8.2-16.7)	81,926	10.4	(8.7-12.4)
Black, NH		#		11,764	15.4	(9.3-24.3)
Hispanic		#		7,513	14.3	(8.6-23.0)
Other, NH		#		11,106	14.8 <sup>^</sup>	(6.3-30.8)
<b>Sex</b>						
male	4,306	11.4	(6.3-19.8)	41,563	8.7	(6.6-11.3)
female	3,898	10.1	(6.9-14.6)	70,747	13.8	(11.2-16.8)
<b>Age-adjusted<sup>&amp;</sup></b>		10.5	(6.9-15.6)		11.2	(9.4-13.3)

\* Physician diagnosed asthma.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percent of adults with cholesterol checked\*



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	61,058	81.9	(75.3-87.0)	798,681	82.4	(79.3-85.0)
<b>Age</b>						
18-24		#		49,911	42.6 <sup>^</sup>	(31.0-55.0)
25-34		#		95,361	64.6	(55.3-72.9)
35-44	9,630	83.4 <sup>^</sup>	(69.2-91.9)	117,490	80.4	(73.0-86.1)
45-64	25,806	91.8	(83.5-96.1)	336,574	95.0	(93.5-96.3)
65+	15,814	95.9	(91.2-98.1)	188,822	97.7	(96.4-98.5)
<b>Race</b>						
White, NH	55,261	84.5	(78.7-88.9)	646,121	83.9	(81.6-86.0)
Black, NH		#		59,974	80.5 <sup>^</sup>	(70.4-87.8)
Hispanic		#		42,285	84.3 <sup>^</sup>	(74.0-91.0)
Other, NH		#		50,300	67.0 <sup>^</sup>	(41.4-85.4)
<b>Sex</b>						
male	29,564	82.4	(72.7-89.1)	375,301	80.0	(75.5-83.8)
female	31,494	81.4	(71.6-88.4)	423,380	84.6	(80.3-88.1)
<b>Age-adjusted<sup>&amp;</sup></b>		78.1	(71.2-83.7)		80.0	(77.1-82.5)

\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults 18 years and older with elevated cholesterol\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	23,164	38.1	(32.5-43.9)	300,637	37.9	(35.0-40.9)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		17,828	18.8	(12.5-27.2)
35-44		#		30,289	25.8	(19.3-33.5)
45-64	11,308	44.2	(36.1-52.6)	139,330	41.7	(37.3-46.4)
65+	9,141	58.5	(49.6-66.8)	102,175	54.6	(49.2-60.0)
<b>Race</b>						
White, NH	19,826	36.0	(30.6-41.7)	241,155	37.6	(34.7-40.6)
Black, NH		#		23,513	39.5 <sup>^</sup>	(29.4-50.5)
Hispanic		#		15,023	35.5 <sup>^</sup>	(23.3-50.0)
Other, NH		#		20,947	41.7 <sup>^</sup>	(24.0-61.8)
<b>Sex</b>						
male	11,007	37.7	(29.3-46.8)	151,064	40.6	(36.4-44.9)
female	12,157	38.4	(31.3-46.1)	149,573	35.6	(31.6-39.7)
<b>Age-adjusted<sup>&amp;</sup></b>		29.1	(24.5-34.2)		32.7	(29.1-36.6)

\* As diagnosed by a health professional.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	3,666	8.6	(5.5-13.2)	51,667	10.0	(7.8-12.8)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#			#	
35-44		#		3,726	6.8	(3.1-14.2)
45-64	1,669	9.7	(5.5-16.7)	26,449	12.7	(9.1-17.5)
65+	1,279	9.2	(4.9-16.5)	12,705	8.1	(5.8-11.2)
<b>Race</b>						
White, NH	3,296	8.5	(5.3-13.3)	34,619	8.2	(6.3-10.7)
Black, NH		#		6,746	15.1 <sup>^</sup>	(8.2-26.3)
Hispanic		#			#	
Other, NH		#		8,215	31.5 <sup>^</sup>	(12.6-59.6)
<b>Sex</b>						
male	1,790	8.4	(4.0-16.9)	23,976	9.8	(6.9-13.9)
female	1,876	8.8	(5.3-14.2)	27,691	10.2	(7.2-14.2)
<b>Age-adjusted<sup>&amp;</sup></b>		8.1	(4.2-15.1)		9.5	(6.8-13.3)

\* Courses for high blood pressure, arthritis, or diabetes.

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent Chronic Diseases

### Percentage of adults with arthritis\*




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	22,852	29.9	(25.3-34.9)	273,908	27.5	(25.1-30.0)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		11,753	7.6	(4.9-11.6)
35-44		#		27,015	18.2	(12.9-25.1)
45-64	11,219	39.7	(32.1-47.9)	122,234	34.4	(30.2-38.9)
65+	8,917	54.2	(45.3-62.8)	107,901	55.4	(50.3-60.3)
<b>Race</b>						
White, NH	20,238	30.6	(26.0-35.5)	230,014	29.0	(26.4-31.7)
Black, NH		#		21,965	28.9	(21.1-38.3)
Hispanic		#		10,718	20.5	(13.4-30.1)
Other, NH		#		11,212	14.9 <sup>^</sup>	(6.7-29.9)
<b>Sex</b>						
male	9,654	25.5	(19.6-32.6)	118,312	24.6	(21.3-28.2)
female	13,198	34.2	(27.5-41.5)	155,596	30.1	(26.7-33.8)
<b>Age-adjusted<sup>&amp;</sup></b>		25.5	(21.7-29.7)		25.3	(23.2-27.5)

\* Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.  
 & Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote a Healthy and Safe Environment

### Percentage of adults who consider their neighborhood suitable for walking and physical activity




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	68,921	92.3	(89.0-94.7)	897,106	93.4	(92.0-94.6)
<b>Age</b>		#				
18-24		#		114,680	89.2	(81.1-94.1)
25-34		#		134,928	90.1	(85.9-93.2)
35-44	10,379	91.3 <sup>^</sup>	(75.5-97.3)	134,641	95.3	(92.3-97.2)
45-64	24,583	89.1	(82.7-93.3)	326,991	94.9	(93.0-96.3)
65+	14,506	91.7	(86.1-95.1)	176,297	94.4	(92.1-96.1)
<b>Race</b>						
White, NH	60,331	93.0	(89.8-95.2)	723,466	94.7	(93.4-95.8)
Black, NH		#		58,381	80.4 <sup>^</sup>	(70.2-87.8)
Hispanic		#		45,612	89.3	(79.9-94.6)
Other, NH		#		69,648	95.6	(90.2-98.0)
<b>Sex</b>						
male	34,799	94.7	(90.4-97.2)	435,275	93.9	(91.7-95.5)
female	34,122	90.0	(84.5-93.6)	461,832	92.9	(91.0-94.5)
<b>Age-adjusted<sup>&amp;</sup></b>		92.8	(89.3-95.2)		93.3	(91.9-94.5)

& Percent is age-adjusted to the 2000 United States Population.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



### Steuben County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	4,200	26.2	(19.7-34.0)	57,486	30.5	(25.8-35.7)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	3,837	26.5	(20.1-34.1)	43,381	26.6	(22.9-30.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	1,965	25.7 <sup>^</sup>	(16.0-38.5)	26,845	31.6	(25.8-38.1)
female	2,235	26.6	(18.7-36.5)	30,641	29.6	(22.7-37.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury\*



### Steuben County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	1,420	33.8 <sup>^</sup>	(22.0-48.0)	19,362	33.9	(26.1-42.8)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	1,420	37.0 <sup>^</sup>	(24.5-51.6)	16,678	38.8	(31.4-46.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		8,530	32.0 <sup>^</sup>	(22.0-43.9)
female	1,027	46.0 <sup>^</sup>	(28.3-64.7)	10,832	35.6 <sup>^</sup>	(24.2-49.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Falls that limited regular activities or lead to doctor visits.

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	9,657	37.1	(29.7-45.1)	106,026	32.9	(28.9-37.2)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	8,534	37.3	(29.9-45.4)	83,817	31.1	(26.9-35.6)
Black, NH		#		14,865	57.1 <sup>^</sup>	(40.3-72.4)
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	5,287	40.4 <sup>^</sup>	(30.0-51.7)	56,263	36.6	(30.6-43.1)
female	4,370	33.8 <sup>^</sup>	(23.6-45.6)	49,763	29.6	(24.4-35.3)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 18+ years with flu immunization in the past year\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	36,729	48.9	(42.7-55.1)	556,353	57.7	(54.7-60.6)
<b>Age</b>						
18-24		#		52,329	40.8 <sup>^</sup>	(30.1-52.4)
25-34		#		65,604	43.6	(35.2-52.4)
35-44	3,839	33.8 <sup>^</sup>	(20.3-50.5)	69,933	49.5	(41.8-57.1)
45-64	13,175	47.7	(39.7-55.9)	205,087	59.5	(55.2-63.7)
65+	11,595	71.1	(63.3-77.9)	157,801	83.2	(80.0-85.9)
<b>Race</b>						
White, NH	30,998	47.5	(41.5-53.6)	443,049	57.6	(54.7-60.4)
Black, NH		#		40,970	57.1 <sup>^</sup>	(47.0-66.7)
Hispanic		#		30,516	59.7 <sup>^</sup>	(46.2-71.9)
Other, NH		#		41,817	57.3 <sup>^</sup>	(35.8-76.4)
<b>Sex</b>						
male	16,889	45.9	(36.6-55.5)	260,048	55.9	(51.8-60.0)
female	19,840	51.7	(43.7-59.7)	296,305	59.3	(54.9-63.5)
<b>Age-adjusted<sup>&amp;</sup></b>		46.5	(39.6-53.6)		56.0	(52.9-59.1)

\* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 65+ years with flu immunization in the past year\*



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total Age<sup>+</sup></b>	11,595	71.1	(63.3-77.9)	157,801	83.2	(80.0-85.9)
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	10,505	71.3	(63.7-77.8)	136,667	83.2	(80.1-85.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	5,783	74.6 <sup>^</sup>	(61.5-84.4)	72,669	85.0	(80.9-88.3)
female	5,813	67.9	(58.2-76.3)	85,131	81.7	(76.8-85.8)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

\* Includes flu shot or flu spray

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

### Percentage of adults aged 65+ years with pneumococcal immunization




	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total Age<sup>+</sup></b>	10,444	65.4	(55.7-74.0)	135,060	74.0	(68.5-78.8)
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	9,986	69.4	(61.4-76.3)	122,920	78.0	(74.0-81.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male	4,331	57.0 <sup>^</sup>	(41.1-71.5)	56,221	68.3	(61.1-74.7)
female	6,113	73.1	(63.8-80.8)	78,839	78.7	(70.1-85.3)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.  
 + Age-adjusted and age specific percent not generated for health indicators with age range limits.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



### Steuben County

### Finger Lakes


	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	11,118	70.5 <sup>^</sup>	(53.7-83.2)	158,478	76.1	(67.5-83.1)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	8,646	67.8 <sup>^</sup>	(50.4-81.4)	120,797	78.0	(71.5-83.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	11,118	70.5 <sup>^</sup>	(53.7-83.2)	158,478	76.1	(67.5-83.1)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.  
 + Age-adjusted and age specific percent not generated for health indicators with age range limits.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



### Steuben County

### Finger Lakes


	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	8,299	54.9 <sup>^</sup>	(39.0-69.9)	135,013	61.9	(54.3-68.9)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	6,067	50.1 <sup>^</sup>	(35.4-64.8)	99,001	61.6	(54.7-68.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	8,299	54.9 <sup>^</sup>	(39.0-69.9)	135,013	61.9	(54.3-68.9)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.  
 + Age-adjusted and age specific percent not generated for health indicators with age range limits.  
 # Rates with <10 in the numerator or <50 in the denominator are suppressed.  
 ^ Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote Healthy Women, Infants, and Children

### Percentage of women aged 18-64 years with health care coverage



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	24,440	82.0	(72.0-89.0)	364,324	91.0	(88.6-93.0)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	20,169	83.2	(73.6-89.8)	282,703	91.1	(88.4-93.2)
Black, NH		#		28,417	85.7 <sup>^</sup>	(74.1-92.6)
Hispanic		#		16,002	91.5 <sup>^</sup>	(74.4-97.5)
Other, NH		#		37,203	94.7 <sup>^</sup>	(84.6-98.3)
<b>Sex</b>						
male		#			#	
female	24,440	82.0	(72.0-89.0)	364,324	91.0	(88.6-93.0)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



### Steuben County

### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	6,322	40.2 <sup>^</sup>	(26.0-56.4)	89,890	43.1	(35.9-50.6)
<b>Age<sup>+</sup></b>						
18-24						
25-34						
35-44						
45-64						
65+						
<b>Race</b>						
White, NH	5,299	41.7 <sup>^</sup>	(27.2-57.9)	72,684	46.8	(39.7-54.0)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#			#	
female	6,322	40.2 <sup>^</sup>	(26.0-56.4)	89,890	43.1	(35.9-50.6)
<b>Age-adjusted<sup>+,&amp;</sup></b>						

& Percent is age-adjusted to the 2000 United States Population.

+ Age-adjusted and age specific percent not generated for health indicators with age range limits.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote Mental Health and Prevention Substance Abuse

### Percentage of adults with poor mental health for 14 or more days in the last month



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	10,086	13.5	(9.8-18.3)	120,784	12.3	(10.6-14.2)
<b>Age</b>		#				
18-24		#		18,248	13.9	(8.2-22.4)
25-34		#		21,945	14.4	(10.5-19.4)
35-44	2,101	18.0 <sup>^</sup>	(8.7-33.6)	17,847	12.2	(8.1-18.0)
45-64	4,962	17.8	(12.4-24.9)	50,391	14.4	(11.5-17.7)
65+	851	5.5	(3.0-9.9)	11,819	6.3	(4.5-8.7)
<b>Race</b>						
White, NH	8,860	13.7	(9.9-18.7)	90,447	11.6	(9.9-13.6)
Black, NH		#		12,561	16.5	(10.8-24.5)
Hispanic		#		9,450	18.5 <sup>^</sup>	(11.2-29.0)
Other, NH		#		8,325	11.1 <sup>^</sup>	(4.0-27.3)
<b>Sex</b>						
male	4,112	11.1	(6.3-18.8)	49,351	10.4	(8.2-13.2)
female	5,974	15.8	(10.8-22.5)	71,433	14.1	(11.7-16.9)
<b>Age-adjusted<sup>&amp;</sup></b>		13.7	(9.6-19.1)		12.5	(10.7-14.5)

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote Mental Health and Prevention Substance Abuse

### Percentage of adult binge drinking during the past month\*



#### Steuben County

#### Finger Lakes

	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	10,509	14.3	(10.5-19.2)	154,347	16.1	(14.1-18.4)
<b>Age</b>		#				
18-24		#		32,152	24.8	(17.7-33.6)
25-34		#		37,099	24.8	(19.2-31.4)
35-44	1,498	13.8 <sup>^</sup>	(6.6-26.7)	26,167	18.7	(12.6-26.7)
45-64	3,981	14.7	(10.1-21.0)	52,235	15.2	(12.0-19.1)
65+	731	4.6	(2.4-8.6)	5,899	3.2	(2.2-4.5)
<b>Race</b>						
White, NH	8,231	13.0	(9.4-17.7)	129,788	17.1	(14.7-19.6)
Black, NH		#		8,750	12.2	(7.4-19.5)
Hispanic		#		10,236	19.8 <sup>^</sup>	(12.0-30.9)
Other, NH		#		5,572	7.5	(3.2-16.9)
<b>Sex</b>						
male	5,706	15.7	(10.2-23.5)	99,542	21.7	(18.3-25.4)
female	4,803	13.0	(8.4-19.6)	54,805	11.0	(8.8-13.7)
<b>Age-adjusted<sup>&amp;</sup></b>		15.4	(11.0-21.2)		16.9	(14.6-19.5)

\* Men who have five or more drinks, women having four or more drinks on one occasion

& Percent is age-adjusted to the 2000 United States Population.


# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).

# Steuben

## Promote Mental Health and Prevention Substance Abuse

### Percentage of cigarette smoking among adults who report poor mental health



	Steuben County			Finger Lakes		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
<b>Total</b>	4,204	41.7 <sup>^</sup>	(26.7-58.3)	41,696	34.8	(27.8-42.5)
<b>Age</b>		#			#	
18-24		#			#	
25-34		#		10,400	48.1 <sup>^</sup>	(33.0-63.5)
35-44		#		7,009	39.7 <sup>^</sup>	(20.7-62.3)
45-64		#		19,075	38.1 <sup>^</sup>	(27.3-50.2)
65+		#		740	6.3	(3.3-11.9)
<b>Race</b>						
White, NH	3,620	40.9 <sup>^</sup>	(25.5-58.2)	32,992	36.8	(28.9-45.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
<b>Sex</b>						
male		#		19,261	39.2 <sup>^</sup>	(27.0-53.0)
female		#		22,435	31.7	(24.4-40.1)
<b>Age-adjusted<sup>&amp;</sup></b>		50.5	(41.1-60.0)		33.1	(26.5-40.5)

& Percent is age-adjusted to the 2000 United States Population.

# Rates with <10 in the numerator or <50 in the denominator are suppressed.

<sup>^</sup> Highly variable rate (confidence interval with a half-width greater than 10).