



Age-Adjusted Incidence Rates
 Colorectal Cancer, Regional/Distant Stage
 Both Males and Females
 New York State, by County, 2014-2018





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.

Age-Adjusted Incidence Rates Lung and Bronchus Cancer, Regional/Distant Stage Both Males and Females New York State, by County, 2014-2018





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.

Age-Adjusted Incidence Rates, Males Colorectal Cancer, Regional/Distant Stage New York State, by County, 2014-2018





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.

Age-Adjusted Incidence Rates, Males Lung and Bronchus Cancer, Regional/Distant Stage New York State, by County, 2014-2018





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.



Age-Adjusted Incidence Rates, Males Prostate Cancer, Regional/Distant Stage New York State, by County, 2014-2018



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 — Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.



Age-Adjusted Incidence Rates, Females Colorectal Cancer, Regional/Distant Stage New York State, by County, 2014-2018



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.



Age-Adjusted Incidence Rates, Females Lung and Bronchus Cancer, Regional/Distant Stage New York State, by County, 2014-2018



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.

Age-Adjusted Incidence Rates, Females Breast Cancer, Regional/Distant Stage New York State, by County, 2014-2018





Colors indicate quintiles. Width of bars indicate 95% confidence intervals.

Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.

Age-Adjusted Incidence Rates, Females Cervical Cancer, Regional/Distant Stage New York State, by County, 2014-2018



Colors indicate quintiles. Width of bars indicate 95% confidence intervals.
 Upper confidence interval extends beyond graph area
 Rates are age-adjusted to the 2000 U.S. population.

New York State Cancer Registry. Data are provisional, November, 2020.