

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State, All races

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	44.2	38.5	23.5	60.3	43.5	38.8	24.3	54.6	58.3	54.4	45.9	38.3	21.4	66.2	47.5	57.5	74.6	23.5
1977	42.8	37.5	24.6	64.5	38.8	38.7	24.4	58.9	59.8	51.5	51.2	36.3	25.1	70.3	46.9	55.1	74.9	24.0
1978	41.8	38.0	25.8	71.6	40.8	38.4	26.6	66.1	59.9	57.1	43.8	37.7	23.7	77.1	46.2	56.2	74.3	23.9
1979	43.4	35.4	25.1	68.3	41.0	36.7	25.8	68.1	59.6	55.9	48.1	34.1	23.6	68.6	47.5	57.7	73.2	22.1
1980	42.7	37.6	24.7	74.1	41.7	39.5	24.8	70.6	61.4	59.9	44.6	35.7	24.3	78.2	47.2	55.0	74.9	21.6
1981	42.4	36.5	24.6	77.8	40.3	36.9	24.8	75.1	60.3	64.3	47.5	36.1	24.2	80.6	47.6	53.3	73.1	22.7
1982	42.7	36.2	24.1	75.0	40.6	36.7	24.5	72.7	60.8	59.4	47.0	35.6	23.3	77.4	47.6	52.0	75.6	23.3
1983	42.6	37.1	25.2	74.8	39.9	37.1	25.0	70.8	63.1	61.0	48.6	37.1	25.6	79.2	48.5	56.7	73.8	25.9
1984	42.5	37.8	26.1	74.9	40.5	38.2	26.2	71.7	62.4	70.3	46.7	37.5	26.1	78.5	51.0	57.2	73.4	23.9
1985	43.1	39.4	24.4	78.9	40.8	40.3	24.0	77.1	62.5	61.9	47.6	38.4	25.0	81.2	52.0	58.8	74.8	23.6
1986	44.7	39.7	24.1	78.3	41.9	40.8	23.8	74.1	63.1	67.2	50.8	38.6	24.8	82.8	53.2	55.2	73.5	24.4
1987	40.8	40.0	24.8	78.5	38.4	41.4	23.9	76.6	64.9	68.8	45.5	38.7	26.2	80.8	55.6	56.1	74.0	24.7
1988	40.2	38.5	25.8	81.5	37.1	39.4	25.7	76.7	63.6	67.3	46.0	37.7	26.0	87.8	57.2	58.8	73.1	22.1
1989	39.6	39.9	25.1	79.6	36.5	40.5	25.0	77.9	64.8	68.6	46.1	39.4	25.3	81.6	59.8	55.6	75.6	23.9
1990	40.8	40.3	25.7	77.3	37.5	40.2	25.2	74.8	66.1	70.2	47.7	40.5	26.6	80.2	60.7	57.3	73.3	23.8
1991	41.5	39.2	25.1	79.5	37.5	39.7	24.6	77.4	68.5	67.9	49.5	38.8	25.9	82.2	61.0	58.4	70.2	24.3
1992	42.6	41.0	27.2	75.1	40.6	41.7	26.0	72.7	72.9	70.8	46.2	40.3	29.0	78.2	62.3	56.1	74.7	26.7
1993	41.9	41.6	28.1	78.6	41.2	43.3	27.5	76.2	73.9	66.0	43.4	39.9	29.0	81.8	63.4	56.6	73.6	25.1
1994	42.1	39.5	26.5	78.3	37.8	40.1	25.4	76.8	75.9	69.8	50.7	39.0	28.0	80.3	62.3	54.6	72.5	24.9
1995	41.9	39.7	25.0	79.8	36.7	39.7	23.8	76.0	77.9	69.8	51.6	39.7	26.4	85.4	63.2	54.5	72.0	24.5
1996	41.3	39.7	26.1	80.2	38.2	40.5	25.2	79.5	81.8	71.9	47.2	38.9	27.2	81.1	64.5	54.0	73.3	25.5
1997	40.6	39.8	27.2	79.0	36.8	40.6	25.3	75.4	83.1	74.3	47.6	39.1	29.5	83.7	65.2	56.1	74.1	25.0
1998	44.1	40.4	27.8	82.4	39.6	41.7	26.3	80.5	85.0	70.7	52.2	39.2	29.6	84.8	66.6	58.4	75.5	26.7
1999	39.6	40.3	25.6	82.1	36.7	42.1	23.7	79.2	86.4	74.3	46.2	38.7	27.8	86.0	66.4	54.3	76.1	23.2
2000	39.5	40.0	24.3	81.5	34.8	41.0	23.0	81.2	87.5	74.5	49.1	38.9	25.9	81.9	64.5	55.4	73.0	21.2
2001*	38.5	39.5	22.8	83.1	34.1	40.4	21.3	80.7	88.5	75.7	47.0	38.6	24.5	86.0	65.6	51.0	74.4	20.3
2002	38.3	38.9	21.8	81.9	34.4	40.8	20.5	81.5	88.7	74.7	45.8	37.1	23.2	82.5	64.1	52.6	73.4	21.5
2003	35.7	38.4	21.1	82.3	31.1	38.8	19.4	79.9	87.8	75.8	44.8	38.0	23.1	85.5	62.6	52.7	70.4	18.5
2004*	33.3	43.6	20.1	84.1	28.8	44.7	18.9	82.9	86.5	72.1	42.4	42.6	21.4	85.7	62.0	49.2	70.6	18.7
2005	33.1	42.9	20.8	83.3	29.1	44.2	18.7	81.9	86.0	72.2	41.4	41.5	23.0	85.1	62.5	49.5	69.4	16.4

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State, All races

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
2006	32.4	43.7	21.1	84.0	28.0	44.4	19.7	82.4	86.3	72.8	42.0	43.0	22.5	86.1	62.8	47.6	68.9	17.8
2007	33.4	44.5	22.0	83.0	28.5	45.1	20.4	81.1	86.7	66.4	44.0	43.9	23.6	85.5	63.3	46.6	70.4	18.8
2008	34.2	44.2	22.7	84.7	29.2	44.9	21.0	84.2	85.6	71.2	43.9	43.6	24.5	85.4	64.5	46.7	68.1	16.4
2009	32.1	43.4	23.1	84.5	27.5	43.5	20.7	82.6	84.9	66.6	42.2	43.2	25.6	87.1	64.6	41.9	68.8	17.2
2010	31.0	42.3	21.7	82.8	25.1	42.9	18.8	81.3	83.0	70.9	42.8	41.7	24.7	84.8	65.2	45.6	71.3	17.1
2011	32.1	41.6	22.4	84.0	27.2	41.2	20.2	82.9	83.9	67.3	43.3	42.0	24.6	85.6	65.6	42.4	69.4	15.3
2012	33.8	40.8	22.1	84.3	26.9	41.7	19.8	81.8	82.8	69.8	48.0	40.0	24.5	87.6	67.0	44.9	68.0	16.0
2013	33.7	40.9	23.5	83.6	27.8	41.6	21.5	81.2	79.1	70.3	47.3	40.2	25.5	86.8	67.0	45.5	68.9	17.1
2014	33.5	40.0	24.5	84.6	28.4	40.6	21.4	83.1	79.6	67.7	43.9	39.4	27.6	86.7	66.5	40.6	66.4	16.6
2015	31.3	41.6	26.3	84.7	26.7	41.8	23.0	83.0	77.2	68.1	42.1	41.4	29.4	87.2	67.6	45.0	66.3	16.4
2016*	33.8	37.3	30.0	84.3	27.1	37.2	27.0	82.7	76.2	70.4	49.1	37.4	32.8	86.5	68.0	48.1	72.0	24.6
2017	33.0	37.7	32.3	83.8	27.1	36.8	28.8	82.1	78.1	73.0	45.6	38.6	35.6	86.2	69.4	45.7	71.4	23.4
2018	32.8	36.8	34.0	82.2	27.0	37.6	29.9	79.9	78.4	65.7	45.1	35.8	37.8	85.3	70.2	46.8	72.0	25.9

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York City, All races

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	41.9	40.1	22.8	56.6	40.2	40.3	23.8	50.8	58.0	58.0	45.3	40.0	20.1	62.7	45.4	55.4	68.2	22.1
1977	41.9	39.4	23.3	65.8	40.1	41.5	22.7	57.1	59.0	48.6	45.5	37.4	24.7	73.0	45.5	53.8	70.6	21.7
1978	37.6	38.1	24.3	67.6	36.3	38.0	25.4	63.6	57.8	60.0	40.2	38.1	21.6	71.2	46.4	56.2	71.8	23.3
1979	41.0	35.8	25.0	62.4	37.5	37.1	25.9	63.6	58.6	48.2	48.7	34.6	23.1	61.2	46.5	56.3	70.0	21.7
1980	39.8	37.5	23.7	74.2	40.0	39.3	23.3	73.4	60.1	59.4	39.3	35.8	24.6	74.9	46.0	55.3	72.3	22.8
1981	40.2	38.3	23.8	76.2	38.3	38.5	23.4	72.1	59.1	61.3	45.0	38.1	24.5	80.2	45.8	50.6	71.0	22.3
1982	40.3	37.4	22.0	72.6	37.0	37.4	22.2	69.6	57.0	59.0	47.2	37.4	21.8	76.0	45.5	49.0	71.5	21.1
1983	38.6	37.0	23.1	73.4	34.2	37.1	22.6	70.9	60.3	56.0	49.1	36.8	23.9	75.7	46.5	56.9	73.5	25.0
1984	39.2	38.4	25.1	74.0	36.5	38.2	25.0	71.6	59.8	65.3	44.7	38.6	25.4	76.6	48.4	57.5	71.7	22.1
1985	41.5	39.2	22.1	74.4	38.7	39.2	21.5	73.0	59.8	59.4	46.6	39.1	23.1	76.2	50.0	59.9	74.8	22.1
1986	43.0	39.0	23.2	73.2	39.5	38.6	22.2	69.1	61.4	70.8	50.8	39.4	24.8	77.0	50.8	55.2	70.9	24.1
1987	37.2	39.4	22.5	74.2	33.1	42.0	21.9	69.9	62.0	65.8	46.3	36.8	23.5	79.1	52.8	54.8	71.7	22.1
1988	36.2	36.3	22.9	79.0	34.3	37.0	22.8	74.7	61.2	63.3	40.2	35.6	23.1	84.1	54.1	53.5	71.4	22.5
1989	40.1	36.3	22.0	75.7	37.2	37.5	22.0	73.5	59.9	71.8	45.9	35.2	22.1	78.0	54.0	52.3	69.7	22.0
1990	36.3	36.1	23.3	70.6	32.6	35.7	23.9	66.3	61.5	69.7	44.9	36.4	22.4	76.0	56.3	54.3	68.3	22.0
1991	38.4	35.0	21.5	78.0	34.5	35.8	21.2	78.5	63.5	61.0	46.6	34.3	21.9	77.4	55.3	55.0	64.5	21.1
1992	36.6	38.5	23.8	71.0	33.3	40.5	22.0	68.9	70.4	70.8	43.5	36.8	26.5	73.3	58.5	54.5	66.9	24.1
1993	38.1	39.7	25.5	76.2	36.3	42.0	24.1	72.6	71.5	66.9	41.9	37.7	27.5	81.3	59.4	49.9	65.9	23.9
1994	38.6	37.7	24.0	73.3	33.1	38.2	22.1	73.6	74.0	68.4	49.2	37.2	26.4	72.9	59.9	50.8	66.2	24.7
1995	37.5	36.5	23.9	77.1	34.4	36.2	23.0	71.7	75.8	71.6	44.3	36.8	25.1	84.6	59.6	52.4	68.7	23.8
1996	37.1	37.0	23.4	75.6	36.5	36.4	22.8	74.6	80.5	70.8	38.2	37.6	24.2	76.7	61.2	51.7	68.9	27.2
1997	38.4	36.7	26.1	75.3	34.8	37.3	24.5	72.9	80.8	70.8	45.0	36.1	28.0	77.9	63.2	54.0	67.2	26.0
1998	40.9	34.8	24.9	80.2	34.8	36.5	24.2	78.0	83.5	67.7	52.3	33.3	25.8	82.7	63.3	56.7	71.5	27.7
1999	36.0	34.8	24.0	83.4	34.8	36.4	21.7	80.7	84.5	75.3	38.8	33.5	26.6	86.6	63.1	51.9	71.9	26.6
2000	36.1	34.8	21.5	79.7	31.6	35.7	19.9	80.0	87.0	72.4	46.0	33.9	23.3	79.5	60.0	54.9	67.6	20.4
2001*	37.2	34.3	20.8	82.1	32.9	34.9	19.2	79.5	87.3	71.6	45.5	33.7	22.6	84.9	61.9	45.8	69.3	21.1
2002	33.4	33.1	21.2	78.3	30.6	35.1	19.7	76.4	87.2	71.3	38.8	31.2	22.8	80.6	60.3	50.8	70.3	21.0
2003	30.9	35.6	21.5	81.2	26.7	36.6	19.4	76.5	87.7	73.2	39.3	34.6	24.0	86.4	59.6	47.8	65.1	19.3
2004*	31.3	40.4	20.0	83.5	25.7	41.3	18.8	82.6	86.7	66.9	41.7	39.6	21.5	84.6	58.8	47.8	66.2	18.4
2005	32.2	38.7	20.8	85.4	28.6	39.8	19.0	84.3	85.9	73.1	40.8	37.8	22.8	86.7	59.7	49.0	65.1	15.8

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York City, All races

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
2006	30.6	41.7	20.2	84.6	25.1	42.5	18.8	82.9	85.8	65.3	40.8	41.0	21.9	86.4	59.6	45.3	65.6	17.8
2007	30.0	43.2	22.2	84.2	24.6	43.5	20.4	82.0	86.2	63.5	40.3	42.9	24.2	86.6	60.8	46.0	65.3	20.2
2008	32.2	42.6	22.5	82.7	28.1	43.3	21.0	83.1	86.1	64.7	39.4	41.9	24.2	82.2	61.4	48.4	64.7	19.4
2009	29.2	41.8	23.5	84.3	27.0	41.5	20.9	84.0	84.6	62.4	34.5	42.2	26.2	84.6	61.8	41.3	63.3	16.3
2010	30.3	41.3	21.7	83.2	23.7	41.6	19.0	81.3	83.3	68.4	41.9	40.9	24.6	85.4	63.0	43.7	66.9	18.5
2011	29.3	41.6	22.7	84.4	25.3	41.1	20.0	83.6	83.7	67.3	38.0	42.1	25.5	85.3	62.0	43.0	63.5	14.6
2012	33.7	40.9	22.6	84.6	26.2	40.7	19.3	84.3	82.8	69.1	47.5	41.0	25.8	84.9	63.6	45.0	60.6	14.8
2013	32.4	40.4	25.6	83.5	26.5	41.6	22.5	81.1	78.0	67.5	45.8	39.1	28.7	86.6	64.3	47.9	62.2	16.9
2014	31.7	40.1	26.5	85.2	25.1	40.2	22.5	82.6	79.1	65.5	42.5	39.9	30.6	88.2	63.1	40.4	59.1	17.3
2015	29.5	41.5	27.3	85.4	24.3	41.1	23.7	83.6	76.0	66.2	39.2	42.0	31.2	87.6	64.0	44.6	60.3	17.0
2016*	34.4	37.0	30.4	81.5	28.8	36.8	26.8	80.3	75.9	70.3	47.0	37.3	33.8	83.1	64.6	46.0	67.2	24.2
2017	31.1	36.9	32.6	81.3	25.4	36.7	28.9	80.7	77.1	70.1	42.3	37.1	36.4	82.1	66.3	42.0	64.7	24.9
2018	32.9	36.9	35.1	79.4	26.8	37.3	30.6	78.7	77.8	66.4	44.8	36.4	39.4	80.2	67.7	46.0	67.0	26.0

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State excluding New York City, All races

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	46.3	37.3	24.1	63.0	46.3	37.7	24.7	57.5	58.5	52.5	46.4	36.9	22.4	68.8	49.2	59.5	78.8	24.6
1977	43.6	36.0	25.5	63.6	37.5	36.6	25.6	59.8	60.4	52.8	56.4	35.4	25.3	68.2	48.0	56.6	77.6	25.6
1978	45.3	38.0	26.8	73.9	44.6	38.7	27.4	67.4	61.5	56.1	46.5	37.3	25.3	80.7	46.0	56.2	76.0	24.3
1979	45.2	35.0	25.2	72.1	43.9	36.4	25.7	70.8	60.4	59.2	47.7	33.7	24.0	73.5	48.2	59.5	75.4	22.5
1980	45.0	37.6	25.3	74.1	43.1	39.6	25.7	69.3	62.5	60.2	48.8	35.5	24.2	80.3	48.1	54.6	76.8	20.8
1981	44.2	35.2	25.1	78.5	41.8	35.8	25.7	76.5	61.2	65.7	49.4	34.6	24.0	80.8	48.9	56.2	74.3	23.0
1982	44.6	35.3	25.5	76.1	43.6	36.2	26.0	74.2	63.4	59.6	46.8	34.3	24.4	78.0	49.1	55.4	78.1	25.0
1983	45.7	37.2	26.5	75.4	44.5	37.1	26.3	70.7	65.0	63.1	48.3	37.4	26.7	81.1	49.8	56.5	74.0	26.4
1984	45.2	37.4	26.8	75.4	43.8	38.1	26.9	71.8	64.2	72.0	48.4	36.6	26.5	79.8	52.9	56.8	74.4	25.3
1985	44.5	39.6	25.7	81.1	42.4	41.0	25.5	79.1	64.4	63.2	48.5	38.1	26.1	83.4	53.3	57.8	74.9	24.7
1986	46.1	40.2	24.7	80.6	43.8	42.3	24.7	76.2	64.2	65.6	50.8	38.1	24.8	85.5	54.7	55.6	75.0	24.5
1987	43.7	40.5	26.1	80.6	42.9	41.1	25.1	79.7	66.6	70.1	44.9	39.9	27.9	81.6	57.3	57.5	75.3	26.4
1988	42.9	40.0	27.5	82.7	39.1	40.8	27.4	77.5	64.9	68.7	49.6	39.1	27.6	89.6	59.0	63.4	74.1	21.8
1989	39.3	42.0	26.8	81.3	36.1	42.2	26.6	79.7	67.6	67.3	46.2	41.8	27.1	83.3	63.2	58.5	78.8	25.0
1990	44.2	42.8	27.0	80.0	41.4	42.6	25.9	78.4	68.6	70.3	49.5	43.0	28.8	81.8	63.3	60.4	75.9	24.8
1991	43.8	41.7	27.1	80.1	39.7	41.9	26.4	76.9	71.0	71.2	51.3	41.4	28.1	84.6	64.5	61.7	73.7	26.3
1992	47.0	42.5	29.2	76.6	46.4	42.4	28.4	74.0	74.0	70.9	48.1	42.6	30.3	80.3	64.7	57.9	78.9	28.3
1993	44.7	42.6	29.6	79.5	44.9	44.0	29.4	77.6	75.1	65.6	44.4	41.3	29.8	82.0	65.8	62.9	78.0	25.8
1994	44.6	40.7	27.9	80.4	41.0	41.2	27.1	78.0	77.0	70.4	52.0	40.2	28.9	83.6	63.9	59.1	76.3	25.1
1995	44.9	41.6	25.6	80.9	38.4	41.7	24.3	77.6	79.1	69.2	55.6	41.6	27.2	85.8	65.5	56.5	74.1	25.1
1996	44.3	41.4	27.5	82.0	39.5	42.8	26.5	81.2	82.5	72.4	53.6	39.8	28.8	83.1	66.5	56.2	75.9	24.5
1997	42.0	41.8	27.7	80.5	38.1	42.4	25.7	76.3	84.3	75.5	49.3	41.1	30.3	86.4	66.4	58.2	78.4	24.4
1998	46.3	43.7	29.3	83.3	42.9	44.5	27.3	81.4	85.8	71.9	52.1	43.0	31.6	85.7	68.6	60.2	77.9	26.1
1999	42.1	43.5	26.4	81.7	38.0	45.1	24.7	78.7	87.5	73.8	51.3	41.9	28.4	85.8	68.4	56.9	78.9	21.1
2000	41.5	43.0	25.8	82.2	36.8	44.0	24.6	81.7	87.8	75.7	50.9	42.0	27.2	83.0	67.2	55.9	76.4	21.6
2001*	39.3	42.6	23.8	83.4	34.7	43.6	22.3	81.0	89.3	77.5	47.9	41.7	25.3	86.5	67.6	55.8	77.5	19.7
2002	41.2	42.3	22.1	83.2	36.7	44.0	21.0	83.2	89.5	76.3	50.1	40.6	23.4	83.3	66.2	54.6	75.2	21.9
2003	38.7	40.2	21.0	82.6	33.9	40.2	19.5	80.8	87.9	77.0	48.2	40.2	22.7	85.1	64.2	57.4	73.6	18.0
2004*	34.5	45.6	20.2	84.3	30.7	46.7	19.0	83.0	86.4	74.9	42.9	44.5	21.4	86.1	63.9	50.9	73.5	18.9
2005	33.7	45.4	20.8	82.4	29.4	46.8	18.6	81.1	86.1	71.6	41.8	43.9	23.1	84.4	64.1	50.1	72.1	16.7

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State excluding New York City, All races

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
2006	33.5	44.9	21.4	83.8	29.6	45.6	20.1	82.2	86.6	76.9	42.9	44.3	22.7	85.9	64.6	49.9	71.0	17.8
2007	35.3	45.3	21.8	82.6	30.7	46.1	20.4	80.8	87.0	68.0	46.5	44.5	23.3	85.0	64.7	47.1	73.4	18.0
2008	35.4	45.3	22.8	85.4	29.7	45.9	21.0	84.5	85.3	74.1	46.9	44.6	24.6	86.6	66.2	44.9	70.4	14.6
2009	33.7	44.4	22.9	84.6	27.7	44.8	20.6	82.2	85.2	69.2	46.3	43.9	25.4	88.0	66.2	42.4	72.5	17.8
2010	31.4	42.9	21.7	82.7	25.8	43.6	18.7	81.2	82.8	72.2	43.3	42.1	24.7	84.7	66.6	47.4	74.1	16.3
2011	33.5	41.6	22.3	83.9	28.2	41.3	20.3	82.7	84.0	67.2	46.3	41.9	24.2	85.7	67.7	41.6	73.3	15.7
2012	33.9	40.8	21.9	84.2	27.3	42.3	20.0	81.1	82.9	70.2	48.3	39.3	23.9	88.5	69.0	44.7	72.4	16.7
2013	34.4	41.2	22.5	83.6	28.5	41.6	21.0	81.2	79.7	71.9	48.1	40.9	24.0	86.9	68.7	43.1	73.1	17.2
2014	34.5	39.9	23.6	84.5	30.0	40.8	20.9	83.3	80.0	68.9	44.9	39.0	26.2	86.2	68.6	40.7	70.8	16.1
2015	32.2	41.7	25.8	84.5	27.8	42.3	22.7	82.8	77.9	69.3	43.9	41.0	28.7	87.1	69.7	45.5	70.2	16.0
2016*	33.4	37.5	29.8	85.0	26.2	37.5	27.0	83.3	76.4	70.4	50.2	37.5	32.4	87.5	70.1	50.3	75.2	24.9
2017	34.0	38.2	32.2	84.4	27.9	36.8	28.8	82.4	78.7	74.8	47.6	39.6	35.3	87.4	71.3	49.5	75.9	22.4
2018	32.7	36.7	33.5	83.0	27.1	37.8	29.5	80.2	78.7	65.3	45.2	35.4	37.1	86.8	71.7	47.7	75.5	25.8

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State, Whites

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	46.1	38.7	23.8	60.1	46.1	39.0	24.7	54.3	58.8	55.5	46.0	38.4	21.5	66.2	48.1	58.4	75.9	23.6
1977	44.9	37.8	24.9	64.3	40.6	39.0	24.7	58.5	61.2	50.9	53.3	36.7	25.2	70.2	47.6	56.1	75.6	23.7
1978	43.7	38.4	26.1	71.7	42.5	38.6	26.9	66.2	61.3	56.5	46.1	38.2	24.1	77.2	46.7	57.4	75.5	23.1
1979	45.7	35.9	25.7	68.6	43.7	37.2	26.4	68.5	60.9	56.1	49.6	34.6	24.1	68.8	47.9	60.2	74.3	22.6
1980	44.4	37.9	25.4	74.1	43.7	39.7	25.6	70.5	63.5	61.5	45.7	36.1	25.1	78.3	48.0	55.7	75.9	21.7
1981	44.4	36.8	24.9	78.4	42.5	37.3	25.3	75.3	61.8	64.6	48.8	36.3	24.0	81.9	48.5	52.8	74.3	22.3
1982	44.7	36.7	24.6	75.1	42.8	37.4	25.1	72.7	62.1	59.9	48.6	36.0	23.5	77.5	48.5	53.8	76.4	23.3
1983	44.7	37.7	25.9	74.6	42.7	37.5	25.9	70.6	64.6	62.0	49.1	37.9	25.8	79.1	49.1	57.1	74.5	25.9
1984	46.0	37.9	26.8	74.4	44.3	38.1	26.7	71.4	63.8	70.0	49.6	37.7	26.9	77.9	51.9	58.7	74.6	24.4
1985	45.6	39.7	25.2	79.2	43.8	40.2	25.0	77.7	64.7	62.9	49.2	39.2	25.6	81.0	52.7	60.1	75.6	23.3
1986	46.9	40.2	24.9	78.6	44.3	41.3	24.6	74.5	65.2	67.9	52.2	39.2	25.3	83.1	54.4	57.1	74.7	24.4
1987	43.7	40.2	25.3	78.6	41.1	41.3	24.4	77.0	66.9	68.4	48.4	39.1	26.7	80.6	56.4	57.2	75.5	24.8
1988	42.8	38.9	26.4	81.7	39.5	39.6	26.4	76.6	65.4	67.1	48.7	38.1	26.4	88.5	58.4	60.3	74.8	21.9
1989	41.2	40.7	26.0	79.9	37.9	41.3	26.1	78.1	66.5	69.1	48.1	40.0	26.0	82.0	61.5	57.9	77.6	23.9
1990	43.7	41.1	26.6	77.7	40.3	41.0	25.8	75.6	68.1	69.0	50.1	41.2	27.9	80.3	62.2	59.3	75.6	24.0
1991	44.0	39.7	25.7	79.6	39.5	39.7	25.1	77.2	70.1	68.0	51.9	39.7	26.5	82.9	62.4	60.0	72.1	23.8
1992	45.2	41.6	28.1	75.1	43.3	42.1	26.9	72.6	74.3	71.5	48.7	41.1	29.9	78.4	63.7	58.6	76.5	26.5
1993	44.2	42.3	29.3	78.8	44.1	43.8	28.7	76.8	75.0	66.7	44.3	40.8	30.0	81.4	64.8	60.5	76.4	25.1
1994	45.7	40.3	27.6	78.5	41.7	41.0	26.5	76.8	77.5	69.3	53.5	39.5	29.0	80.7	63.7	55.2	74.7	24.9
1995	45.5	40.7	25.9	79.9	40.1	40.5	24.7	76.0	79.3	69.6	54.5	40.8	27.4	85.9	64.8	54.7	73.8	23.8
1996	44.6	40.6	27.0	80.5	42.0	41.7	25.9	79.6	82.6	72.4	49.5	39.6	28.3	81.6	66.1	55.4	74.9	24.7
1997	42.6	40.9	28.3	79.2	39.5	41.8	26.2	75.6	84.5	74.9	48.3	39.9	30.8	84.2	66.7	57.4	76.4	25.0
1998	46.7	41.7	29.1	82.7	41.9	42.9	27.4	80.9	86.2	71.7	54.8	40.6	31.0	85.0	68.1	58.8	77.7	26.5
1999	41.2	41.7	26.4	82.3	38.4	43.3	24.7	79.4	87.2	74.2	47.3	40.3	28.4	86.1	67.9	54.8	78.1	22.5
2000	41.9	40.9	25.4	81.6	36.9	41.9	24.2	81.5	88.2	75.3	52.0	39.8	26.7	81.6	66.2	54.2	75.8	21.6
2001*	39.6	40.7	23.6	83.2	34.7	41.8	22.1	81.1	89.1	75.1	48.5	39.6	25.2	85.9	66.7	54.6	76.4	20.1
2002	39.7	40.1	22.1	82.2	36.1	41.8	21.0	81.5	89.3	75.2	46.8	38.4	23.4	83.2	66.0	56.3	75.2	21.0
2003	37.2	38.6	22.0	82.6	32.8	38.8	20.2	80.0	87.9	75.7	46.0	38.4	24.0	86.0	63.9	53.4	72.3	18.2
2004*	35.0	44.3	20.5	84.3	30.8	45.7	19.4	83.1	86.6	72.7	43.5	43.0	21.7	85.9	63.7	51.7	73.7	17.8
2005	34.6	44.0	21.3	83.4	29.6	45.5	18.8	82.0	85.7	72.6	44.5	42.4	23.9	85.4	64.4	52.3	72.1	15.6

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State, Whites

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
2006	33.6	44.3	21.7	84.2	29.3	45.0	20.3	82.8	86.5	73.6	43.3	43.6	23.1	86.0	64.4	49.2	71.5	16.7
2007	35.3	44.5	22.6	83.3	29.8	45.3	20.9	81.4	86.7	66.3	47.3	43.8	24.4	85.8	64.7	48.3	73.3	18.8
2008	35.4	44.6	23.2	85.1	30.5	45.3	21.6	84.4	85.4	72.4	45.3	44.0	24.9	86.0	66.4	45.6	70.8	14.4
2009	33.4	43.5	23.7	84.9	28.7	43.4	21.3	82.9	85.0	67.1	44.0	43.5	26.2	87.6	66.3	43.7	71.5	17.0
2010	32.7	42.5	22.3	82.9	26.5	43.3	19.3	81.2	82.5	71.6	45.1	41.7	25.3	85.1	66.7	49.0	73.4	16.5
2011	32.1	41.3	23.0	84.3	27.5	40.8	21.0	83.1	83.6	67.4	42.9	41.7	25.0	85.8	67.2	41.6	72.1	15.2
2012	35.0	41.0	23.0	84.6	27.7	42.4	20.6	82.0	82.4	70.4	50.8	39.4	25.4	88.0	68.6	45.9	71.0	16.0
2013	34.1	40.7	24.1	84.0	28.2	41.5	22.1	81.6	78.8	71.7	48.5	39.8	26.0	87.2	68.6	46.8	71.5	16.6
2014	34.0	39.9	25.1	84.9	29.0	40.1	22.0	83.3	79.5	68.7	44.5	39.6	28.1	87.0	68.3	41.8	69.0	15.2
2015	32.6	41.5	26.7	84.9	27.3	42.0	23.4	83.2	77.1	69.1	45.7	40.9	29.8	87.4	69.8	45.7	69.1	16.5
2016*	33.4	37.8	30.9	84.5	27.2	38.5	28.2	83.0	75.9	69.8	48.1	37.0	33.4	86.7	70.1	51.3	74.5	24.1
2017	33.6	37.9	33.2	84.2	27.8	37.5	30.0	82.5	77.7	72.9	46.3	38.2	36.2	86.7	71.5	48.2	74.8	23.3
2018	32.6	36.5	34.8	82.6	26.6	37.8	30.9	80.2	78.1	64.6	46.0	35.1	38.2	85.8	71.7	45.6	74.9	25.4

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York City, Whites

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	44.7	40.8	23.1	56.8	43.8	41.2	24.4	51.1	59.6	61.6	46.7	40.4	20.3	63.0	46.7	57.3	70.3	22.4
1977	46.4	40.9	23.8	65.8	45.3	43.0	23.1	56.9	61.3	48.5	48.3	38.9	25.2	73.2	46.8	55.5	72.8	21.1
1978	40.1	38.9	25.5	68.0	38.6	38.2	26.5	63.9	59.6	59.7	43.0	39.6	23.2	71.8	47.9	59.7	74.0	21.7
1979	45.5	37.1	26.4	62.6	41.8	38.4	27.4	63.7	61.6	48.1	53.4	35.9	24.3	61.4	47.2	60.1	71.5	22.5
1980	42.2	38.2	25.5	74.3	43.8	39.6	25.2	73.4	64.5	60.2	39.4	36.7	25.9	75.1	47.3	56.6	73.5	23.4
1981	43.1	39.1	24.5	78.3	42.3	39.2	24.4	72.6	62.1	62.2	45.1	38.9	24.6	84.1	47.7	50.0	74.2	21.6
1982	44.1	38.8	22.5	72.4	40.8	39.1	22.6	68.9	59.4	60.2	50.8	38.4	22.2	76.4	47.5	50.2	74.1	21.2
1983	41.9	38.6	24.6	73.9	37.4	38.3	24.5	71.1	62.8	56.8	52.0	38.9	24.7	76.5	47.9	58.5	75.7	26.0
1984	44.5	38.9	26.1	73.2	41.9	38.5	25.3	71.0	62.0	64.8	50.0	39.3	27.3	75.6	49.9	60.8	74.6	22.5
1985	46.2	39.9	24.0	74.7	43.8	39.2	23.5	73.6	64.1	62.6	50.7	40.7	24.7	76.1	51.7	63.2	76.3	22.1
1986	46.4	40.2	25.4	73.7	42.6	39.5	24.4	70.0	65.0	72.7	54.5	41.0	26.9	77.2	52.8	61.8	74.1	23.7
1987	40.9	39.8	23.6	74.2	35.8	42.3	22.8	70.1	66.1	64.1	51.9	37.4	25.0	78.9	54.1	56.3	74.3	22.2
1988	40.9	36.5	23.8	79.8	39.2	37.1	23.7	74.7	64.2	65.0	44.2	35.8	23.9	86.0	56.2	55.9	75.5	22.1
1989	42.1	37.2	23.3	76.7	38.9	38.7	23.8	74.3	62.6	75.3	48.9	35.7	22.6	79.3	56.7	53.6	74.2	21.4
1990	42.1	37.4	25.0	72.5	38.0	37.2	25.2	68.4	65.2	66.4	51.0	37.7	24.7	77.7	58.6	56.4	72.5	21.8
1991	40.7	35.5	21.8	78.9	36.3	35.4	21.6	79.4	66.5	61.9	48.7	35.6	22.1	78.4	57.3	57.3	67.4	20.3
1992	40.8	39.4	25.2	70.4	37.0	41.0	23.2	67.4	73.7	71.6	49.0	38.0	27.9	73.8	61.0	57.9	69.1	22.3
1993	39.9	41.1	27.9	77.5	38.7	43.2	26.1	75.3	73.8	69.8	42.1	39.1	30.3	80.7	61.5	54.5	71.0	24.1
1994	45.2	38.8	25.7	73.9	39.1	39.8	23.6	73.6	76.9	65.3	56.4	37.8	28.0	74.3	62.4	50.5	69.8	24.2
1995	42.1	38.0	26.0	77.5	38.9	37.8	25.1	71.2	78.6	71.3	48.5	38.1	27.1	87.3	62.3	51.7	71.0	22.2
1996	41.4	38.3	25.0	76.8	41.4	38.3	23.7	75.0	81.8	72.3	41.6	38.2	26.5	78.8	64.3	52.2	70.7	24.9
1997	42.4	38.4	28.6	75.5	39.5	39.7	26.6	73.4	83.2	71.6	47.6	37.3	30.9	78.1	66.1	57.2	71.4	25.7
1998	44.7	36.5	27.1	80.7	36.9	38.4	26.2	78.9	85.8	71.9	57.7	34.8	28.2	82.8	65.8	57.2	75.8	28.4
1999	36.7	36.8	25.6	84.0	36.6	38.2	23.6	81.6	85.6	74.8	37.0	35.5	27.8	86.8	65.7	50.4	75.4	26.9
2000	39.8	35.5	23.0	80.1	35.5	36.7	21.5	81.1	88.3	73.1	49.1	34.3	24.6	79.0	62.7	52.6	72.4	21.0
2001*	38.0	35.3	22.5	83.0	33.2	36.3	20.8	81.2	88.0	68.4	47.0	34.4	24.5	85.0	63.5	52.1	72.2	20.7
2002	34.0	34.3	21.9	79.6	33.0	36.7	20.7	77.2	87.7	73.1	36.0	32.0	23.2	82.7	62.9	55.3	73.6	19.8
2003	31.1	34.7	23.9	81.5	26.9	35.5	21.5	76.4	87.2	73.3	39.3	33.9	26.8	87.4	61.5	47.2	67.9	18.5
2004*	34.1	40.8	20.7	84.5	28.5	41.8	19.5	83.5	86.5	66.4	44.2	39.7	22.0	85.5	60.8	53.5	71.9	16.6
2005	35.6	39.3	22.1	85.9	28.8	40.5	19.3	84.6	85.1	73.6	52.0	38.1	25.1	87.3	62.2	53.3	69.3	13.3

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York City, Whites

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
2006	32.7	41.8	22.2	85.1	27.5	42.6	20.7	83.8	85.6	66.4	42.7	41.0	23.9	86.6	61.8	48.7	70.4	15.6
2007	32.8	42.5	24.3	84.9	25.2	43.6	22.1	82.8	85.5	63.3	46.9	41.3	26.6	87.1	62.8	49.2	69.4	20.3
2008	33.3	42.9	23.8	84.1	30.0	43.6	22.4	84.2	85.5	67.1	39.0	42.3	25.2	84.0	64.6	48.3	69.7	16.6
2009	32.9	41.2	25.5	85.3	31.1	39.9	22.1	84.7	84.1	62.9	37.6	42.5	29.0	86.0	64.1	44.2	66.6	16.5
2010	34.3	41.0	22.8	83.7	25.8	41.8	20.3	81.7	82.4	70.6	49.1	40.2	25.6	86.2	64.8	47.9	69.6	18.0
2011	26.9	40.9	24.8	85.4	25.0	40.3	22.1	84.9	82.9	67.5	31.2	41.5	27.7	86.0	64.1	43.9	67.3	13.6
2012	37.7	40.8	25.2	86.0	29.0	42.0	21.1	85.7	81.7	70.5	54.3	39.5	29.1	86.4	65.8	45.6	64.4	14.2
2013	33.8	39.8	27.8	85.0	26.2	41.0	24.0	82.8	77.1	68.4	51.4	38.6	31.5	88.0	66.0	53.3	65.9	14.4
2014	32.1	39.4	29.1	86.5	25.1	38.6	25.1	83.6	78.3	69.3	43.4	40.3	32.9	89.8	65.3	43.3	61.9	15.8
2015	34.0	41.1	28.8	85.9	26.7	41.4	25.1	84.7	75.7	68.1	49.4	40.9	32.8	87.5	67.3	45.7	64.2	17.3
2016*	32.8	37.5	32.6	82.6	27.7	38.7	29.4	81.3	74.2	69.0	44.4	36.2	35.5	84.1	67.2	50.0	70.2	24.5
2017	32.1	36.7	35.1	82.8	26.0	38.6	32.2	81.9	75.9	70.5	44.8	34.7	38.0	84.0	69.0	44.3	69.2	26.0
2018	33.1	37.2	37.8	81.4	26.1	38.5	34.7	80.7	76.1	64.1	48.1	35.7	40.6	82.2	70.6	43.2	71.7	24.7

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State excluding New York City, Whites

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
1976	47.1	37.2	24.1	62.6	47.7	37.5	24.9	56.8	58.3	52.6	45.6	36.9	22.2	68.7	49.1	59.2	79.1	24.4
1977	43.8	35.7	25.5	63.3	37.3	36.1	25.7	59.3	61.2	51.9	57.0	35.2	25.2	68.0	48.1	56.6	77.2	25.3
1978	45.9	38.1	26.4	73.8	44.8	38.8	27.1	67.5	62.4	55.4	48.0	37.3	24.7	80.5	45.9	55.7	76.3	24.0
1979	45.9	35.0	25.2	72.2	44.9	36.4	25.8	71.2	60.4	59.2	47.6	33.7	24.0	73.3	48.4	60.4	75.9	22.7
1980	45.8	37.7	25.4	74.0	43.7	39.7	25.8	69.1	62.9	62.0	49.7	35.7	24.6	80.2	48.3	55.0	77.4	20.7
1981	45.1	35.3	25.1	78.5	42.5	36.2	25.8	76.4	61.6	65.7	50.9	34.5	23.7	80.7	49.0	54.9	74.3	22.7
1982	45.1	35.3	25.7	76.3	44.0	36.3	26.4	74.5	63.5	59.7	47.3	34.4	24.3	78.0	49.1	56.3	77.7	24.7
1983	46.5	37.2	26.5	74.9	46.0	37.0	26.5	70.4	65.6	64.3	47.5	37.4	26.4	80.5	49.8	56.1	73.9	25.9
1984	46.9	37.3	27.1	75.1	45.7	37.8	27.4	71.6	64.8	71.7	49.3	36.8	26.6	79.3	53.1	57.4	74.6	25.6
1985	45.2	39.6	25.8	81.3	43.7	40.7	25.6	79.7	65.0	63.0	48.3	38.4	26.1	83.1	53.2	58.4	75.2	24.1
1986	47.2	40.3	24.6	80.7	45.2	42.4	24.7	76.3	65.2	65.8	51.0	38.1	24.6	85.8	55.1	54.3	75.0	24.7
1987	45.1	40.4	26.0	80.7	44.2	40.8	25.1	80.1	67.4	70.2	46.8	40.0	27.5	81.3	57.5	57.8	76.1	26.2
1988	43.8	40.1	27.6	82.5	39.7	40.9	27.5	77.3	65.9	67.8	50.7	39.3	27.6	89.6	59.5	62.9	74.4	21.8
1989	40.8	42.3	27.2	81.2	37.4	42.6	27.0	79.6	68.0	66.9	47.7	42.1	27.5	83.2	63.8	60.3	79.1	25.2
1990	44.6	42.8	27.3	79.8	41.7	42.7	26.0	78.6	69.2	70.0	49.7	42.9	29.2	81.2	64.0	61.1	76.9	25.1
1991	45.6	41.7	27.3	79.9	41.2	41.7	26.5	76.3	71.4	70.8	53.5	41.6	28.4	85.0	65.0	61.7	74.4	25.5
1992	47.4	42.7	29.4	76.8	46.8	42.6	28.5	74.4	74.5	71.5	48.6	42.7	30.7	80.3	65.1	59.1	79.9	28.4
1993	46.4	42.8	29.8	79.3	46.8	44.1	29.8	77.4	75.4	65.4	45.5	41.6	29.9	81.7	66.4	64.0	78.8	25.5
1994	45.9	41.0	28.5	80.2	42.9	41.6	27.7	78.0	77.8	70.7	51.9	40.4	29.5	83.3	64.4	58.8	77.0	25.3
1995	47.1	42.0	25.8	80.8	40.8	41.8	24.5	77.8	79.6	69.1	57.0	42.1	27.4	85.4	66.1	56.6	75.1	24.8
1996	46.1	41.8	27.7	81.9	42.3	43.2	26.7	81.2	82.9	72.4	53.1	40.3	29.1	82.9	66.9	57.4	76.8	24.6
1997	42.6	42.1	28.1	80.6	39.4	42.8	26.1	76.4	85.0	76.0	48.5	41.3	30.7	86.7	67.0	57.6	78.8	24.7
1998	47.6	44.1	29.9	83.4	44.3	44.9	27.9	81.6	86.3	71.6	53.4	43.4	32.1	85.9	69.1	59.8	78.6	25.6
1999	43.4	43.9	26.7	81.7	39.4	45.4	25.0	78.7	87.8	73.9	52.1	42.4	28.6	85.9	68.8	57.6	79.5	20.4
2000	42.7	43.3	26.3	82.1	37.5	44.3	25.2	81.6	88.2	76.3	53.1	42.3	27.6	82.8	67.8	55.3	77.3	21.9
2001*	40.2	43.1	24.0	83.3	35.3	44.3	22.6	81.0	89.5	77.6	49.1	41.9	25.5	86.3	68.1	56.0	78.2	19.8
2002	42.0	42.6	22.2	83.1	37.4	44.0	21.1	82.9	89.8	76.1	51.2	41.2	23.5	83.5	67.2	56.9	75.9	21.6
2003	39.8	40.4	21.3	82.9	35.2	40.4	19.7	81.0	88.2	76.7	48.9	40.4	23.1	85.5	64.9	56.9	74.2	18.0
2004*	35.3	45.8	20.4	84.3	31.7	47.4	19.3	83.0	86.7	75.6	43.2	44.4	21.5	86.1	64.9	50.6	74.5	18.4
2005	34.2	46.0	21.0	82.5	30.0	47.7	18.6	81.0	86.0	72.1	41.9	44.3	23.6	84.5	65.2	51.7	73.2	16.5

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State excluding New York City, Whites

Year of diagnosis	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
2006	34.0	45.4	21.5	83.8	30.0	46.1	20.2	82.5	86.8	77.0	43.6	44.7	22.9	85.8	65.4	49.4	71.9	17.1
2007	36.2	45.4	22.0	82.8	31.4	46.0	20.4	80.9	87.1	67.8	47.5	44.8	23.6	85.4	65.5	47.8	74.9	18.1
2008	36.3	45.3	23.0	85.4	30.6	46.0	21.3	84.5	85.4	74.5	48.2	44.7	24.8	86.7	67.2	44.0	71.2	13.5
2009	33.5	44.5	23.1	84.7	27.7	44.9	21.0	82.3	85.4	69.2	46.2	44.0	25.2	88.2	67.1	43.5	73.5	17.3
2010	32.1	43.1	22.2	82.7	26.7	44.0	19.0	81.1	82.6	72.0	43.5	42.3	25.2	84.8	67.4	49.6	74.9	15.9
2011	33.9	41.4	22.5	83.9	28.3	41.0	20.7	82.6	83.9	67.4	47.1	41.8	24.2	85.8	68.5	40.2	74.1	15.8
2012	34.1	41.0	22.3	84.2	27.3	42.6	20.4	81.0	82.6	70.4	49.4	39.4	24.3	88.4	69.7	45.9	73.4	16.7
2013	34.3	41.0	22.9	83.7	28.8	41.7	21.5	81.3	79.5	73.3	47.4	40.3	24.3	87.0	69.6	43.4	73.7	17.4
2014	34.7	40.1	23.9	84.5	30.2	40.7	21.0	83.3	79.9	68.4	45.0	39.4	26.6	86.2	69.4	41.0	71.7	14.9
2015	32.1	41.6	26.1	84.7	27.5	42.2	22.9	82.8	77.6	69.6	44.3	40.9	29.0	87.4	70.7	45.7	71.0	16.2
2016*	33.7	37.9	30.3	85.1	27.1	38.4	27.8	83.4	76.4	70.1	49.4	37.3	32.7	87.5	71.2	52.1	76.2	23.9
2017	34.1	38.3	32.7	84.5	28.4	37.1	29.3	82.6	78.2	74.2	46.8	39.6	35.7	87.4	72.5	50.3	77.1	22.2
2018	32.4	36.3	33.9	82.9	26.7	37.5	29.8	80.1	78.7	64.8	45.3	34.9	37.6	86.8	72.2	47.0	76.1	25.7

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State, Blacks

Year of diagnosis	Males and Females			Males				Females						
	Oral	Colorectal	Lung	Oral	Colorectal	Lung	Prostate	Oral	Colorectal	Lung	Breast	Cervix	Uterus	Ovary
1976	31.9	34.6	21.4	26.8	32.7	21.5	53.9	42.5	36.0	21.4	38.6	54.5	51.2	18.9
1977	31.7	31.2	22.2	30.2	33.6	22.0	49.8	36.5	29.6	22.5	40.8	53.6	61.5	25.5
1978	32.0	32.5	23.3	32.6	34.7	24.4	49.4	30.8	31.0	20.0	39.3	54.2	56.2	31.5
1979	30.6	29.5	21.4	29.5	31.3	21.4	49.5	33.9	28.0	21.5	43.5	51.9	57.0	14.0
1980	32.4	33.4	19.3	30.1	36.8	19.5	48.4	38.2	30.7	18.8	40.5	51.2	63.2	20.7
1981	31.9	33.0	22.7	29.0	31.8	21.5	50.5	39.7	34.0	25.5	37.5	54.9	55.9	26.4
1982	32.0	29.1	21.4	28.5	27.9	21.1	50.4	39.5	30.2	22.1	37.6	48.4	62.4	19.6
1983	32.8	29.1	19.9	28.2	32.2	18.1	51.7	45.6	26.7	24.1	40.5	54.2	61.7	22.7
1984	25.8	36.1	21.9	22.5	38.5	22.7	52.5	33.0	33.9	20.1	43.8	51.9	60.0	16.1
1985	30.2	34.7	18.0	26.8	39.5	17.0	48.7	37.8	30.5	20.3	45.9	54.4	65.6	20.8
1986	35.4	34.2	19.2	32.0	35.5	18.7	50.1	44.3	33.1	20.3	43.0	50.6	53.8	20.2
1987	28.8	37.4	21.6	27.8	40.8	21.0	50.5	30.9	34.5	22.8	48.0	52.6	58.4	19.0
1988	29.2	34.7	21.7	27.2	35.8	21.7	52.4	33.3	33.8	21.6	46.1	53.2	56.9	22.2
1989	30.8	33.3	18.7	28.9	33.2	18.2	53.2	34.8	33.4	19.6	44.4	47.8	53.6	21.2
1990	28.8	32.6	19.9	25.7	32.0	21.9	51.9	37.7	33.2	16.0	47.5	50.2	49.2	18.2
1991	32.3	34.6	20.1	30.5	37.3	20.1	58.3	37.5	32.5	20.0	50.2	51.5	53.1	27.9
1992	30.5	35.3	19.9	27.8	37.6	20.1	64.1	35.9	33.7	19.7	50.6	46.6	57.4	24.0
1993	31.4	34.3	20.5	27.7	37.4	19.6	68.1	39.1	31.6	22.0	51.0	48.6	52.0	22.4
1994	30.5	32.8	20.1	25.0	32.6	18.1	68.4	42.5	32.9	22.8	52.0	52.7	57.0	21.2
1995	29.7	33.3	19.3	25.8	33.4	19.6	72.0	41.5	33.2	18.8	50.9	53.0	58.9	28.4
1996	30.6	33.2	19.9	26.7	30.9	20.7	78.4	38.2	35.0	18.7	53.9	49.1	60.7	30.1
1997	30.4	32.3	19.7	25.6	31.7	19.2	76.3	40.2	32.9	20.5	54.1	51.7	56.0	24.0
1998	32.4	30.2	19.5	31.0	30.8	19.0	80.2	35.3	29.7	20.0	57.7	58.6	59.5	23.6
1999	31.4	31.0	19.6	28.7	32.1	17.0	82.9	36.7	30.2	23.1	55.9	51.8	60.9	23.5
2000	28.5	34.0	16.6	23.7	34.9	15.3	84.4	38.2	33.3	18.4	52.8	56.2	54.9	16.5
2001*	28.0	32.8	16.8	28.0	31.4	15.6	86.5	27.9	33.9	18.3	58.1	41.8	59.6	20.4
2002	29.7	32.1	18.2	27.4	35.4	16.5	86.0	34.1	29.6	20.3	51.6	43.7	58.5	21.0
2003	27.1	37.0	15.7	21.0	38.7	15.3	87.4	39.7	35.6	16.2	53.3	48.3	56.1	18.7
2004*	24.2	39.9	17.3	17.6	38.3	15.5	85.7	37.4	41.1	19.6	52.1	41.9	52.1	23.6
2005	22.4	37.7	15.7	22.7	38.1	16.4	87.2	21.8	37.4	15.0	51.2	39.9	51.3	19.3

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State, Blacks

Year of diagnosis	Males and Females			Males				Females						
	Oral	Colorectal	Lung	Oral	Colorectal	Lung	Prostate	Oral	Colorectal	Lung	Breast	Cervix	Uterus	Ovary
2006	26.7	41.0	16.8	21.4	40.8	16.2	85.6	37.3	41.1	17.5	53.0	41.3	53.2	19.7
2007	24.6	42.7	18.5	21.2	42.1	18.2	86.6	31.6	43.3	18.9	55.2	41.3	52.2	16.4
2008	26.4	41.1	19.1	22.8	41.3	16.3	85.0	33.3	40.9	22.2	54.0	43.7	51.9	22.3
2009	24.6	43.0	19.1	17.6	43.4	16.5	85.0	37.2	42.6	22.0	55.7	34.7	54.7	16.5
2010	22.5	41.3	17.6	17.7	42.0	14.6	84.1	31.6	40.6	20.8	57.0	33.5	58.7	15.8
2011	28.0	42.7	18.3	23.8	42.7	14.8	85.2	38.5	42.7	21.8	58.1	40.7	56.1	14.7
2012	29.1	39.6	17.6	23.5	38.2	15.7	84.3	37.6	41.0	19.5	58.1	36.8	54.8	14.9
2013	26.9	41.7	19.9	23.7	41.9	18.2	79.7	33.7	41.5	21.8	58.4	40.7	54.8	16.5
2014	25.5	39.4	20.2	20.8	42.3	18.2	80.0	34.0	36.8	22.4	57.2	34.6	53.7	17.8
2015	25.0	40.5	23.3	22.3	39.1	19.8	78.4	30.1	41.9	27.0	58.1	37.0	52.6	15.0
2016*	30.1	34.7	23.4	19.4	31.0	18.9	77.7	51.0	38.5	27.9	58.7	35.4	59.4	23.3
2017	27.9	35.3	25.3	20.0	31.1	20.4	80.1	41.1	39.4	30.4	60.0	37.3	56.2	21.3
2018	33.0	35.8	27.7	26.7	33.7	23.3	79.5	43.6	37.6	32.1	61.7	40.5	57.7	23.2

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York City, Blacks

Year of diagnosis	Males and Females			Males				Females						
	Oral	Colorectal	Lung	Oral	Colorectal	Lung	Prostate	Oral	Colorectal	Lung	Breast	Cervix	Uterus	Ovary
1976	30.7	33.6	21.3	26.9	29.4	21.7	52.8	38.3	36.7	19.9	37.6	52.2	52.6	18.2
1977	29.1	29.1	20.8	27.1	29.3	20.5	50.9	35.7	28.9	21.7	39.4	53.3	55.1	23.8
1978	32.0	31.8	20.0	30.7	34.1	21.6	51.2	35.2	30.2	15.6	37.8	52.3	56.1	32.8
1979	29.5	28.6	20.1	28.9	30.1	20.3	47.2	31.4	27.5	19.8	42.9	51.9	56.7	14.0
1980	32.0	33.4	18.1	29.7	37.8	17.5	46.2	38.2	29.9	19.8	39.7	52.0	64.8	19.5
1981	32.7	34.0	21.8	29.0	34.0	20.5	49.3	44.0	33.9	24.9	35.5	52.1	51.4	26.6
1982	30.6	29.6	21.6	26.6	27.5	21.9	48.9	39.4	31.4	20.9	35.7	49.5	58.2	18.7
1983	31.4	28.1	18.1	28.8	31.0	16.6	51.2	38.8	25.9	21.6	39.6	54.2	60.3	21.7
1984	26.3	35.3	22.2	22.6	35.9	23.9	52.5	33.3	34.8	18.7	43.2	52.1	59.9	17.0
1985	28.9	34.5	15.6	26.5	38.1	14.7	47.8	34.3	31.5	17.5	43.9	54.7	66.4	20.4
1986	37.2	32.9	16.8	34.8	34.0	16.5	51.2	44.1	32.0	17.3	42.2	47.7	49.5	24.0
1987	29.8	36.4	19.5	28.1	39.5	20.0	50.4	34.3	34.1	18.4	47.5	53.0	59.0	16.9
1988	27.7	35.4	19.6	25.2	36.7	19.4	54.4	32.4	34.3	19.9	45.9	49.4	54.1	21.0
1989	33.3	33.1	18.5	32.3	34.0	17.3	52.6	35.5	32.2	20.7	44.0	49.7	51.5	23.4
1990	26.6	30.5	18.8	23.2	30.3	20.7	51.0	35.1	30.7	15.4	46.9	50.0	50.7	21.0
1991	33.6	32.9	18.7	31.0	34.3	18.3	56.1	40.3	31.8	19.4	48.8	50.8	52.9	25.3
1992	26.9	33.9	18.3	24.1	36.7	17.4	63.1	32.8	32.0	19.9	49.0	47.8	57.8	25.0
1993	33.0	33.4	18.1	29.3	35.9	17.0	66.4	40.6	31.3	19.9	51.4	46.9	50.0	18.9
1994	30.8	32.2	19.2	25.4	30.8	17.5	68.0	41.7	33.2	21.7	51.2	50.8	54.3	22.7
1995	32.1	32.2	18.2	28.8	31.3	18.1	71.6	42.2	32.9	18.4	50.1	53.1	60.3	25.7
1996	31.6	32.6	18.4	31.3	28.7	19.7	78.4	32.1	35.2	16.7	51.5	49.7	61.7	31.9
1997	29.0	30.9	18.7	26.3	30.4	18.5	76.7	34.3	31.3	19.0	53.9	49.2	52.5	25.8
1998	30.6	28.2	18.9	29.3	28.1	18.8	80.4	33.3	28.2	18.9	56.8	57.5	56.7	19.6
1999	34.4	28.4	18.1	32.0	27.9	15.4	82.3	38.3	28.8	21.7	54.9	51.9	59.3	22.2
2000	29.1	32.8	16.2	22.5	32.8	14.8	84.7	42.6	32.7	17.9	52.0	56.2	53.8	17.0
2001*	30.2	31.0	15.8	28.7	29.5	14.0	85.9	33.3	32.0	17.9	58.1	38.5	59.3	21.1
2002	30.3	28.3	17.0	26.5	29.9	14.9	85.9	36.9	27.2	19.4	52.5	43.7	59.5	20.3
2003	28.6	36.8	15.8	22.2	39.2	15.1	88.2	43.1	34.9	16.5	53.5	45.7	55.3	19.6
2004*	25.5	39.5	17.5	18.3	39.5	15.4	86.7	38.4	39.5	19.7	53.3	40.1	50.2	23.4
2005	24.6	37.7	15.7	25.8	38.7	16.1	87.1	22.0	36.8	15.3	52.7	41.3	51.1	19.4

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.
 * Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.
 Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York City, Blacks

Year of diagnosis	Males and Females			Males				Females						
	Oral	Colorectal	Lung	Oral	Colorectal	Lung	Prostate	Oral	Colorectal	Lung	Breast	Cervix	Uterus	Ovary
2006	28.3	41.4	14.8	22.9	41.7	13.8	86.1	37.7	41.2	16.0	53.2	38.1	52.9	18.5
2007	24.3	43.0	17.5	20.1	41.1	16.8	86.8	32.0	44.7	18.3	55.6	42.0	52.7	16.7
2008	26.1	40.2	19.1	24.4	40.2	16.8	85.8	29.8	40.2	21.6	54.4	43.2	50.5	21.3
2009	21.9	42.8	18.1	16.4	43.0	17.3	85.5	32.3	42.7	19.1	56.2	34.9	54.2	14.8
2010	23.4	41.3	18.0	19.7	41.7	14.6	84.2	30.3	41.0	21.4	57.4	35.5	58.1	14.2
2011	28.2	42.8	17.9	23.3	43.0	14.6	84.8	38.7	42.5	21.1	57.9	37.3	54.6	13.8
2012	26.7	40.1	18.7	21.3	38.0	16.4	84.1	36.0	42.0	20.8	57.3	38.8	53.2	14.8
2013	24.0	41.1	21.3	23.0	41.7	19.5	78.8	26.2	40.5	23.1	58.5	42.1	52.5	18.0
2014	23.1	39.7	20.4	16.8	41.6	17.4	79.8	32.9	38.0	23.4	57.0	32.3	51.9	16.0
2015	22.8	40.1	24.2	20.0	37.6	20.1	77.0	27.0	42.4	28.1	57.9	35.5	50.1	14.2
2016*	31.7	35.1	23.6	24.1	32.0	19.0	78.0	47.7	38.0	27.8	58.0	36.6	58.4	19.1
2017	27.1	35.1	25.0	21.6	31.4	19.5	79.2	35.3	38.7	30.5	59.6	36.6	54.5	20.7
2018	32.2	34.7	28.6	25.2	32.1	23.8	79.5	43.4	36.9	33.3	60.2	40.5	55.5	21.2

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State excluding New York City, Blacks

Year of diagnosis	Males and Females			Males				Females						
	Oral	Colorectal	Lung	Oral	Colorectal	Lung	Prostate	Oral	Colorectal	Lung	Breast	Cervix	Uterus	Ovary
1976	36.2	38.1	22.1	26.5	44.9	20.6	57.9	61.5	33.8	26.8	42.3	62.3	45.8	20.8
1977	41.3	38.0	25.2	41.7	46.4	25.3	46.0	40.0	31.9	25.0	45.0	55.1	82.1	30.8
1978	32.2	34.8	32.7	40.0	36.3	32.0	43.3	20.8	33.7	35.4	44.3	62.0	56.5	27.3
1979	34.6	32.3	24.9	31.7	34.4	24.4	57.9	45.5	30.0	26.2	45.9	52.0	58.1	14.3
1980	33.9	33.5	22.3	31.6	33.7	24.3	55.9	38.1	33.3	16.4	43.0	48.1	58.7	25.0
1981	29.4	30.2	24.8	28.9	25.6	23.9	54.5	30.4	34.3	27.5	43.9	70.6	72.4	25.9
1982	36.5	27.6	21.1	34.9	29.5	19.4	55.7	40.0	26.0	26.5	44.3	42.1	81.5	21.9
1983	36.8	32.6	24.4	26.5	36.4	21.8	53.0	63.2	29.7	31.2	43.3	54.3	67.9	26.9
1984	24.2	38.4	21.0	22.0	45.6	19.5	52.7	31.3	31.0	24.4	46.0	51.1	60.7	12.5
1985	34.8	35.3	24.1	28.0	44.1	22.4	51.5	52.6	26.8	28.1	52.2	52.6	62.8	21.9
1986	29.0	38.7	25.6	21.4	40.2	23.7	46.7	45.0	37.3	30.2	45.7	63.3	67.7	6.9
1987	25.0	40.3	27.9	26.7	44.0	23.9	50.6	22.2	36.3	37.2	49.8	51.1	56.5	26.1
1988	33.8	32.6	26.8	32.7	33.0	26.9	45.7	36.4	32.2	26.3	46.9	68.3	67.5	25.7
1989	26.0	33.9	19.1	23.3	31.0	20.3	55.3	33.3	36.6	16.3	45.5	41.3	63.3	16.7
1990	36.1	38.9	22.7	32.7	36.8	24.6	55.0	50.0	40.7	17.9	48.9	51.7	44.2	9.4
1991	28.8	39.9	23.2	29.0	45.3	24.1	63.4	27.8	34.8	21.4	54.7	54.3	53.8	41.2
1992	40.8	39.0	23.8	39.1	39.3	25.8	66.8	44.0	38.7	19.2	55.6	40.5	56.4	19.2
1993	27.0	36.8	26.3	23.5	41.3	25.4	71.8	34.8	32.4	28.0	49.7	54.3	58.2	31.4
1994	29.2	34.3	22.1	24.0	36.4	19.6	69.7	46.7	31.9	25.2	54.1	61.5	65.5	13.0
1995	24.0	36.4	21.8	18.2	38.8	23.2	72.9	40.0	34.1	19.7	53.6	52.5	53.2	37.1
1996	28.2	35.0	23.2	16.4	35.6	22.9	78.3	58.3	34.3	23.7	61.3	47.3	58.0	25.0
1997	33.3	36.5	21.9	24.2	35.0	20.6	75.5	53.3	38.1	24.3	54.7	66.7	68.3	19.1
1998	36.7	35.5	20.8	35.3	37.1	19.5	79.8	39.3	34.2	22.6	60.3	63.0	68.1	35.5
1999	25.0	37.6	22.8	22.8	40.6	20.3	84.5	31.6	34.7	26.1	58.3	51.2	65.8	26.8
2000	27.0	37.1	17.5	26.8	39.2	16.3	83.6	27.3	35.0	19.7	54.9	56.4	59.1	15.4
2001*	19.6	37.3	18.8	24.4	35.2	18.5	87.8		39.6	19.3	57.9	53.7	60.6	18.2
2002	28.2	40.4	20.7	29.1	46.7	19.6	86.0	26.1	35.1	22.2	49.4	43.6	55.4	23.1
2003	23.6	37.6	15.5	17.8	37.5	15.6	85.2	33.3	37.7	15.4	52.8	55.8	59.4	14.8
2004*	20.3	40.8	17.2	15.7	36.0	15.9	83.0	33.3	46.0	19.1	48.8	48.9	58.2	24.4
2005	15.9	37.8	15.8	13.6	36.8	17.0	87.3	21.1	38.9	14.1	47.6	34.8	52.0	18.9

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

New York State Department of Health, New York State Cancer Registry
Percent of Invasive Cancers Diagnosed at an Early Stage by Gender, Race and Year of Diagnosis, 1976-2018
New York State excluding New York City, Blacks

Year of diagnosis	Males and Females			Males				Females						
	Oral	Colorectal	Lung	Oral	Colorectal	Lung	Prostate	Oral	Colorectal	Lung	Breast	Cervix	Uterus	Ovary
2006	21.9	39.9	20.9	18.0	38.8	20.8	84.6	35.7	41.0	21.1	52.6	52.2	54.2	23.5
2007	25.3	41.9	20.6	23.7	44.4	20.7	86.3	30.0	39.2	20.5	54.0	38.6	50.8	15.6
2008	26.8	43.2	19.1	19.2	43.6	15.4	83.3	40.0	42.8	23.6	53.0	45.5	57.4	25.0
2009	30.2	43.4	20.9	20.4	44.4	15.2	83.8	46.9	42.4	28.0	54.2	34.1	56.2	20.8
2010	20.5	41.1	16.8	13.6	42.6	14.5	83.9	34.5	39.3	19.4	56.1	26.2	60.6	21.1
2011	27.6	42.6	19.0	25.0	42.1	15.1	86.2	37.5	43.2	23.6	58.9	53.7	61.1	17.0
2012	35.6	38.5	15.3	30.8	38.7	14.6	84.9	41.2	38.3	16.2	60.2	28.9	59.9	15.0
2013	35.9	43.3	17.4	26.2	42.2	15.9	81.5	54.5	44.4	19.2	58.1	37.3	63.1	10.8
2014	30.9	38.7	19.8	28.3	44.0	19.6	80.2	38.1	33.3	20.1	57.5	41.3	59.2	22.4
2015	30.4	41.5	21.8	26.7	42.2	19.3	81.3	42.1	40.7	24.9	58.4	41.7	60.6	17.5
2016*	26.6	33.8	23.1	8.5	28.4	18.8	77.1	57.1	39.8	28.1	60.3	31.8	62.7	34.7
2017	29.9	35.5	25.9	16.4	30.5	22.0	82.1	63.6	41.3	30.3	60.7	39.6	62.2	23.1
2018	34.7	38.0	26.0	29.7	36.9	22.3	79.4	44.1	39.1	29.6	65.5	40.5	64.1	30.6

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis. Incidence data provisional, November 2020.

* Changes in staging schema 2001, 2004 and 2016 may affect the comparison in percents over time.

Stage at diagnosis among Blacks is not reported for melanomas or testicular cancers due to the small number of cases per year.

**New York State Department of Health, New York State Cancer Registry
Percent of Cancers Diagnosed at an Early Stage by Gender and County, 2014-2018**

County	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
New York State	32.9	38.7	29.5	83.9	27.2	38.8	26.0	82.2	78.0	69.0	45.2	38.6	32.7	86.4	68.4	45.2	69.6	21.3
New York City	31.9	38.5	30.4	82.6	26.1	38.4	26.5	81.2	77.2	67.8	43.1	38.6	34.4	84.4	65.2	43.8	63.8	21.7
NYS excl NYC	33.4	38.8	29.0	84.3	27.8	39.1	25.8	82.4	78.4	69.7	46.5	38.5	32.0	87.0	70.3	46.7	73.5	21.0
Bronx	26.9	39.8	25.6	74.4	20.9	40.9	21.5	69.1	77.4	63.6	39.1	38.6	29.7	80.0	63.4	41.9	61.7	24.3
Kings	30.6	37.8	29.2	79.7	25.9	37.6	26.8	77.2	77.6	66.1	39.4	38.1	32.1	82.3	61.4	41.6	60.6	20.1
New York	37.6	37.0	35.8	88.0	30.0	35.9	30.5	87.1	73.3	69.7	52.8	38.1	40.1	89.3	69.0	42.9	66.8	19.0
Queens	30.6	39.7	29.4	78.9	25.2	39.6	26.0	78.0	79.3	68.5	40.0	39.8	33.1	80.1	66.1	46.4	68.2	23.6
Richmond	34.6	37.5	33.0	84.0	29.4	37.9	27.6	82.4	79.6	71.4	46.1	36.9	38.0	86.1	68.9	52.5	57.4	23.7
Albany	28.6	38.7	28.6	81.9	24.1	41.3	26.7	82.4	76.1	75.9	38.9	36.0	30.4	81.1	70.2	40.0	73.2	12.6
Allegany	28.6	33.8	20.6	75.9	25.8	38.3	17.6	70.9	70.2	~	~	27.9	24.0	85.7*	73.3	~	70.0	13.0*
Broome	37.4	44.9	26.1	86.3	33.6	49.8	24.8	83.6	71.8	70.7	51.4	39.3	27.5	90.3	72.0	51.4	80.0	12.5
Cattaraugus	17.6	30.2	25.5	77.9	17.0	32.7	25.0	74.7	79.8	~	19.0*	27.7	25.9	83.3	68.6	45.5	68.8	10.0*
Cayuga	40.0	43.5	29.2	80.9	31.7	44.9	28.4	76.4	78.9	63.2*	57.9*	41.9	30.1	85.5	74.0	~	85.2	30.4*
Chautauqua	35.9	33.8	24.5	87.4	32.1	38.2	21.8	86.6	87.3	66.7	42.6	29.3	27.5	88.5	69.2	44.0	77.5	14.6
Chemung	28.8	42.4	21.0	83.8	30.2	35.5	22.0	76.5	80.3	84.2*	~	52.7	19.9	95.3*	68.1	43.8*	79.8	15.2*
Chenango	29.4	48.4	25.6	82.7	23.7	43.9	24.2	78.3	69.4	~	~	53.2	27.0	89.7*	63.9	47.1*	83.3	31.8*
Clinton	40.4	48.9	40.5	84.3	45.2	50.5	37.7	90.2	74.0	~	26.7*	47.0	43.5	77.8	68.8	~	73.4	8.7*
Columbia	26.5	37.6	29.8	78.1	20.0	39.8	24.1	75.0	74.7	~	44.4*	35.6	35.3	82.8*	65.7	~	67.6	16.7*
Cortland	35.0	43.5	24.9	82.1	35.7	41.7	23.1	76.9	82.0	~	~	45.0	26.7	89.3*	69.4	~	81.8	16.7*
Delaware	42.0	39.7	22.3	88.7	36.4	38.6	22.0	90.9*	71.1	~	52.9*	41.3	22.5	86.8*	70.2	~	72.6	~
Dutchess	31.3	38.5	29.5	85.1	26.5	41.4	29.1	83.3	75.3	71.4	45.5	35.3	29.9	88.2	70.5	50.0	74.0	18.9
Erie	31.6	35.1	26.4	85.6	27.0	35.2	22.6	84.4	82.1	64.8	42.2	34.9	29.8	87.2	69.4	52.4	74.8	17.6
Essex	43.3	44.7	23.4	88.1	35.0*	44.0	16.3	85.4	77.6	~	~	45.3	30.1	94.4*	68.9	~	75.6	~
Franklin	50.0	42.5	29.9	92.3*	38.9*	51.5	22.8	92.3*	77.8	~	~	33.8	37.7	92.3*	66.9	~	89.5*	~
Fulton	34.1	30.2	25.9	83.1	25.8	28.4	22.8	76.9	74.9	~	~	31.7	29.1	92.3*	74.6	~	81.0	20.8*
Genesee	28.8	35.9	21.0	91.0	24.3	33.8	20.7	88.7	76.2	~	40.0*	38.9	21.2	94.7*	68.3	~	78.1	20.0*
Greene	26.1	40.1	31.6	81.5	27.0	37.8	23.6	77.8	80.1	~	~	42.6	40.1	88.9*	69.2	~	76.3	4.5*
Hamilton	~	42.9	13.3*	~	~	~	20.0*	~	63.6	~	~	~	~	~	75.0	~	~	~
Herkimer	43.9	35.3	27.4	82.9	31.3	33.3	20.6	84.6	75.5	~	60.0	37.4	34.1	80.6*	72.9	~	78.6	20.0*
Jefferson	32.2	36.8	31.0	77.8	27.8	40.0	30.1	75.9	77.6	63.9	50.0*	33.6	31.8	80.3	70.8	53.3*	71.9	22.9
Lewis	45.0*	43.5	24.5	87.5*	40.0*	41.0	19.0	75.0*	82.2	~	~	45.7	32.5	100.0*	72.5	~	75.9	~

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.

Incidence data provisional, November 2020.

**New York State Department of Health, New York State Cancer Registry
Percent of Cancers Diagnosed at an Early Stage by Gender and County, 2014-2018**

County	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
Livingston	24.4	34.2	19.6	74.2	16.1*	32.2	15.1	71.6	69.0	~	~	37.1	24.5	80.0*	73.7	~	76.8	20.0*
Madison	38.0	37.1	29.0	83.3	33.3	35.6	25.3	82.1	83.1	~	~	38.9	33.1	84.6	69.2	~	78.5	41.2*
Monroe	36.2	38.0	27.6	86.1	28.1	38.4	23.2	85.3	72.7	74.2	52.8	37.7	31.9	86.9	71.6	45.4	75.8	25.3
Montgomery	40.0	46.0	27.0	85.1	28.6	47.4	20.5	88.9*	75.7	~	~	44.6	33.3	80.0*	70.0	~	72.7	~
Nassau	37.6	39.6	34.7	84.6	31.3	39.5	30.4	83.1	82.8	68.5	49.0	39.7	38.2	86.9	71.6	45.2	71.6	23.6
Niagara	29.2	35.1	25.2	83.0	21.2	38.4	20.6	82.5	83.8	61.5	45.0	31.2	29.7	83.6	70.6	53.7	71.9	14.4
Oneida	32.3	44.6	24.2	79.0	26.1	38.4	23.1	76.3	81.7	69.2	51.1	50.8	25.5	82.3	73.6	34.4	73.2	17.5
Onondaga	35.4	41.9	31.2	87.1	29.7	45.1	30.4	83.5	85.4	72.1	46.3	38.8	32.0	91.8	72.5	53.4	78.2	23.8
Ontario	37.5	40.9	25.5	84.4	34.3	39.6	23.0	82.6	68.0	~	44.8	42.1	28.1	87.3	74.0	66.7*	74.8	29.4
Orange	29.5	38.1	24.2	84.8	22.5	39.1	25.3	81.8	74.9	75.4	46.9	36.9	23.3	89.3	66.6	46.8	69.0	26.2
Orleans	31.0	31.5	28.4	90.5	25.0*	26.3	27.1	85.7	77.2	~	~	37.0	29.8	96.9*	71.2	~	80.0	~
Oswego	33.3	38.6	29.9	87.2	32.9	34.6	24.4	87.7	83.6	83.3*	34.6	42.7	35.7	86.5	74.3	~	81.1	27.0
Otsego	32.1	40.0	25.3	91.2	25.0	41.9	26.6	93.4*	69.7	~	~	36.9	24.0	86.8*	69.9	~	69.0	25.0
Putnam	33.8	36.6	32.0	86.4	26.7	39.4	26.4	91.2*	72.6	86.7*	~	33.7	36.4	80.4	72.2	31.3*	70.6	18.6
Rensselaer	24.8	37.1	27.2	84.0	21.0	36.2	25.3	78.1	78.0	56.0	39.3	38.0	29.0	92.1	71.0	36.4	72.3	23.7
Rockland	35.0	37.8	31.8	84.0	31.2	37.0	29.5	82.7	83.8	69.4	43.5	38.8	33.6	86.3	69.2	41.5	72.2	30.8
St. Lawrence	41.2	40.7	25.1	81.3	39.0	44.3	24.5	79.3	82.7	73.7*	46.2	37.1	25.7	84.6	68.8	33.3*	75.5	20.7*
Saratoga	35.4	37.0	26.8	83.4	30.4	33.2	23.7	80.3	77.7	68.0	46.7	41.0	29.7	88.4	69.0	51.7	76.3	13.6
Schenectady	33.0	38.9	27.4	82.2	25.0	42.4	24.9	80.6	77.7	58.3	53.1	34.3	29.5	83.8	68.9	42.4	77.0	15.5
Schoharie	31.0	34.8	23.1	83.7	27.3*	35.3	20.5	75.9	61.9	~	~	34.3	25.7	95.0*	71.1	~	82.9	~
Schuyler	37.5*	47.1	18.1	86.1*	~	44.4	14.0	84.6*	68.2	~	~	50.0	22.9	~	73.5	~	82.4*	~
Seneca	25.9	32.9	21.7	82.1	22.7*	38.1	24.1	83.8	64.2	~	~	27.0	19.6	78.9*	75.4	~	76.5	~
Steuben	36.4	35.7	23.7	78.4	26.8	35.5	23.9	73.6	72.8	~	76.5*	36.0	23.4	84.9	71.0	62.5	72.4	20.8*
Suffolk	32.1	39.9	34.0	84.7	26.2	39.6	29.1	82.1	78.7	70.6	45.4	40.4	38.1	88.8	69.0	45.6	70.4	18.8
Sullivan	22.0	38.9	19.1	71.4	13.3	44.7	17.4	73.3	75.0	~	~	29.6	20.8	66.7*	60.0	27.8*	71.3	35.0*
Tioga	29.7	43.8	21.7	85.6	25.8	49.3	21.2	84.7	74.1	~	~	36.4	22.3	87.1*	72.7	~	78.7	40.0*
Tompkins	24.5	31.8	28.9	81.1	16.2	26.8	29.0	78.3	74.2	~	43.8*	37.0	28.9	84.8	70.1	~	76.6	19.4
Ulster	27.7	35.0	24.4	78.9	20.1	36.1	21.1	75.6	74.9	71.0	45.6	33.9	27.6	82.9	65.9	31.3	73.6	28.1
Warren	43.7	35.8	27.3	86.7	39.0	36.1	22.9	84.9	76.9	~	50.0	35.6	31.9	89.1	74.1	~	76.6	24.0*
Washington	28.3	32.5	26.9	81.4	28.9	31.5	31.2	74.6	73.8	~	26.7*	33.8	22.2	92.1*	72.0	~	66.2	15.8*
Wayne	38.1	39.9	24.4	80.3	39.2	41.0	20.2	77.5	72.4	71.4*	~	38.5	29.1	83.6	68.2	52.0	80.7	18.2

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.

Incidence data provisional, November 2020.

**New York State Department of Health, New York State Cancer Registry
Percent of Cancers Diagnosed at an Early Stage by Gender and County, 2014-2018**

County	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
Westchester	35.4	39.8	32.5	84.4	29.9	39.1	28.8	83.4	76.2	68.0	48.4	40.6	35.6	85.9	70.4	51.3	68.4	22.6
Wyoming	18.4	34.7	20.2	85.0	4.2*	23.1	18.0	82.9	83.8	~	~	47.8	22.6	89.5*	61.4	~	71.4	~
Yates	23.3	49.0	26.3	92.5*	21.7*	57.1	19.3	92.9*	73.2	~	~	42.9	32.8	~	75.8	~	67.9	~

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.
 ~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.
 Incidence data provisional, November 2020.

**New York State Department of Health, New York State Cancer Registry
Percent of Cancers Diagnosed at an Early Stage by New York City Neighborhood, 2014-2018**

Borough/Neighborhood	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
New York State	32.9	38.7	29.5	83.9	27.2	38.8	26.0	82.2	78.0	69.0	45.2	38.6	32.7	86.4	68.4	45.2	69.6	21.3
New York City	31.9	38.5	30.4	82.6	26.1	38.4	26.5	81.2	77.2	67.8	43.1	38.6	34.4	84.4	65.2	43.8	63.8	21.7
Bronx	26.9	39.8	25.6	74.4	20.9	40.9	21.5	69.1	77.4	63.6	39.1	38.6	29.7	80.0	63.4	41.9	61.7	24.3
Riverdale, Fieldston & Kingsbridge	18.2	43.0	24.7	82.6	12.8	44.7	20.1	77.1	74.2	~	26.7	41.5	28.7	88.2*	68.6	26.7*	64.7	28.6
Wakefield, Williamsbridge & Woodlawn	28.3	41.4	24.0	84.0*	20.5	41.1	22.5	~	78.0	~	42.9	41.7	25.5	86.7*	60.8	40.0	51.3	22.2
Co-op City, Pelham Bay & Schuylerville	34.6	36.3	26.5	81.7	30.0	32.8	23.2	74.4	74.9	~	41.9	40.0	29.5	92.9*	66.5	26.7	66.0	33.3
Pelham Parkway, Morris Park & Laconia	26.8	43.3	27.0	72.4	23.7	47.8	23.1	~	72.1	~	33.3*	38.8	31.3	76.5*	62.0	17.2*	62.5	18.2
Belmont, Crotona Park East & East Tremont	36.4	38.0	21.6	~	30.4	37.4	16.9	~	79.3	~	46.9	38.7	26.2	~	59.9	55.6	58.1	31.0
Bedford Park, Fordham North & Norwood	26.7	36.4	20.5	54.5	15.9	40.0	16.3	~	77.9	~	56.3*	31.9	25.7	~	61.7	54.8	67.5	22.6
Morris Heights, Fordham South & Mount Hope	21.4	40.6	24.5	~	15.0	42.0	14.0	~	80.1	~	37.5*	39.2	34.5	~	61.7	39.5	66.0	20.8*
Concourse, Highbridge & Mount Eden	20.6	34.7	28.4	~	15.4	33.6	25.3	~	82.0	~	37.5*	35.8	32.0	~	63.4	48.3	63.4	33.3
Castle Hill, Clason Point & Parkchester	34.2	41.5	28.9	57.9*	31.1	41.7	25.5	~	78.2	~	39.3	41.3	32.8	~	66.9	46.3	59.3	12.7
Hunts Point, Longwood & Melrose	17.1	40.6	27.6	~	13.2	48.5	23.4	~	74.3	~	29.4*	33.0	31.4	~	59.7	46.0	66.0	23.8
Kings (Brooklyn)	30.6	37.8	29.2	79.7	25.9	37.6	26.8	77.2	77.6	66.1	39.4	38.1	32.1	82.3	61.4	41.6	60.6	20.1
Greenpoint & Williamsburg	23.4	34.0	27.7	69.8	18.8*	34.3	24.4	53.3	78.7	79.1	~	33.7	31.0	84.8*	56.6	55.2	71.3	17.8
Bushwick	22.7	38.0	22.8	~	17.9*	41.3	22.1	~	79.5	85.2*	31.3*	32.3	23.5	~	63.1	39.0	60.4	17.2*
Bedford-Stuyvesant	23.3	36.6	27.0	~	24.1	34.0	24.1	~	74.2	~	~	39.1	29.9	~	63.9	40.6	56.5	14.8*
Brooklyn Heights & Fort Greene	32.4	31.1	27.3	86.8	22.0	34.2	21.1	81.4	79.9	73.1	57.1	27.2	32.8	93.9*	67.3	39.3	58.4	33.3
Park Slope, Carroll Gardens & Red Hook	28.8	39.4	31.9	86.2	26.3	41.4	32.6	80.0*	63.9	61.9*	~	37.5	31.4	91.4*	66.1	31.6*	65.1	29.0
Crown Heights North & Prospect Heights	27.4	39.1	29.0	81.0*	23.7	36.0	23.5	80.0*	78.8	70.0*	33.3	41.9	33.6	~	54.5	33.3	48.2	34.1
Brownsville & Ocean Hill	18.0	39.3	22.4	~	11.8*	42.7	19.5	~	83.1	~	31.3*	35.9	24.8	~	53.3	38.0	51.2	22.5
East New York & Starrett City	16.7	40.1	27.7	52.2	8.9*	40.3	29.0	~	77.4	~	33.3*	40.0	26.1	~	56.8	29.1	62.6	11.9*
Canarsie & Flatlands	32.2	36.1	29.1	83.3	28.2	33.5	26.2	87.9*	78.7	~	40.0*	38.4	32.8	79.5	58.2	46.9	55.3	10.1
East Flatbush, Farragut & Rugby	26.4	34.6	27.8	~	18.8*	27.1	24.6	~	78.3	~	38.1*	40.3	32.0	~	57.5	37.5	49.7	12.2
Crown Heights South, Prospect Lefferts & Wingate	22.0	39.6	24.0	~	24.0*	33.7	22.6	~	80.2	~	18.8*	43.6	25.6	~	60.7	48.3	49.3	10.3*

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.

Incidence data provisional, November 2020.

**New York State Department of Health, New York State Cancer Registry
Percent of Cancers Diagnosed at an Early Stage by New York City Neighborhood, 2014-2018**

Borough/Neighborhood	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
Sunset Park & Windsor Terrace	36.0	43.3	28.3	81.3*	35.5	40.8	23.6	82.4*	71.1	77.3*	37.5	45.6	34.7	80.0*	65.6	48.4	79.8	20.5
Bay Ridge & Dyker Heights	38.7	41.1	36.4	87.2	41.9	39.0	34.9	82.2	73.8	52.6*	31.6*	43.6	38.1	92.7*	68.3	50.0	74.2	25.0
Borough Park, Kensington & Ocean Parkway	39.0	33.8	32.1	64.2	36.1	33.3	28.0	60.6	77.1	62.5*	43.5	34.5	37.4	70.0*	59.8	45.5	59.0	23.5
Flatbush & Midwood	30.4	38.7	27.8	78.3	23.3	40.3	24.5	80.0	81.7	44.4*	38.5	37.4	31.3	76.5	56.7	38.6	58.5	23.8
Sheepshead Bay, Gerritsen Beach & Homecrest	36.2	36.6	31.7	86.7	29.5	39.6	29.4	83.1	76.8	47.1*	45.5	33.3	34.8	91.2*	67.3	30.0	71.7	30.4
Bensonhurst & Bath Beach	37.6	38.3	30.8	77.0	29.0	41.5	29.0	73.3	75.0	54.2	52.5	34.5	33.2	80.0	65.2	45.7	65.5	23.2
Brighton Beach & Coney Island	35.1	39.1	29.4	80.3	29.3	38.9	26.6	82.3	77.3	~	52.6*	39.3	33.8	78.3	62.0	62.2	66.7	9.2
New York (Manhattan)	37.6	37.0	35.8	88.0	30.0	35.9	30.5	87.1	73.3	69.7	52.8	38.1	40.1	89.3	69.0	42.9	66.8	19.0
Washington Heights, Inwood & Marble Hill	33.7	32.9	29.0	79.2	27.1	35.6	28.0	71.9	74.6	57.1	46.7	30.1	30.0	90.5*	64.7	43.6	62.6	23.9
Hamilton Heights, Manhattanville & West Harlem	39.3	31.4	28.0	80.0	33.3	35.0	25.0	80.0*	77.5	82.4*	46.4	27.9	30.6	80.0*	63.3	43.5	62.9	18.9
Central Harlem	15.5	37.9	26.4	78.9*	14.6	32.5	22.9	~	78.6	73.7*	17.6*	44.0	29.6	~	59.2	39.5	61.5	13.0*
East Harlem	29.0	33.1	32.3	70.8*	23.8	28.5	25.3	61.1*	74.6	44.4*	40.0	38.3	38.1	~	61.9	45.5	60.3	13.5*
Upper East Side	45.2	42.6	43.8	90.8	34.9	41.5	41.1	91.5	71.8	80.9	62.9	43.7	45.2	89.8	74.5	25.0	71.8	13.3
Upper West Side & West Side	41.1	39.0	37.0	91.0	35.7	37.9	31.1	89.0	72.1	75.0	53.5	40.0	41.0	93.6	73.9	41.4	67.8	20.0
Chelsea, Clinton & Midtown Business District	32.7	36.6	30.8	79.4	22.5	31.4	26.5	73.8	72.6	63.4	63.0	43.8	35.7	88.2	65.7	51.5	69.2	13.6
Murray Hill, Gramercy & Stuyvesant Town	42.3	39.8	43.3	91.3	34.2	38.8	36.2	93.5	72.4	70.7	57.9	41.0	48.4	88.3	74.0	63.6	68.2	23.3
Chinatown & Lower East Side	46.0	34.8	33.4	74.6	35.7	33.7	27.2	71.1	71.1	58.1	59.1	35.9	40.7	79.3*	65.1	29.0	68.2	30.6
Battery Park City, Greenwich Village & Soho	34.4	39.8	40.2	91.1	29.3	44.5	36.2	91.0	69.8	76.9	52.4	34.4	43.2	91.3	69.5	52.4	72.6	19.5
Queens	30.6	39.7	29.4	78.9	25.2	39.6	26.0	78.0	79.3	68.5	40.0	39.8	33.1	80.1	66.1	46.4	68.2	23.6
Astoria & Long Island City	32.9	40.6	26.7	72.2	24.5	37.7	25.8	71.1	77.1	75.8	48.1	44.3	27.6	73.2	67.0	46.7	68.1	27.5
Jackson Heights & North Corona	33.3	42.0	27.5	75.5	31.4	40.6	28.1	74.3	81.3	68.0	37.5	43.5	26.8	~	66.2	46.8	69.9	31.1
Flushing, Murray Hill & Whitestone	29.4	41.9	32.6	78.3	25.5	42.3	28.4	74.2	77.6	69.2	36.1	41.3	37.4	83.0	68.9	44.7	67.4	16.0
Bayside, Douglaston & Little Neck	28.6	43.9	35.2	85.7	25.5	41.5	32.2	85.5	82.5	80.0*	36.4	46.4	39.0	86.1*	69.5	32.1	77.6	25.0
Queens Village, Cambria Heights & Rosedale	40.2	38.8	27.8	85.1	28.6	37.3	24.9	83.3*	81.1	75.0*	57.6	40.2	30.4	87.0*	64.4	44.2	65.7	24.7
Briarwood, Fresh Meadows & Hillcrest	33.8	42.5	35.7	87.1	28.9	47.6	32.1	88.1*	76.7	~	40.0	36.6	40.0	85.0*	67.4	63.0	65.3	17.0
Elmhurst & South Corona	37.1	44.0	26.3	65.2	33.3	43.6	28.5	~	79.3	~	41.9	44.4	23.4	~	65.5	58.8	72.5	28.1

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.

~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.

Incidence data provisional, November 2020.

**New York State Department of Health, New York State Cancer Registry
Percent of Cancers Diagnosed at an Early Stage by New York City Neighborhood, 2014-2018**

Borough/Neighborhood	Males and Females				Males						Females							
	Oral	Colorectal	Lung	Melanoma	Oral	Colorectal	Lung	Melanoma	Prostate	Testis	Oral	Colorectal	Lung	Melanoma	Breast	Cervix	Uterus	Ovary
Forest Hills & Rego Park	33.9	42.2	32.9	85.1	35.5	46.3	30.1	88.2	78.8	~	32.1	38.3	35.6	78.3*	67.9	42.3	71.7	14.6
Sunnyside & Woodside	29.9	33.8	26.7	81.0	28.3	33.1	23.2	79.4	79.1	50.0	32.3	34.5	30.8	82.8*	65.2	56.3	73.8	27.7
Ridgewood, Glendale & Middle Village	26.0	34.5	24.9	71.9	18.9	32.7	17.5	72.1	77.6	70.6*	43.3	36.1	31.9	71.7	64.0	48.8	65.8	27.1
Richmond Hill & Woodhaven	30.0	35.3	25.9	75.0	20.0	34.7	21.9	80.0*	77.5	~	53.3*	36.2	31.3	70.6*	66.0	43.6	71.3	42.6
Jamaica, Hollis & St. Albans	24.8	36.5	24.7	53.3*	20.0	36.8	18.8	~	80.3	80.0*	31.7	36.3	30.3	~	61.3	44.0	59.0	16.7
Howard Beach & Ozone Park	18.6	42.2	26.7	86.5*	12.8*	42.1	22.2	81.0*	79.0	~	30.0*	42.2	30.9	93.8*	69.2	42.9	65.8	23.4
Far Rockaway, Breezy Point & Broad Channel	32.6	37.0	30.3	78.9	25.8	35.8	25.0	72.9	81.1	~	50.0	38.5	36.4	85.1	63.4	38.9*	74.0	20.0
Richmond (Staten Island)	34.6	37.5	33.0	84.0	29.4	37.9	27.6	82.4	79.6	71.4	46.1	36.9	38.0	86.1	68.9	52.5	57.4	23.7
Tottenville, Great Kills & Annadale	35.8	38.0	37.7	85.2	27.8	36.7	31.2	84.4	82.6	86.4*	51.2	39.7	43.4	86.1	72.5	50.0	63.2	26.6
New Springville & South Beach	37.0	37.5	32.0	80.8	35.0	39.9	27.7	81.4	76.6	56.3*	42.9	34.6	36.5	80.0	66.8	55.9	55.7	20.0
Port Richmond, Stapleton & Mariner's Harbor	30.5	36.8	28.9	85.4	25.5	37.4	23.2	80.0	79.2	68.0	40.7	36.1	33.6	92.7*	66.4	51.7	53.0	23.2

Based on tumors with known stage at diagnosis. Early stage cancers are those which are confined to the organ of origin at diagnosis.
 ~ Percent could not be calculated (fewer than 3 cases per year). * Percent should be used with caution.
 Incidence data provisional, November 2020.