

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York State, Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	89533.4	498.2	496.7-499.7	44577.2	537.3	535.0-539.5	44956.2	475.2	473.1-477.2	27306.6	144.7	143.9-145.4	13766.6	168.8	167.5-170.1	13540.0	128.0	127.0-129.0
Oral cavity and pharynx	2160.2	11.8	11.6-12.1	1491.4	17.6	17.2-18.0	668.8	6.9	6.6-7.1	396.8	2.1	2.0-2.2	274.0	3.3	3.1-3.4	122.8	1.1	1.1-1.2
Esophagus	900.2	4.8	4.6-4.9	689.4	8.1	7.8-8.4	210.8	2.0	1.9-2.2	724.2	3.8	3.7-4.0	567.0	6.7	6.5-7.0	157.2	1.5	1.4-1.6
Stomach	1340.2	7.4	7.2-7.6	815.6	10.0	9.7-10.3	524.6	5.4	5.2-5.6	537.6	2.9	2.8-3.0	320.2	3.9	3.8-4.1	217.4	2.1	2.0-2.2
Colorectal	6811.8	37.8	37.4-38.3	3502.8	43.2	42.5-43.8	3309.0	33.4	32.9-33.9	2314.2	12.2	12.0-12.5	1161.2	14.4	14.0-14.7	1153.0	10.6	10.3-10.9
Colon excluding rectum	4841.8	26.7	26.4-27.1	2370.6	29.4	28.9-30.0	2471.2	24.5	24.1-25.0	1852.2	9.7	9.5-9.9	902.4	11.2	10.8-11.5	949.8	8.6	8.4-8.9
Rectum & rectosigmoid	1970.0	11.1	10.9-11.4	1132.2	13.8	13.4-14.1	837.8	8.9	8.6-9.2	462.0	2.5	2.4-2.6	258.8	3.2	3.0-3.4	203.2	2.0	1.8-2.1
Liver / intrahepatic bile duct	1498.0	7.9	7.7-8.1	1069.0	12.2	11.9-12.6	429.0	4.2	4.0-4.4	1003.4	5.3	5.1-5.4	669.2	7.8	7.5-8.1	334.2	3.2	3.0-3.3
Pancreas	2732.2	14.6	14.3-14.8	1393.8	16.8	16.4-17.2	1338.4	12.8	12.4-13.1	2108.8	11.1	10.9-11.3	1062.2	12.8	12.5-13.2	1046.6	9.6	9.4-9.9
Larynx	592.8	3.2	3.1-3.3	466.6	5.5	5.2-5.7	126.2	1.3	1.2-1.4	167.8	0.9	0.8-0.9	132.8	1.6	1.4-1.7	35.0	0.3	0.3-0.4
Lung and bronchus	11520.8	61.5	61.0-62.0	5528.6	66.4	65.7-67.3	5992.2	58.2	57.5-58.9	6602.0	34.9	34.6-35.3	3351.2	40.7	40.1-41.3	3250.8	30.7	30.3-31.2
Melanoma of the skin	4053.4	23.2	22.9-23.5	2358.8	29.2	28.7-29.7	1694.6	18.9	18.5-19.3	390.8	2.1	2.0-2.2	248.4	3.1	2.9-3.2	142.4	1.4	1.3-1.5
Female breast							12680.2	138.8	137.7-140.0							1878.4	18.3	17.9-18.7
Cervix uteri							537.4	6.9	6.7-7.2							170.4	1.9	1.8-2.0
Corpus uteri and NOS							3131.0	32.1	31.6-32.7							535.4	5.1	4.9-5.3
Ovary							1124.4	12.1	11.7-12.4							708.6	6.9	6.7-7.1
Prostate				10445.0	117.5	116.5-118.6							1273.8	16.1	15.7-16.5			
Testis				505.8	7.6	7.3-7.9							16.2	0.2	0.2-0.3			
Urinary bladder (incl. in situ)	4792.8	25.5	25.2-25.9	3598.4	44.0	43.4-44.7	1194.4	11.4	11.1-11.7	880.0	4.5	4.4-4.6	613.4	7.7	7.4-8.0	266.6	2.3	2.2-2.5
Kidney and renal pelvis	3142.6	17.7	17.4-17.9	2031.0	24.6	24.1-25.1	1111.6	11.7	11.4-12.0	574.8	3.0	2.9-3.1	367.4	4.5	4.3-4.7	207.4	1.9	1.8-2.0
Brain and other central nervous system	1206.0	7.4	7.3-7.6	668.8	8.7	8.4-9.0	537.2	6.4	6.1-6.6	762.8	4.3	4.2-4.5	424.8	5.2	5.0-5.5	338.0	3.6	3.4-3.8
Thyroid	3048.0	20.3	19.9-20.6	827.2	10.9	10.5-11.2	2220.8	29.6	29.0-30.2	95.2	0.5	0.5-0.5	40.2	0.5	0.4-0.6	55.0	0.5	0.4-0.6
Hodgkin lymphoma	492.0	3.4	3.2-3.5	268.4	3.8	3.6-4.0	223.6	3.0	2.8-3.2	55.8	0.3	0.3-0.4	30.2	0.4	0.3-0.5	25.6	0.3	0.2-0.3
Non-Hodgkin lymphomas	4102.4	23.0	22.7-23.4	2210.4	27.5	27.0-28.0	1892.0	19.4	19.0-19.9	1019.0	5.4	5.3-5.6	566.6	7.1	6.9-7.4	452.4	4.1	3.9-4.3
Myeloma	1355.8	7.3	7.2-7.5	766.0	9.3	9.0-9.6	589.8	5.8	5.6-6.0	518.2	2.7	2.6-2.8	279.0	3.4	3.2-3.6	239.2	2.2	2.0-2.3
Leukemias	3135.8	17.8	17.5-18.1	1832.4	23.0	22.5-23.5	1303.4	13.6	13.3-14.0	1145.2	6.1	6.0-6.3	641.6	8.1	7.9-8.4	503.6	4.7	4.5-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York State, Blacks**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	16465.4	442.5	439.4-445.6	8066.8	523.4	518.1-528.8	8398.6	392.5	388.7-396.4	4998.4	139.5	137.7-141.3	2329.0	168.5	165.3-171.7	2669.4	123.4	121.3-125.5
Oral cavity and pharynx	297.8	7.9	7.5-8.3	189.8	12.0	11.2-12.8	108.0	5.0	4.6-5.5	68.0	1.8	1.6-2.0	45.2	3.0	2.6-3.4	22.8	1.1	0.9-1.3
Esophagus	131.0	3.6	3.3-3.9	85.2	5.9	5.3-6.5	45.8	2.1	1.8-2.4	83.6	2.3	2.1-2.6	56.2	4.0	3.6-4.6	27.4	1.3	1.1-1.5
Stomach	389.6	10.9	10.4-11.4	209.4	14.8	13.8-15.7	180.2	8.5	8.0-9.1	161.6	4.6	4.3-4.9	95.4	6.9	6.2-7.5	66.2	3.1	2.8-3.5
Colorectal	1437.8	39.4	38.4-40.3	701.6	47.3	45.7-49.0	736.2	34.2	33.1-35.3	488.8	13.7	13.2-14.3	230.8	16.5	15.5-17.5	258.0	11.9	11.3-12.6
Colon excluding rectum	1037.8	28.6	27.8-29.4	481.8	32.9	31.6-34.3	556.0	25.8	24.9-26.8	401.2	11.2	10.7-11.8	185.4	13.2	12.3-14.1	215.8	10.0	9.4-10.6
Rectum & rectosigmoid	400.0	10.8	10.3-11.3	219.8	14.4	13.5-15.3	180.2	8.4	7.8-8.9	87.6	2.5	2.2-2.7	45.4	3.3	2.8-3.8	42.2	2.0	1.7-2.2
Liver / intrahepatic bile duct	425.8	10.7	10.3-11.2	301.6	18.1	17.2-19.1	124.2	5.4	5.0-5.9	251.0	6.6	6.2-6.9	167.4	10.6	9.9-11.4	83.6	3.8	3.4-4.2
Pancreas	541.4	15.0	14.4-15.5	242.4	16.2	15.3-17.2	299.0	13.9	13.2-14.6	384.6	10.7	10.3-11.2	173.2	11.9	11.1-12.8	211.4	9.8	9.2-10.5
Larynx	121.8	3.2	2.9-3.5	92.8	6.1	5.5-6.7	29.0	1.3	1.1-1.5	41.8	1.1	1.0-1.3	32.2	2.3	1.9-2.7	9.6	0.4	0.3-0.6
Lung and bronchus	1703.0	46.3	45.3-47.3	862.8	58.9	57.0-60.7	840.2	38.2	37.1-39.4	963.8	26.6	25.9-27.4	507.8	35.9	34.4-37.4	456.0	20.9	20.0-21.7
Melanoma of the skin	34.2	1.0	0.8-1.1	15.4	1.0	0.8-1.3	18.8	0.9	0.7-1.1	7.0	0.2	0.1-0.3	3.4	0.2	0.1-0.4	3.6	0.2	0.1-0.3
Female breast							2562.2	120.9	118.8-123.1							479.8	22.3	21.4-23.3
Cervix uteri							197.6	9.6	9.0-10.3							63.4	3.0	2.7-3.4
Corpus uteri and NOS							741.0	33.1	32.0-34.2							222.2	10.0	9.4-10.6
Ovary							199.4	9.3	8.8-10.0							122.0	5.6	5.1-6.1
Prostate				3092.2	191.7	188.6-194.8							371.2	30.9	29.5-32.4			
Testis				34.4	2.0	1.7-2.4							1.6	0.1	0.1-0.2			
Urinary bladder (incl. in situ)	390.4	11.0	10.5-11.5	259.4	18.9	17.8-20.0	131.0	6.1	5.7-6.6	88.4	2.6	2.4-2.9	51.6	4.2	3.7-4.8	36.8	1.7	1.5-2.0
Kidney and renal pelvis	589.0	15.6	15.0-16.2	370.8	23.4	22.3-24.6	218.2	10.1	9.5-10.7	80.8	2.2	2.0-2.5	55.0	3.8	3.4-4.3	25.8	1.2	1.0-1.4
Brain and other central nervous system	141.6	3.9	3.6-4.2	79.6	5.0	4.5-5.6	62.0	3.1	2.7-3.5	71.6	2.0	1.8-2.2	37.2	2.4	2.1-2.8	34.4	1.6	1.4-1.9
Thyroid	391.8	10.8	10.3-11.3	71.2	4.6	4.1-5.1	320.6	15.8	15.0-16.6	18.6	0.5	0.4-0.6	6.2	0.4	0.3-0.6	12.4	0.6	0.4-0.7
Hodgkin lymphoma	107.0	2.9	2.7-3.2	54.8	3.2	2.9-3.7	52.2	2.6	2.3-3.0	8.0	0.2	0.2-0.3	4.6	0.3	0.2-0.5	3.4	0.2	0.1-0.3
Non-Hodgkin lymphomas	578.0	15.8	15.2-16.4	291.0	18.9	18.0-20.0	287.0	13.6	12.9-14.3	130.6	3.7	3.4-4.0	69.2	4.9	4.4-5.5	61.4	2.9	2.6-3.2
Myeloma	511.8	14.0	13.5-14.6	244.6	16.6	15.6-17.6	267.2	12.4	11.7-13.0	162.2	4.6	4.3-5.0	75.0	5.6	5.1-6.3	87.2	4.1	3.7-4.5
Leukemias	386.8	10.7	10.3-11.2	199.2	13.5	12.6-14.4	187.6	9.0	8.4-9.6	162.0	4.6	4.3-4.9	81.2	5.8	5.3-6.5	80.8	3.9	3.5-4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York State, Asians and Pacific Islanders**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6287.2	346.4	342.5-350.4	2957.0	357.5	351.5-363.5	3330.2	339.1	333.9-344.4	1530.4	90.7	88.6-92.8	834.2	110.2	106.7-113.7	696.2	75.2	72.6-77.8
Oral cavity and pharynx	206.6	11.1	10.4-11.8	135.6	15.5	14.3-16.8	71.0	7.3	6.5-8.1	37.8	2.1	1.8-2.4	27.6	3.3	2.8-4.0	10.2	1.1	0.8-1.4
Esophagus	50.6	2.8	2.5-3.2	39.8	4.7	4.1-5.5	10.8	1.2	0.9-1.6	30.8	1.8	1.5-2.1	25.2	3.1	2.6-3.7	5.6	0.6	0.4-0.9
Stomach	264.0	14.7	13.9-15.6	164.6	19.9	18.5-21.4	99.4	10.3	9.4-11.3	98.8	5.9	5.4-6.5	60.6	8.1	7.2-9.1	38.2	4.1	3.6-4.8
Colorectal	600.0	33.3	32.0-34.5	332.6	39.6	37.7-41.6	267.4	27.7	26.2-29.3	138.6	8.3	7.7-9.0	74.6	9.9	8.9-11.0	64.0	7.0	6.2-7.8
Colon excluding rectum	378.6	21.2	20.3-22.3	201.0	24.2	22.7-25.8	177.6	18.6	17.4-19.9	113.0	6.8	6.2-7.4	58.0	7.8	6.9-8.7	55.0	6.0	5.3-6.8
Rectum & rectosigmoid	221.4	12.0	11.3-12.8	131.6	15.4	14.2-16.6	89.8	9.1	8.3-10.0	25.6	1.5	1.3-1.8	16.6	2.2	1.7-2.7	9.0	1.0	0.7-1.3
Liver / intrahepatic bile duct	271.2	14.8	14.0-15.7	190.2	21.9	20.5-23.4	81.0	8.6	7.8-9.5	142.8	8.3	7.7-8.9	98.2	12.0	10.9-13.1	44.6	5.1	4.4-5.8
Pancreas	170.8	9.9	9.2-10.6	85.4	10.6	9.6-11.7	85.4	9.2	8.4-10.2	115.8	6.9	6.4-7.5	55.6	7.1	6.3-8.0	60.2	6.8	6.0-7.6
Larynx	27.8	1.5	1.2-1.8	24.6	2.8	2.3-3.4	3.2	0.3	0.2-0.5	4.8	0.3	0.2-0.4	4.0	0.5	0.3-0.8	0.8	0.1	0.0-0.2
Lung and bronchus	758.0	43.4	42.0-44.8	437.2	55.4	53.0-57.8	320.8	33.5	31.9-35.2	341.8	20.5	19.5-21.5	216.6	29.2	27.4-31.0	125.2	13.5	12.5-14.6
Melanoma of the skin	22.4	1.3	1.0-1.5	12.8	1.6	1.2-2.1	9.6	1.0	0.7-1.3	7.0	0.5	0.3-0.6	4.2	0.6	0.4-0.9	2.8	0.3	0.2-0.6
Female breast							1022.4	102.4	99.5-105.3							97.4	10.1	9.2-11.0
Cervix uteri							79.4	8.0	7.3-8.9							15.6	1.6	1.2-2.0
Corpus uterus and NOS							225.2	22.0	20.7-23.3							26.8	2.8	2.3-3.3
Ovary							105.4	10.5	9.6-11.5							39.8	4.0	3.5-4.7
Prostate				535.6	62.8	60.3-65.3							43.6	6.7	5.8-7.7			
Testis				20.6	2.2	1.8-2.7							0.4	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	168.8	10.0	9.3-10.7	132.8	17.4	16.0-18.8	36.0	3.9	3.3-4.5	26.0	1.7	1.4-2.0	21.0	3.1	2.6-3.8	5.0	0.6	0.4-0.9
Kidney and renal pelvis	176.4	9.5	8.9-10.2	113.6	13.2	12.1-14.3	62.8	6.4	5.7-7.1	24.0	1.4	1.2-1.7	17.0	2.2	1.8-2.8	7.0	0.8	0.5-1.1
Brain and other central nervous system	78.2	4.4	3.9-4.8	42.0	4.9	4.2-5.6	36.2	3.8	3.3-4.4	36.4	2.1	1.8-2.4	19.8	2.4	2.0-3.0	16.6	1.8	1.4-2.2
Thyroid	482.8	25.0	24.0-26.0	118.6	13.1	12.1-14.2	364.2	35.6	33.9-37.3	7.0	0.4	0.3-0.6	3.4	0.5	0.3-0.8	3.6	0.4	0.2-0.6
Hodgkin lymphoma	29.8	1.6	1.4-1.9	15.8	1.9	1.5-2.3	14.0	1.4	1.1-1.8	1.4	0.1	0.0-0.2	0.6	0.1	0.0-0.2	0.8	0.1	0.0-0.2
Non-Hodgkin lymphomas	252.6	14.3	13.5-15.1	144.8	17.9	16.6-19.3	107.8	11.3	10.3-12.3	50.2	3.0	2.6-3.4	30.2	3.8	3.2-4.5	20.0	2.2	1.8-2.7
Myeloma	79.2	4.4	4.0-4.9	48.4	5.8	5.1-6.7	30.8	3.2	2.7-3.7	20.0	1.2	1.0-1.5	10.2	1.3	1.0-1.8	9.8	1.1	0.8-1.5
Leukemias	164.4	9.4	8.8-10.1	97.4	12.2	11.1-13.4	67.0	7.1	6.3-7.9	57.6	3.4	3.0-3.8	34.6	4.6	3.9-5.4	23.0	2.4	2.0-2.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York City, Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	23936.8	453.6	450.9-456.2	11480.8	484.8	480.8-488.8	12456.0	439.3	435.8-442.9	7397.0	133.8	132.4-135.2	3640.6	156.4	154.1-158.7	3756.4	118.7	117.0-120.5
Oral cavity and pharynx	539.0	10.1	9.8-10.5	358.2	14.9	14.2-15.6	180.8	6.2	5.8-6.6	114.6	2.1	1.9-2.3	79.0	3.4	3.0-3.7	35.6	1.1	1.0-1.3
Esophagus	190.6	3.5	3.3-3.7	138.6	5.8	5.4-6.3	52.0	1.7	1.5-1.9	150.2	2.7	2.5-2.9	109.2	4.6	4.2-5.0	41.0	1.2	1.1-1.4
Stomach	469.2	8.9	8.5-9.2	266.4	11.4	10.8-12.1	202.8	6.9	6.4-7.3	229.0	4.2	4.0-4.5	132.6	5.7	5.3-6.2	96.4	3.1	2.8-3.4
Colorectal	1960.4	36.9	36.2-37.7	1019.6	43.5	42.3-44.7	940.8	31.8	30.9-32.7	698.2	12.5	12.1-12.9	348.0	14.9	14.2-15.7	350.2	10.7	10.2-11.2
Colon excluding rectum	1391.0	26.0	25.3-26.6	706.2	30.3	29.3-31.3	684.8	22.7	21.9-23.5	572.2	10.2	9.8-10.6	281.6	12.1	11.5-12.7	290.6	8.8	8.4-9.3
Rectum & rectosigmoid	569.4	11.0	10.6-11.4	313.4	13.3	12.6-13.9	256.0	9.1	8.6-9.6	126.0	2.3	2.1-2.5	66.4	2.8	2.5-3.2	59.6	1.9	1.7-2.1
Liver / intrahepatic bile duct	542.4	9.9	9.5-10.3	378.2	15.4	14.7-16.1	164.2	5.3	5.0-5.7	352.6	6.4	6.1-6.7	229.8	9.5	8.9-10.1	122.8	3.8	3.5-4.2
Pancreas	760.8	13.8	13.4-14.3	381.2	16.2	15.5-17.0	379.6	11.9	11.4-12.5	604.6	10.8	10.4-11.2	298.6	12.8	12.1-13.5	306.0	9.3	8.9-9.8
Larynx	155.4	2.9	2.7-3.1	122.8	5.1	4.7-5.6	32.6	1.1	1.0-1.3	47.4	0.9	0.8-1.0	40.0	1.7	1.5-1.9	7.4	0.2	0.2-0.3
Lung and bronchus	2598.6	47.7	46.9-48.5	1271.6	54.2	52.9-55.6	1327.0	43.2	42.1-44.2	1466.8	26.4	25.8-27.1	756.2	32.4	31.4-33.5	710.6	22.1	21.4-22.9
Melanoma of the skin	847.4	16.1	15.6-16.6	473.0	20.3	19.5-21.2	374.4	13.2	12.6-13.8	83.8	1.5	1.4-1.7	52.6	2.3	2.0-2.6	31.2	1.0	0.8-1.2
Female breast							3552.2	130.8	128.9-132.9							572.6	18.7	18.0-19.4
Cervix uteri							193.4	7.7	7.2-8.2							62.6	2.3	2.0-2.6
Corpus uterus and NOS							879.4	30.8	29.9-31.8							175.6	5.7	5.3-6.1
Ovary							339.6	12.2	11.6-12.8							210.4	6.9	6.5-7.3
Prostate				2548.6	103.8	102.0-105.7							370.4	16.3	15.5-17.0			
Testis				160.2	6.6	6.2-7.1							5.0	0.2	0.1-0.3			
Urinary bladder (incl. in situ)	1138.6	20.7	20.2-21.3	856.2	36.9	35.8-38.0	282.4	9.0	8.5-9.5	231.0	4.0	3.8-4.2	160.0	7.0	6.5-7.5	71.0	2.0	1.8-2.3
Kidney and renal pelvis	798.4	15.3	14.8-15.8	514.6	21.6	20.8-22.5	283.8	10.0	9.5-10.6	151.6	2.8	2.6-3.0	99.6	4.3	3.9-4.7	52.0	1.6	1.4-1.8
Brain and other central nervous system	354.2	7.2	6.8-7.5	195.4	8.5	8.0-9.0	158.8	6.0	5.6-6.5	205.0	3.9	3.7-4.2	109.8	4.7	4.3-5.1	95.2	3.3	3.0-3.6
Thyroid	1069.2	22.2	21.6-22.8	270.4	11.5	10.9-12.2	798.8	32.7	31.6-33.7	31.0	0.6	0.5-0.7	10.0	0.4	0.3-0.6	21.0	0.6	0.5-0.8
Hodgkin lymphoma	162.8	3.4	3.2-3.7	90.6	4.0	3.6-4.4	72.2	3.0	2.6-3.3	19.8	0.4	0.3-0.5	11.0	0.5	0.4-0.6	8.8	0.3	0.2-0.4
Non-Hodgkin lymphomas	1180.0	22.5	21.9-23.1	626.6	26.9	26.0-27.9	553.4	19.0	18.3-19.7	292.8	5.3	5.0-5.6	160.4	7.0	6.5-7.5	132.4	4.0	3.7-4.4
Myeloma	408.0	7.5	7.2-7.9	230.2	9.7	9.2-10.3	177.8	5.8	5.5-6.3	146.0	2.6	2.4-2.8	80.4	3.4	3.1-3.8	65.6	2.0	1.8-2.3
Leukemias	845.2	16.3	15.8-16.8	475.8	20.7	19.9-21.6	369.4	12.9	12.3-13.5	328.0	6.0	5.7-6.3	173.0	7.6	7.1-8.1	155.0	4.9	4.6-5.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York City, Blacks**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11380.6	429.4	425.8-433.0	5428.2	505.3	499.1-511.6	5952.4	384.1	379.6-388.6	3498.6	135.5	133.4-137.5	1578.0	162.2	158.5-166.0	1920.6	121.3	118.8-123.8
Oral cavity and pharynx	209.0	7.8	7.3-8.3	128.4	11.8	10.9-12.8	80.6	5.1	4.6-5.7	48.2	1.8	1.6-2.1	31.2	3.0	2.5-3.5	17.0	1.1	0.9-1.4
Esophagus	89.2	3.3	3.0-3.7	58.0	5.6	5.0-6.3	31.2	2.0	1.7-2.3	54.6	2.1	1.9-2.4	35.2	3.6	3.1-4.2	19.4	1.2	1.0-1.5
Stomach	269.6	10.5	10.0-11.1	142.0	14.4	13.3-15.5	127.6	8.2	7.6-8.9	114.8	4.5	4.2-4.9	65.2	6.7	6.0-7.5	49.6	3.2	2.8-3.6
Colorectal	1006.8	38.6	37.6-39.7	479.8	46.5	44.6-48.5	527.0	33.7	32.4-35.0	347.2	13.5	12.9-14.2	156.8	16.1	15.0-17.3	190.4	11.9	11.2-12.7
Colon excluding rectum	726.8	28.0	27.1-28.9	328.2	32.1	30.6-33.8	398.6	25.4	24.3-26.6	284.0	11.0	10.5-11.6	124.2	12.7	11.7-13.8	159.8	10.0	9.3-10.7
Rectum & rectosigmoid	280.0	10.6	10.1-11.2	151.6	14.4	13.4-15.5	128.4	8.2	7.6-8.9	63.2	2.5	2.2-2.8	32.6	3.4	2.9-4.0	30.6	1.9	1.6-2.3
Liver / intrahepatic bile duct	293.4	10.4	9.9-11.0	203.8	17.8	16.7-18.9	89.6	5.4	4.9-5.9	170.0	6.2	5.8-6.6	111.4	10.1	9.3-11.0	58.6	3.6	3.2-4.0
Pancreas	371.8	14.3	13.6-14.9	165.2	15.8	14.7-17.0	206.6	13.1	12.3-13.9	267.6	10.3	9.8-10.9	118.0	11.5	10.5-12.5	149.6	9.4	8.8-10.2
Larynx	82.4	3.0	2.7-3.3	61.2	5.8	5.1-6.5	21.2	1.3	1.1-1.6	29.2	1.1	0.9-1.3	21.6	2.2	1.8-2.6	7.6	0.5	0.3-0.6
Lung and bronchus	1110.6	42.0	40.9-43.1	546.6	52.8	50.8-54.9	564.0	35.2	33.9-36.5	626.2	24.0	23.1-24.8	320.6	31.9	30.3-33.6	305.6	19.1	18.1-20.1
Melanoma of the skin	22.4	0.9	0.7-1.1	9.6	0.9	0.7-1.3	12.8	0.8	0.6-1.1	4.8	0.2	0.1-0.3	1.8	0.2	0.1-0.3	3.0	0.2	0.1-0.3
Female breast							1805.4	118.1	115.6-120.6							348.0	22.3	21.3-23.4
Cervix uteri							149.0	10.2	9.5-11.0							49.0	3.2	2.8-3.7
Corpus uterus and NOS							562.8	34.4	33.1-35.7							171.6	10.5	9.8-11.2
Ovary							148.0	9.6	8.9-10.3							92.2	5.8	5.2-6.3
Prostate				2103.0	186.6	182.9-190.3							274.0	31.8	30.1-33.6			
Testis				25.4	2.3	1.9-2.7							1.6	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	262.8	10.3	9.7-10.8	174.8	18.1	16.9-19.4	88.0	5.6	5.1-6.1	64.2	2.6	2.3-2.9	36.6	4.2	3.6-4.9	27.6	1.7	1.4-2.0
Kidney and renal pelvis	375.6	14.0	13.3-14.6	236.0	21.6	20.4-23.0	139.6	8.8	8.1-9.5	53.2	2.1	1.8-2.3	35.4	3.6	3.0-4.2	17.8	1.1	0.9-1.4
Brain and other central nervous system	97.6	3.9	3.6-4.3	55.2	5.1	4.5-5.8	42.4	3.0	2.6-3.5	47.6	1.9	1.6-2.1	25.6	2.5	2.0-2.9	22.0	1.5	1.2-1.8
Thyroid	266.4	10.5	10.0-11.1	44.4	4.2	3.6-4.8	222.0	15.4	14.5-16.3	14.2	0.6	0.4-0.7	4.2	0.4	0.2-0.6	10.0	0.6	0.5-0.8
Hodgkin lymphoma	72.6	2.8	2.6-3.2	37.0	3.2	2.8-3.8	35.6	2.6	2.2-3.0	5.4	0.2	0.1-0.3	2.4	0.2	0.1-0.4	3.0	0.2	0.1-0.3
Non-Hodgkin lymphomas	410.6	15.9	15.2-16.6	201.8	19.0	17.8-20.3	208.8	13.7	12.9-14.6	90.8	3.6	3.2-3.9	45.2	4.6	4.0-5.3	45.6	3.0	2.6-3.4
Myeloma	356.2	13.7	13.0-14.3	161.6	15.6	14.5-16.8	194.6	12.4	11.6-13.2	114.6	4.5	4.1-4.9	52.6	5.5	4.9-6.3	62.0	3.9	3.5-4.4
Leukemias	268.4	10.6	10.0-11.2	131.8	12.9	11.9-14.0	136.6	9.1	8.4-9.8	113.2	4.5	4.2-4.9	56.2	5.7	5.1-6.5	57.0	3.8	3.4-4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York City, Asians and Pacific Islanders**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4872.2	357.8	353.2-362.4	2305.8	371.4	364.4-378.5	2566.4	348.9	342.8-355.1	1216.6	94.9	92.4-97.4	678.8	118.3	114.2-122.5	537.8	76.4	73.5-79.4
Oral cavity and pharynx	163.0	11.7	10.9-12.5	107.2	16.3	14.9-17.8	55.8	7.6	6.7-8.5	31.2	2.3	1.9-2.7	23.2	3.7	3.0-4.4	8.0	1.1	0.8-1.5
Esophagus	40.4	3.0	2.6-3.4	32.6	5.1	4.3-6.0	7.8	1.2	0.8-1.6	24.8	1.9	1.5-2.2	20.8	3.4	2.7-4.1	4.0	0.6	0.4-0.9
Stomach	223.6	16.5	15.5-17.5	142.8	22.9	21.2-24.7	80.8	11.0	10.0-12.2	83.2	6.6	5.9-7.2	53.0	9.4	8.2-10.6	30.2	4.3	3.6-5.0
Colorectal	468.4	34.4	33.0-35.9	264.4	41.9	39.6-44.3	204.0	28.0	26.3-29.8	109.2	8.6	7.9-9.4	58.2	10.2	9.0-11.5	51.0	7.3	6.4-8.3
Colon excluding rectum	295.8	22.0	20.9-23.2	159.6	25.6	23.8-27.5	136.2	18.9	17.5-20.4	88.6	7.0	6.3-7.7	44.4	7.8	6.8-8.9	44.2	6.4	5.5-7.3
Rectum & rectosigmoid	172.6	12.4	11.6-13.3	104.8	16.3	14.9-17.8	67.8	9.1	8.1-10.1	20.6	1.6	1.3-2.0	13.8	2.4	1.9-3.1	6.8	0.9	0.7-1.3
Liver / intrahepatic bile duct	221.0	16.0	15.1-17.0	157.4	24.2	22.5-26.0	63.6	8.9	7.9-10.0	113.6	8.6	7.9-9.4	81.4	13.1	11.8-14.5	32.2	4.8	4.1-5.6
Pancreas	129.4	9.9	9.1-10.7	61.8	10.2	9.0-11.4	67.6	9.6	8.6-10.7	90.8	7.2	6.5-7.9	42.0	7.1	6.1-8.2	48.8	7.2	6.3-8.2
Larynx	23.4	1.6	1.4-2.0	21.2	3.2	2.6-4.0	2.2	0.3	0.1-0.5	3.6	0.3	0.2-0.4	2.8	0.5	0.2-0.8	0.8	0.1	0.0-0.3
Lung and bronchus	631.4	47.7	46.0-49.5	370.0	62.3	59.4-65.3	261.4	35.9	34.0-38.0	283.6	22.3	21.1-23.5	184.8	32.9	30.7-35.1	98.8	13.9	12.7-15.2
Melanoma of the skin	14.4	1.1	0.8-1.4	7.8	1.3	0.9-1.8	6.6	0.9	0.6-1.3	6.0	0.5	0.3-0.7	3.6	0.7	0.4-1.0	2.4	0.4	0.2-0.7
Female breast							763.6	102.8	99.5-106.1							73.4	10.1	9.1-11.2
Cervix uteri							66.0	9.0	8.1-10.1							13.2	1.8	1.4-2.3
Corpus uterus and NOS							169.2	22.2	20.7-23.8							20.0	2.7	2.2-3.3
Ovary							79.0	10.6	9.6-11.8							28.8	3.9	3.3-4.6
Prostate				382.8	59.2	56.5-62.0							35.4	7.1	6.1-8.3			
Testis				14.6	2.2	1.7-2.8							0.4	0.1	0.0-0.2			
Urinary bladder (incl. in situ)	126.0	9.8	9.0-10.6	99.0	17.1	15.6-18.7	27.0	3.8	3.2-4.5	21.0	1.8	1.4-2.2	16.2	3.2	2.5-4.0	4.8	0.7	0.5-1.1
Kidney and renal pelvis	138.0	10.0	9.2-10.8	87.6	13.7	12.4-15.1	50.4	6.8	5.9-7.7	19.6	1.5	1.2-1.9	14.2	2.4	1.9-3.1	5.4	0.8	0.5-1.2
Brain and other central nervous system	59.4	4.4	3.9-5.0	31.4	4.9	4.1-5.7	28.0	4.0	3.3-4.7	25.8	2.0	1.7-2.4	14.4	2.4	1.9-3.1	11.4	1.6	1.2-2.1
Thyroid	393.6	27.7	26.4-28.9	99.6	15.0	13.7-16.4	294.0	38.9	36.9-41.0	6.2	0.5	0.3-0.7	3.2	0.6	0.3-0.9	3.0	0.4	0.2-0.7
Hodgkin lymphoma	21.8	1.7	1.4-2.0	12.4	2.1	1.6-2.7	9.4	1.3	0.9-1.7	0.8	0.1	0.0-0.2	0.4	0.1	0.0-0.3	0.4	0.1	0.0-0.2
Non-Hodgkin lymphomas	187.2	14.2	13.3-15.1	107.4	17.9	16.3-19.5	79.8	11.1	10.0-12.3	37.6	2.9	2.5-3.4	23.4	3.9	3.2-4.8	14.2	2.1	1.6-2.6
Myeloma	58.0	4.3	3.8-4.9	33.4	5.4	4.6-6.4	24.6	3.4	2.8-4.1	15.4	1.2	1.0-1.6	8.4	1.5	1.0-2.0	7.0	1.1	0.7-1.5
Leukemias	124.2	9.5	8.8-10.3	71.0	11.9	10.7-13.3	53.2	7.6	6.7-8.6	44.2	3.5	3.0-4.0	26.0	4.6	3.8-5.5	18.2	2.5	2.0-3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York State Excl New York City, Whites**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	65594.4	517.3	515.4-519.1	33095.0	558.5	555.8-561.3	32499.4	491.4	488.8-493.9	19909.6	149.2	148.3-150.2	10126.0	173.9	172.4-175.5	9783.6	132.1	130.9-133.3
Oral cavity and pharynx	1621.2	12.5	12.3-12.8	1133.2	18.6	18.1-19.2	488.0	7.1	6.9-7.5	282.2	2.1	2.0-2.2	195.0	3.2	3.0-3.4	87.2	1.2	1.0-1.3
Esophagus	709.6	5.3	5.1-5.5	550.8	9.0	8.7-9.4	158.8	2.2	2.0-2.4	574.0	4.3	4.1-4.4	457.8	7.6	7.2-7.9	116.2	1.6	1.4-1.7
Stomach	871.0	6.8	6.6-7.0	549.2	9.4	9.0-9.8	321.8	4.7	4.5-5.0	308.6	2.4	2.2-2.5	187.6	3.2	3.0-3.4	121.0	1.7	1.6-1.8
Colorectal	4851.4	38.3	37.8-38.8	2483.2	43.2	42.4-44.0	2368.2	34.2	33.6-34.9	1616.0	12.1	11.9-12.4	813.2	14.1	13.7-14.6	802.8	10.6	10.2-10.9
Colon excluding rectum	3450.8	27.1	26.7-27.5	1664.4	29.2	28.5-29.8	1786.4	25.4	24.9-26.0	1280.0	9.6	9.3-9.8	620.8	10.8	10.4-11.2	659.2	8.6	8.3-8.9
Rectum & rectosigmoid	1400.6	11.2	10.9-11.5	818.8	14.0	13.6-14.4	581.8	8.8	8.5-9.1	336.0	2.6	2.4-2.7	192.4	3.3	3.1-3.5	143.6	2.0	1.8-2.1
Liver / intrahepatic bile duct	955.4	7.1	6.9-7.3	690.6	11.0	10.6-11.4	264.8	3.7	3.5-3.9	650.8	4.8	4.6-5.0	439.4	7.1	6.8-7.5	211.4	2.9	2.7-3.1
Pancreas	1971.4	14.9	14.6-15.2	1012.6	17.0	16.5-17.5	958.8	13.1	12.7-13.5	1504.2	11.2	10.9-11.4	763.6	12.8	12.4-13.3	740.6	9.8	9.4-10.1
Larynx	437.4	3.3	3.2-3.5	343.8	5.6	5.3-5.9	93.6	1.4	1.2-1.5	120.4	0.9	0.8-1.0	92.8	1.5	1.4-1.7	27.6	0.4	0.3-0.5
Lung and bronchus	8921.8	67.1	66.5-67.8	4256.8	71.3	70.3-72.3	4665.0	64.5	63.7-65.4	5135.2	38.4	38.0-38.9	2595.0	44.0	43.2-44.8	2540.2	34.4	33.8-35.0
Melanoma of the skin	3206.0	26.3	25.9-26.7	1885.8	32.8	32.1-33.5	1320.2	21.6	21.1-22.2	307.0	2.3	2.2-2.5	195.8	3.4	3.2-3.6	111.2	1.5	1.4-1.7
Female breast							9127.6	142.3	140.9-143.7							1305.8	18.1	17.7-18.6
Cervix uteri							344.0	6.7	6.4-7.1							107.8	1.8	1.6-1.9
Corpus uterus and NOS							2251.6	32.7	32.1-33.4							359.8	4.9	4.6-5.1
Ovary							784.8	12.0	11.6-12.4							498.2	6.9	6.6-7.2
Prostate				7896.0	122.8	121.6-124.1							903.4	16.0	15.5-16.5			
Testis				345.6	8.1	7.7-8.5							11.2	0.2	0.2-0.3			
Urinary bladder (incl. in situ)	3654.2	27.5	27.1-27.9	2742.2	46.9	46.1-47.7	912.0	12.4	12.0-12.8	649.0	4.7	4.5-4.9	453.4	8.0	7.7-8.3	195.6	2.4	2.3-2.6
Kidney and renal pelvis	2344.2	18.7	18.3-19.1	1516.4	25.8	25.2-26.4	827.8	12.5	12.1-12.9	423.2	3.1	3.0-3.3	267.8	4.5	4.3-4.8	155.4	2.1	1.9-2.2
Brain and other central nervous system	851.6	7.6	7.4-7.9	473.2	8.8	8.4-9.2	378.4	6.6	6.3-6.9	557.8	4.5	4.3-4.7	315.0	5.4	5.2-5.7	242.8	3.7	3.5-3.9
Thyroid	1978.8	19.6	19.2-20.0	556.8	10.7	10.3-11.1	1422.0	28.4	27.7-29.1	64.2	0.5	0.4-0.5	30.2	0.5	0.4-0.6	34.0	0.4	0.4-0.5
Hodgkin lymphoma	329.0	3.4	3.2-3.5	177.6	3.7	3.4-3.9	151.4	3.1	2.9-3.3	36.0	0.3	0.3-0.3	19.2	0.3	0.3-0.4	16.8	0.2	0.2-0.3
Non-Hodgkin lymphomas	2922.2	23.2	22.8-23.6	1583.8	27.6	27.0-28.3	1338.4	19.6	19.1-20.1	726.2	5.4	5.3-5.6	406.2	7.2	6.8-7.5	320.0	4.2	4.0-4.4
Myeloma	947.8	7.3	7.1-7.5	535.8	9.1	8.7-9.5	412.0	5.8	5.6-6.1	372.2	2.7	2.6-2.9	198.6	3.4	3.2-3.6	173.6	2.2	2.1-2.4
Leukemias	2290.6	18.4	18.1-18.8	1356.6	24.0	23.4-24.6	934.0	13.9	13.5-14.4	817.2	6.2	6.0-6.4	468.6	8.4	8.1-8.8	348.6	4.6	4.4-4.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York State Excl New York City, Blacks

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5084.0	477.7	471.7-483.8	2638.4	568.2	558.0-578.6	2445.6	416.1	408.7-423.7	1499.8	151.1	147.6-154.6	751.0	184.9	178.7-191.3	748.8	129.8	125.6-134.1
Oral cavity and pharynx	88.8	8.1	7.4-8.9	61.4	12.5	11.1-14.1	27.4	4.7	3.9-5.5	19.8	1.9	1.5-2.3	14.0	3.0	2.3-3.9	5.8	1.0	0.7-1.4
Esophagus	41.8	4.2	3.6-4.8	27.2	6.6	5.5-7.9	14.6	2.5	2.0-3.2	29.0	2.9	2.4-3.5	21.0	5.1	4.2-6.3	8.0	1.4	1.0-1.9
Stomach	119.8	12.0	11.0-13.0	67.2	15.6	13.9-17.5	52.6	9.4	8.3-10.6	46.8	4.7	4.1-5.4	30.2	7.3	6.1-8.7	16.6	2.9	2.3-3.6
Colorectal	431.0	41.3	39.5-43.1	221.8	49.4	46.4-52.6	209.2	35.6	33.4-37.8	141.6	14.2	13.2-15.3	74.0	17.4	15.5-19.3	67.6	11.9	10.7-13.3
Colon excluding rectum	311.0	30.2	28.7-31.8	153.6	34.9	32.3-37.6	157.4	26.9	25.0-28.9	117.2	11.8	10.8-12.8	61.2	14.4	12.7-16.2	56.0	9.9	8.8-11.1
Rectum & rectosigmoid	120.0	11.1	10.2-12.1	68.2	14.5	12.9-16.2	51.8	8.7	7.6-9.8	24.4	2.5	2.0-3.0	12.8	3.0	2.3-3.9	11.6	2.0	1.5-2.6
Liver / intrahepatic bile duct	132.4	11.5	10.7-12.5	97.8	19.1	17.4-21.0	34.6	5.5	4.7-6.5	81.0	7.6	6.8-8.3	56.0	11.9	10.5-13.4	25.0	4.3	3.5-5.1
Pancreas	169.6	16.8	15.7-18.0	77.2	17.3	15.5-19.2	92.4	16.2	14.8-17.8	117.0	11.9	10.9-12.9	55.2	13.0	11.4-14.7	61.8	10.9	9.7-12.3
Larynx	39.4	3.7	3.2-4.2	31.6	6.9	5.8-8.2	7.8	1.2	0.9-1.7	12.6	1.3	1.0-1.6	10.6	2.6	1.9-3.4	2.0	0.3	0.2-0.6
Lung and bronchus	592.4	57.7	55.5-59.8	316.2	73.9	70.1-77.8	276.2	46.7	44.2-49.2	337.6	33.8	32.2-35.5	187.2	45.8	42.7-49.0	150.4	25.8	23.9-27.7
Melanoma of the skin	11.8	1.2	0.9-1.5	5.8	1.2	0.8-1.8	6.0	1.1	0.7-1.5	2.2	0.2	0.1-0.4	1.6	0.4	0.2-0.8	0.6	0.1	0.0-0.3
Female breast							756.6	128.5	124.4-132.7							131.8	22.5	20.8-24.3
Cervix uteri							48.6	8.3	7.3-9.4							14.4	2.5	1.9-3.1
Corpus uterus and NOS							178.2	29.5	27.6-31.5							50.6	8.7	7.6-9.8
Ovary							51.4	8.7	7.6-9.8							29.8	5.1	4.3-6.1
Prostate				989.2	203.1	197.2-209.2							97.2	28.6	26.0-31.3			
Testis				9.0	1.6	1.1-2.1							0.0	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	127.6	13.0	12.0-14.1	84.6	20.6	18.6-22.8	43.0	7.6	6.6-8.7	24.2	2.6	2.2-3.2	15.0	4.3	3.3-5.4	9.2	1.6	1.2-2.2
Kidney and renal pelvis	213.4	19.6	18.4-20.9	134.8	27.5	25.4-29.8	78.6	13.4	12.1-14.8	27.6	2.7	2.3-3.3	19.6	4.5	3.6-5.5	8.0	1.5	1.0-2.0
Brain and other central nervous system	44.0	4.0	3.4-4.5	24.4	4.8	4.0-5.8	19.6	3.3	2.7-4.0	24.0	2.2	1.8-2.7	11.6	2.4	1.8-3.1	12.4	2.1	1.6-2.6
Thyroid	125.0	11.3	10.4-12.2	26.8	5.5	4.6-6.6	98.2	16.7	15.3-18.3	4.4	0.5	0.3-0.7	2.0	0.5	0.3-1.0	2.4	0.4	0.2-0.7
Hodgkin lymphoma	34.4	3.0	2.6-3.5	17.8	3.2	2.6-4.0	16.6	2.8	2.2-3.5	2.6	0.2	0.1-0.4	2.2	0.5	0.2-0.9	0.4	0.1	0.0-0.3
Non-Hodgkin lymphomas	167.4	15.8	14.7-16.9	89.2	19.2	17.3-21.2	78.2	13.3	12.0-14.8	39.8	4.0	3.4-4.6	24.0	5.7	4.7-6.9	15.8	2.8	2.2-3.5
Myeloma	155.6	15.0	13.9-16.1	83.0	18.8	16.9-20.8	72.6	12.3	11.0-13.6	47.6	5.0	4.4-5.7	22.4	5.9	4.8-7.2	25.2	4.5	3.8-5.4
Leukemias	118.4	11.3	10.4-12.2	67.4	15.0	13.3-16.7	51.0	8.7	7.7-9.9	48.8	5.0	4.4-5.7	25.0	6.3	5.2-7.5	23.8	4.2	3.4-5.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York State Excl New York City, Asians and Pacific Islanders

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1414.2	313.3	305.8-320.9	650.6	315.8	304.6-327.3	763.6	311.5	301.5-321.8	313.8	77.2	73.3-81.3	155.4	84.4	78.3-90.8	158.4	71.4	66.3-76.7
Oral cavity and pharynx	43.6	9.4	8.1-10.7	28.4	13.1	11.0-15.5	15.2	6.2	4.8-7.8	6.6	1.6	1.1-2.3	4.4	2.5	1.5-3.8	2.2	1.0	0.5-1.8
Esophagus	10.2	2.4	1.7-3.1	7.2	3.6	2.5-5.0	3.0	1.3	0.7-2.1	6.0	1.4	1.0-2.1	4.4	2.3	1.4-3.5	1.6	0.7	0.3-1.4
Stomach	40.2	9.4	8.1-10.8	21.6	10.9	8.8-13.2	18.6	8.1	6.5-9.9	15.6	3.9	3.0-4.9	7.6	4.0	2.8-5.6	8.0	3.7	2.6-5.1
Colorectal	131.4	29.6	27.3-32.1	68.0	32.5	29.0-36.3	63.4	26.9	24.0-30.2	29.4	7.3	6.1-8.6	16.4	9.0	7.0-11.2	13.0	5.9	4.5-7.5
Colon excluding rectum	82.6	19.0	17.1-20.9	41.2	19.9	17.2-22.9	41.4	17.9	15.5-20.6	24.4	6.1	5.0-7.3	13.6	7.6	5.8-9.7	10.8	4.8	3.5-6.2
Rectum & rectosigmoid	48.8	10.7	9.3-12.1	26.8	12.6	10.5-15.1	22.0	9.0	7.4-10.9	5.0	1.2	0.8-1.8	2.8	1.4	0.7-2.3	2.2	1.1	0.5-2.0
Liver / intrahepatic bile duct	50.0	11.1	9.7-12.6	32.8	15.0	12.7-17.5	17.2	7.6	6.1-9.5	29.2	7.2	6.0-8.5	16.8	8.5	6.7-10.6	12.4	6.0	4.6-7.7
Pancreas	41.4	10.1	8.8-11.7	23.6	12.1	9.9-14.5	17.8	8.4	6.7-10.4	25.0	6.3	5.2-7.5	13.6	7.0	5.4-9.0	11.4	5.6	4.2-7.3
Larynx	4.4	0.9	0.6-1.4	3.4	1.5	0.9-2.5	1.0	0.4	0.1-0.9	1.2	0.3	0.1-0.6	1.2	0.6	0.2-1.3	0.0	0.0	0.0-0.3
Lung and bronchus	126.6	30.1	27.7-32.6	67.2	34.2	30.5-38.2	59.4	26.4	23.4-29.7	58.2	14.8	13.1-16.7	31.8	17.5	14.8-20.5	26.4	12.5	10.4-14.8
Melanoma of the skin	8.0	1.8	1.3-2.5	5.0	2.5	1.6-3.8	3.0	1.2	0.7-2.1	1.0	0.3	0.1-0.6	0.6	0.3	0.1-0.9	0.4	0.2	0.0-0.7
Female breast							258.8	101.9	96.3-107.7							24.0	10.0	8.2-12.0
Cervix uteri							13.4	5.2	4.0-6.6							2.4	1.0	0.5-1.7
Corpus uteri and NOS							56.0	21.4	18.9-24.1							6.8	2.9	2.0-4.0
Ovary							26.4	10.4	8.7-12.4							11.0	4.6	3.5-6.1
Prostate				152.6	73.2	67.9-78.8							8.2	5.1	3.6-7.0			
Testis				6.0	2.4	1.6-3.4							0.0	0.0	0.0-0.4			
Urinary bladder (incl. in situ)	42.8	10.6	9.2-12.2	33.8	18.3	15.5-21.4	9.0	4.2	3.0-5.6	5.0	1.4	0.9-2.1	4.8	3.1	1.9-4.6	0.2	0.1	0.0-0.6
Kidney and renal pelvis	38.4	8.1	7.0-9.4	26.0	11.5	9.6-13.8	12.4	5.2	3.9-6.7	4.4	1.1	0.7-1.7	2.8	1.6	0.8-2.7	1.6	0.7	0.3-1.4
Brain and other central nervous system	18.8	4.1	3.3-5.1	10.6	4.8	3.6-6.3	8.2	3.5	2.5-4.8	10.6	2.4	1.8-3.1	5.4	2.5	1.7-3.7	5.2	2.2	1.4-3.2
Thyroid	89.2	17.8	16.1-19.5	19.0	8.1	6.5-9.9	70.2	26.4	23.7-29.3	0.8	0.2	0.1-0.5	0.2	0.1	0.0-0.6	0.6	0.3	0.1-0.8
Hodgkin lymphoma	8.0	1.5	1.1-2.1	3.4	1.4	0.8-2.3	4.6	1.6	1.0-2.5	0.6	0.1	0.0-0.4	0.2	0.1	0.0-0.5	0.4	0.2	0.0-0.7
Non-Hodgkin lymphomas	65.4	14.6	13.0-16.3	37.4	18.1	15.5-21.0	28.0	11.7	9.8-13.9	12.6	3.2	2.4-4.1	6.8	3.5	2.4-4.9	5.8	2.8	1.9-4.0
Myeloma	21.2	4.6	3.7-5.6	15.0	7.1	5.5-8.9	6.2	2.5	1.7-3.5	4.6	1.1	0.7-1.7	1.8	1.0	0.4-1.9	2.8	1.2	0.6-2.1
Leukemias	40.2	9.3	8.0-10.7	26.4	13.3	11.0-15.8	13.8	5.9	4.5-7.5	13.4	3.3	2.5-4.2	8.6	5.0	3.6-6.8	4.8	1.9	1.2-2.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Bronx, Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3107.6	441.7	434.7-448.7	1506.6	502.5	491.0-514.1	1601.0	404.1	395.1-413.3	1248.6	172.7	168.4-177.1	621.2	214.4	206.8-222.1	627.4	146.6	141.4-151.9
Oral cavity and pharynx	80.0	11.3	10.3-12.5	55.6	18.3	16.2-20.6	24.4	6.1	5.0-7.3	26.2	3.7	3.1-4.4	17.6	6.0	4.8-7.5	8.6	2.0	1.4-2.7
Esophagus	27.8	3.9	3.2-4.6	19.6	6.5	5.3-8.0	8.2	2.0	1.4-2.7	24.4	3.4	2.8-4.1	17.6	5.9	4.7-7.3	6.8	1.6	1.1-2.2
Stomach	70.8	10.2	9.1-11.3	40.6	13.9	12.0-16.0	30.2	7.6	6.4-8.9	36.0	5.2	4.5-6.1	21.0	7.3	6.0-8.9	15.0	3.9	3.0-4.9
Colorectal	271.4	38.5	36.4-40.6	143.4	48.5	44.9-52.2	128.0	31.2	28.7-33.7	118.0	16.2	14.9-17.6	61.2	21.3	19.0-23.9	56.8	12.7	11.3-14.4
Colon excluding rectum	189.4	26.8	25.1-28.6	98.6	33.7	30.7-36.8	90.8	21.8	19.8-23.9	95.8	13.1	11.9-14.4	48.0	16.8	14.7-19.1	47.8	10.7	9.3-12.2
Rectum & rectosigmoid	82.0	11.7	10.6-12.9	44.8	14.8	12.9-16.9	37.2	9.4	8.1-10.9	22.2	3.1	2.6-3.8	13.2	4.5	3.5-5.8	9.0	2.1	1.5-2.8
Liver / intrahepatic bile duct	132.2	18.2	16.8-19.7	96.0	30.5	27.8-33.4	36.2	8.7	7.5-10.1	81.6	11.3	10.2-12.4	55.8	18.4	16.3-20.7	25.8	5.9	4.9-7.0
Pancreas	94.2	13.1	12.0-14.4	48.0	16.5	14.5-18.7	46.2	10.7	9.4-12.3	90.2	12.4	11.3-13.6	44.2	15.3	13.3-17.5	46.0	10.4	9.1-11.9
Larynx	33.0	4.7	4.0-5.4	24.0	7.9	6.5-9.5	9.0	2.3	1.7-3.1	11.6	1.6	1.2-2.1	9.8	3.3	2.4-4.4	1.8	0.5	0.2-0.9
Lung and bronchus	348.6	48.5	46.2-50.8	173.6	58.7	54.8-62.8	175.0	41.6	38.8-44.5	240.8	33.3	31.4-35.3	127.4	43.8	40.5-47.4	113.4	26.2	24.1-28.5
Melanoma of the skin	52.0	7.5	6.6-8.5	27.6	9.7	8.1-11.5	24.4	6.0	5.0-7.2	10.2	1.4	1.0-1.8	6.4	2.2	1.5-3.1	3.8	0.9	0.5-1.4
Female breast							426.6	111.1	106.3-116.0							96.6	23.1	21.0-25.3
Cervix uteri							30.8	8.9	7.5-10.4							15.0	4.0	3.1-5.0
Corpus uterus and NOS							120.2	30.6	28.2-33.2							31.4	7.6	6.4-8.9
Ovary							44.8	11.3	9.8-12.9							32.8	7.9	6.7-9.2
Prostate				334.0	108.3	103.1-113.7							70.0	25.3	22.7-28.1			
Testis				15.6	5.0	3.9-6.3							1.2	0.4	0.1-0.8			
Urinary bladder (incl. in situ)	114.6	15.9	14.6-17.3	81.0	28.2	25.5-31.2	33.6	7.7	6.6-9.0	33.2	4.5	3.8-5.3	22.6	8.2	6.7-9.8	10.6	2.3	1.7-3.0
Kidney and renal pelvis	111.4	15.9	14.6-17.3	70.0	23.6	21.1-26.2	41.4	10.2	8.9-11.8	25.2	3.5	2.9-4.2	17.4	6.1	4.8-7.5	7.8	1.7	1.2-2.3
Brain and other central nervous system	41.2	6.0	5.2-6.9	20.8	6.9	5.6-8.4	20.4	5.3	4.3-6.4	34.4	4.8	4.1-5.6	17.4	5.8	4.6-7.1	17.0	4.1	3.3-5.2
Thyroid	109.4	16.7	15.3-18.2	22.6	7.6	6.2-9.2	86.8	24.8	22.5-27.3	6.4	0.9	0.6-1.2	1.6	0.6	0.2-1.1	4.8	1.1	0.7-1.7
Hodgkin lymphoma	22.8	3.4	2.8-4.1	11.8	3.9	3.0-5.0	11.0	3.0	2.2-3.9	3.0	0.4	0.2-0.7	1.4	0.5	0.2-1.0	1.6	0.4	0.2-0.8
Non-Hodgkin lymphomas	147.4	21.1	19.6-22.7	74.8	25.3	22.8-28.0	72.6	18.1	16.3-20.2	46.2	6.5	5.7-7.4	24.8	8.7	7.2-10.3	21.4	5.0	4.0-6.0
Myeloma	69.8	9.6	8.6-10.7	40.2	13.3	11.5-15.3	29.6	7.1	6.0-8.4	24.6	3.3	2.7-3.9	12.8	4.3	3.3-5.5	11.8	2.7	2.0-3.5
Leukemias	104.0	14.9	13.6-16.3	55.8	18.7	16.6-21.1	48.2	12.3	10.7-14.0	45.8	6.3	5.5-7.2	23.6	8.2	6.8-9.9	22.2	5.1	4.2-6.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Bronx, Blacks

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2727.2	424.3	417.1-431.7	1303.2	489.0	476.6-501.6	1424.0	383.7	374.7-392.9	833.4	135.7	131.6-140.0	389.0	163.2	155.6-171.0	444.4	119.9	114.9-125.1
Oral cavity and pharynx	54.6	8.3	7.3-9.3	34.0	12.3	10.5-14.4	20.6	5.4	4.4-6.6	13.2	2.0	1.6-2.6	9.2	3.4	2.4-4.6	4.0	1.1	0.7-1.7
Esophagus	19.2	3.1	2.5-3.7	13.4	5.4	4.1-6.9	5.8	1.6	1.0-2.3	14.4	2.3	1.8-2.9	9.0	3.7	2.7-5.0	5.4	1.5	1.0-2.2
Stomach	58.6	9.5	8.4-10.7	27.8	11.5	9.6-13.7	30.8	8.4	7.1-9.8	24.0	4.1	3.4-4.9	13.8	6.0	4.6-7.7	10.2	2.9	2.1-3.8
Colorectal	217.6	34.6	32.5-36.7	103.6	39.8	36.3-43.6	114.0	31.0	28.5-33.7	77.0	12.7	11.4-14.1	35.6	14.9	12.7-17.4	41.4	11.3	9.8-13.0
Colon excluding rectum	155.4	24.9	23.1-26.7	69.0	26.8	23.9-29.9	86.4	23.6	21.4-25.9	62.4	10.3	9.1-11.5	27.0	11.2	9.3-13.4	35.4	9.7	8.3-11.2
Rectum & rectosigmoid	62.2	9.7	8.6-10.8	34.6	13.0	11.1-15.2	27.6	7.4	6.2-8.8	14.6	2.4	1.9-3.1	8.6	3.7	2.6-5.0	6.0	1.6	1.1-2.3
Liver / intrahepatic bile duct	85.4	12.6	11.4-13.8	58.2	20.4	18.0-23.0	27.2	6.9	5.8-8.2	49.0	7.3	6.4-8.3	33.2	11.9	10.0-13.9	15.8	4.0	3.2-5.1
Pancreas	87.6	14.1	12.8-15.5	41.2	15.8	13.6-18.2	46.4	12.7	11.1-14.5	66.2	10.7	9.6-12.0	29.2	11.4	9.5-13.5	37.0	10.2	8.7-11.8
Larynx	21.6	3.3	2.7-4.0	15.6	6.0	4.7-7.5	6.0	1.5	1.0-2.2	8.2	1.3	0.9-1.8	6.2	2.7	1.8-3.8	2.0	0.5	0.2-1.0
Lung and bronchus	289.0	46.1	43.7-48.6	143.8	57.5	53.1-62.1	145.2	38.6	35.8-41.5	164.8	26.7	24.8-28.6	86.0	35.1	31.7-38.8	78.8	21.1	19.0-23.3
Melanoma of the skin	5.2	0.9	0.6-1.3	2.6	1.2	0.6-2.0	2.6	0.8	0.4-1.3	1.2	0.2	0.1-0.5	0.2	0.1	0.0-0.4	1.0	0.3	0.1-0.7
Female breast							420.4	113.3	108.5-118.4							79.6	21.5	19.4-23.7
Cervix uteri							35.2	9.7	8.3-11.2							9.8	2.6	1.9-3.5
Corpus uterus and NOS							118.2	30.6	28.2-33.3							37.4	10.0	8.6-11.5
Ovary							32.0	8.6	7.3-10.1							17.6	4.8	3.8-5.9
Prostate				487.0	175.4	168.2-182.9							60.0	29.9	26.5-33.6			
Testis				4.0	1.4	0.8-2.1							1.2	0.6	0.2-1.2			
Urinary bladder (incl. in situ)	61.2	10.2	9.1-11.4	38.8	16.4	14.0-19.0	22.4	6.3	5.2-7.6	14.8	2.5	2.0-3.2	7.4	3.4	2.3-4.7	7.4	2.0	1.4-2.7
Kidney and renal pelvis	99.8	15.3	14.0-16.8	60.2	22.4	19.8-25.2	39.6	10.5	9.0-12.0	14.4	2.3	1.8-3.0	9.2	3.7	2.7-5.0	5.2	1.4	0.9-2.1
Brain and other central nervous system	28.2	4.5	3.8-5.3	14.8	5.4	4.2-6.8	13.4	3.8	3.0-4.9	12.0	2.0	1.5-2.5	5.8	2.4	1.6-3.5	6.2	1.7	1.2-2.4
Thyroid	77.2	12.1	10.9-13.4	9.8	3.7	2.7-4.9	67.4	18.7	16.7-20.8	2.8	0.4	0.2-0.8	1.8	0.6	0.3-1.2	1.0	0.3	0.1-0.7
Hodgkin lymphoma	17.8	2.7	2.2-3.3	9.4	3.2	2.3-4.2	8.4	2.4	1.7-3.2	1.4	0.2	0.1-0.5	0.6	0.3	0.1-0.8	0.8	0.2	0.1-0.6
Non-Hodgkin lymphomas	103.8	16.3	14.9-17.8	53.4	20.1	17.7-22.8	50.4	13.7	12.0-15.5	23.4	3.8	3.1-4.6	13.8	5.9	4.5-7.5	9.6	2.6	1.9-3.5
Myeloma	85.6	13.6	12.3-14.9	40.6	15.6	13.4-18.0	45.0	12.2	10.7-14.0	23.2	3.9	3.2-4.7	12.6	5.1	3.9-6.6	10.6	3.0	2.2-3.9
Leukemias	61.8	9.8	8.7-10.9	29.2	11.1	9.3-13.1	32.6	9.0	7.6-10.5	23.6	3.8	3.1-4.5	11.6	4.6	3.4-6.0	12.0	3.3	2.5-4.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Kings (Brooklyn), Whites**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6223.6	453.0	447.9-458.2	2949.4	478.3	470.5-486.2	3274.2	444.3	437.3-451.4	1816.6	126.6	124.0-129.3	889.0	147.3	142.9-151.8	927.6	112.7	109.3-116.1
Oral cavity and pharynx	126.0	9.2	8.5-10.0	82.0	13.3	12.0-14.7	44.0	5.7	4.9-6.5	21.8	1.6	1.3-2.0	15.4	2.6	2.0-3.2	6.4	0.8	0.5-1.1
Esophagus	42.2	3.1	2.7-3.5	31.4	5.2	4.4-6.1	10.8	1.4	1.0-1.8	32.2	2.3	1.9-2.7	24.0	4.0	3.3-4.8	8.2	0.9	0.7-1.3
Stomach	135.2	9.8	9.1-10.6	79.2	13.2	11.9-14.6	56.0	7.2	6.4-8.2	70.4	5.0	4.5-5.6	41.8	7.1	6.2-8.2	28.6	3.4	2.8-4.0
Colorectal	542.0	39.0	37.5-40.5	280.6	45.8	43.4-48.3	261.4	33.8	32.0-35.8	188.0	12.8	12.0-13.7	89.2	14.7	13.3-16.1	98.8	11.4	10.4-12.5
Colon excluding rectum	383.0	27.2	26.0-28.5	195.6	31.9	29.9-34.0	187.4	23.8	22.2-25.4	157.2	10.6	9.9-11.4	73.4	12.1	10.9-13.4	83.8	9.6	8.6-10.6
Rectum & rectosigmoid	159.0	11.8	11.0-12.7	85.0	14.0	12.7-15.4	74.0	10.1	9.0-11.2	30.8	2.2	1.8-2.6	15.8	2.6	2.1-3.2	15.0	1.8	1.4-2.3
Liver / intrahepatic bile duct	121.8	8.6	7.9-9.4	81.8	12.8	11.6-14.2	40.0	5.1	4.4-5.9	81.4	5.7	5.2-6.3	52.4	8.4	7.4-9.5	29.0	3.6	3.0-4.2
Pancreas	202.6	14.2	13.3-15.1	98.0	15.9	14.5-17.4	104.6	12.8	11.7-14.0	152.6	10.5	9.8-11.3	75.0	12.3	11.1-13.6	77.6	9.0	8.1-10.0
Larynx	38.8	2.8	2.4-3.2	32.6	5.3	4.5-6.2	6.2	0.8	0.5-1.2	10.4	0.8	0.6-1.0	9.0	1.5	1.1-2.0	1.4	0.2	0.1-0.4
Lung and bronchus	657.2	47.0	45.4-48.7	355.0	59.0	56.3-61.9	302.2	38.3	36.4-40.3	362.0	25.2	24.1-26.5	207.8	34.7	32.6-36.9	154.2	18.3	17.0-19.7
Melanoma of the skin	206.0	15.0	14.1-16.0	107.2	17.6	16.1-19.2	98.8	13.4	12.2-14.6	17.0	1.2	1.0-1.5	10.8	1.8	1.3-2.3	6.2	0.8	0.5-1.1
Female breast							908.8	129.8	126.0-133.8							154.6	19.8	18.4-21.3
Cervix uteri							55.2	8.2	7.2-9.2							15.4	2.2	1.7-2.7
Corpus uterus and NOS							237.2	32.5	30.7-34.5							43.4	5.4	4.7-6.2
Ovary							89.0	12.0	10.9-13.2							57.2	7.3	6.5-8.2
Prostate				589.4	94.0	90.5-97.5							77.8	13.0	11.7-14.4			
Testis				47.6	6.8	5.9-7.7							1.0	0.2	0.0-0.4			
Urinary bladder (incl. in situ)	303.4	21.4	20.3-22.6	235.0	39.0	36.7-41.3	68.4	8.7	7.7-9.7	58.8	3.8	3.4-4.3	40.2	6.6	5.7-7.6	18.6	2.0	1.6-2.5
Kidney and renal pelvis	232.8	17.1	16.1-18.1	151.6	24.3	22.6-26.2	81.2	11.0	9.9-12.1	38.8	2.7	2.3-3.1	25.2	4.1	3.4-4.9	13.6	1.7	1.3-2.1
Brain and other central nervous system	101.4	7.6	6.9-8.3	55.8	8.9	7.9-10.0	45.6	6.5	5.6-7.4	53.2	3.9	3.4-4.4	28.8	4.6	3.9-5.4	24.4	3.3	2.7-3.9
Thyroid	329.8	25.2	23.9-26.4	77.2	12.2	11.0-13.5	252.6	37.8	35.7-40.0	7.4	0.5	0.4-0.7	2.8	0.5	0.3-0.8	4.6	0.5	0.3-0.8
Hodgkin lymphoma	50.6	3.8	3.3-4.3	28.0	4.4	3.7-5.2	22.6	3.3	2.7-4.0	3.8	0.3	0.2-0.4	2.0	0.3	0.2-0.6	1.8	0.3	0.1-0.5
Non-Hodgkin lymphomas	306.8	22.3	21.1-23.4	163.8	26.5	24.7-28.4	143.0	18.8	17.4-20.2	60.0	4.1	3.6-4.6	30.8	5.1	4.3-6.0	29.2	3.4	2.9-4.0
Myeloma	92.6	6.7	6.1-7.3	52.4	8.6	7.5-9.7	40.2	5.3	4.5-6.1	28.2	1.9	1.6-2.3	15.2	2.5	2.0-3.1	13.0	1.5	1.1-1.9
Leukemias	222.6	16.2	15.2-17.2	120.6	19.6	18.0-21.2	102.0	13.4	12.2-14.6	70.8	4.9	4.4-5.5	35.6	5.9	5.1-6.9	35.2	4.2	3.5-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Kings (Brooklyn), Blacks**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4321.4	422.8	417.1-428.6	2029.0	501.5	491.5-511.7	2292.4	377.3	370.3-384.4	1325.6	133.0	129.8-136.3	590.6	160.8	154.9-167.0	735.0	118.6	114.8-122.6
Oral cavity and pharynx	71.0	6.9	6.2-7.6	43.2	10.7	9.3-12.3	27.8	4.5	3.7-5.3	17.0	1.7	1.3-2.1	10.8	2.8	2.1-3.7	6.2	1.0	0.7-1.4
Esophagus	35.6	3.5	3.0-4.0	22.6	5.8	4.7-7.0	13.0	2.1	1.6-2.6	18.6	1.8	1.5-2.3	13.2	3.6	2.7-4.6	5.4	0.9	0.6-1.3
Stomach	108.4	11.0	10.1-12.0	57.2	15.4	13.6-17.3	51.2	8.4	7.4-9.5	48.2	4.9	4.3-5.6	25.2	6.8	5.6-8.2	23.0	3.8	3.1-4.6
Colorectal	394.8	39.3	37.5-41.1	183.4	47.6	44.5-50.9	211.4	34.3	32.2-36.4	126.4	12.7	11.7-13.7	57.6	15.6	13.7-17.5	68.8	11.0	9.9-12.3
Colon excluding rectum	285.2	28.4	26.9-30.0	123.8	32.2	29.7-35.0	161.4	26.2	24.4-28.2	106.2	10.6	9.7-11.6	49.0	13.2	11.5-15.0	57.2	9.1	8.1-10.3
Rectum & rectosigmoid	109.6	10.8	9.9-11.8	59.6	15.4	13.6-17.3	50.0	8.0	7.0-9.1	20.2	2.1	1.7-2.5	8.6	2.4	1.7-3.2	11.6	1.9	1.4-2.5
Liver / intrahepatic bile duct	93.8	8.7	7.9-9.5	65.4	15.2	13.5-17.0	28.4	4.4	3.7-5.2	59.6	5.7	5.0-6.4	37.0	8.9	7.6-10.4	22.6	3.6	3.0-4.4
Pancreas	139.8	13.8	12.8-14.9	61.6	15.5	13.8-17.4	78.2	12.6	11.4-14.0	95.2	9.5	8.7-10.4	43.2	10.9	9.5-12.5	52.0	8.5	7.5-9.6
Larynx	29.4	2.8	2.3-3.3	21.2	5.3	4.3-6.5	8.2	1.2	0.9-1.7	9.2	0.9	0.7-1.2	7.2	1.9	1.3-2.7	2.0	0.3	0.1-0.6
Lung and bronchus	389.0	38.0	36.3-39.7	197.4	50.4	47.2-53.7	191.6	30.5	28.6-32.6	220.8	21.9	20.6-23.3	115.6	30.3	27.8-32.9	105.2	17.0	15.5-18.5
Melanoma of the skin	8.6	0.8	0.6-1.1	3.6	0.9	0.5-1.4	5.0	0.8	0.5-1.3	2.0	0.2	0.1-0.4	1.0	0.3	0.1-0.7	1.0	0.2	0.1-0.4
Female breast							694.4	115.9	112.0-119.9							138.2	22.6	20.9-24.4
Cervix uteri							64.2	11.2	10.0-12.5							23.0	3.8	3.1-4.6
Corpus uterus and NOS							240.2	37.3	35.2-39.5							72.8	11.3	10.2-12.6
Ovary							65.8	10.9	9.7-12.2							40.0	6.3	5.5-7.3
Prostate				812.8	191.0	185.0-197.2							117.2	35.7	32.7-38.8			
Testis				9.2	2.3	1.6-3.1							0.2	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	90.8	9.2	8.4-10.1	63.2	17.4	15.5-19.5	27.6	4.5	3.8-5.4	24.2	2.6	2.2-3.1	14.8	4.6	3.6-5.8	9.4	1.5	1.1-2.0
Kidney and renal pelvis	128.6	12.4	11.4-13.4	79.6	19.5	17.5-21.6	49.0	7.8	6.8-8.9	18.8	1.9	1.5-2.3	13.2	3.5	2.6-4.4	5.6	0.9	0.6-1.3
Brain and other central nervous system	39.4	4.1	3.5-4.7	21.8	5.3	4.3-6.4	17.6	3.2	2.5-3.9	16.2	1.6	1.3-2.1	9.8	2.4	1.8-3.2	6.4	1.1	0.7-1.6
Thyroid	94.6	9.9	9.0-10.8	16.4	4.2	3.3-5.3	78.2	13.9	12.5-15.4	5.4	0.5	0.4-0.8	0.4	0.1	0.0-0.4	5.0	0.8	0.5-1.2
Hodgkin lymphoma	26.6	2.7	2.3-3.3	11.6	2.6	2.0-3.4	15.0	2.8	2.2-3.6	2.8	0.3	0.2-0.5	1.2	0.3	0.1-0.7	1.6	0.3	0.1-0.5
Non-Hodgkin lymphomas	149.0	14.9	13.8-16.0	72.2	17.8	16.0-19.8	76.8	12.9	11.6-14.3	32.2	3.3	2.8-3.8	13.6	3.6	2.7-4.5	18.6	3.1	2.5-3.8
Myeloma	147.0	14.6	13.6-15.8	65.6	17.2	15.3-19.2	81.4	13.1	11.9-14.5	46.6	4.7	4.1-5.4	20.4	5.9	4.7-7.2	26.2	4.2	3.5-5.0
Leukemias	104.6	10.7	9.8-11.7	52.4	13.7	12.0-15.5	52.2	9.0	7.9-10.1	42.8	4.5	3.9-5.2	20.8	5.8	4.7-7.1	22.0	3.8	3.1-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Kings (Brooklyn), Asians and Pacific Islanders**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1278.2	389.8	380.0-399.9	637.4	413.9	399.0-429.3	640.8	366.7	353.8-380.0	308.6	103.4	98.1-108.9	181.6	130.5	121.8-139.7	127.0	79.8	73.5-86.4
Oral cavity and pharynx	53.6	15.4	13.6-17.4	37.6	22.5	19.3-26.1	16.0	8.8	6.9-11.0	11.2	3.6	2.7-4.7	9.2	6.0	4.3-8.1	2.0	1.3	0.6-2.4
Esophagus	9.4	2.9	2.1-3.8	8.4	5.2	3.7-7.2	1.0	0.7	0.2-1.6	6.0	1.8	1.2-2.6	5.2	3.2	2.0-4.8	0.8	0.5	0.1-1.4
Stomach	60.6	18.8	16.7-21.1	39.6	25.3	21.7-29.3	21.0	12.8	10.4-15.5	21.4	7.5	6.1-9.0	13.6	10.3	7.9-13.1	7.8	4.9	3.5-6.8
Colorectal	124.2	38.4	35.3-41.6	67.8	43.4	38.7-48.5	56.4	33.4	29.5-37.6	30.4	10.6	8.9-12.4	18.0	13.4	10.7-16.6	12.4	8.0	6.1-10.2
Colon excluding rectum	76.6	23.8	21.4-26.4	39.6	25.4	21.8-29.4	37.0	22.0	18.9-25.5	24.4	8.6	7.1-10.3	13.6	10.2	7.8-13.0	10.8	7.1	5.3-9.3
Rectum & rectosigmoid	47.6	14.6	12.7-16.6	28.2	18.0	15.1-21.4	19.4	11.3	9.1-13.9	6.0	2.0	1.3-2.8	4.4	3.3	2.0-5.0	1.6	0.9	0.4-1.8
Liver / intrahepatic bile duct	65.8	20.2	18.0-22.6	53.2	33.8	29.7-38.3	12.6	7.8	5.9-10.0	29.2	9.3	7.8-11.0	24.2	15.6	12.8-18.8	5.0	3.5	2.2-5.1
Pancreas	33.2	10.9	9.2-12.7	16.4	11.2	8.8-14.0	16.8	10.5	8.3-13.1	21.4	7.3	5.9-8.8	9.4	6.5	4.7-8.7	12.0	7.9	6.0-10.2
Larynx	6.4	1.8	1.2-2.6	6.0	3.5	2.3-5.2	0.4	0.2	0.0-0.9	1.0	0.3	0.1-0.7	0.8	0.5	0.1-1.3	0.2	0.1	0.0-0.6
Lung and bronchus	191.2	60.8	56.8-64.9	112.6	76.4	70.0-83.4	78.6	46.7	42.1-51.7	81.8	28.1	25.3-31.0	51.0	37.8	33.1-43.0	30.8	19.5	16.4-22.9
Melanoma of the skin	4.6	1.4	0.8-2.1	3.0	1.9	1.0-3.2	1.6	0.9	0.4-1.8	1.0	0.4	0.1-0.9	0.6	0.5	0.1-1.4	0.4	0.3	0.0-1.0
Female breast							159.8	89.4	83.1-95.9							14.4	8.6	6.7-10.9
Cervix uteri							16.8	9.5	7.5-11.8							2.2	1.3	0.6-2.3
Corpus uterus and NOS							40.0	22.0	19.0-25.4							4.0	2.3	1.4-3.6
Ovary							18.2	10.0	8.0-12.3							6.6	3.9	2.7-5.5
Prostate				88.8	57.3	51.8-63.2							9.2	7.9	5.7-10.5			
Testis				3.8	2.3	1.4-3.6							0.2	0.1	0.0-0.7			
Urinary bladder (incl. in situ)	30.8	10.3	8.6-12.1	25.6	18.0	14.9-21.6	5.2	3.3	2.1-4.9	5.0	1.8	1.1-2.7	4.0	3.4	2.0-5.2	1.0	0.6	0.2-1.4
Kidney and renal pelvis	34.0	10.4	8.8-12.1	22.6	14.2	11.6-17.3	11.4	6.8	5.1-8.9	3.2	1.0	0.6-1.7	2.6	1.7	0.9-3.0	0.6	0.4	0.1-1.2
Brain and other central nervous system	15.0	4.3	3.3-5.4	6.4	3.7	2.5-5.3	8.6	4.8	3.4-6.5	5.8	2.0	1.3-2.8	3.4	2.5	1.4-4.0	2.4	1.4	0.7-2.5
Thyroid	129.4	35.8	33.0-38.7	34.2	20.2	17.2-23.6	95.2	49.8	45.3-54.6	1.6	0.6	0.3-1.2	1.0	0.8	0.3-1.9	0.6	0.5	0.1-1.4
Hodgkin lymphoma	5.2	1.6	1.0-2.3	3.2	2.1	1.2-3.4	2.0	1.1	0.5-2.1	0.0	0.0	0.0-0.2	0.0	0.0	0.0-0.5	0.0	0.0	0.0-0.5
Non-Hodgkin lymphomas	43.8	13.6	11.8-15.6	27.4	17.6	14.6-20.9	16.4	9.9	7.8-12.4	7.2	2.4	1.6-3.3	4.2	3.0	1.8-4.6	3.0	1.8	1.0-3.1
Myeloma	15.0	5.0	3.9-6.3	8.6	6.1	4.3-8.3	6.4	4.1	2.7-5.8	2.8	0.9	0.5-1.6	1.8	1.2	0.5-2.4	1.0	0.7	0.2-1.6
Leukemias	29.2	9.4	7.9-11.1	17.8	12.2	9.7-15.1	11.4	6.9	5.1-9.0	9.4	3.0	2.2-4.1	5.2	3.6	2.3-5.3	4.2	2.6	1.6-4.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York (Manhattan), Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5874.0	447.2	441.9-452.4	2809.4	472.1	464.2-480.1	3064.6	438.2	431.0-445.5	1813.6	133.0	130.2-135.8	884.0	151.1	146.6-155.7	929.6	121.0	117.4-124.6
Oral cavity and pharynx	152.8	11.4	10.6-12.3	104.0	17.2	15.7-18.7	48.8	6.6	5.8-7.5	30.2	2.2	1.9-2.6	21.0	3.5	2.9-4.3	9.2	1.2	0.8-1.6
Esophagus	45.2	3.4	2.9-3.8	30.2	5.1	4.3-6.0	15.0	2.0	1.5-2.5	39.0	2.9	2.5-3.3	27.2	4.6	3.8-5.4	11.8	1.5	1.1-1.9
Stomach	77.8	5.9	5.4-6.6	41.0	7.0	6.1-8.0	36.8	5.1	4.4-6.0	45.6	3.4	2.9-3.9	27.2	4.6	3.8-5.5	18.4	2.4	1.9-3.0
Colorectal	405.0	30.9	29.5-32.3	210.6	35.9	33.7-38.1	194.4	26.9	25.2-28.7	142.6	10.5	9.7-11.3	68.0	11.5	10.3-12.8	74.6	9.7	8.7-10.8
Colon excluding rectum	288.2	21.8	20.7-23.0	144.8	24.8	23.0-26.7	143.4	19.5	18.0-21.0	110.4	8.0	7.4-8.7	52.4	8.8	7.8-10.0	58.0	7.5	6.6-8.5
Rectum & rectosigmoid	116.8	9.1	8.4-9.9	65.8	11.0	9.8-12.3	51.0	7.4	6.5-8.5	32.2	2.5	2.1-2.9	15.6	2.7	2.1-3.4	16.6	2.2	1.7-2.8
Liver / intrahepatic bile duct	109.2	8.0	7.4-8.7	71.4	11.7	10.5-13.0	37.8	4.9	4.2-5.7	75.8	5.5	4.9-6.1	49.6	8.2	7.2-9.3	26.2	3.4	2.8-4.0
Pancreas	177.0	13.0	12.2-13.9	94.2	16.1	14.7-17.7	82.8	10.5	9.5-11.7	162.4	11.8	11.0-12.7	82.2	14.1	12.7-15.5	80.2	10.2	9.2-11.2
Larynx	29.4	2.2	1.8-2.6	23.2	3.8	3.1-4.6	6.2	0.8	0.6-1.2	10.4	0.7	0.5-1.0	8.8	1.4	1.0-2.0	1.6	0.2	0.1-0.4
Lung and bronchus	581.2	42.3	40.8-43.9	246.0	41.4	39.1-43.8	335.2	43.3	41.2-45.5	325.8	23.6	22.4-24.8	147.0	25.1	23.3-27.0	178.8	22.5	21.0-24.1
Melanoma of the skin	317.4	23.9	22.7-25.2	186.2	31.4	29.4-33.6	131.2	18.3	16.9-19.9	25.8	1.9	1.6-2.3	17.4	2.9	2.4-3.7	8.4	1.1	0.8-1.5
Female breast							979.6	147.8	143.6-152.2							134.4	18.2	16.8-19.7
Cervix uteri							36.6	6.0	5.1-7.0							11.0	1.5	1.1-2.0
Corpus uterus and NOS							203.2	28.6	26.8-30.5							44.0	5.8	5.0-6.6
Ovary							85.2	12.5	11.3-13.8							58.8	7.9	7.0-8.9
Prostate				698.8	112.4	108.7-116.3							100.2	17.4	15.9-19.0			
Testis				50.8	8.2	7.1-9.3							1.2	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	266.8	19.4	18.4-20.5	199.2	34.0	31.9-36.3	67.6	8.7	7.8-9.7	51.6	3.6	3.1-4.0	36.0	6.2	5.3-7.2	15.6	1.8	1.4-2.3
Kidney and renal pelvis	147.4	11.5	10.6-12.3	97.6	16.5	15.1-18.1	49.8	7.2	6.3-8.2	30.4	2.3	1.9-2.7	21.2	3.6	3.0-4.4	9.2	1.2	0.9-1.6
Brain and other central nervous system	95.4	8.2	7.4-9.0	56.6	10.3	9.1-11.7	38.8	6.4	5.5-7.5	51.0	4.1	3.6-4.7	28.4	5.0	4.2-6.0	22.6	3.3	2.7-4.1
Thyroid	227.2	18.7	17.6-19.8	68.2	11.5	10.3-12.9	159.0	25.8	24.0-27.8	7.0	0.5	0.4-0.7	2.4	0.4	0.2-0.7	4.6	0.6	0.4-0.9
Hodgkin lymphoma	35.8	3.0	2.6-3.6	17.4	3.1	2.4-3.9	18.4	3.0	2.4-3.8	5.4	0.4	0.3-0.6	3.2	0.5	0.3-0.9	2.2	0.3	0.2-0.6
Non-Hodgkin lymphomas	311.8	23.9	22.7-25.2	167.6	28.9	27.0-31.0	144.2	19.8	18.4-21.4	89.0	6.5	5.9-7.2	49.8	8.5	7.5-9.7	39.2	4.9	4.2-5.7
Myeloma	99.6	7.3	6.7-8.0	57.6	9.7	8.6-10.9	42.0	5.5	4.7-6.3	46.4	3.4	3.0-3.9	28.0	4.7	4.0-5.6	18.4	2.4	1.9-3.0
Leukemias	208.8	16.3	15.3-17.3	121.4	21.6	19.8-23.4	87.4	12.0	10.9-13.3	107.8	8.1	7.4-8.8	57.6	10.1	8.9-11.3	50.2	6.7	5.8-7.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York (Manhattan), Blacks

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1734.0	470.0	460.0-480.2	830.8	548.7	531.8-566.1	903.2	424.4	411.7-437.3	605.6	162.5	156.7-168.5	273.0	191.2	181.0-201.8	332.6	146.6	139.4-154.0
Oral cavity and pharynx	37.2	10.2	8.8-11.8	22.8	15.0	12.3-18.1	14.4	7.0	5.4-8.9	7.8	2.1	1.5-2.9	4.6	2.9	1.8-4.5	3.2	1.5	0.8-2.5
Esophagus	13.8	3.6	2.8-4.6	7.8	5.3	3.7-7.3	6.0	2.6	1.7-3.7	9.8	2.7	2.0-3.5	5.0	3.7	2.4-5.5	4.8	2.1	1.3-3.1
Stomach	35.2	9.7	8.3-11.3	20.4	14.2	11.5-17.3	14.8	6.7	5.3-8.5	17.6	4.8	3.8-5.9	10.8	7.4	5.5-9.6	6.8	3.0	2.0-4.3
Colorectal	154.0	41.8	38.9-44.9	80.0	54.8	49.4-60.6	74.0	33.5	30.1-37.3	57.4	15.4	13.7-17.4	27.8	20.2	16.9-23.9	29.6	12.4	10.4-14.6
Colon excluding rectum	104.6	28.3	25.9-30.9	52.6	36.7	32.3-41.5	52.0	23.2	20.4-26.3	41.8	11.3	9.8-13.0	18.8	13.8	11.1-16.9	23.0	9.7	8.0-11.7
Rectum & rectosigmoid	49.4	13.5	11.8-15.3	27.4	18.1	15.1-21.5	22.0	10.4	8.5-12.6	15.6	4.2	3.3-5.2	9.0	6.4	4.6-8.6	6.6	2.7	1.8-3.9
Liver / intrahepatic bile duct	59.8	15.1	13.4-16.9	41.8	25.9	22.4-29.8	18.0	7.7	6.2-9.5	32.8	8.6	7.3-10.0	22.6	14.8	12.1-17.9	10.2	4.4	3.2-5.8
Pancreas	64.2	17.1	15.3-19.1	28.2	18.6	15.6-22.0	36.0	15.9	13.6-18.5	51.2	13.5	11.9-15.3	20.8	14.0	11.4-17.0	30.4	12.9	10.9-15.2
Larynx	14.2	3.8	2.9-4.8	10.2	6.4	4.7-8.5	4.0	1.9	1.1-3.0	6.2	1.6	1.1-2.3	4.6	3.0	1.9-4.6	1.6	0.7	0.3-1.5
Lung and bronchus	206.8	55.1	51.8-58.6	96.4	65.1	59.3-71.3	110.4	48.6	44.6-52.9	119.4	31.5	29.0-34.2	56.4	38.5	34.1-43.4	63.0	27.1	24.2-30.4
Melanoma of the skin	4.4	1.2	0.7-1.8	1.6	1.1	0.5-2.2	2.8	1.3	0.7-2.2	0.4	0.1	0.0-0.4	0.2	0.1	0.0-0.7	0.2	0.1	0.0-0.6
Female breast							271.6	133.5	126.3-141.1							58.2	26.8	23.7-30.2
Cervix uteri							20.6	10.2	8.3-12.5							7.0	3.5	2.4-4.9
Corpus uterus and NOS							78.0	34.9	31.5-38.7							24.6	10.5	8.7-12.6
Ovary							17.6	8.7	6.9-10.7							13.8	6.2	4.8-7.9
Prostate				275.4	174.8	165.5-184.5							42.4	31.5	27.3-36.1			
Testis				5.8	3.8	2.5-5.5							0.2	0.2	0.0-0.8			
Urinary bladder (incl. in situ)	50.6	13.6	11.9-15.4	32.2	22.9	19.4-26.8	18.4	8.0	6.5-10.0	13.2	3.5	2.7-4.5	7.4	5.6	4.0-7.8	5.8	2.2	1.5-3.3
Kidney and renal pelvis	59.4	16.2	14.4-18.2	37.6	24.4	21.0-28.2	21.8	10.3	8.4-12.5	7.6	1.9	1.4-2.7	4.2	2.7	1.7-4.2	3.4	1.4	0.8-2.3
Brain and other central nervous system	11.4	3.5	2.7-4.6	6.8	4.9	3.3-6.9	4.6	2.5	1.6-3.9	6.0	1.7	1.1-2.5	3.4	2.4	1.4-3.8	2.6	1.2	0.6-2.2
Thyroid	36.8	10.8	9.2-12.5	7.6	4.6	3.3-6.4	29.2	15.9	13.4-18.8	2.4	0.7	0.3-1.2	1.0	0.7	0.2-1.7	1.4	0.6	0.2-1.3
Hodgkin lymphoma	13.6	4.1	3.1-5.2	7.0	4.9	3.4-6.9	6.6	3.5	2.4-5.0	0.4	0.1	0.0-0.4	0.0	0.0	0.0-0.5	0.4	0.2	0.0-0.8
Non-Hodgkin lymphomas	69.4	19.6	17.5-21.8	34.0	23.1	19.7-26.9	35.4	17.1	14.6-19.9	17.0	4.9	3.9-6.1	7.6	5.8	4.1-8.0	9.4	4.4	3.2-5.9
Myeloma	42.8	11.7	10.1-13.4	19.2	13.3	10.7-16.3	23.6	10.3	8.5-12.4	15.8	4.2	3.4-5.3	6.6	4.7	3.2-6.6	9.2	4.0	2.9-5.4
Leukemias	38.4	10.6	9.1-12.3	19.8	13.6	11.0-16.6	18.6	8.7	7.0-10.8	24.4	7.1	5.9-8.5	13.0	9.0	6.9-11.6	11.4	5.6	4.2-7.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
New York (Manhattan), Asians and Pacific Islanders**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	779.6	352.9	341.8-364.4	348.4	373.7	356.1-391.9	431.2	341.1	326.5-356.2	257.4	114.1	107.8-120.6	138.8	148.8	137.8-160.4	118.6	90.0	82.7-97.8
Oral cavity and pharynx	25.6	11.4	9.5-13.7	15.8	16.5	13.0-20.7	9.8	7.7	5.7-10.3	6.8	3.0	2.1-4.2	5.0	5.2	3.4-7.8	1.8	1.4	0.6-2.7
Esophagus	7.2	3.2	2.2-4.5	6.0	6.4	4.3-9.2	1.2	0.9	0.3-2.1	3.8	1.7	1.0-2.8	3.6	3.9	2.3-6.2	0.2	0.2	0.0-1.1
Stomach	33.8	15.2	12.9-17.7	22.4	24.4	20.1-29.4	11.4	8.4	6.3-11.0	14.4	6.4	5.0-8.1	9.6	10.4	7.7-13.9	4.8	3.5	2.2-5.4
Colorectal	72.6	33.2	29.9-36.9	40.0	43.7	37.8-50.3	32.6	25.6	21.8-30.0	25.0	10.9	9.1-13.1	12.2	13.2	10.1-17.0	12.8	9.3	7.1-12.0
Colon excluding rectum	45.6	20.9	18.3-23.9	22.4	24.5	20.2-29.6	23.2	18.4	15.2-22.2	20.0	8.6	7.0-10.5	8.4	9.0	6.4-12.2	11.6	8.4	6.3-11.0
Rectum & rectosigmoid	27.0	12.3	10.3-14.6	17.6	19.2	15.3-23.7	9.4	7.2	5.2-9.7	5.0	2.3	1.5-3.5	3.8	4.2	2.5-6.7	1.2	0.9	0.3-2.1
Liver / intrahepatic bile duct	37.4	16.9	14.5-19.5	24.6	26.5	22.0-31.7	12.8	9.5	7.3-12.3	24.8	11.0	9.1-13.2	16.6	17.7	14.1-22.1	8.2	6.0	4.2-8.2
Pancreas	20.8	9.5	7.8-11.6	8.8	9.4	6.8-12.7	12.0	9.5	7.2-12.3	17.4	7.7	6.1-9.5	8.8	9.2	6.7-12.5	8.6	6.5	4.7-8.9
Larynx	3.6	1.6	0.9-2.6	3.2	3.3	1.9-5.5	0.4	0.3	0.0-1.3	0.8	0.4	0.1-1.1	0.8	1.0	0.3-2.6	0.0	0.0	0.0-0.8
Lung and bronchus	107.2	48.4	44.3-52.7	59.6	64.7	57.5-72.5	47.6	36.9	32.3-42.0	58.2	25.7	22.8-28.8	38.6	41.4	35.8-47.8	19.6	14.7	11.9-18.0
Melanoma of the skin	2.8	1.3	0.7-2.2	1.4	1.5	0.6-3.2	1.4	1.1	0.4-2.4	1.4	0.7	0.3-1.4	1.2	1.3	0.5-2.9	0.2	0.2	0.0-1.1
Female breast							129.6	105.7	97.6-114.3							16.6	13.2	10.5-16.5
Cervix uteri							6.2	5.1	3.5-7.4							1.8	1.5	0.7-2.9
Corpus uterus and NOS							28.0	23.0	19.3-27.3							3.6	2.8	1.7-4.6
Ovary							10.6	8.4	6.3-11.1							6.2	5.1	3.4-7.3
Prostate				48.0	51.9	45.5-59.0							5.6	5.7	3.8-8.3			
Testis				3.8	3.2	1.8-5.2							0.0	0.0	0.0-1.0			
Urinary bladder (incl. in situ)	21.4	9.4	7.7-11.4	16.0	17.3	13.7-21.6	5.4	3.9	2.5-5.8	5.6	2.4	1.6-3.5	4.6	5.0	3.1-7.5	1.0	0.7	0.2-1.9
Kidney and renal pelvis	19.2	8.7	7.0-10.7	10.0	10.6	7.9-14.1	9.2	7.4	5.3-10.0	4.6	1.9	1.2-3.0	3.4	3.6	2.1-5.9	1.2	0.8	0.3-2.0
Brain and other central nervous system	9.6	4.6	3.3-6.2	5.8	6.5	4.3-9.4	3.8	3.0	1.7-4.8	5.6	2.4	1.6-3.6	3.2	3.3	1.9-5.5	2.4	1.8	0.9-3.3
Thyroid	63.6	27.2	24.2-30.5	17.8	17.6	14.0-21.8	45.8	34.7	30.2-39.7	1.8	0.7	0.3-1.4	1.2	1.1	0.4-2.7	0.6	0.4	0.1-1.5
Hodgkin lymphoma	2.4	1.0	0.5-1.8	0.6	0.6	0.1-1.9	1.8	1.3	0.6-2.6	0.2	0.1	0.0-0.6	0.0	0.0	0.0-1.0	0.2	0.1	0.0-1.0
Non-Hodgkin lymphomas	33.8	15.2	13.0-17.8	17.0	18.3	14.6-22.7	16.8	13.0	10.3-16.2	10.0	4.3	3.2-5.7	4.2	4.4	2.7-6.9	5.8	4.1	2.7-6.1
Myeloma	8.8	3.9	2.8-5.3	5.2	5.6	3.7-8.3	3.6	2.6	1.6-4.3	1.8	0.8	0.4-1.6	1.0	1.1	0.3-2.6	0.8	0.6	0.2-1.8
Leukemias	23.0	10.4	8.5-12.7	11.6	12.0	9.0-15.7	11.4	9.5	7.0-12.7	12.6	5.7	4.3-7.5	6.6	7.4	5.0-10.6	6.0	4.5	3.0-6.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Queens, Whites**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6168.6	434.0	429.0-439.0	2978.4	462.8	455.3-470.4	3190.2	422.7	415.9-429.6	1801.4	118.1	115.6-120.6	889.8	138.5	134.4-142.7	911.6	104.8	101.6-108.0
Oral cavity and pharynx	130.2	9.1	8.4-9.8	82.2	12.5	11.3-13.8	48.0	6.2	5.4-7.1	27.0	1.8	1.5-2.2	18.4	2.9	2.3-3.5	8.6	1.0	0.7-1.4
Esophagus	53.6	3.5	3.1-4.0	39.8	6.1	5.2-7.0	13.8	1.5	1.1-1.9	36.6	2.4	2.0-2.8	26.2	4.0	3.4-4.8	10.4	1.1	0.8-1.5
Stomach	143.6	10.0	9.3-10.8	80.6	12.6	11.4-13.9	63.0	8.0	7.1-9.0	58.6	3.9	3.5-4.4	32.6	5.1	4.4-6.0	26.0	3.0	2.5-3.6
Colorectal	547.0	38.3	36.8-39.8	283.6	44.5	42.2-46.9	263.4	33.5	31.6-35.5	176.2	11.4	10.7-12.2	92.2	14.3	13.0-15.7	84.0	9.4	8.5-10.4
Colon excluding rectum	388.8	26.9	25.7-28.2	195.6	30.8	28.9-32.8	193.2	24.0	22.5-25.7	148.2	9.5	8.9-10.3	77.4	12.0	10.9-13.3	70.8	7.8	7.0-8.7
Rectum & rectosigmoid	158.2	11.4	10.6-12.2	88.0	13.7	12.4-15.0	70.2	9.5	8.5-10.6	28.0	1.9	1.6-2.2	14.8	2.3	1.8-2.9	13.2	1.6	1.2-2.1
Liver / intrahepatic bile duct	127.8	8.6	7.9-9.3	92.4	13.9	12.6-15.2	35.4	4.2	3.6-4.9	81.0	5.4	4.8-5.9	50.8	7.7	6.8-8.7	30.2	3.5	2.9-4.1
Pancreas	208.2	13.8	13.0-14.7	102.2	15.9	14.5-17.3	106.0	12.1	11.1-13.3	143.8	9.3	8.6-10.1	71.2	11.1	10.0-12.3	72.6	8.0	7.1-8.9
Larynx	36.4	2.5	2.2-2.9	29.2	4.5	3.8-5.4	7.2	0.9	0.6-1.2	11.2	0.7	0.6-1.0	9.8	1.5	1.1-2.0	1.4	0.2	0.1-0.4
Lung and bronchus	682.0	45.9	44.4-47.5	342.2	53.1	50.6-55.7	339.8	40.8	38.8-42.8	360.4	23.6	22.5-24.7	185.0	28.5	26.6-30.4	175.4	20.1	18.7-21.5
Melanoma of the skin	187.0	13.2	12.3-14.0	104.6	16.5	15.1-18.0	82.4	10.9	9.8-12.1	22.0	1.5	1.2-1.8	12.6	2.0	1.5-2.6	9.4	1.1	0.8-1.5
Female breast							888.8	123.1	119.3-126.9							137.4	16.1	14.9-17.5
Cervix uteri							53.0	8.1	7.1-9.2							16.2	2.3	1.8-2.9
Corpus uterus and NOS							221.0	29.0	27.3-30.8							40.2	4.7	4.1-5.5
Ovary							84.2	11.6	10.5-12.8							43.8	5.3	4.6-6.1
Prostate				671.4	100.8	97.3-104.3							91.8	14.4	13.1-15.8			
Testis				33.6	5.6	4.7-6.5							1.0	0.2	0.1-0.4			
Urinary bladder (incl. in situ)	314.4	20.9	19.9-22.0	234.0	36.6	34.5-38.8	80.4	9.3	8.4-10.3	60.8	3.8	3.4-4.3	42.4	6.7	5.8-7.7	18.4	1.9	1.5-2.4
Kidney and renal pelvis	196.4	14.1	13.2-15.0	122.2	18.9	17.4-20.5	74.2	10.1	9.0-11.2	38.4	2.5	2.1-2.9	23.6	3.6	3.0-4.4	14.8	1.7	1.3-2.2
Brain and other central nervous system	83.2	6.3	5.7-7.0	45.0	7.3	6.4-8.4	38.2	5.5	4.7-6.4	46.6	3.3	2.9-3.7	23.6	3.7	3.1-4.5	23.0	2.9	2.4-3.5
Thyroid	254.0	20.7	19.5-21.9	61.8	10.0	8.9-11.2	192.2	31.7	29.7-33.9	7.6	0.5	0.4-0.7	2.4	0.4	0.2-0.6	5.2	0.6	0.4-0.9
Hodgkin lymphoma	38.8	3.4	2.9-3.9	24.2	4.3	3.5-5.1	14.6	2.5	1.9-3.2	5.4	0.4	0.3-0.6	3.0	0.5	0.3-0.8	2.4	0.3	0.2-0.6
Non-Hodgkin lymphomas	291.0	20.5	19.5-21.7	153.8	24.2	22.5-26.0	137.2	17.7	16.4-19.2	77.0	5.0	4.5-5.6	42.6	6.8	5.9-7.8	34.4	3.7	3.1-4.3
Myeloma	104.8	7.1	6.5-7.8	55.6	8.6	7.6-9.7	49.2	6.0	5.2-6.8	34.6	2.2	1.9-2.6	16.8	2.6	2.1-3.3	17.8	2.0	1.6-2.4
Leukemias	216.8	15.6	14.6-16.6	123.2	19.8	18.3-21.5	93.6	12.3	11.2-13.6	76.0	5.0	4.5-5.6	42.4	6.7	5.8-7.7	33.6	3.9	3.3-4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Queens, Blacks**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2355.6	416.3	408.6-424.0	1139.8	494.2	480.9-507.7	1215.8	369.7	360.2-379.3	672.4	122.9	118.7-127.2	297.6	146.5	138.9-154.5	374.8	111.9	106.8-117.2
Oral cavity and pharynx	43.2	7.7	6.7-8.8	26.8	11.5	9.5-13.7	16.4	5.1	4.0-6.4	9.8	1.7	1.2-2.3	6.4	2.9	1.9-4.1	3.4	0.9	0.5-1.6
Esophagus	18.2	3.1	2.5-3.9	13.2	5.8	4.4-7.5	5.0	1.5	0.9-2.2	10.6	1.8	1.4-2.4	7.6	3.5	2.4-4.8	3.0	0.9	0.5-1.4
Stomach	62.8	11.4	10.2-12.8	34.2	16.2	13.8-18.9	28.6	8.7	7.3-10.3	22.8	4.2	3.5-5.1	14.6	7.2	5.5-9.1	8.2	2.5	1.8-3.5
Colorectal	219.8	39.6	37.3-42.1	102.0	45.6	41.6-49.9	117.8	35.8	32.9-38.9	79.4	14.6	13.2-16.2	32.4	15.5	13.2-18.2	47.0	13.9	12.2-15.9
Colon excluding rectum	167.0	30.1	28.1-32.3	76.2	34.3	30.8-38.1	90.8	27.4	24.9-30.1	68.0	12.5	11.2-14.0	27.4	13.3	11.1-15.8	40.6	11.9	10.3-13.8
Rectum & rectosigmoid	52.8	9.5	8.4-10.7	25.8	11.3	9.3-13.5	27.0	8.4	7.1-10.0	11.4	2.1	1.6-2.7	5.0	2.3	1.5-3.4	6.4	2.0	1.3-2.8
Liver / intrahepatic bile duct	47.0	8.0	7.0-9.1	32.6	13.6	11.5-16.0	14.4	4.2	3.3-5.3	24.8	4.3	3.5-5.1	15.8	6.9	5.4-8.7	9.0	2.6	1.9-3.5
Pancreas	73.8	13.3	12.0-14.8	30.4	14.4	12.1-17.0	43.4	12.7	11.1-14.6	51.8	9.4	8.3-10.7	23.0	11.2	9.2-13.5	28.8	8.4	7.1-10.0
Larynx	15.2	2.6	2.1-3.3	12.6	5.6	4.3-7.3	2.6	0.7	0.4-1.3	5.2	0.9	0.6-1.3	3.2	1.4	0.8-2.4	2.0	0.5	0.3-1.0
Lung and bronchus	198.6	35.2	33.0-37.5	97.0	44.1	40.1-48.4	101.6	29.6	27.1-32.3	107.6	19.5	17.8-21.2	56.2	27.3	24.1-30.9	51.4	15.0	13.2-17.0
Melanoma of the skin	3.8	0.7	0.4-1.1	1.6	0.7	0.3-1.5	2.2	0.7	0.3-1.2	0.8	0.1	0.0-0.3	0.2	0.1	0.0-0.4	0.6	0.2	0.0-0.5
Female breast							388.0	119.3	113.9-124.8							68.2	20.8	18.6-23.2
Cervix uteri							26.8	9.1	7.6-10.8							8.4	2.7	1.9-3.6
Corpus uterus and NOS							115.8	33.2	30.5-36.1							33.8	9.7	8.3-11.3
Ovary							30.2	9.0	7.6-10.7							19.6	5.7	4.6-7.0
Prostate				479.8	196.1	188.1-204.5							50.4	27.9	24.5-31.6			
Testis				6.0	2.6	1.7-3.7							0.0	0.0	0.0-0.4			
Urinary bladder (incl. in situ)	56.2	10.1	9.0-11.4	37.8	18.2	15.6-21.1	18.4	5.3	4.2-6.5	10.4	2.0	1.5-2.6	6.4	3.5	2.3-4.9	4.0	1.2	0.8-2.0
Kidney and renal pelvis	80.0	14.0	12.6-15.5	54.0	23.1	20.3-26.2	26.0	7.7	6.5-9.2	11.8	2.2	1.7-2.9	8.2	4.2	3.0-5.8	3.6	1.0	0.6-1.7
Brain and other central nervous system	16.8	3.3	2.6-4.1	10.6	4.7	3.5-6.2	6.2	2.2	1.5-3.1	12.2	2.4	1.8-3.1	5.8	2.7	1.8-3.9	6.4	2.2	1.5-3.2
Thyroid	49.4	9.2	8.1-10.5	8.6	4.0	2.9-5.5	40.8	13.4	11.6-15.4	2.8	0.5	0.3-0.9	0.8	0.3	0.1-0.9	2.0	0.6	0.3-1.1
Hodgkin lymphoma	11.6	2.2	1.6-2.8	7.0	2.8	2.0-4.0	4.6	1.7	1.1-2.6	0.6	0.1	0.0-0.3	0.4	0.1	0.0-0.6	0.2	0.1	0.0-0.4
Non-Hodgkin lymphomas	77.4	14.0	12.6-15.5	37.2	16.5	14.1-19.1	40.2	12.5	10.8-14.4	17.0	3.1	2.5-3.9	9.8	4.5	3.3-6.0	7.2	2.3	1.6-3.2
Myeloma	71.6	12.9	11.6-14.3	31.0	13.7	11.5-16.1	40.6	12.3	10.6-14.2	27.0	5.0	4.2-5.9	12.2	6.1	4.6-7.9	14.8	4.4	3.4-5.6
Leukemias	58.4	10.9	9.7-12.3	27.2	12.8	10.7-15.2	31.2	9.8	8.3-11.6	20.0	3.8	3.0-4.6	9.8	4.8	3.5-6.4	10.2	3.2	2.4-4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Queens, Asians and Pacific Islanders**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2440.2	352.6	346.2-359.1	1136.4	356.5	346.9-366.4	1303.8	353.1	344.3-362.0	560.0	86.6	83.3-90.0	307.0	104.8	99.3-110.4	253.0	72.2	68.2-76.4
Oral cavity and pharynx	72.0	10.2	9.1-11.3	45.4	13.3	11.5-15.2	26.6	7.3	6.1-8.7	11.0	1.6	1.2-2.1	7.2	2.2	1.5-3.1	3.8	1.1	0.6-1.7
Esophagus	20.2	2.9	2.3-3.6	15.8	4.7	3.7-5.9	4.4	1.3	0.8-2.0	12.8	1.9	1.4-2.4	10.6	3.3	2.4-4.4	2.2	0.7	0.3-1.2
Stomach	118.4	17.1	15.7-18.6	73.2	23.1	20.7-25.7	45.2	12.0	10.5-13.8	43.0	6.7	5.8-7.7	27.2	9.4	7.8-11.2	15.8	4.5	3.5-5.6
Colorectal	240.0	34.4	32.4-36.5	138.0	42.0	38.8-45.4	102.0	27.7	25.3-30.3	45.4	7.0	6.1-8.0	23.8	8.0	6.5-9.6	21.6	6.2	5.0-7.5
Colon excluding rectum	152.6	22.2	20.6-23.9	85.6	26.3	23.8-29.1	67.0	18.6	16.6-20.7	37.8	5.8	5.0-6.7	19.4	6.5	5.2-8.0	18.4	5.3	4.2-6.5
Rectum & rectosigmoid	87.4	12.2	11.1-13.5	52.4	15.7	13.8-17.8	35.0	9.2	7.8-10.7	7.6	1.2	0.8-1.6	4.4	1.4	0.9-2.2	3.2	0.9	0.5-1.5
Liver / intrahepatic bile duct	100.4	14.1	12.9-15.5	68.4	19.9	17.7-22.2	32.0	9.0	7.6-10.6	51.8	7.8	6.8-8.8	35.0	10.9	9.3-12.8	16.8	5.0	4.0-6.3
Pancreas	66.2	9.8	8.7-11.0	31.8	10.0	8.4-11.8	34.4	9.5	8.1-11.1	45.2	7.1	6.2-8.1	20.0	6.5	5.2-7.9	25.2	7.5	6.2-9.0
Larynx	11.8	1.6	1.2-2.2	10.8	3.3	2.5-4.4	1.0	0.2	0.1-0.6	1.4	0.2	0.1-0.4	0.8	0.3	0.1-0.7	0.6	0.2	0.0-0.5
Lung and bronchus	287.2	42.5	40.3-44.8	169.2	55.7	51.8-59.7	118.0	31.8	29.2-34.6	121.0	18.7	17.2-20.4	80.8	28.1	25.3-31.1	40.2	11.2	9.7-13.0
Melanoma of the skin	6.2	0.9	0.6-1.4	3.0	1.0	0.6-1.7	3.2	0.9	0.5-1.5	3.2	0.6	0.3-0.9	1.6	0.6	0.3-1.2	1.6	0.5	0.2-1.1
Female breast							413.6	110.0	105.2-115.0							37.4	10.3	8.8-11.9
Cervix uteri							38.0	10.4	8.9-12.0							7.6	2.0	1.4-2.8
Corpus uterus and NOS							87.8	22.7	20.6-25.0							10.6	2.9	2.1-3.8
Ovary							44.2	12.0	10.4-13.8							14.0	3.7	2.8-4.7
Prostate				207.4	61.2	57.4-65.3							17.4	7.2	5.7-8.9			
Testis				5.6	1.7	1.1-2.5							0.0	0.0	0.0-0.3			
Urinary bladder (incl. in situ)	64.6	9.9	8.8-11.1	50.0	17.1	14.9-19.4	14.6	4.1	3.2-5.2	8.2	1.4	1.0-1.9	6.0	2.3	1.5-3.3	2.2	0.7	0.4-1.3
Kidney and renal pelvis	73.0	10.2	9.2-11.3	46.8	14.2	12.4-16.2	26.2	6.7	5.6-8.0	10.6	1.6	1.2-2.1	7.2	2.3	1.5-3.2	3.4	1.0	0.6-1.7
Brain and other central nervous system	29.2	4.4	3.7-5.2	16.6	5.1	4.1-6.4	12.6	3.6	2.8-4.7	12.2	1.9	1.4-2.4	6.6	2.1	1.4-3.0	5.6	1.7	1.1-2.4
Thyroid	172.4	24.8	23.1-26.6	40.4	12.0	10.4-13.8	132.0	36.4	33.7-39.4	2.4	0.4	0.2-0.6	0.8	0.3	0.1-0.7	1.6	0.4	0.2-0.9
Hodgkin lymphoma	11.0	1.7	1.3-2.3	5.8	1.9	1.3-2.8	5.2	1.6	1.0-2.3	0.4	0.1	0.0-0.2	0.2	0.0	0.0-0.3	0.2	0.1	0.0-0.4
Non-Hodgkin lymphomas	93.4	14.3	13.0-15.7	53.8	18.2	16.0-20.6	39.6	11.1	9.6-12.8	17.6	2.8	2.2-3.4	13.0	4.4	3.3-5.6	4.6	1.4	0.9-2.1
Myeloma	28.0	4.1	3.4-4.8	16.6	5.1	4.0-6.4	11.4	3.2	2.4-4.2	9.0	1.4	1.0-1.9	5.0	1.6	1.0-2.5	4.0	1.2	0.8-1.9
Leukemias	64.0	9.8	8.7-11.0	36.8	12.2	10.4-14.2	27.2	7.8	6.5-9.3	19.4	3.1	2.5-3.8	12.0	4.3	3.2-5.6	7.4	2.1	1.5-3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Richmond (Staten Island), Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2563.0	548.9	539.2-558.8	1237.0	579.0	564.3-594.1	1326.0	533.0	519.8-546.6	716.8	148.4	143.5-153.4	356.6	174.7	166.5-183.2	360.2	130.4	124.3-136.8
Oral cavity and pharynx	50.0	10.3	9.0-11.7	34.4	15.3	13.1-17.9	15.6	6.0	4.7-7.6	9.4	1.8	1.3-2.5	6.6	2.8	1.9-4.0	2.8	1.0	0.5-1.7
Esophagus	21.8	4.3	3.5-5.2	17.6	7.7	6.2-9.6	4.2	1.5	0.9-2.4	18.0	3.7	2.9-4.5	14.2	6.4	4.9-8.1	3.8	1.4	0.8-2.2
Stomach	41.8	8.8	7.6-10.1	25.0	12.1	10.0-14.5	16.8	6.2	4.9-7.8	18.4	3.6	2.9-4.5	10.0	4.7	3.5-6.3	8.4	2.8	2.0-3.9
Colorectal	195.0	41.4	38.8-44.1	101.4	48.4	44.2-52.9	93.6	35.3	32.1-38.8	73.4	15.1	13.6-16.8	37.4	18.5	15.9-21.5	36.0	12.5	10.7-14.6
Colon excluding rectum	141.6	29.9	27.7-32.3	71.6	34.4	30.8-38.3	70.0	26.1	23.4-29.1	60.6	12.5	11.1-14.0	30.4	15.2	12.8-17.9	30.2	10.6	8.9-12.5
Rectum & rectosigmoid	53.4	11.4	10.1-13.0	29.8	14.0	11.8-16.5	23.6	9.2	7.5-11.1	12.8	2.6	2.0-3.3	7.0	3.4	2.3-4.7	5.8	2.0	1.3-2.9
Liver / intrahepatic bile duct	51.4	10.5	9.3-11.9	36.6	16.4	14.0-19.0	14.8	5.6	4.4-7.2	32.8	6.6	5.6-7.7	21.2	9.4	7.6-11.4	11.6	4.2	3.2-5.5
Pancreas	78.8	16.1	14.5-17.8	38.8	17.9	15.4-20.7	40.0	14.5	12.5-16.8	55.6	11.3	10.0-12.7	26.0	12.0	10.0-14.4	29.6	10.7	9.0-12.7
Larynx	17.8	3.6	2.9-4.5	13.8	6.4	4.9-8.1	4.0	1.5	0.9-2.4	3.8	0.8	0.5-1.2	2.6	1.2	0.6-2.2	1.2	0.4	0.1-1.0
Lung and bronchus	329.6	68.2	64.9-71.7	154.8	72.9	67.7-78.4	174.8	65.2	60.9-69.8	177.8	36.8	34.4-39.4	89.0	43.1	39.1-47.4	88.8	32.3	29.3-35.5
Melanoma of the skin	85.0	18.3	16.5-20.2	47.4	22.3	19.5-25.4	37.6	15.5	13.3-18.0	8.8	1.8	1.3-2.4	5.4	2.8	1.8-4.1	3.4	1.2	0.7-2.0
Female breast							348.4	142.3	135.5-149.5							49.6	17.4	15.2-19.8
Cervix uteri							17.8	8.3	6.6-10.4							5.0	2.0	1.3-3.1
Corpus uterus and NOS							97.8	37.6	34.2-41.2							16.6	6.1	4.8-7.7
Ovary							36.4	14.7	12.6-17.1							17.8	6.4	5.1-7.9
Prostate				255.0	110.8	104.6-117.2							30.6	16.3	13.8-19.2			
Testis				12.6	7.4	5.6-9.4							0.6	0.3	0.1-0.9			
Urinary bladder (incl. in situ)	139.4	28.8	26.7-31.1	107.0	51.1	46.7-55.7	32.4	11.7	9.9-13.7	26.6	5.6	4.7-6.7	18.8	10.1	8.1-12.4	7.8	2.7	1.9-3.8
Kidney and renal pelvis	110.4	23.5	21.5-25.6	73.2	33.5	30.0-37.2	37.2	15.0	12.8-17.4	18.8	4.0	3.3-5.0	12.2	6.0	4.6-7.8	6.6	2.5	1.7-3.6
Brain and other central nervous system	33.0	7.5	6.4-8.9	17.2	8.5	6.7-10.6	15.8	6.7	5.2-8.4	19.8	4.4	3.5-5.4	11.6	5.7	4.3-7.4	8.2	3.3	2.3-4.5
Thyroid	148.8	36.7	34.1-39.6	40.6	19.8	17.1-22.8	108.2	53.1	48.5-57.9	2.6	0.5	0.3-0.9	0.8	0.3	0.1-0.9	1.8	0.6	0.3-1.2
Hodgkin lymphoma	14.8	4.0	3.1-5.0	9.2	5.0	3.6-6.7	5.6	3.1	2.0-4.5	2.2	0.5	0.2-0.9	1.4	0.7	0.3-1.4	0.8	0.3	0.1-0.8
Non-Hodgkin lymphomas	123.0	27.0	24.8-29.3	66.6	32.7	29.2-36.5	56.4	22.2	19.5-25.0	20.6	4.4	3.6-5.4	12.4	6.3	4.8-8.1	8.2	2.9	2.1-4.1
Myeloma	41.2	8.6	7.4-9.9	24.4	11.5	9.5-13.9	16.8	6.2	4.9-7.8	12.2	2.6	2.0-3.4	7.6	3.7	2.6-5.2	4.6	1.8	1.1-2.7
Leukemias	93.0	20.6	18.8-22.7	54.8	26.5	23.4-29.9	38.2	16.1	13.8-18.7	27.6	5.9	4.9-7.0	13.8	7.1	5.5-9.0	13.8	5.1	4.0-6.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Erie, Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5642.2	543.7	537.1-550.3	2820.0	593.0	582.9-603.2	2822.2	514.1	505.0-523.2	1825.2	164.8	161.3-168.3	918.2	195.5	189.7-201.3	907.0	144.0	139.7-148.5
Oral cavity and pharynx	141.6	13.2	12.2-14.2	99.0	19.9	18.1-21.8	42.6	7.4	6.4-8.5	31.4	2.8	2.3-3.3	24.0	4.8	4.0-5.8	7.4	1.1	0.8-1.6
Esophagus	68.6	6.2	5.5-6.9	53.2	10.7	9.4-12.1	15.4	2.5	1.9-3.2	57.6	5.2	4.6-5.9	46.0	9.4	8.2-10.8	11.6	1.8	1.3-2.4
Stomach	77.8	7.4	6.7-8.2	50.0	10.8	9.5-12.3	27.8	4.8	4.0-5.7	28.8	2.6	2.2-3.1	18.6	4.0	3.2-5.0	10.2	1.5	1.1-2.1
Colorectal	382.8	36.8	35.1-38.5	190.6	41.3	38.7-44.2	192.2	33.0	30.8-35.3	134.6	12.1	11.2-13.1	69.4	14.8	13.3-16.6	65.2	10.0	8.9-11.2
Colon excluding rectum	261.4	25.0	23.6-26.4	120.4	26.2	24.1-28.4	141.0	24.0	22.2-26.0	102.8	9.2	8.4-10.0	51.0	10.9	9.6-12.4	51.8	7.8	6.9-8.9
Rectum & rectosigmoid	121.4	11.8	10.8-12.8	70.2	15.2	13.6-16.9	51.2	8.9	7.8-10.2	31.8	2.9	2.5-3.5	18.4	4.0	3.2-4.9	13.4	2.1	1.6-2.8
Liver / intrahepatic bile duct	78.8	7.1	6.4-7.8	59.8	12.0	10.6-13.5	19.0	3.1	2.5-3.8	57.0	5.1	4.5-5.7	40.8	8.2	7.1-9.4	16.2	2.7	2.1-3.4
Pancreas	159.2	14.8	13.7-15.9	80.0	17.0	15.3-18.8	79.2	13.1	11.8-14.5	124.8	11.3	10.4-12.3	60.4	12.7	11.3-14.3	64.4	10.3	9.1-11.5
Larynx	35.6	3.3	2.9-3.9	26.4	5.4	4.5-6.4	9.2	1.7	1.2-2.4	11.6	1.0	0.8-1.3	8.2	1.6	1.2-2.2	3.4	0.5	0.3-0.9
Lung and bronchus	771.0	70.5	68.3-72.9	360.2	75.6	72.0-79.2	410.8	67.7	64.7-70.8	471.2	42.7	41.0-44.5	233.8	49.4	46.6-52.4	237.4	37.8	35.6-40.1
Melanoma of the skin	329.8	33.1	31.4-34.8	194.8	41.9	39.2-44.8	135.0	26.8	24.7-29.1	25.4	2.4	2.0-2.8	14.0	3.1	2.4-3.9	11.4	1.8	1.4-2.5
Female breast							793.8	149.8	144.9-154.9							133.4	21.7	20.0-23.5
Cervix uteri							26.6	6.9	5.7-8.2							8.6	1.7	1.2-2.4
Corpus uterus and NOS							193.2	33.9	31.7-36.3							32.4	5.2	4.4-6.1
Ovary							66.0	12.4	11.0-13.9							48.2	8.2	7.1-9.4
Prostate				702.6	136.8	132.2-141.5							78.0	17.2	15.5-19.0			
Testis				29.2	8.4	7.1-10.0							1.0	0.2	0.1-0.6			
Urinary bladder (incl. in situ)	330.2	30.2	28.7-31.8	230.8	49.0	46.1-51.9	99.4	16.1	14.7-17.7	61.6	5.3	4.8-6.0	40.0	8.6	7.5-9.9	21.6	3.1	2.5-3.8
Kidney and renal pelvis	183.6	17.9	16.7-19.1	119.2	25.5	23.4-27.7	64.4	11.5	10.2-12.9	36.0	3.2	2.7-3.7	22.0	4.6	3.8-5.6	14.0	2.1	1.7-2.8
Brain and other central nervous system	67.8	7.9	7.0-8.9	40.0	9.6	8.3-11.1	27.8	6.5	5.3-7.8	45.4	4.6	4.0-5.2	26.2	5.7	4.8-6.9	19.2	3.5	2.8-4.3
Thyroid	150.2	18.7	17.3-20.2	38.0	9.2	7.9-10.7	112.2	28.0	25.6-30.6	3.8	0.3	0.2-0.5	1.6	0.4	0.2-0.7	2.2	0.3	0.2-0.6
Hodgkin lymphoma	25.2	3.3	2.7-3.9	13.0	3.5	2.6-4.5	12.2	3.1	2.3-4.0	2.0	0.2	0.1-0.4	1.0	0.2	0.1-0.5	1.0	0.2	0.1-0.5
Non-Hodgkin lymphomas	254.2	24.6	23.2-26.1	135.6	29.4	27.2-31.8	118.6	21.1	19.4-23.0	67.0	6.0	5.4-6.7	43.4	9.5	8.3-10.9	23.6	3.6	2.9-4.3
Myeloma	70.8	6.7	6.0-7.4	37.0	8.1	6.9-9.4	33.8	5.6	4.8-6.6	35.0	3.1	2.7-3.7	18.6	4.0	3.3-5.0	16.4	2.6	2.0-3.2
Leukemias	176.0	17.3	16.1-18.5	107.6	23.7	21.6-25.9	68.4	12.2	10.9-13.7	76.2	6.9	6.2-7.7	44.8	9.8	8.6-11.3	31.4	4.7	4.0-5.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Erie, Blacks

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	677.8	534.6	516.3-553.4	339.0	648.1	616.3-681.2	338.8	463.0	440.7-486.1	252.0	204.8	193.4-216.7	129.0	270.0	248.7-292.6	123.0	166.4	153.2-180.3
Oral cavity and pharynx	13.0	10.0	7.6-12.8	9.0	16.7	12.0-22.6	4.0	5.0	3.0-7.8	3.2	2.5	1.4-4.1	2.4	4.7	2.4-8.3	0.8	1.0	0.3-2.6
Esophagus	3.4	2.8	1.6-4.5	2.2	4.5	2.2-8.1	1.2	1.6	0.6-3.6	4.4	3.4	2.1-5.1	3.8	7.3	4.2-11.5	0.6	0.7	0.1-2.3
Stomach	16.6	13.8	10.9-17.1	9.4	19.0	13.7-25.5	7.2	10.2	7.1-14.2	7.0	5.7	3.9-8.0	5.4	11.8	7.6-17.3	1.6	1.9	0.8-3.9
Colorectal	62.4	50.9	45.3-57.1	29.8	59.8	50.2-70.6	32.6	45.0	38.3-52.6	22.6	19.1	15.7-23.0	12.0	24.8	18.7-32.2	10.6	15.3	11.4-20.0
Colon excluding rectum	47.4	38.6	33.7-43.9	22.8	46.1	37.8-55.7	24.6	33.4	27.7-40.0	18.4	15.7	12.6-19.3	10.4	22.0	16.2-29.1	8.0	11.5	8.2-15.7
Rectum & rectosigmoid	15.0	12.4	9.7-15.6	7.0	13.7	9.4-19.2	8.0	11.6	8.2-15.9	4.2	3.4	2.1-5.2	1.6	2.8	1.2-5.6	2.6	3.7	2.0-6.5
Liver / intrahepatic bile duct	24.8	17.9	14.8-21.4	19.0	33.0	26.5-40.6	5.8	7.3	4.9-10.6	15.4	11.6	9.1-14.6	11.6	21.6	16.2-28.1	3.8	4.9	2.9-7.7
Pancreas	25.8	20.5	17.1-24.5	12.0	22.9	17.3-29.8	13.8	18.4	14.2-23.4	17.8	14.6	11.7-18.0	9.0	18.5	13.3-25.0	8.8	11.7	8.4-15.8
Larynx	6.2	4.9	3.3-7.0	4.8	9.6	6.0-14.4	1.4	1.9	0.7-4.0	2.0	1.8	0.8-3.3	1.6	3.7	1.6-7.3	0.4	0.7	0.1-2.4
Lung and bronchus	103.2	80.1	73.2-87.6	51.0	101.6	88.9-115.5	52.2	67.7	59.6-76.6	64.2	50.9	45.3-56.9	32.8	68.5	58.0-80.3	31.4	41.1	34.8-48.2
Melanoma of the skin	1.4	1.3	0.5-2.6	0.2	0.3	0.0-2.0	1.2	1.9	0.7-4.1	0.0	0.0	0.0-0.6	0.0	0.0	0.0-1.4	0.0	0.0	0.0-1.1
Female breast							99.4	136.0	124.0-148.9							23.0	31.2	25.6-37.6
Cervix uteri							7.6	10.4	7.3-14.4							2.4	3.4	1.7-5.9
Corpus uterus and NOS							19.6	26.3	21.3-32.3							4.6	6.6	4.1-10.0
Ovary							7.4	9.9	6.9-13.8							4.2	5.9	3.6-9.1
Prostate				109.0	197.3	180.4-215.3							16.2	38.0	29.9-47.4			
Testis				1.2	2.2	0.8-4.9							0.0	0.0	0.0-1.4			
Urinary bladder (incl. in situ)	17.4	14.8	11.8-18.3	11.8	25.2	18.9-32.7	5.6	8.1	5.3-11.7	3.4	3.0	1.7-4.8	2.2	5.2	2.5-9.2	1.2	1.6	0.6-3.6
Kidney and renal pelvis	30.0	23.3	19.6-27.4	18.0	32.9	26.2-40.7	12.0	16.3	12.4-21.1	5.2	4.1	2.6-6.0	3.6	7.0	4.0-11.3	1.6	2.2	0.9-4.4
Brain and other central nervous system	4.8	3.7	2.3-5.5	1.8	2.6	1.1-5.1	3.0	4.5	2.5-7.4	1.8	1.4	0.6-2.6	0.8	1.3	0.3-3.5	1.0	1.3	0.4-3.1
Thyroid	14.0	11.6	9.0-14.7	3.0	5.5	3.0-9.2	11.0	16.6	12.4-21.8	0.6	0.5	0.1-1.5	0.0	0.0	0.0-1.4	0.6	0.8	0.2-2.3
Hodgkin lymphoma	3.6	3.1	1.8-4.9	2.0	3.8	1.7-7.1	1.6	2.5	1.1-4.9	0.2	0.2	0.0-0.9	0.2	0.4	0.0-2.1	0.0	0.0	0.0-1.1
Non-Hodgkin lymphomas	15.2	12.9	10.1-16.2	7.4	14.7	10.2-20.5	7.8	11.5	8.1-15.8	5.8	4.5	3.0-6.6	3.6	6.8	3.9-10.9	2.2	3.2	1.6-5.8
Myeloma	18.6	15.2	12.2-18.7	9.6	20.6	15.0-27.6	9.0	12.4	8.9-16.7	8.4	6.9	4.9-9.4	4.4	10.3	6.4-15.7	4.0	5.2	3.2-8.2
Leukemias	16.2	13.1	10.4-16.4	10.4	20.5	15.0-27.2	5.8	8.6	5.7-12.4	8.2	7.0	5.0-9.6	4.8	10.5	6.6-15.7	3.4	4.8	2.8-7.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Monroe, Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4033.2	508.4	501.1-515.8	1997.2	548.0	536.9-559.2	2036.0	485.9	475.9-496.0	1272.2	152.0	148.2-155.9	642.4	179.6	173.3-186.0	629.8	133.5	128.7-138.5
Oral cavity and pharynx	101.4	12.7	11.5-13.9	67.6	18.5	16.5-20.7	33.8	7.6	6.4-8.9	21.0	2.5	2.1-3.1	13.2	3.6	2.8-4.7	7.8	1.6	1.1-2.3
Esophagus	39.2	4.8	4.1-5.5	28.2	7.7	6.4-9.1	11.0	2.4	1.8-3.1	38.8	4.7	4.0-5.4	28.8	7.7	6.5-9.2	10.0	2.1	1.6-2.9
Stomach	47.6	5.8	5.1-6.7	30.4	8.6	7.2-10.1	17.2	3.8	3.0-4.7	19.0	2.3	1.9-2.9	11.6	3.3	2.5-4.3	7.4	1.6	1.1-2.3
Colorectal	285.4	35.5	33.6-37.4	141.2	38.8	35.9-41.9	144.2	32.7	30.2-35.4	100.2	11.8	10.7-12.9	53.2	14.8	13.1-16.8	47.0	9.3	8.1-10.6
Colon excluding rectum	205.2	25.3	23.7-27.0	95.6	26.5	24.1-29.0	109.6	24.4	22.3-26.7	78.2	9.1	8.2-10.1	39.6	11.1	9.6-12.8	38.6	7.5	6.4-8.7
Rectum & rectosigmoid	80.2	10.2	9.2-11.3	45.6	12.4	10.7-14.1	34.6	8.3	7.0-9.7	22.0	2.7	2.2-3.2	13.6	3.7	2.9-4.8	8.4	1.8	1.3-2.5
Liver / intrahepatic bile duct	53.2	6.5	5.7-7.3	34.6	9.2	7.8-10.7	18.6	4.3	3.4-5.3	39.0	4.7	4.1-5.5	25.0	6.8	5.6-8.1	14.0	3.2	2.5-4.2
Pancreas	117.2	14.3	13.1-15.5	59.6	16.6	14.7-18.6	57.6	12.4	11.0-14.0	105.0	12.6	11.5-13.7	54.2	15.1	13.3-17.1	50.8	10.5	9.2-12.0
Larynx	24.2	2.9	2.4-3.5	19.4	5.0	4.1-6.2	4.8	1.1	0.7-1.7	7.4	0.9	0.6-1.2	5.8	1.5	1.0-2.2	1.6	0.3	0.1-0.7
Lung and bronchus	515.2	61.9	59.5-64.4	248.0	67.4	63.6-71.4	267.2	58.4	55.2-61.7	313.2	37.6	35.7-39.6	160.8	44.6	41.5-47.9	152.4	32.8	30.4-35.3
Melanoma of the skin	239.0	32.5	30.5-34.5	127.0	36.7	33.8-39.8	112.0	30.2	27.6-33.0	17.6	2.1	1.6-2.6	10.4	2.9	2.2-3.9	7.2	1.5	1.0-2.1
Female breast							612.2	150.1	144.5-155.9							76.8	16.6	14.9-18.5
Cervix uteri							19.4	5.4	4.3-6.7							7.0	1.9	1.3-2.7
Corpus uterus and NOS							143.0	33.0	30.5-35.7							25.8	5.6	4.6-6.8
Ovary							47.4	11.7	10.2-13.4							30.6	6.5	5.5-7.7
Prostate				508.2	129.8	124.7-135.1							59.2	16.8	14.9-18.9			
Testis				23.6	8.8	7.3-10.6							0.2	0.1	0.0-0.4			
Urinary bladder (incl. in situ)	217.6	25.9	24.3-27.5	163.2	45.0	41.9-48.2	54.4	11.7	10.3-13.2	43.0	4.9	4.2-5.6	30.8	8.7	7.3-10.2	12.2	2.3	1.7-3.0
Kidney and renal pelvis	148.0	19.1	17.7-20.6	98.0	27.5	25.0-30.1	50.0	12.1	10.5-13.8	28.4	3.4	2.9-4.1	17.4	4.9	3.9-6.1	11.0	2.3	1.7-3.1
Brain and other central nervous system	50.4	7.2	6.3-8.2	26.0	7.7	6.4-9.2	24.4	6.9	5.7-8.4	37.8	5.0	4.3-5.9	19.6	5.6	4.5-6.8	18.2	4.7	3.7-5.9
Thyroid	107.2	16.6	15.1-18.1	34.6	10.6	9.0-12.4	72.6	22.4	20.1-25.0	3.4	0.4	0.2-0.7	1.2	0.3	0.1-0.8	2.2	0.5	0.2-0.9
Hodgkin lymphoma	22.0	3.7	3.0-4.5	12.6	4.4	3.3-5.6	9.4	3.0	2.2-4.1	2.6	0.3	0.2-0.6	1.4	0.4	0.2-0.9	1.2	0.3	0.1-0.7
Non-Hodgkin lymphomas	180.4	22.9	21.4-24.5	100.2	28.3	25.8-30.9	80.2	18.7	16.9-20.8	51.4	6.2	5.5-7.1	25.6	7.3	6.1-8.7	25.8	5.4	4.5-6.5
Myeloma	52.6	6.3	5.6-7.2	29.0	8.0	6.7-9.5	23.6	5.2	4.3-6.3	28.0	3.2	2.7-3.8	15.2	4.1	3.2-5.2	12.8	2.5	1.9-3.3
Leukemias	131.6	16.7	15.4-18.1	77.0	21.9	19.7-24.3	54.6	12.6	11.1-14.4	51.6	6.1	5.4-7.0	28.0	8.1	6.8-9.6	23.6	4.7	3.8-5.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Monroe, Blacks

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	546.4	514.1	494.3-534.5	276.8	613.0	579.3-648.1	269.6	444.8	420.8-469.8	177.0	181.5	169.2-194.4	91.6	232.8	210.6-256.6	85.4	148.1	134.0-163.2
Oral cavity and pharynx	10.8	9.2	6.8-12.0	7.8	14.7	10.3-20.3	3.0	4.7	2.6-7.9	1.4	1.5	0.6-3.1	1.0	2.6	0.8-6.1	0.4	0.7	0.1-2.5
Esophagus	3.6	3.7	2.1-5.8	2.6	6.3	3.2-11.0	1.0	1.8	0.6-4.1	2.8	3.1	1.6-5.2	1.4	3.9	1.4-8.0	1.4	2.6	1.0-5.4
Stomach	12.4	12.5	9.5-16.1	7.2	15.7	10.8-22.1	5.2	9.9	6.4-14.5	4.6	4.2	2.6-6.4	4.0	7.9	4.7-12.4	0.6	1.3	0.3-3.5
Colorectal	48.8	45.6	39.9-51.9	25.0	55.0	45.4-66.0	23.8	38.7	31.9-46.5	15.4	15.5	12.2-19.5	9.2	22.0	15.8-29.6	6.2	11.0	7.4-15.7
Colon excluding rectum	35.6	33.6	28.7-39.1	18.2	39.8	31.7-49.3	17.4	28.9	23.1-35.8	12.6	12.7	9.7-16.3	7.2	17.1	11.7-24.0	5.4	9.6	6.3-14.0
Rectum & rectosigmoid	13.2	12.0	9.2-15.3	6.8	15.2	10.3-21.4	6.4	9.8	6.6-13.9	2.8	2.9	1.5-4.8	2.0	4.8	2.2-9.0	0.8	1.4	0.4-3.6
Liver / intrahepatic bile duct	14.4	12.2	9.5-15.5	10.2	19.2	14.2-25.4	4.2	6.7	4.1-10.3	9.2	8.5	6.2-11.5	6.8	14.8	10.0-20.9	2.4	3.9	2.0-7.0
Pancreas	18.6	19.5	15.6-24.1	8.2	19.3	13.5-26.7	10.4	19.4	14.4-25.5	14.4	14.8	11.4-18.8	7.4	17.5	12.0-24.5	7.0	12.7	8.7-17.8
Larynx	5.2	5.0	3.2-7.4	4.4	10.6	6.4-16.3	0.8	1.2	0.3-3.1	2.4	2.3	1.2-4.0	1.6	3.7	1.6-7.4	0.8	1.2	0.3-3.2
Lung and bronchus	75.6	72.6	65.2-80.6	42.4	100.5	86.6-115.9	33.2	53.8	45.7-62.9	47.0	47.2	41.1-53.9	25.4	63.6	52.3-76.4	21.6	36.4	29.7-44.1
Melanoma of the skin	1.2	1.2	0.4-2.7	0.8	1.8	0.4-4.8	0.4	0.8	0.1-2.8	0.2	0.3	0.0-1.3	0.2	0.7	0.0-3.1	0.0	0.0	0.0-1.2
Female breast							82.0	134.1	121.2-148.1							13.6	23.7	18.2-30.1
Cervix uteri							6.0	9.6	6.4-13.8							2.8	4.6	2.5-7.8
Corpus uterus and NOS							18.8	29.2	23.5-35.8							5.4	8.1	5.3-12.0
Ovary							6.2	10.3	6.9-14.7							3.2	6.0	3.3-9.7
Prostate				90.2	191.6	173.5-211.0							10.8	35.5	26.3-46.6			
Testis				0.6	1.1	0.2-3.5							0.0	0.0	0.0-1.7			
Urinary bladder (incl. in situ)	11.6	11.8	8.9-15.4	7.2	17.7	12.0-24.9	4.4	7.7	4.8-11.8	1.8	1.9	0.8-3.7	1.2	3.2	1.1-6.9	0.6	1.1	0.2-3.1
Kidney and renal pelvis	31.0	28.3	23.9-33.2	18.8	37.6	30.2-46.3	12.2	20.8	15.8-26.8	2.8	2.8	1.5-4.8	2.4	5.7	2.8-10.1	0.4	0.7	0.1-2.6
Brain and other central nervous system	3.0	2.7	1.5-4.5	2.0	4.3	1.9-8.3	1.0	1.5	0.5-3.5	2.2	2.1	1.0-3.8	1.4	3.4	1.2-7.3	0.8	1.3	0.3-3.3
Thyroid	13.2	11.8	9.0-15.1	2.4	6.3	3.0-11.2	10.8	16.5	12.3-21.6	1.0	1.1	0.3-2.6	0.6	2.1	0.4-5.8	0.4	0.6	0.1-2.2
Hodgkin lymphoma	4.0	3.4	2.1-5.4	2.0	3.7	1.7-7.0	2.0	3.2	1.5-5.9	0.0	0.0	0.0-0.7	0.0	0.0	0.0-1.7	0.0	0.0	0.0-1.2
Non-Hodgkin lymphomas	16.4	16.2	12.7-20.2	9.2	21.8	15.6-29.5	7.2	12.5	8.6-17.4	4.0	4.5	2.7-7.0	2.0	5.4	2.4-10.1	2.0	3.9	1.9-7.2
Myeloma	15.2	15.1	11.8-19.1	8.0	19.5	13.6-27.0	7.2	12.2	8.4-17.0	4.4	5.1	3.2-7.8	2.6	7.1	3.6-12.2	1.8	3.8	1.7-7.1
Leukemias	11.4	11.6	8.7-15.2	7.0	16.6	11.2-23.5	4.4	7.9	4.9-12.1	7.0	7.1	4.9-10.0	3.8	9.1	5.2-14.5	3.2	5.8	3.3-9.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Nassau, Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	7499.2	526.2	520.6-531.8	3712.2	563.8	555.5-572.2	3787.0	505.1	497.4-512.8	2034.8	130.8	128.1-133.4	997.0	150.1	145.9-154.5	1037.8	118.0	114.6-121.4
Oral cavity and pharynx	157.0	10.9	10.1-11.8	101.8	15.4	14.0-16.8	55.2	7.2	6.4-8.2	22.6	1.4	1.2-1.7	12.0	1.8	1.4-2.3	10.6	1.1	0.8-1.5
Esophagus	63.8	4.3	3.8-4.8	47.6	7.1	6.2-8.1	16.2	1.8	1.4-2.3	44.0	2.9	2.5-3.3	33.6	5.0	4.3-5.9	10.4	1.1	0.8-1.4
Stomach	106.4	7.3	6.7-8.0	65.2	10.0	8.9-11.2	41.2	5.2	4.5-6.0	38.6	2.5	2.2-3.0	22.2	3.4	2.8-4.1	16.4	1.9	1.5-2.4
Colorectal	558.8	38.6	37.1-40.1	272.4	42.6	40.3-45.0	286.4	35.1	33.2-37.1	178.2	11.4	10.6-12.2	86.4	13.2	11.9-14.5	91.8	9.9	9.0-10.9
Colon excluding rectum	405.0	27.6	26.4-28.9	185.8	28.9	27.0-30.9	219.2	26.5	24.8-28.2	148.4	9.4	8.7-10.1	68.0	10.3	9.2-11.5	80.4	8.6	7.7-9.6
Rectum & rectosigmoid	153.8	10.9	10.2-11.8	86.6	13.7	12.4-15.1	67.2	8.6	7.7-9.7	29.8	2.0	1.7-2.4	18.4	2.8	2.3-3.5	11.4	1.3	0.9-1.7
Liver / intrahepatic bile duct	98.8	6.5	5.9-7.1	71.6	10.3	9.2-11.4	27.2	3.3	2.8-4.0	66.6	4.3	3.8-4.8	44.4	6.4	5.6-7.4	22.2	2.5	2.0-3.1
Pancreas	247.4	16.3	15.3-17.2	126.0	18.7	17.2-20.3	121.4	14.3	13.1-15.5	183.6	11.7	10.9-12.5	92.8	13.7	12.4-15.0	90.8	10.0	9.1-11.0
Larynx	41.0	2.8	2.4-3.3	33.4	5.0	4.3-5.9	7.6	1.0	0.7-1.4	10.6	0.7	0.5-0.9	7.6	1.1	0.8-1.5	3.0	0.3	0.2-0.6
Lung and bronchus	846.2	56.4	54.6-58.1	368.8	55.8	53.2-58.5	477.4	57.7	55.3-60.1	431.8	28.0	26.8-29.3	207.2	31.1	29.2-33.1	224.6	26.1	24.5-27.7
Melanoma of the skin	387.4	27.5	26.2-28.8	230.6	35.5	33.4-37.7	156.8	21.7	20.1-23.4	32.2	2.2	1.8-2.5	22.4	3.5	2.8-4.2	9.8	1.2	0.8-1.6
Female breast							1087.6	152.6	148.3-157.0							155.4	18.5	17.2-20.0
Cervix uteri							33.8	5.8	4.9-6.8							8.6	1.2	0.9-1.7
Corpus uterus and NOS							261.4	33.2	31.4-35.1							44.2	5.2	4.5-6.0
Ovary							90.2	12.4	11.2-13.7							53.8	6.5	5.7-7.4
Prostate				917.6	130.3	126.5-134.2							95.0	14.1	12.8-15.4			
Testis				32.8	7.1	6.1-8.3							1.0	0.2	0.0-0.4			
Urinary bladder (incl. in situ)	417.8	27.2	26.0-28.4	317.6	47.8	45.5-50.3	100.2	11.5	10.5-12.6	72.2	4.4	3.9-4.9	49.8	7.4	6.5-8.4	22.4	2.3	1.9-2.8
Kidney and renal pelvis	271.4	19.2	18.1-20.3	179.6	27.3	25.5-29.3	91.8	12.0	10.9-13.3	42.6	2.6	2.3-3.0	27.2	3.9	3.3-4.7	15.4	1.6	1.3-2.0
Brain and other central nervous system	96.0	7.6	6.9-8.4	52.2	8.7	7.6-9.9	43.8	6.7	5.7-7.7	63.8	4.6	4.1-5.1	37.0	5.8	5.0-6.8	26.8	3.5	2.9-4.2
Thyroid	282.0	25.2	23.8-26.6	82.8	14.3	12.9-15.8	199.2	36.0	33.6-38.4	8.8	0.5	0.4-0.7	3.8	0.6	0.3-0.9	5.0	0.5	0.3-0.8
Hodgkin lymphoma	40.6	3.8	3.3-4.4	21.8	4.2	3.4-5.1	18.8	3.4	2.8-4.3	4.4	0.3	0.2-0.4	2.2	0.3	0.2-0.6	2.2	0.2	0.1-0.5
Non-Hodgkin lymphomas	353.4	24.8	23.6-26.0	188.0	29.4	27.5-31.4	165.4	21.1	19.6-22.7	83.4	5.3	4.8-5.9	46.2	6.9	6.1-7.9	37.2	4.1	3.5-4.7
Myeloma	114.0	7.7	7.1-8.4	65.6	10.0	8.9-11.2	48.4	5.9	5.2-6.8	42.8	2.6	2.3-3.0	24.6	3.6	3.0-4.3	18.2	1.9	1.5-2.4
Leukemias	267.6	19.0	17.9-20.1	158.2	24.7	23.0-26.6	109.4	14.6	13.3-16.0	96.2	6.2	5.7-6.8	57.2	9.0	8.0-10.2	39.0	4.2	3.6-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018**

Nassau, Blacks

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	849.2	452.1	438.4-466.2	417.0	534.4	510.8-558.9	432.2	400.5	383.6-418.1	214.0	119.7	112.5-127.2	92.6	132.2	120.0-145.4	121.4	112.7	103.8-122.2
Oral cavity and pharynx	11.0	5.7	4.3-7.4	6.2	7.3	4.9-10.5	4.8	4.5	2.8-6.7	3.0	1.6	0.9-2.7	1.6	2.0	0.8-4.0	1.4	1.3	0.5-2.7
Esophagus	7.4	4.1	2.9-5.7	4.8	6.5	4.1-9.8	2.6	2.4	1.3-4.2	2.8	1.6	0.8-2.6	1.8	2.4	1.1-4.7	1.0	0.9	0.3-2.2
Stomach	21.0	11.6	9.5-14.1	11.8	16.3	12.2-21.2	9.2	8.6	6.3-11.5	8.0	4.4	3.1-6.0	4.0	5.7	3.4-8.9	4.0	3.7	2.3-5.8
Colorectal	78.6	42.8	38.6-47.3	39.4	51.7	44.4-59.8	39.2	36.8	31.8-42.4	21.4	12.0	9.8-14.6	11.2	15.3	11.4-20.0	10.2	9.7	7.2-12.8
Colon excluding rectum	58.4	32.0	28.3-36.0	28.0	37.8	31.5-44.9	30.4	28.3	23.9-33.2	17.6	9.8	7.8-12.1	8.8	11.7	8.3-15.9	8.8	8.4	6.1-11.3
Rectum & rectosigmoid	20.2	10.8	8.8-13.2	11.4	13.9	10.4-18.2	8.8	8.5	6.2-11.5	3.8	2.2	1.3-3.5	2.4	3.6	1.8-6.3	1.4	1.3	0.5-2.7
Liver / intrahepatic bile duct	11.4	5.8	4.4-7.5	7.0	8.2	5.6-11.5	4.4	3.8	2.4-5.9	8.6	4.7	3.4-6.4	5.0	6.3	4.0-9.4	3.6	3.6	2.1-5.7
Pancreas	27.8	15.2	12.7-18.0	11.4	14.9	11.2-19.5	16.4	15.2	12.1-19.0	17.6	10.2	8.1-12.6	7.0	9.9	6.8-13.9	10.6	10.2	7.6-13.4
Larynx	4.4	2.2	1.3-3.3	3.6	4.2	2.4-6.8	0.8	0.7	0.2-1.9	1.4	0.7	0.3-1.6	1.2	1.5	0.5-3.5	0.2	0.2	0.0-1.1
Lung and bronchus	72.4	40.1	36.0-44.5	34.6	50.1	42.7-58.5	37.8	34.6	29.7-40.0	38.8	21.8	18.8-25.2	22.0	32.0	26.1-38.9	16.8	15.6	12.4-19.3
Melanoma of the skin	1.2	0.6	0.2-1.4	0.4	0.6	0.1-2.2	0.8	0.7	0.2-1.9	0.2	0.1	0.0-0.7	0.2	0.4	0.0-2.0	0.0	0.0	0.0-0.8
Female breast							139.0	129.0	119.4-139.1							21.4	19.1	15.6-23.1
Cervix uteri							9.4	8.8	6.4-11.8							3.4	3.3	1.9-5.3
Corpus uterus and NOS							40.2	35.8	30.9-41.2							12.4	11.1	8.5-14.3
Ovary							11.8	10.7	8.1-14.0							5.4	5.2	3.4-7.6
Prostate				183.8	223.4	208.6-238.9							12.8	20.0	15.2-25.6			
Testis				1.4	1.8	0.7-3.7							0.0	0.0	0.0-1.0			
Urinary bladder (incl. in situ)	20.2	11.4	9.3-14.0	12.6	18.2	13.8-23.5	7.6	7.2	5.1-9.9	4.8	2.8	1.8-4.2	2.2	3.9	1.9-6.9	2.6	2.3	1.2-4.0
Kidney and renal pelvis	29.0	15.3	12.9-18.1	17.4	21.8	17.3-27.1	11.6	10.8	8.2-14.0	4.8	2.7	1.7-4.0	3.2	4.6	2.6-7.6	1.6	1.5	0.6-3.0
Brain and other central nervous system	6.6	3.7	2.6-5.3	4.0	5.0	3.0-7.7	2.6	2.7	1.4-4.7	4.6	2.5	1.5-3.7	1.6	2.1	0.9-4.2	3.0	2.8	1.6-4.7
Thyroid	19.8	10.5	8.5-12.8	5.0	6.1	3.9-9.2	14.8	14.0	10.9-17.7	0.8	0.5	0.1-1.2	0.4	0.6	0.1-2.2	0.4	0.4	0.0-1.4
Hodgkin lymphoma	4.0	2.3	1.4-3.5	2.0	2.3	1.1-4.3	2.0	2.1	1.0-3.9	0.2	0.1	0.0-0.7	0.0	0.0	0.0-1.0	0.2	0.3	0.0-1.3
Non-Hodgkin lymphomas	25.0	14.0	11.6-16.8	13.0	17.3	13.2-22.2	12.0	11.6	8.8-15.0	6.2	3.5	2.3-4.9	3.2	4.1	2.3-6.7	3.0	2.9	1.6-4.8
Myeloma	28.0	14.9	12.5-17.6	13.0	17.1	13.0-21.9	15.0	13.4	10.5-16.9	6.6	3.8	2.6-5.3	2.8	4.2	2.3-7.1	3.8	3.5	2.1-5.5
Leukemias	20.6	11.3	9.1-13.7	11.6	15.7	11.8-20.5	9.0	8.4	6.1-11.4	6.8	3.8	2.6-5.4	3.4	4.7	2.7-7.6	3.4	3.1	1.8-5.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Suffolk, Whites

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8984.8	538.4	533.3-543.5	4533.8	589.7	581.9-597.7	4451.0	506.0	499.0-513.0	2491.0	143.8	141.2-146.4	1253.2	167.3	163.1-171.5	1237.8	128.1	124.8-131.4
Oral cavity and pharynx	212.4	12.3	11.5-13.1	148.4	18.4	17.1-19.9	64.0	6.9	6.1-7.7	28.4	1.7	1.4-2.0	19.8	2.6	2.1-3.2	8.6	0.9	0.6-1.3
Esophagus	85.6	4.9	4.4-5.4	67.4	8.4	7.5-9.3	18.2	1.9	1.5-2.4	67.4	3.8	3.4-4.2	55.4	6.9	6.1-7.8	12.0	1.3	1.0-1.7
Stomach	121.2	7.2	6.6-7.8	71.8	9.4	8.4-10.4	49.4	5.5	4.8-6.3	46.2	2.7	2.4-3.1	25.2	3.2	2.7-3.9	21.0	2.3	1.8-2.8
Colorectal	671.4	40.4	39.0-41.8	352.2	46.7	44.5-49.0	319.2	35.3	33.5-37.2	211.0	12.2	11.4-13.0	110.0	14.8	13.6-16.1	101.0	10.2	9.3-11.2
Colon excluding rectum	486.8	29.4	28.2-30.6	242.6	32.5	30.7-34.5	244.2	26.9	25.3-28.5	174.2	10.0	9.4-10.7	89.4	12.1	11.0-13.3	84.8	8.5	7.7-9.4
Rectum & rectosigmoid	184.6	11.0	10.3-11.8	109.6	14.1	12.9-15.4	75.0	8.4	7.6-9.4	36.8	2.1	1.8-2.5	20.6	2.7	2.2-3.3	16.2	1.7	1.3-2.1
Liver / intrahepatic bile duct	139.2	7.9	7.3-8.5	102.4	12.6	11.5-13.8	36.8	3.8	3.3-4.4	89.4	5.1	4.6-5.6	59.2	7.5	6.7-8.4	30.2	3.1	2.6-3.7
Pancreas	272.4	15.8	14.9-16.7	145.8	18.7	17.3-20.1	126.6	13.4	12.3-14.5	194.4	11.1	10.4-11.9	104.2	13.6	12.4-14.8	90.2	9.2	8.3-10.1
Larynx	54.6	3.1	2.7-3.5	43.2	5.5	4.8-6.3	11.4	1.2	0.9-1.5	13.4	0.8	0.6-1.0	10.2	1.3	1.0-1.8	3.2	0.3	0.2-0.6
Lung and bronchus	1182.4	68.4	66.7-70.2	529.4	69.7	67.0-72.4	653.0	68.4	66.0-70.8	606.0	34.9	33.6-36.2	289.2	38.5	36.5-40.6	316.8	32.5	30.9-34.2
Melanoma of the skin	465.0	28.2	27.0-29.4	283.6	37.2	35.2-39.2	181.4	21.6	20.2-23.1	39.8	2.3	2.0-2.6	26.6	3.5	2.9-4.2	13.2	1.4	1.0-1.8
Female breast							1190.0	137.7	134.0-141.4							166.8	17.5	16.3-18.8
Cervix uteri							47.8	6.8	5.9-7.8							15.0	1.8	1.4-2.3
Corpus uterus and NOS							298.4	32.2	30.6-34.0							52.2	5.4	4.8-6.2
Ovary							112.0	12.7	11.6-13.9							72.0	7.5	6.7-8.3
Prostate				1026.4	123.9	120.5-127.5							108.2	15.1	13.8-16.4			
Testis				47.0	8.0	7.0-9.1							0.8	0.1	0.0-0.3			
Urinary bladder (incl. in situ)	493.0	28.9	27.7-30.1	370.6	49.7	47.4-52.1	122.4	12.9	11.8-14.0	90.2	5.2	4.7-5.7	62.8	8.8	7.9-9.9	27.4	2.7	2.3-3.2
Kidney and renal pelvis	342.6	20.5	19.5-21.6	222.8	28.8	27.1-30.6	119.8	13.4	12.3-14.6	52.8	3.0	2.6-3.4	35.2	4.7	4.0-5.4	17.6	1.8	1.4-2.2
Brain and other central nervous system	119.4	8.0	7.4-8.8	64.8	9.1	8.1-10.2	54.6	7.1	6.2-8.0	78.6	4.7	4.2-5.2	43.4	5.5	4.8-6.3	35.2	3.9	3.4-4.6
Thyroid	324.6	23.6	22.4-24.9	91.4	12.9	11.7-14.2	233.2	34.4	32.4-36.6	10.0	0.6	0.4-0.8	4.6	0.6	0.4-0.9	5.4	0.6	0.4-0.9
Hodgkin lymphoma	47.2	3.6	3.2-4.2	25.8	3.9	3.2-4.6	21.4	3.4	2.8-4.1	4.4	0.3	0.2-0.5	1.6	0.3	0.1-0.5	2.8	0.3	0.2-0.6
Non-Hodgkin lymphomas	413.8	24.9	23.8-26.1	225.0	29.9	28.1-31.7	188.8	21.0	19.7-22.5	84.4	4.9	4.5-5.4	49.2	6.7	5.9-7.6	35.2	3.6	3.1-4.2
Myeloma	145.6	8.5	7.8-9.1	85.2	11.0	9.9-12.1	60.4	6.4	5.7-7.2	45.2	2.5	2.2-2.9	25.4	3.3	2.8-4.0	19.8	2.0	1.6-2.4
Leukemias	351.6	21.8	20.7-22.8	209.0	28.6	26.8-30.4	142.6	16.3	15.0-17.6	102.6	6.1	5.6-6.7	61.6	8.6	7.7-9.6	41.0	4.3	3.7-4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Suffolk, Blacks

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	595.8	490.9	472.8-509.5	303.0	579.1	548.2-611.2	292.8	432.3	410.0-455.5	153.0	139.0	129.0-149.6	79.4	182.2	163.5-202.3	73.6	112.9	101.4-125.3
Oral cavity and pharynx	9.2	7.3	5.3-9.8	5.6	9.4	6.1-13.9	3.6	5.5	3.2-8.7	1.6	1.3	0.6-2.6	1.4	2.7	1.0-5.6	0.2	0.3	0.0-1.6
Esophagus	4.6	3.9	2.4-5.9	3.4	7.7	4.3-12.6	1.2	1.5	0.5-3.3	4.0	3.9	2.4-6.1	3.6	9.7	5.5-15.6	0.4	0.6	0.1-2.1
Stomach	10.8	9.1	6.7-12.0	6.2	12.3	8.1-17.9	4.6	6.9	4.3-10.5	3.8	3.3	2.0-5.3	2.6	5.6	2.8-9.7	1.2	1.9	0.7-4.2
Colorectal	45.0	37.5	32.5-42.9	19.4	40.1	31.9-49.6	25.6	36.6	30.4-43.7	13.0	11.5	8.8-14.7	6.0	13.7	9.0-19.9	7.0	10.3	7.1-14.5
Colon excluding rectum	32.4	27.4	23.2-32.2	12.4	25.9	19.4-33.7	20.0	29.2	23.7-35.7	11.0	9.6	7.2-12.7	4.6	10.6	6.5-16.1	6.4	9.3	6.3-13.3
Rectum & rectosigmoid	12.6	10.0	7.6-12.9	7.0	14.2	9.6-20.2	5.6	7.4	4.9-10.8	2.0	1.8	0.9-3.4	1.4	3.2	1.2-6.7	0.6	1.0	0.2-2.9
Liver / intrahepatic bile duct	11.4	8.6	6.5-11.3	9.8	16.6	12.1-22.2	1.6	2.3	0.9-4.5	5.6	4.5	3.0-6.7	4.2	8.3	4.9-13.1	1.4	1.9	0.7-4.0
Pancreas	17.8	15.9	12.7-19.7	9.4	20.5	14.7-27.6	8.4	13.0	9.3-17.7	11.6	10.3	7.7-13.4	7.2	16.3	11.1-22.9	4.4	6.4	4.0-9.9
Larynx	3.8	2.9	1.7-4.6	3.4	6.1	3.5-10.0	0.4	0.5	0.1-1.9	0.6	0.4	0.1-1.3	0.6	1.0	0.2-3.1	0.0	0.0	0.0-1.1
Lung and bronchus	60.4	52.8	46.8-59.3	31.0	64.7	54.3-76.5	29.4	44.4	37.3-52.3	30.8	27.6	23.2-32.4	17.8	38.8	30.7-48.3	13.0	19.6	15.0-25.2
Melanoma of the skin	2.0	1.7	0.8-3.1	1.2	2.3	0.8-5.0	0.8	1.2	0.3-3.1	0.8	0.8	0.2-1.9	0.6	1.3	0.3-3.7	0.2	0.3	0.0-1.8
Female breast							90.0	131.4	119.3-144.4							14.8	22.0	17.2-27.7
Cervix uteri							5.0	7.5	4.8-11.1							1.4	2.1	0.8-4.4
Corpus uterus and NOS							21.8	32.3	26.4-39.1							5.8	8.9	5.9-12.8
Ovary							6.2	9.1	6.2-13.1							3.2	5.3	3.0-8.7
Prostate				118.8	216.4	198.2-235.7							11.6	32.0	23.9-41.6			
Testis				1.2	2.0	0.7-4.4							0.0	0.0	0.0-1.5			
Urinary bladder (incl. in situ)	18.4	17.0	13.6-20.9	13.0	29.3	22.1-37.9	5.4	8.5	5.6-12.5	2.8	2.7	1.4-4.5	1.6	4.1	1.6-8.1	1.2	1.9	0.7-4.2
Kidney and renal pelvis	25.4	20.4	16.9-24.4	16.8	31.0	24.3-38.9	8.6	12.7	9.1-17.2	4.2	4.1	2.5-6.3	3.0	6.6	3.5-11.0	1.2	2.3	0.8-4.8
Brain and other central nervous system	6.2	5.0	3.4-7.1	3.0	5.6	3.0-9.5	3.2	4.7	2.7-7.7	3.0	2.2	1.2-3.7	1.4	2.1	0.8-4.6	1.6	2.2	0.9-4.4
Thyroid	19.0	14.8	11.9-18.1	3.6	6.5	3.8-10.3	15.4	22.0	17.3-27.6	0.2	0.1	0.0-0.8	0.2	0.3	0.0-1.9	0.0	0.0	0.0-1.1
Hodgkin lymphoma	4.0	3.1	1.8-4.8	2.0	3.0	1.4-5.7	2.0	2.9	1.4-5.4	0.2	0.1	0.0-0.8	0.2	0.2	0.0-1.8	0.0	0.0	0.0-1.1
Non-Hodgkin lymphomas	26.2	20.7	17.2-24.7	14.4	26.5	20.3-33.8	11.8	16.6	12.6-21.5	4.8	4.4	2.8-6.5	3.6	8.5	4.9-13.7	1.2	1.8	0.6-3.9
Myeloma	16.6	14.2	11.2-17.8	9.2	17.1	12.2-23.1	7.4	11.7	8.2-16.2	6.4	6.2	4.2-8.8	2.4	5.9	2.9-10.4	4.0	6.6	4.0-10.3
Leukemias	13.6	11.0	8.4-14.0	7.8	13.4	9.3-18.6	5.8	8.9	5.9-12.9	3.6	3.6	2.1-5.6	2.2	5.6	2.7-10.0	1.4	2.3	0.9-4.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Westchester, Whites**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	4712.4	488.2	481.8-494.7	2318.0	526.2	516.4-536.1	2394.4	467.2	458.4-476.1	1179.0	111.9	109.0-114.9	566.0	126.4	121.7-131.3	613.0	103.2	99.4-107.1
Oral cavity and pharynx	94.0	9.6	8.7-10.5	63.4	14.0	12.5-15.7	30.6	5.8	4.9-6.8	14.6	1.4	1.1-1.7	10.0	2.2	1.6-2.9	4.6	0.7	0.4-1.1
Esophagus	36.4	3.6	3.1-4.2	26.2	5.9	4.9-7.0	10.2	1.8	1.3-2.4	26.0	2.5	2.1-3.0	18.0	4.1	3.3-5.1	8.0	1.3	0.9-1.8
Stomach	77.4	7.9	7.1-8.8	47.6	11.0	9.6-12.5	29.8	5.6	4.7-6.6	26.6	2.6	2.1-3.1	15.2	3.3	2.6-4.2	11.4	2.1	1.6-2.8
Colorectal	340.8	34.7	33.0-36.4	173.0	39.9	37.2-42.7	167.8	30.6	28.5-32.9	100.2	9.5	8.6-10.4	46.6	10.4	9.1-11.9	53.6	8.8	7.7-10.1
Colon excluding rectum	240.0	24.2	22.8-25.7	117.8	27.3	25.1-29.7	122.2	21.8	20.0-23.7	77.8	7.2	6.5-8.0	36.0	8.0	6.8-9.3	41.8	6.7	5.8-7.8
Rectum & rectosigmoid	100.8	10.5	9.5-11.4	55.2	12.5	11.1-14.2	45.6	8.8	7.7-10.2	22.4	2.3	1.8-2.8	10.6	2.4	1.8-3.2	11.8	2.1	1.6-2.8
Liver / intrahepatic bile duct	70.8	7.0	6.2-7.8	50.2	10.8	9.5-12.3	20.6	3.7	3.0-4.6	42.8	4.1	3.6-4.7	29.6	6.4	5.4-7.6	13.2	2.3	1.8-3.0
Pancreas	153.8	15.1	14.0-16.2	80.0	18.2	16.4-20.1	73.8	12.6	11.3-14.1	98.6	9.4	8.5-10.3	49.8	11.1	9.7-12.6	48.8	8.0	7.0-9.1
Larynx	25.4	2.5	2.1-3.0	20.6	4.5	3.7-5.5	4.8	0.9	0.6-1.4	6.0	0.6	0.4-0.8	5.0	1.1	0.7-1.6	1.0	0.2	0.1-0.5
Lung and bronchus	501.4	49.0	47.0-51.0	218.8	49.3	46.4-52.4	282.6	49.3	46.7-52.1	261.2	24.8	23.5-26.3	118.8	26.7	24.6-29.0	142.4	23.4	21.6-25.3
Melanoma of the skin	221.0	22.8	21.4-24.3	128.8	29.6	27.3-32.1	92.2	17.7	16.0-19.5	20.2	1.9	1.5-2.3	12.0	2.6	2.0-3.4	8.2	1.3	0.9-1.8
Female breast							729.4	150.2	145.1-155.4							88.4	16.1	14.6-17.8
Cervix uteri							24.8	6.0	5.0-7.3							6.2	1.3	0.8-1.9
Corpus uteri and NOS							151.6	28.7	26.7-30.9							28.8	4.9	4.1-5.8
Ovary							66.6	13.3	11.8-14.9							34.4	6.1	5.2-7.1
Prostate				582.0	124.8	120.2-129.5							67.0	14.8	13.2-16.5			
Testis				24.8	7.7	6.4-9.2							0.0	0.0	0.0-0.2			
Urinary bladder (incl. in situ)	247.8	24.2	22.8-25.6	182.2	41.2	38.5-44.0	65.6	11.4	10.2-12.8	35.6	3.1	2.7-3.7	25.4	5.6	4.7-6.8	10.2	1.5	1.1-2.0
Kidney and renal pelvis	153.2	16.1	14.9-17.3	103.0	23.5	21.5-25.7	50.2	9.9	8.6-11.2	19.6	1.9	1.5-2.4	13.2	3.0	2.3-3.9	6.4	1.1	0.7-1.7
Brain and other central nervous system	61.0	7.0	6.2-7.9	31.6	7.8	6.6-9.2	29.4	6.3	5.2-7.4	32.4	3.4	2.9-4.0	17.4	4.0	3.2-5.0	15.0	2.9	2.2-3.6
Thyroid	173.6	22.0	20.5-23.6	52.8	13.4	11.7-15.1	120.8	30.6	28.1-33.3	4.4	0.4	0.2-0.6	2.6	0.6	0.3-1.0	1.8	0.3	0.1-0.6
Hodgkin lymphoma	27.0	3.6	3.0-4.3	13.8	3.7	2.9-4.7	13.2	3.5	2.7-4.5	2.4	0.2	0.1-0.4	0.6	0.1	0.0-0.4	1.8	0.3	0.1-0.6
Non-Hodgkin lymphomas	242.6	25.2	23.7-26.7	133.6	31.1	28.7-33.6	109.0	20.5	18.7-22.4	42.4	4.0	3.5-4.6	20.2	4.5	3.7-5.5	22.2	3.6	3.0-4.4
Myeloma	79.0	8.1	7.3-8.9	46.0	10.6	9.3-12.2	33.0	6.0	5.1-7.0	24.4	2.3	1.9-2.7	12.0	2.8	2.1-3.6	12.4	1.9	1.5-2.5
Leukemias	194.2	20.4	19.1-21.8	116.8	27.4	25.2-29.8	77.4	14.8	13.3-16.5	51.8	4.8	4.2-5.4	28.8	6.4	5.4-7.6	23.0	3.6	2.9-4.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence and Mortality by Gender and Race, 2014-2018
Westchester, Blacks**

Site of cancer	Incidence									Mortality								
	Males and Females			Males			Females			Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI	Avg Ann Deaths	Rate per 100,000	95% CI
All Invasive Malignant Tumors	792.8	451.7	437.5-466.2	380.0	530.3	505.8-555.6	412.8	403.7	386.2-421.8	204.4	120.4	113.0-128.1	92.6	143.6	130.3-157.8	111.8	106.7	97.9-116.1
Oral cavity and pharynx	12.2	7.2	5.5-9.3	9.6	13.6	9.9-18.2	2.6	2.9	1.6-5.1	2.2	1.4	0.7-2.5	1.4	2.1	0.8-4.4	0.8	0.9	0.2-2.3
Esophagus	8.0	4.5	3.2-6.2	4.4	6.3	3.9-9.6	3.6	3.3	1.9-5.3	5.4	3.3	2.1-4.8	3.2	5.0	2.8-8.2	2.2	2.1	1.0-3.8
Stomach	20.2	12.1	9.8-14.8	8.6	13.4	9.6-18.2	11.6	11.3	8.6-14.7	9.4	5.7	4.2-7.6	5.0	7.6	4.8-11.3	4.4	4.4	2.7-6.7
Colorectal	66.2	38.3	34.3-42.8	31.4	45.7	38.6-53.7	34.8	33.6	28.7-39.1	21.4	12.7	10.4-15.4	11.4	17.0	12.7-22.2	10.0	9.8	7.3-13.1
Colon excluding rectum	46.8	27.5	24.0-31.3	20.4	30.8	24.9-37.6	26.4	25.6	21.3-30.5	16.8	10.0	7.9-12.4	9.6	14.5	10.5-19.4	7.2	7.3	5.1-10.2
Rectum & rectosigmoid	19.4	10.9	8.8-13.3	11.0	15.0	11.1-19.7	8.4	8.0	5.8-11.0	4.6	2.7	1.7-4.1	1.8	2.5	1.1-4.8	2.8	2.6	1.4-4.4
Liver / intrahepatic bile duct	18.2	9.5	7.6-11.8	12.4	15.7	11.9-20.3	5.8	5.4	3.6-7.8	9.8	5.3	3.9-7.1	5.8	7.4	4.9-10.9	4.0	3.9	2.4-6.2
Pancreas	23.0	13.6	11.2-16.4	8.2	11.6	8.2-15.9	14.8	14.5	11.4-18.4	13.6	8.0	6.2-10.2	4.6	6.7	4.2-10.2	9.0	8.6	6.2-11.6
Larynx	5.6	3.2	2.1-4.6	4.8	6.8	4.3-10.3	0.8	0.7	0.2-2.0	1.8	1.1	0.5-2.2	1.8	3.0	1.3-5.6	0.0	0.0	0.0-0.8
Lung and bronchus	73.2	42.8	38.5-47.6	36.6	54.8	46.9-63.6	36.6	35.2	30.2-40.8	37.6	22.3	19.2-25.8	19.0	30.0	24.0-36.8	18.6	17.6	14.2-21.7
Melanoma of the skin	1.4	0.7	0.3-1.5	0.8	0.8	0.2-2.3	0.6	0.5	0.1-1.7	0.2	0.1	0.0-0.6	0.2	0.2	0.0-1.4	0.0	0.0	0.0-0.8
Female breast							134.0	132.0	122.0-142.6							18.8	18.3	14.8-22.5
Cervix uteri							7.8	7.9	5.6-10.9							1.6	1.5	0.6-3.0
Corpus uteri and NOS							30.4	28.8	24.4-33.9							9.4	8.9	6.5-11.9
Ovary							7.8	7.7	5.4-10.7							4.2	4.0	2.4-6.1
Prostate				152.2	205.4	190.6-221.1							12.4	22.6	17.2-29.0			
Testis				0.6	0.8	0.2-2.4							0.0	0.0	0.0-1.1			
Urinary bladder (incl. in situ)	19.2	11.2	9.1-13.8	12.0	17.8	13.4-23.1	7.2	7.1	4.9-9.9	3.4	2.1	1.2-3.4	2.4	4.3	2.2-7.5	1.0	0.9	0.3-2.3
Kidney and renal pelvis	28.8	16.0	13.5-19.0	17.2	22.7	18.0-28.2	11.6	11.4	8.6-14.8	2.4	1.3	0.7-2.4	2.0	2.4	1.1-4.6	0.4	0.4	0.1-1.6
Brain and other central nervous system	7.8	4.6	3.3-6.4	4.2	6.1	3.7-9.5	3.6	3.7	2.1-5.9	3.4	2.0	1.1-3.2	1.6	2.4	1.0-4.7	1.8	1.7	0.8-3.4
Thyroid	23.0	13.2	10.9-15.9	4.4	5.8	3.6-8.8	18.6	19.3	15.5-23.8	1.0	0.6	0.2-1.4	0.4	0.7	0.1-2.3	0.6	0.5	0.1-1.6
Hodgkin lymphoma	4.2	2.5	1.5-3.8	3.0	4.0	2.2-6.6	1.2	1.2	0.4-2.8	0.4	0.2	0.0-0.9	0.4	0.6	0.1-2.1	0.0	0.0	0.0-0.8
Non-Hodgkin lymphomas	31.6	17.8	15.1-20.9	14.2	20.0	15.5-25.4	17.4	16.6	13.2-20.6	7.2	4.0	2.8-5.6	3.6	5.3	3.1-8.5	3.6	3.3	1.9-5.3
Myeloma	30.2	17.4	14.6-20.4	15.0	21.2	16.6-26.8	15.2	14.6	11.5-18.4	9.6	5.8	4.3-7.7	3.8	5.7	3.4-9.1	5.8	5.6	3.8-8.2
Leukemias	19.4	11.3	9.1-13.8	9.6	13.7	9.9-18.3	9.8	9.9	7.3-13.2	8.8	5.1	3.7-6.8	3.6	5.5	3.2-8.8	5.2	4.9	3.2-7.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYSCR mortality statistics might differ slightly from official mortality statistics due to the availability of additional demographic information.