

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Nassau County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8890.8	505.8	500.9-510.7	4386.4	546.2	538.8-553.7	4504.4	481.2	474.6-487.8
Oral cavity and pharynx	181.6	10.3	9.6-11.0	116.8	14.5	13.3-15.7	64.8	6.9	6.1-7.7
Esophagus	73.8	4.1	3.7-4.5	54.0	6.7	5.9-7.6	19.8	1.9	1.5-2.3
Stomach	141.8	8.0	7.4-8.6	84.2	10.6	9.6-11.7	57.6	5.9	5.2-6.7
Colorectal	679.2	38.4	37.0-39.7	334.4	42.6	40.6-44.8	344.8	34.7	33.0-36.5
Colon excluding rectum	489.4	27.4	26.3-28.6	228.0	29.1	27.4-30.9	261.4	26.0	24.5-27.5
Rectum & rectosigmoid	189.8	10.9	10.2-11.7	106.4	13.5	12.3-14.7	83.4	8.8	7.9-9.7
Liver / intrahepatic bile duct	124.2	6.7	6.2-7.3	87.6	10.3	9.3-11.4	36.6	3.7	3.1-4.3
Pancreas	289.2	15.7	14.9-16.6	146.6	18.1	16.7-19.4	142.6	13.8	12.8-14.9
Larynx	46.4	2.6	2.2-2.9	37.6	4.6	4.0-5.3	8.8	0.9	0.6-1.2
Lung and bronchus	961.2	52.8	51.3-54.4	425.6	53.7	51.4-56.1	535.6	52.9	50.9-55.0
Melanoma of the skin	395.0	22.5	21.5-23.6	234.4	29.6	27.9-31.4	160.6	17.4	16.2-18.8
Female breast							1323.4	147.3	143.6-151.1
Cervix uteri							48.6	6.2	5.4-7.0
Corpus uterus and NOS							322.2	32.8	31.1-34.5
Ovary							111.6	12.2	11.2-13.3
Prostate				1174.4	136.8	133.2-140.4			
Testis				36.2	5.9	5.1-6.9			
Urinary bladder (incl. in situ)	454.6	24.6	23.5-25.6	342.8	43.3	41.2-45.4	111.8	10.6	9.7-11.6
Kidney and renal pelvis	313.8	17.8	16.9-18.8	206.4	25.5	23.9-27.1	107.4	11.2	10.3-12.3
Brain and other central nervous system	110.6	7.0	6.4-7.6	60.6	8.1	7.2-9.1	50.0	5.9	5.2-6.8
Thyroid	338.8	23.0	21.9-24.1	96.4	13.0	11.8-14.3	242.4	32.5	30.6-34.5
Hodgkin lymphoma	49.4	3.5	3.1-4.0	26.2	3.9	3.2-4.6	23.2	3.2	2.7-3.9
Non-Hodgkin lymphomas	403.4	23.1	22.1-24.2	215.8	27.8	26.1-29.5	187.6	19.5	18.2-20.8
Myeloma	150.6	8.3	7.7-9.0	83.8	10.5	9.5-11.6	66.8	6.6	5.9-7.4
Leukemias	307.0	17.8	16.8-18.7	182.4	23.5	22.0-25.2	124.6	13.3	12.2-14.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Nassau County  
Hempstead and Long Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5121.6	513.1	506.6-519.6	2524.8	562.1	552.0-572.3	2596.8	482.4	473.8-491.1
Oral cavity and pharynx	103.4	10.1	9.3-11.1	67.8	14.7	13.1-16.4	35.6	6.5	5.5-7.6
Esophagus	44.2	4.4	3.8-5.0	33.2	7.5	6.3-8.7	11.0	1.9	1.5-2.6
Stomach	83.8	8.3	7.5-9.2	51.6	11.4	10.1-13.0	32.2	5.9	5.0-6.9
Colorectal	405.2	40.8	39.0-42.7	201.6	46.3	43.4-49.3	203.6	36.4	34.1-38.9
Colon excluding rectum	291.0	29.2	27.6-30.7	135.6	31.3	28.9-33.8	155.4	27.5	25.5-29.6
Rectum & rectosigmoid	114.2	11.6	10.7-12.7	66.0	15.0	13.4-16.8	48.2	8.9	7.8-10.2
Liver / intrahepatic bile duct	74.0	6.9	6.2-7.7	54.0	11.2	9.8-12.6	20.0	3.4	2.8-4.2
Pancreas	163.8	15.8	14.7-17.0	78.4	17.2	15.5-19.0	85.4	14.8	13.4-16.3
Larynx	27.6	2.6	2.2-3.1	22.6	4.9	4.0-5.9	5.0	0.9	0.6-1.3
Lung and bronchus	555.8	54.8	52.8-57.0	247.8	56.8	53.6-60.2	308.0	54.3	51.5-57.1
Melanoma of the skin	217.4	21.8	20.5-23.2	124.6	28.2	26.0-30.6	92.8	17.3	15.7-19.0
Female breast							754.4	144.1	139.3-149.0
Cervix uteri							32.4	7.0	5.9-8.2
Corpus uterus and NOS							190.8	33.7	31.5-36.0
Ovary							64.8	12.4	11.0-13.9
Prostate				702.2	146.4	141.5-151.5			
Testis				20.8	5.7	4.6-6.9			
Urinary bladder (incl. in situ)	249.4	24.1	22.8-25.5	185.0	42.4	39.6-45.3	64.4	10.8	9.6-12.1
Kidney and renal pelvis	184.6	18.6	17.3-19.8	117.6	26.0	23.9-28.3	67.0	12.3	10.9-13.7
Brain and other central nervous system	61.8	6.7	6.0-7.6	32.2	7.5	6.3-8.8	29.6	6.1	5.1-7.2
Thyroid	197.2	22.5	21.0-24.0	57.8	13.3	11.8-15.0	139.4	31.1	28.7-33.6
Hodgkin lymphoma	28.8	3.5	2.9-4.1	16.2	4.0	3.2-5.1	12.6	3.0	2.3-3.9
Non-Hodgkin lymphomas	216.4	22.0	20.7-23.4	117.4	26.8	24.6-29.1	99.0	18.2	16.6-20.0
Myeloma	91.0	8.9	8.1-9.8	48.6	11.0	9.6-12.5	42.4	7.3	6.3-8.3
Leukemias	170.0	17.4	16.2-18.7	101.2	23.6	21.5-25.8	68.8	12.8	11.5-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Nassau County  
North Hempstead**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1500.6	476.6	465.3-488.0	731.2	494.1	477.7-510.9	769.4	470.2	454.4-486.3
Oral cavity and pharynx	28.6	9.5	8.0-11.4	16.0	11.5	9.0-14.5	12.6	7.9	6.0-10.3
Esophagus	12.4	3.9	2.9-5.0	7.8	5.5	3.8-7.6	4.6	2.4	1.5-3.8
Stomach	26.4	8.3	6.9-9.9	14.0	9.8	7.6-12.5	12.4	7.1	5.3-9.3
Colorectal	107.0	32.8	29.9-35.8	50.8	34.7	30.5-39.5	56.2	31.0	27.3-35.2
Colon excluding rectum	77.0	23.3	21.0-25.9	35.8	24.3	20.8-28.3	41.2	22.5	19.3-26.0
Rectum & rectosigmoid	30.0	9.4	7.9-11.2	15.0	10.4	8.1-13.2	15.0	8.5	6.6-10.9
Liver / intrahepatic bile duct	22.2	6.8	5.5-8.3	13.6	9.0	6.9-11.5	8.6	5.0	3.5-6.9
Pancreas	52.2	15.4	13.5-17.5	27.0	18.1	15.1-21.6	25.2	13.0	10.7-15.6
Larynx	7.8	2.4	1.7-3.4	6.2	4.1	2.8-6.0	1.6	1.0	0.4-2.2
Lung and bronchus	146.6	42.7	39.6-46.1	63.0	41.8	37.2-46.8	83.6	43.7	39.4-48.3
Melanoma of the skin	69.8	21.8	19.4-24.3	42.8	28.4	24.6-32.7	27.0	17.2	14.3-20.6
Female breast							235.6	155.6	146.3-165.4
Cervix uteri							6.6	5.2	3.5-7.4
Corpus uterus and NOS							52.6	30.7	26.9-34.9
Ovary							18.6	11.4	9.0-14.1
Prostate				187.2	118.5	110.8-126.5			
Testis				6.4	6.4	4.3-9.0			
Urinary bladder (incl. in situ)	78.6	22.7	20.4-25.1	61.0	40.3	35.8-45.3	17.6	8.9	7.0-11.1
Kidney and renal pelvis	49.6	15.9	13.9-18.1	34.6	23.5	20.0-27.5	15.0	9.1	7.0-11.6
Brain and other central nervous system	21.6	7.7	6.2-9.4	13.6	10.4	8.0-13.4	8.0	5.4	3.7-7.6
Thyroid	54.8	22.8	20.0-25.8	15.2	12.6	9.8-16.0	39.6	32.9	28.2-38.1
Hodgkin lymphoma	9.0	3.8	2.7-5.1	3.6	3.2	1.9-5.1	5.4	4.5	2.9-6.6
Non-Hodgkin lymphomas	79.8	25.4	22.9-28.2	42.2	30.0	25.9-34.5	37.6	21.8	18.7-25.5
Myeloma	26.2	7.8	6.5-9.3	16.6	10.8	8.5-13.5	9.6	5.5	4.0-7.4
Leukemias	58.0	18.1	15.9-20.4	34.0	23.3	19.8-27.3	24.0	13.8	11.2-16.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Nassau County  
Oyster Bay and Glen Cove**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2268.4	512.6	502.8-522.5	1130.2	551.2	536.5-566.1	1138.2	489.0	475.7-502.6
Oral cavity and pharynx	49.6	11.3	9.9-12.9	33.0	16.4	13.9-19.2	16.6	7.1	5.6-8.9
Esophagus	17.2	3.7	2.9-4.6	13.0	6.2	4.8-8.0	4.2	1.4	0.9-2.3
Stomach	31.4	6.9	5.9-8.1	18.4	9.1	7.3-11.2	13.0	5.2	4.0-6.8
Colorectal	167.0	36.9	34.4-39.6	82.0	40.6	36.7-44.9	85.0	33.4	30.2-37.0
Colon excluding rectum	121.4	26.6	24.5-28.9	56.6	28.4	25.1-32.1	64.8	24.8	22.0-27.8
Rectum & rectosigmoid	45.6	10.3	9.0-11.8	25.4	12.2	10.1-14.6	20.2	8.6	7.0-10.6
Liver / intrahepatic bile duct	28.0	6.1	5.1-7.3	20.0	9.4	7.6-11.5	8.0	3.3	2.3-4.6
Pancreas	73.2	15.8	14.2-17.6	41.2	20.1	17.4-23.1	32.0	12.2	10.3-14.4
Larynx	11.0	2.5	1.8-3.2	8.8	4.4	3.2-6.0	2.2	0.9	0.4-1.6
Lung and bronchus	258.8	55.8	52.7-59.0	114.8	56.3	51.7-61.2	144.0	56.2	52.1-60.7
Melanoma of the skin	107.8	24.8	22.6-27.1	67.0	33.3	29.8-37.3	40.8	18.0	15.5-20.9
Female breast							333.4	150.2	142.7-157.9
Cervix uteri							9.6	4.9	3.6-6.7
Corpus uterus and NOS							78.8	32.3	29.1-35.8
Ovary							28.2	12.3	10.3-14.7
Prostate				285.0	128.9	122.2-136.0			
Testis				9.0	6.5	4.7-8.7			
Urinary bladder (incl. in situ)	126.6	27.0	24.9-29.2	96.8	47.5	43.3-52.1	29.8	11.5	9.7-13.7
Kidney and renal pelvis	79.6	17.7	15.9-19.6	54.2	25.8	22.7-29.2	25.4	10.5	8.7-12.6
Brain and other central nervous system	27.2	6.9	5.8-8.3	14.8	8.0	6.2-10.1	12.4	6.0	4.5-7.8
Thyroid	86.8	24.7	22.3-27.3	23.4	12.5	10.3-15.2	63.4	36.3	32.2-40.7
Hodgkin lymphoma	11.6	3.5	2.6-4.6	6.4	4.0	2.7-5.7	5.2	3.0	1.9-4.5
Non-Hodgkin lymphomas	107.2	23.9	21.9-26.1	56.2	28.4	25.1-32.1	51.0	20.5	18.0-23.4
Myeloma	33.4	7.4	6.3-8.6	18.6	9.2	7.4-11.4	14.8	6.1	4.7-7.9
Leukemias	79.0	18.4	16.6-20.4	47.2	23.8	20.8-27.2	31.8	14.2	12.0-16.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Rockland County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1785.0	478.7	468.6-489.0	895.6	524.7	509.2-540.6	889.4	449.5	435.9-463.4
Oral cavity and pharynx	42.8	11.3	9.8-12.9	29.2	16.6	14.0-19.6	13.6	6.8	5.3-8.8
Esophagus	16.2	4.2	3.3-5.2	11.6	6.9	5.2-8.9	4.6	2.1	1.3-3.3
Stomach	28.0	7.7	6.5-9.2	14.2	8.5	6.6-10.8	13.8	7.1	5.4-9.1
Colorectal	140.6	37.6	34.8-40.5	78.2	46.1	41.6-51.0	62.4	30.7	27.3-34.5
Colon excluding rectum	102.8	27.3	24.9-29.8	54.8	32.4	28.6-36.6	48.0	23.3	20.3-26.5
Rectum & rectosigmoid	37.8	10.3	8.9-12.0	23.4	13.7	11.3-16.5	14.4	7.5	5.8-9.5
Liver / intrahepatic bile duct	27.4	7.0	5.8-8.3	18.0	10.1	8.1-12.4	9.4	4.3	3.1-5.8
Pancreas	56.2	14.5	12.8-16.3	28.8	16.8	14.2-19.9	27.4	12.7	10.6-15.1
Larynx	9.8	2.6	1.9-3.4	8.2	4.7	3.4-6.5	1.6	0.8	0.3-1.6
Lung and bronchus	189.6	49.2	46.1-52.5	85.2	51.1	46.3-56.2	104.4	48.1	44.0-52.5
Melanoma of the skin	63.0	17.0	15.1-19.0	39.8	24.0	20.8-27.7	23.2	11.8	9.6-14.2
Female breast							266.8	140.7	133.0-148.8
Cervix uteri							11.4	6.6	4.9-8.7
Corpus uterus and NOS							62.2	30.2	26.8-33.9
Ovary							24.8	12.8	10.6-15.4
Prostate				237.0	131.0	123.5-138.8			
Testis				10.2	7.1	5.3-9.4			
Urinary bladder (incl. in situ)	90.0	23.4	21.2-25.7	67.2	40.3	36.0-44.9	22.8	10.5	8.6-12.7
Kidney and renal pelvis	66.0	17.9	15.9-20.0	43.4	25.4	22.0-29.1	22.6	11.6	9.5-14.1
Brain and other central nervous system	22.8	6.3	5.2-7.6	12.4	7.0	5.4-9.1	10.4	5.7	4.2-7.5
Thyroid	67.6	21.4	19.1-23.9	22.2	14.8	12.1-17.9	45.4	27.8	24.2-31.8
Hodgkin lymphoma	7.8	2.3	1.6-3.2	4.0	2.5	1.5-3.8	3.8	2.3	1.4-3.6
Non-Hodgkin lymphomas	87.0	23.9	21.6-26.3	46.8	28.6	25.0-32.6	40.2	20.1	17.4-23.2
Myeloma	30.4	7.7	6.5-9.1	17.2	9.8	7.8-12.1	13.2	6.1	4.7-7.9
Leukemias	64.4	17.1	15.3-19.2	38.2	22.4	19.3-25.9	26.2	12.8	10.6-15.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Rockland County  
Ramapo**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	542.0	441.2	424.3-458.5	267.6	470.5	445.0-497.0	274.4	421.3	398.5-445.0
Oral cavity and pharynx	12.2	9.7	7.3-12.5	8.2	13.4	9.5-18.2	4.0	6.5	3.9-10.2
Esophagus	3.8	3.2	1.9-5.0	2.4	4.6	2.3-8.1	1.4	2.0	0.8-4.3
Stomach	8.6	7.4	5.3-10.1	4.8	8.7	5.5-13.0	3.8	6.4	3.7-10.1
Colorectal	46.4	37.6	32.8-42.9	24.6	42.8	35.4-51.2	21.8	33.0	26.8-40.1
Colon excluding rectum	34.6	27.8	23.7-32.3	18.0	31.4	25.1-38.7	16.6	24.4	19.3-30.5
Rectum & rectosigmoid	11.8	9.8	7.4-12.8	6.6	11.4	7.8-16.1	5.2	8.5	5.4-12.7
Liver / intrahepatic bile duct	9.0	7.1	5.1-9.6	6.0	10.4	6.9-14.9	3.0	4.1	2.3-6.9
Pancreas	17.6	13.9	11.1-17.1	8.6	15.4	11.0-20.7	9.0	12.5	9.0-16.9
Larynx	3.4	2.8	1.6-4.6	2.8	5.1	2.7-8.7	0.6	0.7	0.1-2.4
Lung and bronchus	49.2	40.3	35.3-45.8	20.4	38.6	31.4-47.0	28.8	41.7	35.0-49.4
Melanoma of the skin	13.8	11.4	8.8-14.4	7.8	13.8	9.8-19.0	6.0	9.5	6.3-13.6
Female breast							82.8	133.2	120.3-147.1
Cervix uteri							4.0	6.2	3.8-9.7
Corpus uterus and NOS							19.8	29.5	23.8-36.0
Ovary							4.8	7.3	4.6-11.0
Prostate				73.2	125.3	112.5-139.1			
Testis				2.8	4.6	2.5-7.8			
Urinary bladder (incl. in situ)	24.4	19.4	16.1-23.3	18.4	33.7	27.1-41.5	6.0	8.4	5.6-12.2
Kidney and renal pelvis	21.4	17.4	14.1-21.1	12.8	21.9	16.8-28.1	8.6	13.7	9.7-18.6
Brain and other central nervous system	8.6	6.2	4.4-8.4	4.8	7.1	4.5-10.7	3.8	5.4	3.2-8.6
Thyroid	24.6	22.1	18.2-26.4	8.2	15.1	10.7-20.6	16.4	28.9	22.8-36.1
Hodgkin lymphoma	3.2	2.5	1.4-4.1	1.4	2.2	0.9-4.6	1.8	2.8	1.3-5.4
Non-Hodgkin lymphomas	27.8	22.9	19.2-27.1	16.4	30.4	24.1-37.9	11.4	16.6	12.5-21.7
Myeloma	8.6	6.5	4.7-8.8	5.0	8.2	5.3-12.2	3.6	5.0	2.9-8.1
Leukemias	20.8	16.1	13.1-19.7	13.8	23.7	18.3-30.2	7.0	9.3	6.4-13.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Rockland County  
Remainder of Rockland County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1243.0	495.8	483.2-508.6	628.0	549.9	530.5-569.9	615.0	462.0	445.2-479.4
Oral cavity and pharynx	30.6	12.0	10.1-14.2	21.0	18.1	14.7-22.1	9.6	7.0	5.1-9.5
Esophagus	12.4	4.6	3.5-6.0	9.2	8.0	5.8-10.7	3.2	2.1	1.2-3.6
Stomach	19.4	7.8	6.3-9.6	9.4	8.3	6.1-11.2	10.0	7.4	5.4-9.9
Colorectal	94.2	37.4	34.0-41.1	53.6	47.6	42.0-53.8	40.6	29.6	25.5-34.2
Colon excluding rectum	68.2	26.8	24.0-29.9	36.8	32.7	28.1-38.0	31.4	22.6	19.1-26.6
Rectum & rectosigmoid	26.0	10.6	8.8-12.6	16.8	14.8	11.8-18.5	9.2	7.0	5.0-9.5
Liver / intrahepatic bile duct	18.4	6.8	5.5-8.5	12.0	9.9	7.5-12.8	6.4	4.3	2.9-6.2
Pancreas	38.6	14.8	12.8-17.1	20.2	17.7	14.4-21.6	18.4	12.6	10.1-15.6
Larynx	6.4	2.5	1.7-3.6	5.4	4.6	3.0-6.8	1.0	0.8	0.2-1.9
Lung and bronchus	140.4	53.3	49.4-57.5	64.8	57.0	50.9-63.7	75.6	51.0	45.9-56.6
Melanoma of the skin	49.2	19.8	17.3-22.5	32.0	29.0	24.6-34.0	17.2	13.1	10.4-16.3
Female breast							184.0	144.8	135.2-155.0
Cervix uteri							7.4	6.9	4.7-9.7
Corpus uterus and NOS							42.4	30.6	26.5-35.2
Ovary							20.0	15.5	12.5-19.1
Prostate				163.8	133.9	124.8-143.6			
Testis				7.4	8.7	6.1-12.0			
Urinary bladder (incl. in situ)	65.6	25.3	22.6-28.2	48.8	43.4	38.1-49.4	16.8	11.4	9.1-14.3
Kidney and renal pelvis	44.6	17.9	15.6-20.5	30.6	27.0	22.8-31.8	14.0	10.3	8.0-13.2
Brain and other central nervous system	14.2	6.0	4.7-7.7	7.6	6.7	4.7-9.3	6.6	5.5	3.7-7.9
Thyroid	43.0	20.7	17.9-23.8	14.0	14.3	11.1-18.3	29.0	26.8	22.4-31.8
Hodgkin lymphoma	4.6	2.1	1.3-3.2	2.6	2.5	1.3-4.4	2.0	2.0	0.9-3.7
Non-Hodgkin lymphomas	59.2	24.4	21.6-27.5	30.4	27.6	23.3-32.5	28.8	22.0	18.4-26.1
Myeloma	21.8	8.3	6.8-10.0	12.2	10.5	8.0-13.6	9.6	6.7	4.9-9.0
Leukemias	43.6	17.6	15.3-20.2	24.4	21.8	18.0-26.2	19.2	14.4	11.5-17.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Suffolk County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	9853.4	530.5	525.7-535.3	4975.0	583.7	576.3-591.2	4878.4	496.0	489.6-502.5
Oral cavity and pharynx	227.2	11.8	11.1-12.6	157.4	17.6	16.4-18.9	69.8	6.8	6.1-7.6
Esophagus	92.2	4.7	4.3-5.2	72.6	8.2	7.4-9.1	19.6	1.9	1.5-2.3
Stomach	138.0	7.4	6.9-8.0	81.8	9.7	8.7-10.7	56.2	5.7	5.0-6.4
Colorectal	743.4	40.2	38.9-41.5	386.2	46.2	44.1-48.3	357.2	35.4	33.8-37.2
Colon excluding rectum	535.2	29.1	28.0-30.2	263.0	31.9	30.1-33.7	272.2	26.9	25.5-28.5
Rectum & rectosigmoid	208.2	11.1	10.4-11.8	123.2	14.3	13.2-15.5	85.0	8.5	7.7-9.4
Liver / intrahepatic bile duct	159.6	8.2	7.6-8.8	118.6	13.2	12.1-14.3	41.0	3.9	3.3-4.5
Pancreas	299.2	15.8	15.0-16.6	159.8	18.7	17.4-20.1	139.4	13.4	12.4-14.5
Larynx	59.0	3.0	2.7-3.4	47.2	5.4	4.7-6.1	11.8	1.1	0.8-1.4
Lung and bronchus	1260.2	66.3	64.6-68.0	571.0	68.5	65.9-71.1	689.2	65.4	63.2-67.6
Melanoma of the skin	475.4	25.8	24.7-26.9	288.4	34.2	32.4-36.1	187.0	19.6	18.4-21.0
Female breast							1319.2	136.1	132.7-139.6
Cervix uteri							55.4	6.8	6.0-7.7
Corpus uterus and NOS							331.2	32.0	30.5-33.7
Ovary							122.6	12.5	11.5-13.6
Prostate				1181.2	129.0	125.6-132.4			
Testis				49.6	7.1	6.3-8.1			
Urinary bladder (incl. in situ)	517.8	27.6	26.5-28.7	388.6	47.6	45.4-49.8	129.2	12.3	11.3-13.3
Kidney and renal pelvis	377.6	20.2	19.3-21.2	246.0	28.5	26.9-30.2	131.6	13.2	12.1-14.3
Brain and other central nervous system	128.6	7.6	7.0-8.3	69.6	8.7	7.8-9.7	59.0	6.7	5.9-7.6
Thyroid	361.8	22.8	21.7-23.9	99.0	12.3	11.2-13.4	262.8	33.2	31.3-35.1
Hodgkin lymphoma	52.4	3.4	3.0-3.9	28.4	3.7	3.1-4.3	24.0	3.2	2.6-3.8
Non-Hodgkin lymphomas	453.0	24.6	23.6-25.7	247.6	29.7	28.0-31.5	205.4	20.6	19.3-22.0
Myeloma	167.6	8.8	8.2-9.5	97.8	11.4	10.4-12.5	69.8	6.7	6.0-7.5
Leukemias	376.2	20.8	19.9-21.8	224.4	27.5	25.9-29.2	151.8	15.5	14.4-16.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Suffolk County  
Babylon**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1349.8	515.8	503.3-528.5	667.2	573.3	553.6-593.6	682.6	482.4	465.8-499.5
Oral cavity and pharynx	31.4	11.5	9.7-13.5	19.8	15.9	12.9-19.5	11.6	7.9	6.0-10.3
Esophagus	11.2	4.1	3.1-5.4	9.2	7.7	5.6-10.4	2.0	1.4	0.6-2.6
Stomach	23.6	9.0	7.4-10.9	14.8	13.0	10.2-16.5	8.8	6.2	4.5-8.4
Colorectal	106.8	40.8	37.3-44.5	55.0	47.8	42.2-53.9	51.8	35.9	31.5-40.7
Colon excluding rectum	77.4	29.6	26.6-32.7	37.4	32.6	28.0-37.8	40.0	27.9	24.0-32.2
Rectum & rectosigmoid	29.4	11.2	9.5-13.3	17.6	15.2	12.1-18.8	11.8	8.0	6.1-10.4
Liver / intrahepatic bile duct	25.2	9.3	7.7-11.1	18.6	15.3	12.3-18.9	6.6	4.5	3.1-6.4
Pancreas	37.8	13.9	12.0-16.1	20.2	17.4	14.1-21.2	17.6	11.4	9.1-14.1
Larynx	10.0	3.6	2.6-4.8	7.2	6.1	4.2-8.5	2.8	1.8	1.0-3.1
Lung and bronchus	181.2	67.5	63.2-72.2	81.8	72.0	65.0-79.4	99.4	65.1	59.5-71.2
Melanoma of the skin	48.8	18.7	16.4-21.3	29.6	24.9	21.0-29.4	19.2	14.4	11.6-17.8
Female breast							179.4	128.0	119.5-136.9
Cervix uteri							8.0	6.9	4.8-9.5
Corpus uterus and NOS							52.0	35.1	30.9-39.8
Ovary							17.2	13.0	10.3-16.3
Prostate				163.6	132.8	123.7-142.5			
Testis				6.2	6.2	4.2-8.8			
Urinary bladder (incl. in situ)	69.0	25.7	23.0-28.6	52.0	46.6	41.0-52.8	17.0	10.8	8.6-13.4
Kidney and renal pelvis	58.0	22.2	19.7-25.0	38.0	31.9	27.4-37.0	20.0	14.3	11.5-17.5
Brain and other central nervous system	16.2	7.0	5.5-8.8	8.2	7.7	5.5-10.5	8.0	6.6	4.6-9.1
Thyroid	55.0	24.7	21.8-27.9	14.0	12.9	9.9-16.4	41.0	35.8	30.9-41.2
Hodgkin lymphoma	7.4	3.2	2.2-4.4	4.0	3.5	2.1-5.4	3.4	3.0	1.7-4.8
Non-Hodgkin lymphomas	55.8	21.5	19.0-24.2	29.4	26.4	22.2-31.1	26.4	18.5	15.4-22.1
Myeloma	22.4	8.2	6.7-9.9	12.4	10.1	7.7-13.1	10.0	6.5	4.8-8.7
Leukemias	41.4	16.3	14.1-18.8	24.6	22.1	18.3-26.5	16.8	12.0	9.4-15.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Suffolk County  
Brookhaven**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3118.8	555.9	546.9-564.9	1547.2	602.0	588.2-616.1	1571.6	526.8	514.9-539.0
Oral cavity and pharynx	68.2	11.5	10.3-12.9	47.4	17.1	14.9-19.6	20.8	6.7	5.4-8.1
Esophagus	34.6	6.1	5.2-7.1	27.8	10.8	9.0-12.8	6.8	2.2	1.5-3.1
Stomach	42.0	7.4	6.4-8.6	24.0	9.2	7.6-11.1	18.0	6.0	4.8-7.5
Colorectal	247.2	44.9	42.3-47.5	125.2	49.6	45.7-53.8	122.0	41.1	37.9-44.6
Colon excluding rectum	178.4	32.7	30.5-35.0	84.6	34.2	30.9-37.7	93.8	31.7	28.8-34.8
Rectum & rectosigmoid	68.8	12.2	10.9-13.5	40.6	15.5	13.3-17.8	28.2	9.4	7.9-11.2
Liver / intrahepatic bile duct	47.4	7.9	6.9-9.0	35.4	12.8	10.9-15.0	12.0	3.8	2.9-4.9
Pancreas	89.4	16.1	14.6-17.7	48.4	19.0	16.6-21.7	41.0	13.8	11.9-15.9
Larynx	19.8	3.4	2.7-4.1	15.8	6.0	4.7-7.5	4.0	1.2	0.7-1.9
Lung and bronchus	435.8	78.0	74.6-81.4	193.0	78.3	73.3-83.6	242.8	78.4	74.0-83.1
Melanoma of the skin	133.6	23.6	21.8-25.5	82.0	31.8	28.7-35.1	51.6	17.4	15.3-19.7
Female breast							406.6	136.9	130.8-143.1
Cervix uteri							18.0	6.8	5.4-8.4
Corpus uterus and NOS							109.6	34.3	31.4-37.4
Ovary							37.6	12.5	10.7-14.5
Prostate				330.2	119.6	113.6-125.7			
Testis				16.0	7.0	5.5-8.8			
Urinary bladder (incl. in situ)	164.0	29.7	27.7-31.9	121.8	50.5	46.4-54.8	42.2	13.8	11.9-15.8
Kidney and renal pelvis	117.8	20.5	18.8-22.3	73.2	27.3	24.4-30.3	44.6	14.5	12.6-16.6
Brain and other central nervous system	43.6	8.2	7.1-9.4	24.2	9.2	7.6-11.1	19.4	7.4	6.0-9.1
Thyroid	125.4	24.2	22.3-26.3	36.8	14.2	12.2-16.5	88.6	34.1	30.9-37.6
Hodgkin lymphoma	17.2	3.4	2.7-4.3	9.2	3.6	2.6-4.9	8.0	3.2	2.3-4.4
Non-Hodgkin lymphomas	155.2	28.0	26.0-30.1	78.2	30.8	27.7-34.1	77.0	25.8	23.2-28.6
Myeloma	50.0	8.9	7.8-10.1	28.8	11.4	9.6-13.5	21.2	6.8	5.6-8.3
Leukemias	124.6	22.7	20.9-24.6	76.2	30.9	27.7-34.2	48.4	16.2	14.1-18.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Suffolk County  
Huntington**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1411.6	507.6	495.4-520.1	736.4	563.0	544.5-582.1	675.2	467.5	451.0-484.5
Oral cavity and pharynx	32.4	11.6	9.8-13.6	22.6	17.1	14.0-20.8	9.8	6.5	4.7-8.7
Esophagus	13.2	4.4	3.4-5.7	11.0	7.9	5.9-10.4	2.2	1.4	0.7-2.7
Stomach	18.4	6.8	5.4-8.4	10.4	8.3	6.1-11.0	8.0	5.5	3.9-7.7
Colorectal	100.2	35.6	32.4-39.0	53.2	41.4	36.5-46.9	47.0	31.0	27.0-35.5
Colon excluding rectum	69.8	24.8	22.2-27.7	34.8	27.4	23.3-31.9	35.0	22.9	19.5-26.8
Rectum & rectosigmoid	30.4	10.7	9.1-12.7	18.4	14.1	11.3-17.4	12.0	8.1	6.1-10.6
Liver / intrahepatic bile duct	19.8	6.7	5.4-8.2	14.0	10.3	8.0-13.2	5.8	3.5	2.4-5.2
Pancreas	50.0	17.6	15.4-20.0	32.0	24.4	20.7-28.7	18.0	11.6	9.2-14.5
Larynx	8.6	3.0	2.1-4.1	7.4	5.7	4.0-8.0	1.2	0.7	0.3-1.8
Lung and bronchus	151.6	52.6	48.9-56.6	70.0	54.4	48.8-60.6	81.6	52.0	47.0-57.5
Melanoma of the skin	82.2	31.2	28.1-34.5	48.6	38.2	33.4-43.6	33.6	26.0	21.9-30.7
Female breast							192.6	134.9	126.1-144.2
Cervix uteri							6.4	6.0	4.0-8.7
Corpus uterus and NOS							52.0	33.9	29.8-38.5
Ovary							19.2	13.0	10.4-16.1
Prostate				192.8	136.6	128.0-145.8			
Testis				8.2	10.2	7.3-13.9			
Urinary bladder (incl. in situ)	77.8	26.7	24.1-29.6	59.6	45.8	40.6-51.4	18.2	11.5	9.2-14.2
Kidney and renal pelvis	50.6	17.8	15.6-20.2	34.6	26.2	22.3-30.6	16.0	10.3	8.1-13.1
Brain and other central nervous system	17.0	6.4	5.1-8.1	9.8	7.7	5.6-10.4	7.2	5.1	3.5-7.3
Thyroid	40.6	18.5	15.9-21.4	10.6	9.4	6.9-12.6	30.0	27.4	22.9-32.5
Hodgkin lymphoma	7.4	3.7	2.5-5.1	4.4	4.3	2.7-6.7	3.0	2.9	1.6-5.0
Non-Hodgkin lymphomas	65.6	23.9	21.3-26.7	38.8	30.4	26.1-35.2	26.8	18.4	15.3-22.1
Myeloma	26.8	9.2	7.7-11.0	15.0	11.2	8.8-14.1	11.8	7.7	5.8-10.1
Leukemias	53.8	19.8	17.4-22.5	32.4	25.6	21.7-30.0	21.4	15.5	12.6-19.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Suffolk County  
Islip**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1995.4	531.0	520.4-541.8	996.2	587.0	570.3-604.2	999.2	496.2	482.2-510.6
Oral cavity and pharynx	41.4	10.5	9.1-12.0	28.8	15.7	13.2-18.6	12.6	5.9	4.5-7.6
Esophagus	16.2	4.2	3.3-5.3	12.4	7.1	5.4-9.2	3.8	1.9	1.1-3.0
Stomach	31.2	8.3	7.0-9.7	16.6	9.9	7.8-12.4	14.6	7.2	5.6-9.1
Colorectal	149.8	40.2	37.3-43.3	76.6	46.1	41.4-51.1	73.2	35.4	31.8-39.3
Colon excluding rectum	110.8	30.1	27.6-32.7	53.6	32.9	28.9-37.3	57.2	27.7	24.5-31.2
Rectum & rectosigmoid	39.0	10.2	8.8-11.7	23.0	13.2	10.8-15.9	16.0	7.7	6.1-9.6
Liver / intrahepatic bile duct	37.6	9.4	8.1-10.9	28.8	15.6	13.1-18.5	8.8	4.0	2.9-5.5
Pancreas	55.6	14.6	12.9-16.5	26.8	16.2	13.5-19.3	28.8	13.5	11.4-16.0
Larynx	9.0	2.2	1.6-2.9	7.2	3.7	2.6-5.2	1.8	0.8	0.4-1.7
Lung and bronchus	252.6	67.2	63.5-71.1	117.8	73.3	67.3-79.7	134.8	63.5	58.7-68.6
Melanoma of the skin	85.2	22.9	20.7-25.2	52.4	31.8	28.0-36.1	32.8	16.5	14.0-19.3
Female breast							279.0	140.3	132.9-148.1
Cervix uteri							15.8	9.0	7.1-11.3
Corpus uterus and NOS							61.8	29.4	26.1-33.0
Ovary							24.6	12.1	10.0-14.5
Prostate				253.2	138.1	130.4-146.2			
Testis				10.4	6.2	4.6-8.1			
Urinary bladder (incl. in situ)	95.2	25.9	23.6-28.4	73.6	46.9	42.0-52.1	21.6	10.6	8.7-12.9
Kidney and renal pelvis	83.2	21.8	19.7-24.1	54.8	31.3	27.6-35.4	28.4	13.9	11.7-16.5
Brain and other central nervous system	29.4	8.8	7.4-10.3	15.8	10.2	8.0-12.7	13.6	7.4	5.7-9.5
Thyroid	80.4	23.1	20.9-25.6	19.0	11.1	8.9-13.6	61.4	35.2	31.3-39.5
Hodgkin lymphoma	12.0	3.6	2.7-4.6	6.0	3.5	2.3-5.0	6.0	3.6	2.4-5.2
Non-Hodgkin lymphomas	86.0	22.9	20.8-25.3	46.6	27.3	23.8-31.1	39.4	19.3	16.6-22.2
Myeloma	34.6	9.1	7.8-10.6	21.4	12.7	10.4-15.5	13.2	6.2	4.7-7.9
Leukemias	71.0	19.6	17.5-21.7	41.4	25.4	22.0-29.3	29.6	15.0	12.6-17.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Suffolk County  
Smithtown**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	857.4	525.3	509.1-541.9	434.6	583.0	558.1-608.7	422.8	488.4	466.6-511.0
Oral cavity and pharynx	21.4	12.7	10.4-15.4	15.6	20.1	15.8-25.3	5.8	6.0	4.0-8.9
Esophagus	7.4	4.3	3.0-6.0	5.4	6.8	4.5-10.2	2.0	2.1	1.0-4.1
Stomach	10.2	5.8	4.3-7.8	7.6	9.9	6.9-13.8	2.6	2.8	1.5-5.1
Colorectal	60.8	37.6	33.3-42.2	33.8	47.6	40.5-55.6	27.0	29.3	24.3-35.0
Colon excluding rectum	43.2	27.0	23.4-31.1	22.8	32.7	26.8-39.6	20.4	22.1	17.8-27.3
Rectum & rectosigmoid	17.6	10.5	8.4-13.1	11.0	14.9	11.2-19.6	6.6	7.1	4.9-10.3
Liver / intrahepatic bile duct	11.0	6.7	5.0-8.9	8.4	11.4	8.1-15.8	2.6	2.5	1.3-4.6
Pancreas	29.4	17.4	14.6-20.5	13.6	17.8	13.7-22.9	15.8	16.9	13.3-21.3
Larynx	4.4	2.5	1.5-3.9	3.6	4.7	2.7-7.6	0.8	0.8	0.2-2.5
Lung and bronchus	99.4	56.6	51.7-61.9	43.2	57.5	50.0-65.9	56.2	57.3	50.8-64.7
Melanoma of the skin	46.0	28.6	24.8-32.8	27.0	36.5	30.4-43.5	19.0	23.4	18.6-29.2
Female breast							118.2	142.5	130.7-155.2
Cervix uteri							2.4	3.6	1.7-6.7
Corpus uterus and NOS							22.2	24.2	19.8-29.4
Ovary							9.8	10.9	8.0-14.7
Prostate				101.6	125.4	114.6-137.0			
Testis				4.0	8.3	5.0-13.0			
Urinary bladder (incl. in situ)	46.6	27.7	24.2-31.6	34.8	48.1	41.1-56.0	11.8	12.5	9.5-16.4
Kidney and renal pelvis	35.0	21.5	18.3-25.1	22.2	29.4	24.0-35.6	12.8	15.2	11.5-19.9
Brain and other central nervous system	11.4	7.7	5.8-10.2	5.0	7.8	4.9-11.8	6.4	7.6	5.1-11.0
Thyroid	28.8	22.1	18.4-26.3	8.0	11.6	8.1-16.0	20.8	32.0	25.7-39.4
Hodgkin lymphoma	5.6	5.3	3.4-7.8	3.0	5.8	3.1-9.8	2.6	4.8	2.4-8.4
Non-Hodgkin lymphomas	43.2	27.1	23.5-31.1	24.0	32.7	27.0-39.4	19.2	22.6	18.0-28.1
Myeloma	14.6	8.7	6.8-11.1	8.2	10.5	7.5-14.5	6.4	7.4	4.9-10.7
Leukemias	36.8	22.5	19.3-26.2	21.4	29.5	24.0-35.9	15.4	16.5	12.9-21.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Suffolk County  
East End towns**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1120.2	520.6	506.3-535.3	593.4	576.8	555.5-598.8	526.8	480.2	460.4-500.7
Oral cavity and pharynx	32.4	15.7	13.2-18.6	23.2	23.2	19.0-28.2	9.2	8.9	6.3-12.4
Esophagus	9.6	3.9	2.9-5.3	6.8	5.9	4.1-8.5	2.8	2.2	1.2-4.0
Stomach	12.6	6.2	4.7-8.2	8.4	8.7	6.2-12.0	4.2	4.2	2.5-6.7
Colorectal	78.4	37.1	33.3-41.3	42.4	42.9	37.1-49.5	36.0	31.9	27.1-37.5
Colon excluding rectum	55.4	25.2	22.1-28.5	29.8	29.5	24.8-35.0	25.6	21.2	17.5-25.7
Rectum & rectosigmoid	23.0	11.9	9.7-14.6	12.6	13.4	10.1-17.5	10.4	10.8	7.8-14.5
Liver / intrahepatic bile duct	18.6	8.6	6.8-10.7	13.4	13.0	9.9-16.8	5.2	4.6	2.9-7.2
Pancreas	37.0	16.3	14.0-19.0	18.8	18.3	14.7-22.6	18.2	14.4	11.5-18.0
Larynx	7.2	3.1	2.1-4.5	6.0	5.5	3.7-8.2	1.2	1.0	0.4-2.5
Lung and bronchus	139.6	59.9	55.4-64.6	65.2	60.8	54.3-68.0	74.4	59.5	53.5-66.2
Melanoma of the skin	79.6	37.4	33.6-41.5	48.8	48.2	42.2-55.0	30.8	29.1	24.3-34.7
Female breast							143.4	135.5	124.8-146.9
Cervix uteri							4.8	6.2	3.8-9.7
Corpus uterus and NOS							33.6	29.7	25.1-35.2
Ovary							14.2	13.4	10.2-17.4
Prostate				139.8	126.1	116.8-136.1			
Testis				4.8	7.4	4.7-11.1			
Urinary bladder (incl. in situ)	65.2	28.1	25.1-31.6	46.8	44.6	39.0-51.0	18.4	14.5	11.6-18.1
Kidney and renal pelvis	33.0	16.4	13.9-19.4	23.2	23.8	19.4-28.9	9.8	10.2	7.2-13.9
Brain and other central nervous system	11.0	6.2	4.5-8.2	6.6	7.9	5.3-11.4	4.4	4.5	2.6-7.2
Thyroid	31.6	20.4	17.1-24.2	10.6	11.9	8.7-16.0	21.0	29.9	23.9-36.8
Hodgkin lymphoma	2.8	2.1	1.1-3.6	1.8	2.5	1.1-4.9	1.0	1.8	0.6-4.2
Non-Hodgkin lymphomas	47.2	21.1	18.4-24.1	30.6	30.0	25.3-35.4	16.6	13.4	10.6-16.9
Myeloma	19.2	8.3	6.7-10.2	12.0	11.1	8.5-14.5	7.2	5.9	4.1-8.5
Leukemias	48.6	23.4	20.4-26.9	28.4	29.5	24.6-35.2	20.2	18.0	14.4-22.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Westchester County**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	5780.6	475.7	470.1-481.3	2830.6	519.7	511.0-528.5	2950.0	449.1	441.6-456.7
Oral cavity and pharynx	113.2	9.2	8.4-10.0	78.0	13.9	12.6-15.4	35.2	5.3	4.5-6.2
Esophagus	45.2	3.6	3.1-4.1	31.2	5.7	4.8-6.7	14.0	1.9	1.5-2.5
Stomach	104.4	8.6	7.8-9.3	60.2	11.4	10.1-12.8	44.2	6.5	5.6-7.4
Colorectal	431.0	35.1	33.6-36.7	217.6	40.6	38.2-43.2	213.4	30.9	29.0-32.9
Colon excluding rectum	302.8	24.6	23.4-25.9	147.6	27.8	25.8-30.0	155.2	22.2	20.6-23.9
Rectum & rectosigmoid	128.2	10.5	9.7-11.4	70.0	12.8	11.5-14.2	58.2	8.8	7.8-9.9
Liver / intrahepatic bile duct	95.6	7.5	6.9-8.3	66.8	11.6	10.4-13.0	28.8	4.2	3.5-5.0
Pancreas	183.4	14.5	13.6-15.5	91.2	16.9	15.3-18.5	92.2	12.7	11.5-13.9
Larynx	31.2	2.5	2.1-2.9	25.4	4.6	3.8-5.5	5.8	0.9	0.6-1.3
Lung and bronchus	594.6	47.1	45.4-48.9	266.2	49.3	46.7-52.1	328.4	46.0	43.7-48.3
Melanoma of the skin	227.4	18.6	17.5-19.7	132.6	24.7	22.9-26.7	94.8	14.1	12.8-15.5
Female breast							912.2	144.5	140.2-148.9
Cervix uteri							35.2	6.3	5.4-7.3
Corpus uterus and NOS							191.8	28.4	26.6-30.3
Ovary							79.4	12.4	11.2-13.8
Prostate				776.2	135.3	131.0-139.8			
Testis				26.0	5.9	5.0-7.1			
Urinary bladder (incl. in situ)	276.4	21.9	20.7-23.1	201.6	37.5	35.2-39.9	74.8	10.5	9.4-11.6
Kidney and renal pelvis	188.2	15.6	14.6-16.6	124.2	22.6	20.8-24.5	64.0	9.8	8.7-11.0
Brain and other central nervous system	72.2	6.5	5.8-7.2	37.4	7.4	6.3-8.5	34.8	5.7	4.9-6.7
Thyroid	212.6	20.3	19.1-21.7	60.8	11.9	10.6-13.4	151.8	28.4	26.3-30.5
Hodgkin lymphoma	31.8	3.2	2.7-3.7	17.0	3.5	2.8-4.3	14.8	2.9	2.2-3.6
Non-Hodgkin lymphomas	289.4	23.9	22.7-25.2	155.8	29.4	27.3-31.6	133.6	19.7	18.2-21.3
Myeloma	112.0	9.1	8.4-9.9	63.0	11.7	10.4-13.1	49.0	7.1	6.2-8.0
Leukemias	223.4	18.7	17.6-19.9	132.4	25.1	23.2-27.2	91.0	13.7	12.4-15.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Westchester County  
Northwest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	883.8	484.7	470.2-499.6	435.8	525.2	502.7-548.4	448.0	462.6	442.9-482.9
Oral cavity and pharynx	18.6	9.8	7.9-12.1	13.4	14.7	11.3-18.9	5.2	5.3	3.4-7.9
Esophagus	8.6	4.7	3.4-6.5	6.4	7.8	5.3-11.2	2.2	2.1	1.0-3.9
Stomach	17.0	9.6	7.6-12.0	10.0	12.6	9.3-16.7	7.0	7.5	5.2-10.7
Colorectal	62.8	34.2	30.4-38.3	30.4	36.7	30.9-43.2	32.4	32.3	27.3-37.9
Colon excluding rectum	45.2	24.8	21.6-28.4	20.2	25.3	20.5-30.9	25.0	24.7	20.4-29.7
Rectum & rectosigmoid	17.6	9.4	7.5-11.6	10.2	11.3	8.4-15.1	7.4	7.6	5.2-10.7
Liver / intrahepatic bile duct	14.6	7.8	6.1-9.9	11.6	13.2	9.9-17.2	3.0	3.0	1.6-5.2
Pancreas	26.8	14.4	12.0-17.2	13.2	16.3	12.6-20.9	13.6	13.1	10.1-16.8
Larynx	5.0	2.6	1.7-4.0	4.0	4.5	2.7-7.1	1.0	1.1	0.3-2.6
Lung and bronchus	94.4	51.7	47.0-56.7	43.6	55.4	48.1-63.5	50.8	49.9	43.8-56.7
Melanoma of the skin	38.4	20.1	17.3-23.2	24.0	29.0	23.9-34.9	14.4	13.1	10.1-16.7
Female breast							139.6	147.8	136.7-159.6
Cervix uteri							4.4	5.4	3.3-8.3
Corpus uterus and NOS							27.2	27.1	22.6-32.2
Ovary							12.4	13.5	10.3-17.6
Prostate				103.8	119.5	109.1-130.6			
Testis				5.2	7.5	4.9-11.0			
Urinary bladder (incl. in situ)	44.8	24.4	21.3-27.9	30.8	38.2	32.3-44.9	14.0	14.2	11.0-18.1
Kidney and renal pelvis	31.6	17.2	14.5-20.2	22.4	26.1	21.4-31.6	9.2	9.7	7.1-13.1
Brain and other central nervous system	12.4	7.3	5.5-9.4	7.2	9.0	6.2-12.6	5.2	5.2	3.3-7.8
Thyroid	36.6	22.1	18.9-25.6	9.0	11.1	8.0-15.0	27.6	33.3	27.8-39.7
Hodgkin lymphoma	3.8	2.4	1.4-3.8	2.0	2.9	1.4-5.3	1.8	2.1	0.9-4.1
Non-Hodgkin lymphomas	42.2	23.0	20.0-26.5	24.6	29.6	24.5-35.5	17.6	17.8	14.1-22.2
Myeloma	14.6	8.2	6.4-10.4	8.4	10.4	7.4-14.2	6.2	6.1	4.1-8.9
Leukemias	33.6	18.2	15.4-21.2	21.6	25.3	20.7-30.8	12.0	11.8	8.9-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Westchester County  
Northeast**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	923.8	506.8	491.6-522.4	456.6	537.2	514.5-560.7	467.2	487.8	467.1-509.2
Oral cavity and pharynx	17.4	9.2	7.3-11.4	11.4	12.9	9.7-17.0	6.0	5.9	4.0-8.7
Esophagus	8.0	4.0	2.8-5.5	5.4	5.7	3.7-8.5	2.6	2.4	1.3-4.4
Stomach	11.8	6.5	4.9-8.5	8.2	10.1	7.2-13.9	3.6	3.6	2.1-6.0
Colorectal	61.4	33.6	29.8-37.8	30.8	36.2	30.5-42.7	30.6	31.8	26.6-37.7
Colon excluding rectum	43.2	23.9	20.6-27.5	21.6	26.0	21.1-31.6	21.6	22.3	18.0-27.4
Rectum & rectosigmoid	18.2	9.7	7.7-12.1	9.2	10.2	7.4-13.9	9.0	9.5	6.8-13.0
Liver / intrahepatic bile duct	12.4	6.2	4.8-8.1	9.0	9.5	6.8-12.9	3.4	3.1	1.8-5.3
Pancreas	27.8	14.6	12.2-17.4	15.8	18.5	14.5-23.4	12.0	10.9	8.2-14.3
Larynx	5.0	2.7	1.7-4.1	4.2	4.9	3.0-7.7	0.8	0.9	0.2-2.6
Lung and bronchus	90.4	48.2	43.8-53.1	40.0	47.8	41.2-55.2	50.4	49.0	43.0-55.7
Melanoma of the skin	47.2	26.6	23.1-30.4	27.2	33.1	27.5-39.5	20.0	21.1	17.0-26.2
Female breast							149.0	153.4	142.1-165.4
Cervix uteri							4.6	6.4	3.9-10.0
Corpus uterus and NOS							28.8	28.7	24.1-34.1
Ovary							14.8	16.2	12.5-20.8
Prostate				107.0	113.6	103.9-124.0			
Testis				4.0	7.8	4.6-12.2			
Urinary bladder (incl. in situ)	58.0	30.7	27.2-34.6	44.6	53.4	46.4-61.2	13.4	12.4	9.6-16.0
Kidney and renal pelvis	30.2	16.9	14.2-19.9	19.8	24.0	19.3-29.5	10.4	10.8	8.0-14.5
Brain and other central nervous system	12.2	7.0	5.3-9.1	6.4	7.8	5.3-11.3	5.8	6.2	4.0-9.1
Thyroid	33.6	23.4	19.7-27.6	11.8	17.0	12.6-22.4	21.8	29.6	23.8-36.3
Hodgkin lymphoma	4.0	2.8	1.6-4.4	1.6	2.3	0.9-4.7	2.4	3.3	1.6-6.2
Non-Hodgkin lymphomas	52.6	29.6	25.9-33.7	28.8	34.8	29.1-41.4	23.8	25.8	21.0-31.4
Myeloma	18.4	9.8	7.9-12.2	11.2	12.6	9.5-16.6	7.2	7.6	5.2-10.8
Leukemias	39.8	22.5	19.3-26.0	23.0	28.0	22.9-34.0	16.8	18.4	14.4-23.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Westchester County  
West Central**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1071.2	488.0	474.6-501.7	511.8	527.0	506.3-548.5	559.4	466.1	448.2-484.6
Oral cavity and pharynx	18.8	8.6	6.9-10.6	13.0	13.5	10.4-17.4	5.8	4.6	3.0-6.8
Esophagus	7.4	3.2	2.2-4.4	4.8	4.7	2.9-7.1	2.6	2.0	1.1-3.7
Stomach	16.8	7.6	6.0-9.5	8.6	9.2	6.6-12.5	8.2	6.5	4.6-9.0
Colorectal	74.6	33.2	29.8-36.9	37.0	38.9	33.4-45.2	37.6	28.8	24.6-33.5
Colon excluding rectum	50.6	22.7	19.9-25.8	25.0	26.6	22.1-31.9	25.6	19.6	16.2-23.6
Rectum & rectosigmoid	24.0	10.5	8.6-12.6	12.0	12.3	9.3-16.0	12.0	9.2	6.9-12.0
Liver / intrahepatic bile duct	14.0	5.8	4.5-7.4	9.4	8.7	6.4-11.8	4.6	3.4	2.2-5.3
Pancreas	34.8	14.9	12.7-17.3	15.2	15.7	12.3-19.8	19.6	14.1	11.4-17.4
Larynx	3.4	1.5	0.8-2.4	2.6	2.7	1.4-4.8	0.8	0.6	0.1-1.7
Lung and bronchus	107.0	46.6	42.6-50.8	44.8	46.6	40.6-53.3	62.2	46.9	41.7-52.6
Melanoma of the skin	42.4	19.6	17.0-22.6	25.0	26.5	22.0-31.8	17.4	14.7	11.6-18.4
Female breast							173.2	151.1	140.8-162.0
Cervix uteri							5.6	5.9	3.8-8.8
Corpus uterus and NOS							35.6	28.6	24.5-33.4
Ovary							14.4	11.8	9.1-15.1
Prostate				155.2	149.3	138.7-160.5			
Testis				3.8	4.9	2.9-7.6			
Urinary bladder (incl. in situ)	48.2	20.9	18.3-23.9	35.2	35.6	30.4-41.4	13.0	10.3	7.9-13.4
Kidney and renal pelvis	32.0	14.9	12.6-17.5	19.6	20.6	16.6-25.3	12.4	10.3	7.8-13.4
Brain and other central nervous system	12.2	6.1	4.6-8.0	5.6	6.1	4.0-9.0	6.6	6.2	4.2-9.0
Thyroid	42.2	23.0	19.9-26.5	13.2	14.7	11.2-18.9	29.0	31.1	26.0-36.9
Hodgkin lymphoma	5.8	3.5	2.3-5.0	2.0	2.5	1.2-4.6	3.8	4.5	2.6-7.1
Non-Hodgkin lymphomas	52.2	24.8	21.8-28.2	27.4	30.0	25.1-35.7	24.8	20.8	17.1-25.0
Myeloma	23.2	10.3	8.5-12.4	13.0	13.3	10.2-17.1	10.2	8.2	6.0-11.0
Leukemias	42.4	19.9	17.2-22.9	26.6	29.8	24.8-35.5	15.8	12.1	9.5-15.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Westchester County  
East Central**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	629.6	443.1	427.5-459.3	308.8	480.4	456.4-505.4	320.8	423.7	402.5-445.8
Oral cavity and pharynx	12.6	8.6	6.6-11.1	8.0	12.2	8.7-16.7	4.6	5.5	3.4-8.4
Esophagus	2.8	1.9	1.0-3.3	2.6	4.3	2.3-7.5	0.2	0.1	0.0-1.4
Stomach	8.6	5.6	4.0-7.6	5.2	8.1	5.2-11.9	3.4	3.5	2.0-5.9
Colorectal	47.2	33.1	28.9-37.7	26.4	42.2	35.2-50.2	20.8	25.7	20.8-31.5
Colon excluding rectum	32.4	22.2	18.9-26.1	16.8	26.5	21.1-33.0	15.6	18.6	14.5-23.6
Rectum & rectosigmoid	14.8	10.8	8.5-13.7	9.6	15.6	11.5-20.8	5.2	7.1	4.6-10.6
Liver / intrahepatic bile duct	9.0	6.1	4.4-8.3	5.4	8.1	5.3-11.9	3.6	4.6	2.7-7.4
Pancreas	21.8	15.0	12.2-18.1	11.6	18.3	13.8-23.8	10.2	12.4	9.1-16.5
Larynx	2.6	1.8	1.0-3.2	1.8	3.1	1.4-5.9	0.8	0.8	0.2-2.5
Lung and bronchus	61.4	41.2	36.6-46.2	26.2	40.7	33.9-48.4	35.2	42.3	36.2-49.3
Melanoma of the skin	33.4	23.8	20.3-27.8	17.4	27.2	21.7-33.7	16.0	21.6	17.0-27.1
Female breast							103.0	144.7	132.2-158.2
Cervix uteri							4.2	6.3	3.8-9.8
Corpus uterus and NOS							18.6	24.2	19.4-29.8
Ovary							7.4	9.8	6.8-13.7
Prostate				86.6	131.6	119.3-144.8			
Testis				4.0	7.0	4.2-10.9			
Urinary bladder (incl. in situ)	31.2	21.4	18.1-25.1	23.2	36.7	30.2-44.1	8.0	9.6	6.7-13.3
Kidney and renal pelvis	18.2	13.0	10.4-16.1	12.0	18.6	14.1-24.0	6.2	8.5	5.7-12.2
Brain and other central nervous system	9.4	7.1	5.2-9.5	4.2	6.9	4.3-10.7	5.2	7.4	4.8-11.0
Thyroid	25.2	19.6	16.3-23.4	7.0	11.0	7.6-15.3	18.2	28.2	22.6-34.8
Hodgkin lymphoma	3.2	2.6	1.5-4.3	1.6	2.5	1.1-5.1	1.6	2.9	1.2-5.6
Non-Hodgkin lymphomas	33.8	23.4	19.9-27.3	18.8	29.9	24.1-36.7	15.0	18.2	14.1-23.1
Myeloma	9.8	6.4	4.7-8.6	6.2	9.4	6.3-13.4	3.6	4.0	2.3-6.6
Leukemias	23.8	16.3	13.4-19.6	13.0	20.5	15.8-26.3	10.8	13.1	9.7-17.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Westchester County  
Southwest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1144.8	467.7	455.4-480.3	565.6	525.0	505.5-545.1	579.2	432.9	416.7-449.7
Oral cavity and pharynx	22.0	8.8	7.2-10.7	16.0	14.4	11.4-18.0	6.0	4.4	2.9-6.3
Esophagus	9.0	3.6	2.6-4.9	6.8	6.2	4.3-8.7	2.2	1.5	0.7-2.9
Stomach	27.0	10.8	9.0-12.8	15.6	14.3	11.2-17.9	11.4	8.3	6.2-10.9
Colorectal	96.2	39.5	36.0-43.3	47.6	45.7	40.0-52.0	48.6	35.4	30.9-40.4
Colon excluding rectum	67.4	27.5	24.5-30.7	33.0	31.7	26.9-37.0	34.4	24.5	20.9-28.7
Rectum & rectosigmoid	28.8	12.1	10.1-14.3	14.6	14.0	10.9-17.7	14.2	10.8	8.3-13.8
Liver / intrahepatic bile duct	27.4	10.8	9.1-12.9	19.0	17.3	13.9-21.2	8.4	5.8	4.1-7.9
Pancreas	37.8	14.7	12.6-17.0	18.0	16.5	13.2-20.3	19.8	13.5	10.9-16.6
Larynx	10.0	3.9	2.9-5.2	8.0	7.0	5.0-9.6	2.0	1.5	0.7-2.9
Lung and bronchus	136.2	53.0	49.0-57.2	63.8	58.8	52.4-65.7	72.4	49.5	44.4-55.0
Melanoma of the skin	28.2	11.5	9.6-13.6	16.2	15.5	12.3-19.3	12.0	8.7	6.5-11.3
Female breast							166.2	130.9	121.8-140.5
Cervix uteri							8.6	7.2	5.2-9.8
Corpus uterus and NOS							41.6	30.6	26.5-35.2
Ovary							14.6	10.5	8.2-13.4
Prostate				148.8	131.9	122.5-141.9			
Testis				4.4	4.4	2.8-6.7			
Urinary bladder (incl. in situ)	49.0	18.7	16.4-21.3	35.8	33.5	28.7-38.8	13.2	8.8	6.8-11.3
Kidney and renal pelvis	39.2	16.1	13.9-18.6	25.4	23.6	19.6-28.2	13.8	10.3	7.9-13.2
Brain and other central nervous system	13.2	6.2	4.7-7.9	6.8	6.8	4.7-9.6	6.4	5.7	3.8-8.2
Thyroid	35.2	16.8	14.4-19.6	9.2	9.4	6.8-12.6	26.0	23.7	19.6-28.3
Hodgkin lymphoma	6.8	3.3	2.3-4.7	4.2	4.4	2.7-6.7	2.6	2.4	1.2-4.1
Non-Hodgkin lymphomas	56.0	22.9	20.2-25.8	29.8	28.5	24.1-33.6	26.2	18.6	15.5-22.3
Myeloma	20.6	8.6	7.0-10.5	11.2	11.0	8.2-14.4	9.4	6.7	4.9-9.0
Leukemias	45.8	19.3	16.8-22.1	26.8	25.7	21.5-30.5	19.0	14.6	11.7-18.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence for Selected Areas by Gender, 2014-2018**

**Westchester County  
Southeast**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1126.4	468.4	455.9-481.1	551.4	521.9	502.2-542.1	575.0	433.1	416.8-449.9
Oral cavity and pharynx	23.6	9.7	8.0-11.7	16.0	14.6	11.5-18.3	7.6	5.9	4.1-8.2
Esophagus	9.4	3.8	2.8-5.1	5.2	5.2	3.4-7.7	4.2	2.8	1.7-4.4
Stomach	23.2	9.8	8.1-11.9	12.6	12.8	9.8-16.5	10.6	7.7	5.7-10.2
Colorectal	88.8	36.5	33.1-40.2	45.4	43.5	37.9-49.6	43.4	30.9	26.7-35.5
Colon excluding rectum	64.0	26.1	23.2-29.2	31.0	30.0	25.4-35.3	33.0	23.0	19.5-27.0
Rectum & rectosigmoid	24.8	10.4	8.6-12.4	14.4	13.4	10.5-17.0	10.4	7.9	5.8-10.4
Liver / intrahepatic bile duct	18.2	7.4	5.9-9.1	12.4	11.0	8.4-14.2	5.8	4.7	3.1-6.8
Pancreas	34.4	13.9	11.9-16.2	17.4	16.7	13.3-20.7	17.0	11.8	9.3-14.7
Larynx	5.2	2.1	1.3-3.1	4.8	4.4	2.8-6.6	0.4	0.3	0.0-1.2
Lung and bronchus	105.0	41.7	38.1-45.5	47.8	45.0	39.4-51.3	57.2	39.1	34.6-44.1
Melanoma of the skin	37.8	15.2	13.1-17.7	22.8	21.5	17.7-26.0	15.0	10.8	8.4-13.7
Female breast							181.0	143.8	134.3-153.9
Cervix uteri							7.8	6.5	4.6-9.0
Corpus uterus and NOS							40.0	29.1	25.1-33.6
Ovary							15.8	12.9	10.1-16.2
Prostate				174.6	159.7	149.1-170.9			
Testis				4.6	5.4	3.4-8.1			
Urinary bladder (incl. in situ)	45.2	18.0	15.7-20.5	32.0	30.9	26.2-36.2	13.2	8.7	6.7-11.3
Kidney and renal pelvis	37.0	15.2	13.1-17.7	25.0	23.0	19.0-27.5	12.0	8.8	6.7-11.5
Brain and other central nervous system	12.8	5.6	4.3-7.2	7.2	7.3	5.1-10.1	5.6	4.3	2.8-6.3
Thyroid	39.8	19.5	16.8-22.5	10.6	10.8	8.0-14.3	29.2	27.1	22.8-32.1
Hodgkin lymphoma	8.2	4.2	3.0-5.7	5.6	5.9	3.9-8.5	2.6	2.6	1.3-4.4
Non-Hodgkin lymphomas	52.6	21.6	19.0-24.5	26.4	25.3	21.1-30.2	26.2	18.7	15.6-22.4
Myeloma	25.4	10.2	8.5-12.2	13.0	12.4	9.5-15.9	12.4	8.3	6.3-10.8
Leukemias	38.0	16.1	13.9-18.7	21.4	20.9	17.1-25.4	16.6	12.7	10.0-16.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.