

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence For Selected Cities by Gender, 2014-2018
City of Albany**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	510.8	527.1	506.1-548.7	253.0	586.0	552.8-620.6	257.8	493.2	465.2-522.4
Oral cavity and pharynx	14.4	14.6	11.3-18.6	9.8	20.7	15.2-27.8	4.6	9.0	5.5-13.8
Esophagus	4.4	4.5	2.8-7.0	2.6	6.1	3.1-10.7	1.8	3.6	1.6-7.0
Stomach	8.4	8.7	6.2-11.9	5.2	13.3	8.5-19.6	3.2	6.1	3.4-10.2
Colorectal	39.6	39.0	33.6-45.1	21.0	47.1	38.2-57.4	18.6	31.9	25.3-39.7
Colon excluding rectum	29.0	28.0	23.5-33.2	13.6	30.9	23.7-39.6	15.4	25.8	20.0-32.9
Rectum & rectosigmoid	10.6	11.0	8.1-14.5	7.4	16.2	11.2-22.6	3.2	6.0	3.3-10.1
Liver / intrahepatic bile duct	15.4	15.3	12.0-19.3	11.6	24.9	18.7-32.6	3.8	7.4	4.2-11.9
Pancreas	16.2	16.1	12.7-20.2	8.0	19.1	13.4-26.3	8.2	13.9	9.9-19.2
Larynx	5.2	5.1	3.3-7.5	3.6	8.0	4.7-13.0	1.6	2.9	1.2-5.9
Lung and bronchus	71.8	74.3	66.6-82.6	34.8	83.8	71.3-97.7	37.0	67.7	58.0-78.7
Melanoma of the skin	15.4	17.5	13.7-22.0	10.0	27.1	19.9-35.9	5.4	11.5	7.4-17.0
Female breast							72.2	143.3	128.2-159.7
Cervix uteri							2.6	5.9	3.1-10.3
Corpus uterus and NOS							16.4	31.4	24.7-39.4
Ovary							4.6	8.9	5.5-13.8
Prostate				61.8	132.3	117.5-148.5			
Testis				3.4	7.6	4.2-12.5			
Urinary bladder (incl. in situ)	23.0	22.8	18.7-27.6	16.0	38.5	30.2-48.2	7.0	12.0	8.2-17.1
Kidney and renal pelvis	21.2	23.6	19.1-28.7	12.2	29.3	22.1-38.0	9.0	18.4	13.1-25.1
Brain and other central nervous system	6.2	6.1	4.0-8.8	3.0	6.5	3.5-10.9	3.2	5.6	3.1-9.4
Thyroid	14.2	15.1	11.6-19.3	3.4	7.6	4.3-12.4	10.8	22.5	16.6-29.9
Hodgkin lymphoma	3.0	3.2	1.7-5.4	2.0	4.3	2.0-8.1	1.0	2.4	0.7-5.7
Non-Hodgkin lymphomas	21.8	22.8	18.6-27.7	10.0	24.4	17.9-32.6	11.8	22.1	16.7-28.7
Myeloma	11.2	11.3	8.5-14.9	6.0	15.6	10.3-22.5	5.2	8.8	5.7-13.2
Leukemias	12.0	12.8	9.7-16.7	6.0	14.5	9.5-21.0	6.0	11.9	7.8-17.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence For Selected Cities by Gender, 2014-2018
City of Buffalo

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1442.4	524.5	512.1-537.1	721.0	586.1	566.4-606.4	721.4	483.8	467.6-500.4
Oral cavity and pharynx	37.2	12.7	10.9-14.7	26.0	19.4	16.1-23.2	11.2	7.0	5.3-9.2
Esophagus	16.0	5.8	4.5-7.2	11.4	8.9	6.7-11.7	4.6	3.2	2.0-4.8
Stomach	29.4	11.4	9.5-13.4	17.4	15.0	11.9-18.7	12.0	8.4	6.4-10.9
Colorectal	111.6	41.8	38.3-45.5	55.4	46.7	41.1-52.8	56.2	37.7	33.3-42.5
Colon excluding rectum	81.6	30.7	27.7-33.9	39.8	33.8	29.1-39.0	41.8	28.0	24.3-32.2
Rectum & rectosigmoid	30.0	11.1	9.3-13.1	15.6	12.9	10.1-16.2	14.4	9.6	7.5-12.2
Liver / intrahepatic bile duct	37.8	12.7	10.9-14.7	28.6	21.2	17.7-25.1	9.2	5.8	4.2-7.9
Pancreas	44.0	15.9	13.8-18.2	20.2	16.2	13.1-19.9	23.8	15.4	12.7-18.5
Larynx	14.0	5.0	3.9-6.4	9.6	7.7	5.6-10.3	4.4	3.0	1.9-4.7
Lung and bronchus	234.4	84.0	79.1-89.0	113.4	95.9	87.8-104.5	121.0	76.8	70.7-83.3
Melanoma of the skin	39.8	14.2	12.2-16.4	22.4	17.4	14.2-21.1	17.4	12.0	9.5-14.9
Female breast							185.4	127.3	118.9-136.1
Cervix uteri							11.8	8.8	6.6-11.4
Corpus uterus and NOS							49.0	31.6	27.6-36.0
Ovary							19.4	12.9	10.4-15.8
Prostate				187.4	144.2	134.7-154.1			
Testis				8.0	6.1	4.3-8.5			
Urinary bladder (incl. in situ)	61.2	22.6	20.1-25.4	38.8	34.2	29.4-39.6	22.4	14.3	11.7-17.3
Kidney and renal pelvis	55.6	19.8	17.5-22.4	35.4	28.2	24.0-32.8	20.2	13.0	10.6-15.9
Brain and other central nervous system	15.6	6.0	4.7-7.5	8.0	6.1	4.3-8.4	7.6	5.8	4.1-8.0
Thyroid	34.8	13.6	11.6-15.9	8.0	6.7	4.7-9.2	26.8	20.4	16.9-24.3
Hodgkin lymphoma	7.4	2.9	2.0-4.1	3.8	3.2	1.9-5.1	3.6	2.6	1.5-4.2
Non-Hodgkin lymphomas	50.4	19.2	16.8-21.8	28.0	24.1	20.2-28.7	22.4	15.5	12.7-18.8
Myeloma	26.4	9.8	8.2-11.7	13.4	11.9	9.2-15.3	13.0	8.6	6.6-11.1
Leukemias	42.8	16.1	14.0-18.5	29.4	25.0	20.9-29.5	13.4	9.4	7.2-12.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence For Selected Cities by Gender, 2014-2018
City of Rochester**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1013.6	487.7	473.9-501.8	520.0	554.8	532.5-577.8	493.6	439.6	421.9-457.9
Oral cavity and pharynx	27.6	12.7	10.6-15.1	20.0	19.9	16.0-24.4	7.6	6.5	4.5-9.0
Esophagus	11.0	5.4	4.0-7.1	8.2	8.6	6.1-11.8	2.8	2.7	1.4-4.5
Stomach	17.4	8.7	6.9-10.8	9.6	10.1	7.3-13.6	7.8	7.3	5.1-10.0
Colorectal	87.2	42.4	38.4-46.7	45.8	49.5	43.0-56.8	41.4	36.6	31.6-42.1
Colon excluding rectum	61.4	29.7	26.4-33.3	31.2	33.3	28.0-39.3	30.2	26.6	22.5-31.4
Rectum & rectosigmoid	25.8	12.7	10.5-15.2	14.6	16.2	12.5-20.6	11.2	10.0	7.5-13.0
Liver / intrahepatic bile duct	24.8	11.0	9.1-13.2	17.0	16.2	12.8-20.2	7.8	6.6	4.7-9.2
Pancreas	30.0	14.9	12.5-17.6	14.0	15.6	12.0-20.0	16.0	14.3	11.2-17.9
Larynx	12.2	5.7	4.3-7.3	9.6	10.1	7.3-13.6	2.6	2.2	1.2-3.8
Lung and bronchus	150.8	72.9	67.6-78.5	83.0	91.3	82.2-101.0	67.8	59.7	53.4-66.7
Melanoma of the skin	19.8	9.7	7.8-11.9	12.2	14.3	10.8-18.5	7.6	6.3	4.4-8.8
Female breast							137.8	124.0	114.6-134.0
Cervix uteri							9.8	9.5	6.9-12.6
Corpus uterus and NOS							36.0	30.7	26.2-35.7
Ovary							12.4	10.9	8.3-14.1
Prostate				138.2	142.6	131.6-154.3			
Testis				5.4	4.7	3.0-7.1			
Urinary bladder (incl. in situ)	35.2	17.9	15.3-20.9	24.0	28.6	23.4-34.4	11.2	9.9	7.4-12.9
Kidney and renal pelvis	48.2	23.2	20.2-26.4	29.6	29.5	24.8-34.9	18.6	17.5	14.0-21.5
Brain and other central nervous system	10.4	4.7	3.5-6.2	5.6	5.7	3.7-8.4	4.8	4.0	2.5-6.1
Thyroid	24.0	11.2	9.2-13.5	7.2	7.8	5.4-11.0	16.8	14.6	11.5-18.3
Hodgkin lymphoma	6.4	2.7	1.8-3.9	4.0	3.4	2.0-5.4	2.4	2.1	1.0-3.8
Non-Hodgkin lymphomas	35.4	17.3	14.8-20.2	20.0	21.3	17.1-26.1	15.4	14.5	11.3-18.2
Myeloma	20.0	10.1	8.1-12.3	9.6	11.5	8.3-15.5	10.4	9.2	6.8-12.1
Leukemias	23.8	11.8	9.7-14.2	15.0	16.9	13.1-21.4	8.8	7.6	5.4-10.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence For Selected Cities by Gender, 2014-2018
City of Syracuse

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	688.0	472.3	456.0-489.0	353.2	543.5	517.5-570.6	334.8	422.8	401.8-444.7
Oral cavity and pharynx	20.0	13.4	10.8-16.4	12.6	17.9	13.6-23.1	7.4	9.4	6.4-13.2
Esophagus	7.6	5.1	3.5-7.0	6.4	9.6	6.4-13.8	1.2	1.5	0.6-3.4
Stomach	12.8	8.6	6.5-11.0	7.6	12.3	8.6-17.0	5.2	6.0	3.8-9.1
Colorectal	55.0	37.7	33.2-42.6	29.0	45.4	38.1-53.7	26.0	31.8	26.4-38.2
Colon excluding rectum	37.8	25.4	21.8-29.4	20.2	31.7	25.6-38.7	17.6	20.4	16.2-25.4
Rectum & rectosigmoid	17.2	12.3	9.8-15.3	8.8	13.7	9.8-18.5	8.4	11.5	8.1-15.7
Liver / intrahepatic bile duct	18.4	11.5	9.2-14.2	15.0	20.9	16.3-26.4	3.4	4.0	2.3-6.4
Pancreas	20.6	14.1	11.4-17.2	11.0	17.7	13.2-23.2	9.6	11.4	8.3-15.3
Larynx	10.0	7.0	5.1-9.3	8.4	12.9	9.2-17.7	1.6	2.0	0.9-4.1
Lung and bronchus	126.6	85.9	79.1-93.1	66.6	104.3	93.0-116.6	60.0	72.2	64.1-81.2
Melanoma of the skin	11.0	7.9	5.9-10.5	4.0	6.9	4.2-10.8	7.0	9.0	6.1-12.8
Female breast							81.8	106.1	95.6-117.5
Cervix uteri							5.0	7.1	4.4-10.8
Corpus uterus and NOS							24.2	31.7	26.0-38.2
Ovary							7.0	9.3	6.3-13.2
Prostate				91.0	132.5	120.2-145.8			
Testis				2.4	3.5	1.7-6.3			
Urinary bladder (incl. in situ)	27.8	18.9	15.8-22.5	21.4	35.5	28.9-43.2	6.4	7.3	4.9-10.6
Kidney and renal pelvis	26.2	18.8	15.6-22.5	15.6	24.3	19.0-30.6	10.6	14.5	10.7-19.1
Brain and other central nervous system	8.0	5.9	4.1-8.1	4.4	6.4	3.9-9.8	3.6	5.6	3.2-9.0
Thyroid	17.8	12.9	10.2-16.0	3.4	5.5	3.1-8.9	14.4	19.9	15.4-25.3
Hodgkin lymphoma	5.0	3.4	2.2-5.2	2.2	3.4	1.6-6.2	2.8	3.5	1.8-6.0
Non-Hodgkin lymphomas	24.0	17.0	14.0-20.5	12.6	19.8	15.0-25.5	11.4	14.7	10.9-19.3
Myeloma	11.8	8.8	6.7-11.5	6.4	10.8	7.2-15.4	5.4	7.4	4.8-10.8
Leukemias	20.8	14.3	11.5-17.5	10.0	16.6	12.1-22.0	10.8	13.0	9.6-17.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence For Selected Cities by Gender, 2014-2018
City of Yonkers

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1144.8	467.7	455.4-480.3	565.6	525.0	505.5-545.1	579.2	432.9	416.7-449.7
Oral cavity and pharynx	22.0	8.8	7.2-10.7	16.0	14.4	11.4-18.0	6.0	4.4	2.9-6.3
Esophagus	9.0	3.6	2.6-4.9	6.8	6.2	4.3-8.7	2.2	1.5	0.7-2.9
Stomach	27.0	10.8	9.0-12.8	15.6	14.3	11.2-17.9	11.4	8.3	6.2-10.9
Colorectal	96.2	39.5	36.0-43.3	47.6	45.7	40.0-52.0	48.6	35.4	30.9-40.4
Colon excluding rectum	67.4	27.5	24.5-30.7	33.0	31.7	26.9-37.0	34.4	24.5	20.9-28.7
Rectum & rectosigmoid	28.8	12.1	10.1-14.3	14.6	14.0	10.9-17.7	14.2	10.8	8.3-13.8
Liver / intrahepatic bile duct	27.4	10.8	9.1-12.9	19.0	17.3	13.9-21.2	8.4	5.8	4.1-7.9
Pancreas	37.8	14.7	12.6-17.0	18.0	16.5	13.2-20.3	19.8	13.5	10.9-16.6
Larynx	10.0	3.9	2.9-5.2	8.0	7.0	5.0-9.6	2.0	1.5	0.7-2.9
Lung and bronchus	136.2	53.0	49.0-57.2	63.8	58.8	52.4-65.7	72.4	49.5	44.4-55.0
Melanoma of the skin	28.2	11.5	9.6-13.6	16.2	15.5	12.3-19.3	12.0	8.7	6.5-11.3
Female breast							166.2	130.9	121.8-140.5
Cervix uteri							8.6	7.2	5.2-9.8
Corpus uterus and NOS							41.6	30.6	26.5-35.2
Ovary							14.6	10.5	8.2-13.4
Prostate				148.8	131.9	122.5-141.9			
Testis				4.4	4.4	2.8-6.7			
Urinary bladder (incl. in situ)	49.0	18.7	16.4-21.3	35.8	33.5	28.7-38.8	13.2	8.8	6.8-11.3
Kidney and renal pelvis	39.2	16.1	13.9-18.6	25.4	23.6	19.6-28.2	13.8	10.3	7.9-13.2
Brain and other central nervous system	13.2	6.2	4.7-7.9	6.8	6.8	4.7-9.6	6.4	5.7	3.8-8.2
Thyroid	35.2	16.8	14.4-19.6	9.2	9.4	6.8-12.6	26.0	23.7	19.6-28.3
Hodgkin lymphoma	6.8	3.3	2.3-4.7	4.2	4.4	2.7-6.7	2.6	2.4	1.2-4.1
Non-Hodgkin lymphomas	56.0	22.9	20.2-25.8	29.8	28.5	24.1-33.6	26.2	18.6	15.5-22.3
Myeloma	20.6	8.6	7.0-10.5	11.2	11.0	8.2-14.4	9.4	6.7	4.9-9.0
Leukemias	45.8	19.3	16.8-22.1	26.8	25.7	21.5-30.5	19.0	14.6	11.7-18.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.