

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

New York State

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	114167.4	483.1	481.8-484.3	56613.6	528.0	526.0-530.0	57553.8	454.8	453.1-456.5
Oral cavity and pharynx	2700.8	11.3	11.1-11.5	1842.2	16.8	16.4-17.1	858.6	6.7	6.5-6.9
Esophagus	1089.4	4.5	4.3-4.6	820.2	7.5	7.3-7.8	269.2	2.0	1.9-2.1
Stomach	2021.8	8.6	8.4-8.7	1206.0	11.5	11.2-11.8	815.8	6.3	6.1-6.5
Colorectal	8979.2	38.1	37.8-38.5	4603.8	43.9	43.3-44.4	4375.4	33.5	33.0-33.9
Colon excluding rectum	6345.8	26.9	26.6-27.2	3097.2	29.8	29.3-30.3	3248.6	24.6	24.2-25.0
Rectum & rectosigmoid	2633.4	11.2	11.0-11.4	1506.6	14.1	13.8-14.4	1126.8	8.9	8.7-9.1
Liver / intrahepatic bile duct	2234.8	9.0	8.8-9.2	1590.6	14.1	13.7-14.4	644.2	4.8	4.6-4.9
Pancreas	3471.6	14.3	14.1-14.5	1735.6	16.3	16.0-16.7	1736.0	12.7	12.4-13.0
Larynx	753.6	3.1	3.0-3.2	593.0	5.4	5.2-5.6	160.6	1.2	1.1-1.3
Lung and bronchus	14069.2	58.0	57.6-58.4	6875.0	64.8	64.1-65.5	7194.2	53.2	52.7-53.8
Melanoma of the skin	4186.8	18.1	17.8-18.3	2423.4	23.3	22.9-23.7	1763.4	14.4	14.1-14.7
Female breast							16482.8	133.9	132.9-134.8
Cervix uteri							843.4	7.7	7.4-7.9
Corpus uterus and NOS							4170.6	31.8	31.4-32.3
Ovary							1453.8	11.7	11.4-11.9
Prostate				14479.2	126.5	125.6-127.5			
Testis				577.6	6.1	5.9-6.3			
Urinary bladder (incl. in situ)	5405.0	22.4	22.1-22.6	4030.8	39.0	38.5-39.6	1374.2	10.0	9.8-10.3
Kidney and renal pelvis	3978.0	16.9	16.6-17.1	2560.4	23.8	23.3-24.2	1417.6	11.1	10.8-11.4
Brain and other central nervous system	1445.2	6.6	6.5-6.8	802.2	7.9	7.6-8.1	643.0	5.6	5.4-5.8
Thyroid	4057.4	19.4	19.2-19.7	1044.0	10.2	9.9-10.5	3013.4	28.2	27.7-28.7
Hodgkin lymphoma	640.4	3.1	3.0-3.3	344.8	3.5	3.3-3.7	295.6	2.8	2.7-3.0
Non-Hodgkin lymphomas	5021.6	21.6	21.3-21.8	2697.8	26.0	25.5-26.4	2323.8	18.1	17.7-18.4
Myeloma	1981.8	8.3	8.1-8.4	1075.6	10.1	9.9-10.4	906.2	6.8	6.6-7.0
Leukemias	3761.0	16.3	16.0-16.5	2173.6	21.2	20.8-21.6	1587.4	12.5	12.2-12.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

New York City

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	41482.4	442.5	440.6-444.5	19903.6	484.9	481.9-488.0	21578.8	417.9	415.4-420.5
Oral cavity and pharynx	934.6	9.9	9.6-10.2	610.4	14.6	14.1-15.2	324.2	6.2	5.9-6.5
Esophagus	324.8	3.4	3.2-3.6	232.4	5.7	5.3-6.0	92.4	1.7	1.5-1.8
Stomach	982.0	10.5	10.2-10.8	563.2	14.0	13.5-14.6	418.8	7.9	7.5-8.2
Colorectal	3522.4	37.7	37.1-38.2	1807.0	44.7	43.8-45.6	1715.4	32.4	31.7-33.1
Colon excluding rectum	2471.0	26.4	25.9-26.9	1221.4	30.5	29.7-31.3	1249.6	23.4	22.8-24.0
Rectum & rectosigmoid	1051.4	11.3	11.0-11.6	585.6	14.2	13.7-14.7	465.8	9.0	8.6-9.4
Liver / intrahepatic bile duct	1085.0	11.1	10.8-11.4	760.0	17.7	17.1-18.2	325.0	5.9	5.6-6.2
Pancreas	1278.8	13.5	13.2-13.8	616.6	15.3	14.8-15.9	662.2	12.0	11.6-12.5
Larynx	269.2	2.8	2.6-3.0	212.0	5.1	4.8-5.4	57.2	1.1	1.0-1.2
Lung and bronchus	4389.4	46.4	45.7-47.0	2215.0	55.4	54.4-56.5	2174.4	40.1	39.3-40.8
Melanoma of the skin	918.6	9.9	9.6-10.2	506.6	12.8	12.3-13.4	412.0	7.9	7.6-8.3
Female breast							6278.2	124.7	123.3-126.1
Cervix uteri							430.0	9.0	8.6-9.4
Corpus uterus and NOS							1665.8	31.3	30.7-32.0
Ovary							584.2	11.5	11.1-11.9
Prostate				5330.6	124.0	122.5-125.6			
Testis				212.6	4.9	4.6-5.2			
Urinary bladder (incl. in situ)	1563.0	16.6	16.2-17.0	1156.2	29.8	29.1-30.6	406.8	7.4	7.1-7.7
Kidney and renal pelvis	1359.2	14.5	14.1-14.8	868.8	20.9	20.2-21.5	490.4	9.4	9.0-9.8
Brain and other central nervous system	524.6	5.9	5.7-6.1	290.0	7.1	6.8-7.5	234.6	4.9	4.6-5.1
Thyroid	1831.6	20.6	20.1-21.0	434.0	10.4	10.0-10.9	1397.6	29.7	29.0-30.5
Hodgkin lymphoma	265.8	3.0	2.9-3.2	143.8	3.5	3.2-3.8	122.0	2.6	2.4-2.8
Non-Hodgkin lymphomas	1841.4	19.9	19.5-20.3	973.2	24.2	23.5-24.9	868.2	16.7	16.1-17.2
Myeloma	848.4	9.0	8.7-9.2	436.8	10.8	10.3-11.2	411.6	7.7	7.3-8.0
Leukemias	1282.8	14.0	13.7-14.4	705.0	17.8	17.2-18.4	577.8	11.3	10.8-11.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

Bronx County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6416.2	441.2	436.3-446.1	3099.6	505.2	497.0-513.4	3316.6	401.1	394.9-407.3
Oral cavity and pharynx	145.6	9.9	9.2-10.6	97.6	15.5	14.1-17.0	48.0	5.7	5.0-6.5
Esophagus	50.6	3.5	3.0-3.9	35.8	6.0	5.1-6.9	14.8	1.7	1.4-2.2
Stomach	141.8	10.0	9.2-10.8	75.0	12.9	11.6-14.3	66.8	8.1	7.2-9.0
Colorectal	536.0	37.3	35.9-38.7	270.8	45.0	42.6-47.5	265.2	31.8	30.1-33.6
Colon excluding rectum	377.8	26.4	25.2-27.6	185.0	31.2	29.2-33.3	192.8	23.0	21.6-24.5
Rectum & rectosigmoid	158.2	10.9	10.1-11.7	85.8	13.8	12.5-15.2	72.4	8.8	7.9-9.7
Liver / intrahepatic bile duct	237.4	15.7	14.8-16.6	166.8	25.7	24.0-27.6	70.6	8.1	7.3-9.0
Pancreas	192.0	13.4	12.5-14.2	94.8	16.0	14.6-17.6	97.2	11.4	10.4-12.5
Larynx	58.6	4.0	3.5-4.5	43.0	7.0	6.1-8.0	15.6	1.9	1.5-2.3
Lung and bronchus	674.0	46.6	45.0-48.2	339.2	57.6	54.8-60.5	334.8	39.1	37.3-41.1
Melanoma of the skin	59.2	4.3	3.8-4.8	30.8	5.6	4.7-6.5	28.4	3.4	2.9-4.1
Female breast							931.8	114.2	110.9-117.5
Cervix uteri							75.8	9.8	8.8-10.8
Corpus uterus and NOS							262.4	31.0	29.3-32.7
Ovary							86.0	10.5	9.5-11.5
Prostate				925.0	144.8	140.5-149.1			
Testis				24.2	3.6	2.9-4.3			
Urinary bladder (incl. in situ)	192.4	13.5	12.7-14.4	131.6	23.4	21.6-25.3	60.8	7.1	6.4-8.0
Kidney and renal pelvis	235.2	16.1	15.2-17.0	144.8	23.5	21.7-25.3	90.4	10.7	9.7-11.7
Brain and other central nervous system	75.0	5.3	4.8-5.9	38.2	6.1	5.2-7.0	36.8	4.6	4.0-5.4
Thyroid	227.4	16.1	15.1-17.0	40.4	6.4	5.6-7.4	187.0	24.1	22.6-25.7
Hodgkin lymphoma	44.4	3.1	2.7-3.5	23.8	3.7	3.1-4.5	20.6	2.6	2.1-3.2
Non-Hodgkin lymphomas	278.6	19.4	18.4-20.4	142.8	23.6	21.8-25.4	135.8	16.4	15.2-17.7
Myeloma	167.4	11.5	10.7-12.3	86.8	14.3	12.9-15.7	80.6	9.6	8.7-10.6
Leukemias	182.8	12.7	11.9-13.5	95.4	15.8	14.4-17.3	87.4	10.6	9.7-11.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Riverdale, Fieldston & Kingsbridge**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	614.4	413.2	398.0-428.8	287.4	454.7	430.8-479.5	327.0	389.9	369.9-410.7
Oral cavity and pharynx	15.6	11.1	8.6-14.0	9.6	16.2	11.8-21.7	6.0	7.1	4.6-10.6
Esophagus	3.2	1.8	1.0-3.1	2.0	2.8	1.3-5.4	1.2	1.3	0.5-3.2
Stomach	9.8	6.7	4.8-9.0	5.8	9.4	6.2-13.8	4.0	5.0	2.9-8.1
Colorectal	51.8	34.1	29.9-38.8	23.8	38.8	31.9-46.7	28.0	30.4	25.2-36.5
Colon excluding rectum	35.8	23.3	19.9-27.3	16.4	26.9	21.2-33.6	19.4	20.4	16.2-25.4
Rectum & rectosigmoid	16.0	10.8	8.5-13.6	7.4	11.9	8.3-16.6	8.6	10.0	7.1-13.9
Liver / intrahepatic bile duct	17.6	11.5	9.2-14.3	12.4	19.3	14.7-24.9	5.2	5.9	3.8-8.9
Pancreas	18.6	11.2	8.9-13.9	10.8	16.7	12.4-21.9	7.8	7.3	5.1-10.5
Larynx	3.6	2.4	1.4-3.9	3.0	4.7	2.6-7.9	0.6	0.8	0.2-2.5
Lung and bronchus	62.6	38.7	34.4-43.4	29.4	44.3	37.3-52.3	33.2	34.7	29.4-40.8
Melanoma of the skin	16.6	11.7	9.2-14.7	8.8	15.4	11.1-20.9	7.8	9.1	6.3-12.9
Female breast							96.8	122.1	110.8-134.3
Cervix uteri							3.0	4.3	2.3-7.3
Corpus uterus and NOS							24.0	29.7	24.4-35.8
Ovary							11.0	14.5	10.7-19.2
Prostate				75.2	114.4	102.9-126.9			
Testis				2.6	5.2	2.7-9.0			
Urinary bladder (incl. in situ)	23.6	14.2	11.6-17.2	16.8	25.7	20.4-32.1	6.8	6.6	4.4-9.5
Kidney and renal pelvis	21.2	14.1	11.5-17.3	14.4	23.5	18.3-29.9	6.8	7.2	4.9-10.4
Brain and other central nervous system	7.6	5.8	4.0-8.1	4.2	7.5	4.5-11.7	3.4	4.4	2.4-7.4
Thyroid	23.0	18.9	15.5-22.8	4.0	7.0	4.2-11.0	19.0	28.7	23.0-35.4
Hodgkin lymphoma	3.6	3.4	2.0-5.3	1.4	2.9	1.1-6.0	2.2	3.8	1.9-6.8
Non-Hodgkin lymphomas	27.0	17.7	14.7-21.2	12.8	19.8	15.1-25.5	14.2	16.7	12.8-21.5
Myeloma	17.0	11.2	8.9-14.0	9.8	15.3	11.2-20.4	7.2	8.3	5.7-11.8
Leukemias	20.6	13.0	10.4-16.0	11.2	17.9	13.4-23.6	9.4	9.4	6.6-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Wakefield, Williamsbridge & Woodlawn**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	696.4	446.4	431.4-461.8	341.4	520.9	495.6-547.0	355.0	397.0	378.4-416.2
Oral cavity and pharynx	12.6	8.4	6.4-10.8	8.0	12.9	9.1-17.7	4.6	5.5	3.4-8.3
Esophagus	3.4	2.3	1.3-3.7	2.0	3.4	1.6-6.3	1.4	1.6	0.6-3.3
Stomach	15.4	10.1	7.9-12.7	8.4	14.5	10.4-19.8	7.0	7.4	5.2-10.4
Colorectal	62.2	40.2	35.8-45.0	30.4	46.0	38.8-54.3	31.8	35.8	30.4-41.9
Colon excluding rectum	45.8	29.7	25.9-33.8	21.0	32.8	26.6-40.0	24.8	27.4	22.7-32.8
Rectum & rectosigmoid	16.4	10.5	8.3-13.1	9.4	13.2	9.6-17.7	7.0	8.4	5.8-11.7
Liver / intrahepatic bile duct	14.8	9.0	7.0-11.3	11.4	16.9	12.6-22.1	3.4	3.5	2.0-5.7
Pancreas	20.6	13.2	10.7-16.1	10.4	16.2	12.0-21.4	10.2	11.0	8.2-14.6
Larynx	5.0	3.5	2.3-5.3	4.4	7.8	4.8-11.8	0.6	0.7	0.1-2.1
Lung and bronchus	63.2	41.0	36.5-45.8	31.0	48.2	40.7-56.7	32.2	35.4	30.1-41.4
Melanoma of the skin	5.2	3.6	2.3-5.2	2.0	3.5	1.7-6.5	3.2	3.6	2.0-5.9
Female breast							98.0	110.6	100.8-121.0
Cervix uteri							11.0	12.6	9.4-16.5
Corpus uterus and NOS							33.2	35.2	30.0-41.1
Ovary							9.8	11.1	8.1-14.8
Prostate				127.8	181.5	167.3-196.6			
Testis				2.4	4.1	2.1-7.2			
Urinary bladder (incl. in situ)	16.2	11.0	8.7-13.7	10.8	19.4	14.5-25.4	5.4	5.9	3.9-8.7
Kidney and renal pelvis	27.2	17.5	14.7-20.8	17.0	26.5	21.0-33.0	10.2	11.3	8.4-15.0
Brain and other central nervous system	6.2	4.1	2.8-5.8	3.8	5.8	3.5-9.2	2.4	2.8	1.4-5.0
Thyroid	21.0	13.8	11.2-16.8	2.2	3.1	1.5-5.6	18.8	21.7	17.4-26.7
Hodgkin lymphoma	5.0	3.5	2.3-5.2	2.4	4.1	2.1-7.2	2.6	3.2	1.7-5.5
Non-Hodgkin lymphomas	29.4	19.5	16.4-23.0	15.0	24.5	19.1-30.9	14.4	16.2	12.6-20.5
Myeloma	24.2	15.5	12.8-18.6	14.0	22.2	17.1-28.2	10.2	11.3	8.4-14.9
Leukemias	19.2	12.5	10.1-15.3	8.8	14.0	10.0-18.9	10.4	12.1	8.9-15.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Co-op City, Pelham Bay & Schuylerville**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	759.8	434.5	420.3-449.2	352.6	484.6	461.8-508.2	407.2	405.1	386.5-424.4
Oral cavity and pharynx	17.2	9.9	7.9-12.4	10.8	14.9	11.1-19.7	6.4	6.5	4.4-9.5
Esophagus	5.0	2.7	1.7-4.1	3.8	5.0	3.0-7.9	1.2	1.0	0.3-2.5
Stomach	14.6	8.0	6.2-10.2	7.6	10.3	7.2-14.3	7.0	6.3	4.3-9.1
Colorectal	57.4	32.9	29.1-37.2	29.4	42.7	35.9-50.4	28.0	25.9	21.6-31.1
Colon excluding rectum	42.6	23.9	20.7-27.6	21.2	30.5	24.9-37.1	21.4	19.4	15.7-23.8
Rectum & rectosigmoid	14.8	9.0	7.0-11.5	8.2	12.2	8.7-16.7	6.6	6.6	4.4-9.6
Liver / intrahepatic bile duct	23.2	13.0	10.7-15.8	15.6	21.0	16.5-26.4	7.6	7.2	5.0-10.1
Pancreas	21.6	11.3	9.2-13.8	9.4	12.8	9.3-17.2	12.2	10.3	7.8-13.6
Larynx	6.8	3.7	2.6-5.3	4.6	6.1	3.8-9.2	2.2	2.1	1.0-4.1
Lung and bronchus	91.6	48.0	43.7-52.8	42.6	56.6	49.2-64.9	49.0	42.8	37.4-48.8
Melanoma of the skin	15.2	9.0	7.0-11.4	9.4	13.7	10.0-18.5	5.8	5.8	3.7-8.7
Female breast							115.0	121.1	110.8-132.2
Cervix uteri							6.0	7.4	4.8-10.9
Corpus uterus and NOS							32.0	31.0	26.2-36.6
Ovary							8.8	8.5	6.0-11.8
Prostate				95.8	125.0	114.0-137.0			
Testis				1.8	3.3	1.5-6.3			
Urinary bladder (incl. in situ)	31.4	16.5	13.9-19.4	21.4	29.1	23.8-35.4	10.0	8.4	6.2-11.3
Kidney and renal pelvis	27.6	15.6	13.0-18.6	16.4	23.0	18.2-28.7	11.2	10.2	7.6-13.6
Brain and other central nervous system	7.0	4.5	3.0-6.4	2.6	4.0	2.1-7.0	4.4	4.7	2.8-7.5
Thyroid	28.0	21.7	18.1-25.7	7.8	13.4	9.4-18.5	20.2	28.8	23.2-35.4
Hodgkin lymphoma	4.2	2.9	1.7-4.5	2.4	3.7	1.9-6.5	1.8	2.1	0.9-4.2
Non-Hodgkin lymphomas	32.2	18.6	15.8-22.0	16.2	22.8	18.0-28.5	16.0	15.7	12.2-20.0
Myeloma	21.0	11.7	9.5-14.3	9.2	12.3	9.0-16.6	11.8	11.2	8.4-14.8
Leukemias	22.2	13.4	10.9-16.4	12.0	18.0	13.6-23.5	10.2	10.2	7.4-13.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Pelham Parkway, Morris Park & Laconia**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	631.4	420.8	406.0-436.1	307.2	464.9	441.6-489.1	324.2	393.8	374.3-414.1
Oral cavity and pharynx	11.4	7.4	5.6-9.7	7.6	11.0	7.8-15.2	3.8	4.5	2.7-7.2
Esophagus	4.8	3.1	2.0-4.7	3.4	5.3	3.1-8.5	1.4	1.5	0.6-3.2
Stomach	16.0	11.0	8.7-13.8	8.0	12.5	8.9-17.2	8.0	10.1	7.2-13.9
Colorectal	58.6	38.5	34.2-43.3	28.8	43.5	36.6-51.3	29.8	35.0	29.5-41.4
Colon excluding rectum	42.0	27.5	23.9-31.6	20.0	30.4	24.7-37.1	22.0	25.7	21.0-31.2
Rectum & rectosigmoid	16.6	11.0	8.7-13.7	8.8	13.0	9.4-17.6	7.8	9.4	6.6-12.9
Liver / intrahepatic bile duct	24.2	15.3	12.7-18.3	16.6	24.0	19.0-29.8	7.6	8.4	5.9-11.6
Pancreas	18.4	11.5	9.2-14.2	6.4	9.8	6.7-13.9	12.0	12.7	9.6-16.5
Larynx	5.2	3.6	2.3-5.3	4.2	6.8	4.2-10.5	1.0	1.2	0.4-2.8
Lung and bronchus	67.0	43.1	38.5-48.1	36.2	55.7	47.7-64.5	30.8	34.6	29.3-40.8
Melanoma of the skin	6.6	4.4	3.0-6.2	3.0	4.6	2.6-7.7	3.6	4.3	2.5-6.9
Female breast							82.0	101.4	91.6-112.0
Cervix uteri							6.2	8.7	5.8-12.4
Corpus uterus and NOS							27.4	33.9	28.4-40.2
Ovary							9.0	10.9	7.9-14.8
Prostate				80.6	118.4	107.0-130.7			
Testis				2.8	4.7	2.5-7.9			
Urinary bladder (incl. in situ)	25.0	15.9	13.2-19.1	18.8	28.4	22.9-34.9	6.2	7.1	4.8-10.2
Kidney and renal pelvis	24.2	15.9	13.1-19.0	16.4	24.5	19.4-30.5	7.8	9.2	6.5-12.8
Brain and other central nervous system	8.6	6.3	4.5-8.6	5.2	8.7	5.6-12.8	3.4	4.4	2.5-7.2
Thyroid	23.6	18.0	14.8-21.6	5.8	9.1	6.0-13.2	17.8	26.0	20.7-32.1
Hodgkin lymphoma	4.2	3.3	2.0-5.0	1.6	3.0	1.3-5.8	2.6	3.6	1.9-6.2
Non-Hodgkin lymphomas	26.0	17.5	14.6-20.9	12.8	20.1	15.4-25.7	13.2	15.4	11.8-19.7
Myeloma	15.8	9.9	7.8-12.4	8.2	11.6	8.3-15.9	7.6	8.4	5.9-11.8
Leukemias	18.2	12.7	10.1-15.6	9.4	14.7	10.8-19.7	8.8	11.4	8.2-15.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Belmont, Crotona Park East & East Tremont**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	662.2	483.0	466.2-500.2	320.2	571.3	541.8-601.8	342.0	427.7	407.4-448.7
Oral cavity and pharynx	19.4	13.8	11.1-16.9	12.4	21.4	16.1-27.8	7.0	8.7	6.0-12.2
Esophagus	8.0	6.3	4.5-8.6	5.6	11.5	7.4-16.8	2.4	3.2	1.6-5.5
Stomach	12.8	9.7	7.4-12.5	6.6	13.4	9.0-19.1	6.2	7.7	5.2-11.0
Colorectal	57.0	43.1	38.1-48.5	30.0	55.9	46.7-66.2	27.0	34.4	28.8-40.8
Colon excluding rectum	39.6	30.6	26.4-35.3	21.0	40.4	32.5-49.5	18.6	24.1	19.4-29.6
Rectum & rectosigmoid	17.4	12.4	9.9-15.4	9.0	15.5	11.2-21.0	8.4	10.3	7.4-13.9
Liver / intrahepatic bile duct	29.4	20.7	17.4-24.4	23.0	37.4	30.6-45.3	6.4	8.3	5.6-11.8
Pancreas	19.0	14.4	11.6-17.7	9.0	17.5	12.4-23.7	10.0	12.7	9.4-16.8
Larynx	8.6	5.9	4.3-8.0	5.2	8.5	5.4-12.7	3.4	4.1	2.4-6.6
Lung and bronchus	77.0	58.5	52.6-64.8	37.6	72.8	62.1-84.6	39.4	49.9	43.1-57.5
Melanoma of the skin	1.6	1.4	0.6-2.7	1.6	3.7	1.5-7.3	0.0	0.0	0.0-0.9
Female breast							96.2	120.2	109.6-131.6
Cervix uteri							9.2	11.6	8.4-15.5
Corpus uterus and NOS							25.8	31.8	26.5-37.9
Ovary							9.2	11.7	8.5-15.7
Prostate				93.2	162.9	147.6-179.1			
Testis				2.8	3.7	2.0-6.4			
Urinary bladder (incl. in situ)	18.4	14.9	11.9-18.4	12.2	24.6	18.4-32.0	6.2	8.6	5.8-12.3
Kidney and renal pelvis	19.0	13.7	11.0-16.8	10.6	18.5	13.7-24.5	8.4	10.3	7.4-14.0
Brain and other central nervous system	7.6	5.1	3.5-7.0	4.0	5.8	3.4-9.1	3.6	4.4	2.6-7.0
Thyroid	19.2	13.1	10.6-16.1	2.4	4.2	2.1-7.4	16.8	20.2	16.1-25.1
Hodgkin lymphoma	5.0	3.3	2.1-5.0	2.6	4.3	2.3-7.4	2.4	2.6	1.3-4.6
Non-Hodgkin lymphomas	27.4	20.1	16.8-23.9	13.4	24.8	18.9-31.9	14.0	17.1	13.3-21.7
Myeloma	16.4	12.3	9.7-15.4	8.2	15.8	11.1-21.8	8.2	10.4	7.4-14.1
Leukemias	18.6	12.6	10.1-15.5	9.2	13.3	9.5-18.2	9.4	11.7	8.5-15.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Bedford Park, Fordham North & Norwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	528.2	458.8	441.0-477.2	269.8	551.2	520.5-583.0	258.4	397.3	375.4-420.0
Oral cavity and pharynx	13.2	11.4	8.8-14.6	9.6	18.9	13.7-25.4	3.6	5.7	3.3-9.1
Esophagus	5.0	4.3	2.7-6.3	4.2	8.4	5.1-13.1	0.8	1.1	0.3-2.9
Stomach	12.8	11.8	9.0-15.1	7.2	16.6	11.4-23.2	5.6	8.7	5.7-12.6
Colorectal	45.2	39.3	34.2-44.9	24.8	51.1	42.1-61.5	20.4	30.4	24.6-37.1
Colon excluding rectum	32.2	28.8	24.4-33.7	18.4	39.3	31.2-48.6	13.8	21.1	16.3-26.9
Rectum & rectosigmoid	13.0	10.5	8.1-13.5	6.4	11.9	8.0-17.0	6.6	9.3	6.3-13.2
Liver / intrahepatic bile duct	23.4	20.0	16.4-24.1	16.8	32.3	25.4-40.4	6.6	10.2	6.9-14.4
Pancreas	18.8	17.1	13.8-21.1	11.0	23.9	17.8-31.4	7.8	12.4	8.7-17.0
Larynx	4.2	3.6	2.2-5.6	3.4	6.8	3.8-11.1	0.8	1.3	0.3-3.3
Lung and bronchus	51.4	47.1	41.3-53.4	28.6	63.4	52.9-75.3	22.8	36.1	29.7-43.6
Melanoma of the skin	4.6	4.1	2.6-6.3	2.8	5.8	3.0-9.9	1.8	2.8	1.3-5.4
Female breast							77.0	119.5	107.6-132.3
Cervix uteri							6.6	10.6	7.2-14.9
Corpus uterus and NOS							16.0	23.6	18.7-29.5
Ovary							6.6	10.0	6.8-14.2
Prostate				74.8	148.2	132.8-164.8			
Testis				3.0	4.3	2.4-7.4			
Urinary bladder (incl. in situ)	13.4	12.8	9.8-16.4	9.0	20.0	14.3-27.1	4.4	7.7	4.8-11.7
Kidney and renal pelvis	21.0	17.7	14.4-21.6	12.8	25.4	19.3-32.7	8.2	11.9	8.5-16.2
Brain and other central nervous system	6.4	5.3	3.6-7.5	3.6	6.9	4.0-11.0	2.8	4.1	2.2-6.9
Thyroid	21.6	17.2	14.1-20.9	3.4	6.7	3.8-10.9	18.2	26.7	21.4-32.9
Hodgkin lymphoma	4.2	3.1	1.9-4.9	2.0	3.4	1.5-6.6	2.2	3.0	1.5-5.5
Non-Hodgkin lymphomas	26.2	22.1	18.4-26.3	13.6	24.9	19.1-31.9	12.6	19.4	14.8-25.0
Myeloma	10.8	10.1	7.5-13.2	6.0	13.0	8.6-18.8	4.8	8.1	5.1-12.1
Leukemias	16.0	14.1	11.1-17.6	9.0	19.5	13.9-26.4	7.0	10.5	7.2-14.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Morris Heights, Fordham South & Mount Hope**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	516.2	472.8	453.5-492.8	257.4	573.7	538.6-610.3	258.8	410.4	387.4-434.3
Oral cavity and pharynx	11.6	9.7	7.2-12.7	8.2	16.5	11.2-23.3	3.4	4.9	2.8-8.0
Esophagus	4.0	4.4	2.6-6.9	3.2	9.6	4.9-16.5	0.8	1.5	0.4-3.7
Stomach	12.6	12.2	9.2-15.8	7.4	17.7	11.9-25.1	5.2	8.6	5.5-12.8
Colorectal	42.2	41.5	35.7-47.9	21.6	53.0	42.1-65.7	20.6	34.6	28.0-42.3
Colon excluding rectum	29.0	29.6	24.6-35.2	13.6	35.3	26.2-46.3	15.4	26.6	20.8-33.5
Rectum & rectosigmoid	13.2	11.9	9.0-15.3	8.0	17.7	12.1-24.8	5.2	8.0	5.1-11.9
Liver / intrahepatic bile duct	21.4	18.9	15.3-23.1	15.6	34.2	26.0-44.1	5.8	8.9	5.9-12.9
Pancreas	14.0	14.0	10.7-18.0	7.4	16.0	10.6-22.9	6.6	12.1	8.2-17.1
Larynx	6.6	5.9	3.9-8.4	4.2	9.9	5.7-15.7	2.4	3.3	1.7-6.0
Lung and bronchus	49.4	51.0	44.4-58.3	24.4	60.3	48.9-73.4	25.0	44.0	36.3-52.8
Melanoma of the skin	1.2	1.3	0.4-2.8	0.2	0.3	0.0-2.2	1.0	1.9	0.6-4.4
Female breast							77.8	119.4	107.4-132.3
Cervix uteri							8.2	11.7	8.3-16.0
Corpus uterus and NOS							20.2	30.0	24.3-36.7
Ovary							4.8	7.7	4.8-11.7
Prostate				89.4	187.7	168.8-208.0			
Testis				1.0	1.1	0.4-3.3			
Urinary bladder (incl. in situ)	11.2	12.0	8.9-15.8	7.6	20.3	13.6-28.9	3.6	6.8	3.9-10.8
Kidney and renal pelvis	20.0	18.1	14.5-22.2	12.6	27.7	20.7-36.2	7.4	11.5	8.0-16.0
Brain and other central nervous system	6.4	5.5	3.7-8.0	3.0	5.8	3.0-10.0	3.4	5.3	3.0-8.6
Thyroid	16.6	13.7	10.8-17.1	1.8	3.7	1.6-7.3	14.8	21.7	16.9-27.4
Hodgkin lymphoma	4.0	2.7	1.6-4.3	2.4	3.6	1.8-6.6	1.6	1.9	0.8-4.0
Non-Hodgkin lymphomas	20.2	17.0	13.6-20.8	11.0	22.3	16.2-29.8	9.2	13.3	9.6-17.9
Myeloma	12.0	12.1	9.1-15.8	5.6	13.3	8.3-19.9	6.4	11.3	7.6-16.1
Leukemias	11.6	10.3	7.7-13.5	6.4	14.6	9.4-21.3	5.2	7.7	5.0-11.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Concourse, Highbridge & Mount Eden**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	596.6	461.7	444.8-479.1	299.2	543.7	514.5-574.0	297.4	407.4	386.7-429.0
Oral cavity and pharynx	14.6	11.2	8.7-14.2	11.0	20.0	14.8-26.3	3.6	4.8	2.8-7.6
Esophagus	5.0	3.8	2.4-5.6	3.4	6.6	3.7-10.9	1.6	2.0	0.9-4.1
Stomach	14.4	11.4	8.9-14.5	6.2	12.5	8.2-18.1	8.2	11.2	8.0-15.2
Colorectal	48.6	40.0	35.0-45.5	24.8	48.7	39.9-58.8	23.8	34.2	28.2-40.9
Colon excluding rectum	34.4	28.1	23.9-32.7	16.8	32.2	25.2-40.4	17.6	25.1	20.1-31.0
Rectum & rectosigmoid	14.2	11.9	9.3-15.1	8.0	16.5	11.4-22.8	6.2	9.0	6.1-12.8
Liver / intrahepatic bile duct	20.6	15.1	12.3-18.4	12.6	20.3	15.4-26.3	8.0	10.7	7.6-14.6
Pancreas	19.0	15.8	12.7-19.4	10.8	21.3	15.6-28.4	8.2	12.0	8.6-16.3
Larynx	5.2	4.0	2.5-5.9	3.8	6.8	3.9-11.0	1.4	1.9	0.7-3.9
Lung and bronchus	67.6	54.6	48.8-61.0	35.4	70.0	59.4-81.9	32.2	44.4	37.7-51.9
Melanoma of the skin	2.0	1.9	0.9-3.5	0.6	1.1	0.2-3.4	1.4	2.3	0.9-4.7
Female breast							81.6	110.7	100.1-122.2
Cervix uteri							6.6	9.2	6.3-13.0
Corpus uterus and NOS							21.6	28.8	23.5-34.9
Ovary							5.8	7.7	5.1-11.1
Prostate				102.4	175.6	159.8-192.5			
Testis				2.0	2.6	1.2-5.1			
Urinary bladder (incl. in situ)	12.6	10.7	8.1-13.7	8.4	17.0	11.9-23.2	4.2	6.2	3.8-9.4
Kidney and renal pelvis	22.0	17.0	13.9-20.6	14.2	25.2	19.3-32.2	7.8	10.8	7.6-14.8
Brain and other central nervous system	6.4	4.8	3.3-6.8	3.0	4.8	2.6-8.2	3.4	4.8	2.8-7.7
Thyroid	22.6	16.7	13.7-20.2	4.0	7.6	4.5-11.9	18.6	24.8	19.9-30.4
Hodgkin lymphoma	2.8	1.9	1.0-3.2	1.6	2.2	0.9-4.5	1.2	1.5	0.6-3.4
Non-Hodgkin lymphomas	26.0	20.1	16.7-24.0	13.0	23.8	18.0-30.9	13.0	17.6	13.5-22.5
Myeloma	15.6	12.4	9.7-15.5	7.4	13.7	9.4-19.1	8.2	11.2	8.0-15.2
Leukemias	15.4	11.3	8.8-14.2	8.0	14.1	9.7-19.6	7.4	9.6	6.7-13.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Castle Hill, Clason Point & Parkchester**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	809.2	428.2	414.8-441.9	372.2	471.4	449.3-494.3	437.0	403.0	386.0-420.6
Oral cavity and pharynx	15.6	8.4	6.6-10.5	9.6	12.5	9.1-16.6	6.0	5.3	3.5-7.6
Esophagus	6.0	3.2	2.2-4.6	4.4	5.9	3.6-9.1	1.6	1.4	0.6-2.8
Stomach	18.6	10.2	8.2-12.6	10.2	13.2	9.7-17.5	8.4	8.0	5.8-10.9
Colorectal	68.8	37.3	33.3-41.5	35.2	46.3	39.4-53.9	33.6	31.4	26.8-36.7
Colon excluding rectum	44.4	24.4	21.2-27.9	21.0	27.9	22.6-34.0	23.4	22.0	18.2-26.5
Rectum & rectosigmoid	24.4	12.9	10.6-15.4	14.2	18.4	14.1-23.4	10.2	9.4	7.0-12.4
Liver / intrahepatic bile duct	31.6	15.8	13.4-18.5	21.4	24.9	20.3-30.3	10.2	9.1	6.8-12.1
Pancreas	24.2	13.1	10.8-15.7	12.0	15.3	11.5-19.9	12.2	11.3	8.6-14.6
Larynx	7.8	3.9	2.7-5.3	5.8	6.8	4.5-9.9	2.0	1.7	0.8-3.2
Lung and bronchus	81.2	43.8	39.6-48.4	43.2	57.3	49.6-65.9	38.0	34.5	29.8-39.9
Melanoma of the skin	3.8	2.0	1.2-3.2	1.8	2.6	1.1-5.1	2.0	1.7	0.8-3.3
Female breast							128.0	118.4	109.2-128.1
Cervix uteri							9.0	9.0	6.5-12.0
Corpus uterus and NOS							40.2	35.4	30.6-40.8
Ovary							11.6	10.7	8.1-13.9
Prostate				103.4	123.2	112.4-134.7			
Testis				2.2	2.5	1.2-4.5			
Urinary bladder (incl. in situ)	20.8	11.6	9.4-14.1	14.6	21.7	16.8-27.4	6.2	5.6	3.8-8.0
Kidney and renal pelvis	30.8	16.1	13.6-18.9	18.4	22.7	18.2-28.1	12.4	11.2	8.5-14.4
Brain and other central nervous system	10.8	5.9	4.4-7.7	5.0	6.4	4.0-9.6	5.8	5.4	3.6-7.9
Thyroid	31.0	16.7	14.1-19.6	6.0	7.1	4.7-10.2	25.0	24.3	20.2-29.1
Hodgkin lymphoma	4.8	2.5	1.6-3.8	3.0	3.5	2.0-5.9	1.8	1.7	0.8-3.2
Non-Hodgkin lymphomas	37.0	20.0	17.1-23.1	19.2	25.1	20.2-30.9	17.8	16.5	13.2-20.3
Myeloma	18.4	9.6	7.7-11.8	8.6	11.2	8.0-15.3	9.8	8.7	6.4-11.6
Leukemias	22.2	12.0	9.8-14.5	11.4	14.5	10.8-18.9	10.8	10.3	7.7-13.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Bronx County
Hunts Point, Longwood & Melrose**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	600.2	447.4	431.2-464.1	291.0	512.8	485.3-541.4	309.2	411.1	390.6-432.3
Oral cavity and pharynx	14.4	10.4	8.1-13.2	10.8	17.1	12.7-22.5	3.6	5.0	2.9-7.9
Esophagus	6.2	4.8	3.2-6.8	3.8	6.5	3.8-10.2	2.4	3.4	1.7-5.9
Stomach	14.8	12.0	9.3-15.1	7.6	15.0	10.4-20.8	7.2	9.9	6.9-13.7
Colorectal	44.2	33.3	29.0-38.1	22.0	36.8	29.9-44.7	22.2	30.1	24.7-36.3
Colon excluding rectum	32.0	24.7	20.9-28.9	15.6	27.0	21.1-34.1	16.4	22.6	17.9-28.1
Rectum & rectosigmoid	12.2	8.6	6.6-11.1	6.4	9.7	6.6-13.9	5.8	7.5	5.0-10.8
Liver / intrahepatic bile duct	31.0	22.1	18.7-26.0	21.2	34.4	28.0-41.9	9.8	12.7	9.4-16.8
Pancreas	17.8	14.5	11.6-17.8	7.6	14.8	10.3-20.6	10.2	14.1	10.5-18.6
Larynx	5.6	4.2	2.8-6.1	4.4	7.9	4.8-12.2	1.2	1.7	0.6-3.6
Lung and bronchus	63.0	47.8	42.5-53.5	30.8	56.5	47.6-66.6	32.2	42.3	36.0-49.5
Melanoma of the skin	2.4	1.9	1.0-3.3	0.6	1.1	0.2-3.0	1.8	2.5	1.1-4.7
Female breast							79.2	104.7	94.5-115.6
Cervix uteri							10.0	13.6	10.1-18.0
Corpus uterus and NOS							22.0	28.3	23.2-34.1
Ovary							9.2	12.7	9.3-17.0
Prostate				81.8	148.8	134.0-164.6			
Testis				3.6	4.4	2.5-7.1			
Urinary bladder (incl. in situ)	19.8	15.6	12.6-19.0	12.0	21.5	16.2-28.0	7.8	11.1	7.8-15.1
Kidney and renal pelvis	22.2	16.7	13.6-20.2	12.0	21.6	16.1-28.2	10.2	13.5	10.0-17.8
Brain and other central nervous system	8.0	5.7	4.0-7.9	3.8	5.9	3.4-9.3	4.2	5.6	3.5-8.6
Thyroid	20.8	14.2	11.6-17.3	3.0	4.8	2.5-8.2	17.8	22.8	18.3-28.1
Hodgkin lymphoma	6.6	4.4	3.0-6.3	4.4	6.3	3.8-9.7	2.2	2.9	1.4-5.2
Non-Hodgkin lymphomas	27.0	20.2	16.8-24.0	15.6	27.7	21.5-35.0	11.4	15.4	11.6-20.0
Myeloma	16.2	12.5	9.9-15.6	9.8	18.9	13.7-25.3	6.4	8.5	5.8-12.0
Leukemias	18.8	13.6	10.9-16.7	10.0	16.9	12.3-22.7	8.8	11.4	8.2-15.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

Kings (Brooklyn) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	12082.6	441.7	438.1-445.3	5758.6	487.8	482.0-493.6	6324.0	414.4	409.8-419.1
Oral cavity and pharynx	256.0	9.4	8.9-9.9	167.0	14.0	13.0-15.0	89.0	5.8	5.3-6.4
Esophagus	88.2	3.2	2.9-3.5	62.8	5.4	4.8-6.1	25.4	1.6	1.3-1.9
Stomach	309.0	11.4	10.8-12.0	179.2	15.6	14.6-16.7	129.8	8.3	7.6-8.9
Colorectal	1076.8	39.5	38.4-40.6	541.0	46.8	45.0-48.6	535.8	34.3	33.0-35.6
Colon excluding rectum	754.6	27.6	26.7-28.5	364.2	31.6	30.2-33.2	390.4	24.9	23.8-26.0
Rectum & rectosigmoid	322.2	11.9	11.3-12.5	176.8	15.1	14.1-16.2	145.4	9.4	8.7-10.1
Liver / intrahepatic bile duct	287.4	10.2	9.7-10.7	204.8	16.6	15.6-17.7	82.6	5.2	4.7-5.7
Pancreas	378.2	13.7	13.1-14.4	177.4	15.2	14.2-16.3	200.8	12.5	11.8-13.4
Larynx	75.6	2.7	2.4-3.0	60.6	5.1	4.5-5.7	15.0	0.9	0.7-1.2
Lung and bronchus	1245.4	45.5	44.3-46.6	669.4	58.7	56.6-60.7	576.0	36.4	35.0-37.8
Melanoma of the skin	228.6	8.5	8.0-9.0	118.0	10.4	9.5-11.3	110.6	7.2	6.6-7.9
Female breast							1791.4	120.5	118.0-123.1
Cervix uteri							140.6	9.8	9.1-10.6
Corpus uterus and NOS							528.4	33.7	32.4-35.0
Ovary							176.6	11.6	10.8-12.4
Prostate				1551.8	126.3	123.5-129.2			
Testis				64.2	4.9	4.4-5.5			
Urinary bladder (incl. in situ)	433.2	15.9	15.3-16.6	329.8	29.7	28.3-31.2	103.4	6.6	6.0-7.2
Kidney and renal pelvis	402.4	14.6	14.0-15.3	257.2	21.4	20.2-22.6	145.2	9.4	8.7-10.1
Brain and other central nervous system	159.2	5.9	5.5-6.3	86.4	7.1	6.4-7.8	72.8	5.0	4.5-5.5
Thyroid	575.6	21.5	20.7-22.4	133.2	10.9	10.1-11.8	442.4	30.8	29.5-32.2
Hodgkin lymphoma	84.8	3.2	2.9-3.5	43.8	3.5	3.1-4.0	41.0	2.9	2.5-3.3
Non-Hodgkin lymphomas	512.8	18.9	18.2-19.7	272.0	23.1	21.9-24.4	240.8	15.7	14.8-16.6
Myeloma	259.0	9.5	9.0-10.0	129.0	11.2	10.3-12.1	130.0	8.3	7.6-8.9
Leukemias	364.8	13.6	12.9-14.2	194.4	16.8	15.7-17.9	170.4	11.2	10.4-12.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Greenpoint & Williamsburg**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	507.4	384.3	369.0-400.0	247.6	424.7	400.3-450.1	259.8	362.9	342.7-384.0
Oral cavity and pharynx	11.0	8.7	6.5-11.4	7.2	12.9	9.0-18.0	3.8	5.5	3.2-8.6
Esophagus	1.8	1.5	0.7-2.8	1.6	2.9	1.2-5.7	0.2	0.3	0.0-1.7
Stomach	14.6	11.5	8.9-14.5	10.0	18.6	13.7-24.7	4.6	6.4	4.0-9.8
Colorectal	42.8	32.3	28.0-37.0	22.6	38.1	31.2-46.2	20.2	27.2	22.0-33.2
Colon excluding rectum	30.0	22.5	18.9-26.5	14.4	23.9	18.5-30.4	15.6	20.7	16.2-26.0
Rectum & rectosigmoid	12.8	9.8	7.5-12.6	8.2	14.2	10.1-19.5	4.6	6.5	4.0-9.9
Liver / intrahepatic bile duct	13.0	10.2	7.9-13.1	9.2	16.2	11.7-21.7	3.8	5.4	3.2-8.5
Pancreas	18.0	13.8	11.0-17.0	8.2	14.7	10.4-20.1	9.8	13.0	9.5-17.3
Larynx	4.0	3.0	1.8-4.6	2.8	4.5	2.4-7.6	1.2	1.7	0.6-3.6
Lung and bronchus	50.4	39.8	34.9-45.1	25.4	47.4	39.3-56.6	25.0	33.9	28.2-40.5
Melanoma of the skin	14.4	10.2	7.9-13.1	6.8	10.7	7.1-15.3	7.6	10.2	7.0-14.3
Female breast							63.8	94.6	84.1-106.0
Cervix uteri							6.4	9.2	6.1-13.2
Corpus uterus and NOS							19.8	28.7	23.2-35.1
Ovary							9.4	13.5	9.8-18.2
Prostate				50.2	89.2	78.2-101.2			
Testis				8.6	7.5	5.3-10.6			
Urinary bladder (incl. in situ)	20.8	16.1	13.1-19.6	16.0	28.7	22.5-36.0	4.8	7.0	4.4-10.4
Kidney and renal pelvis	17.4	13.3	10.6-16.5	13.0	21.7	16.6-27.8	4.4	6.0	3.7-9.1
Brain and other central nervous system	10.4	7.9	5.8-10.4	5.0	8.3	5.3-12.5	5.4	7.7	5.0-11.4
Thyroid	23.6	15.5	12.6-18.8	5.6	7.3	4.7-10.9	18.0	23.7	18.7-29.6
Hodgkin lymphoma	5.8	3.2	2.1-4.8	3.2	3.7	1.9-6.4	2.6	2.9	1.4-5.2
Non-Hodgkin lymphomas	26.6	20.5	17.0-24.4	13.6	23.7	18.2-30.4	13.0	18.1	13.8-23.3
Myeloma	8.2	6.5	4.6-8.9	4.8	8.2	5.1-12.3	3.4	5.0	2.9-8.1
Leukemias	16.4	12.4	9.7-15.4	10.2	17.6	12.9-23.4	6.2	8.3	5.5-11.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Bushwick**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	417.2	394.1	376.8-412.0	200.2	442.3	413.2-472.7	217.0	366.2	344.3-389.1
Oral cavity and pharynx	9.0	8.8	6.4-11.9	5.6	12.4	8.1-18.1	3.4	5.9	3.4-9.4
Esophagus	4.0	4.0	2.4-6.2	2.6	6.3	3.3-10.9	1.4	2.4	1.0-5.0
Stomach	13.0	13.0	10.0-16.7	6.8	15.8	10.6-22.5	6.2	11.0	7.5-15.7
Colorectal	35.8	35.6	30.5-41.4	22.0	51.9	42.0-63.3	13.8	24.5	19.0-31.1
Colon excluding rectum	24.8	25.0	20.7-29.9	13.6	32.1	24.4-41.3	11.2	20.1	15.2-26.2
Rectum & rectosigmoid	11.0	10.6	7.9-13.9	8.4	19.8	14.0-27.2	2.6	4.3	2.3-7.5
Liver / intrahepatic bile duct	10.8	10.7	8.0-14.1	6.2	14.4	9.5-20.9	4.6	8.1	5.1-12.2
Pancreas	10.6	9.9	7.4-13.1	5.8	12.5	8.1-18.2	4.8	8.1	5.1-12.1
Larynx	1.8	1.7	0.8-3.3	1.4	3.3	1.2-6.8	0.4	0.6	0.1-2.3
Lung and bronchus	43.4	44.6	38.7-51.2	22.2	54.0	43.8-65.8	21.2	38.1	31.1-46.2
Melanoma of the skin	3.4	2.8	1.5-4.6	1.4	2.0	0.7-4.5	2.0	3.3	1.5-6.2
Female breast							55.4	92.0	81.3-103.6
Cervix uteri							8.8	14.7	10.6-19.8
Corpus uterus and NOS							20.6	33.4	27.2-40.7
Ovary							6.2	10.2	6.9-14.5
Prostate				52.6	114.0	100.0-129.4			
Testis				5.4	6.5	4.2-9.9			
Urinary bladder (incl. in situ)	13.8	14.4	11.1-18.3	10.4	28.1	20.5-37.2	3.4	5.9	3.4-9.4
Kidney and renal pelvis	13.0	12.6	9.6-16.1	8.0	17.6	12.3-24.4	5.0	8.9	5.7-13.2
Brain and other central nervous system	5.6	5.1	3.3-7.5	3.8	7.1	4.0-11.5	1.8	3.0	1.4-5.8
Thyroid	15.6	12.4	9.7-15.6	3.6	6.0	3.4-9.7	12.0	18.4	13.9-23.8
Hodgkin lymphoma	3.4	2.4	1.4-4.0	1.8	3.2	1.4-6.3	1.6	1.9	0.8-4.0
Non-Hodgkin lymphomas	18.2	16.3	13.0-20.1	10.2	20.7	14.9-27.8	8.0	13.2	9.4-18.1
Myeloma	9.2	9.9	7.1-13.2	4.0	10.5	6.2-16.5	5.2	9.5	6.1-13.9
Leukemias	14.4	12.8	9.9-16.3	6.6	12.3	8.3-17.5	7.8	12.6	8.8-17.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Bedford-Stuyvesant**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	482.4	408.5	391.9-425.6	223.4	458.5	430.5-487.7	259.0	378.7	358.0-400.3
Oral cavity and pharynx	9.4	7.9	5.8-10.6	6.2	12.6	8.4-18.1	3.2	4.5	2.5-7.4
Esophagus	5.2	4.5	2.9-6.6	3.0	6.2	3.3-10.4	2.2	3.3	1.6-5.9
Stomach	8.0	7.9	5.6-10.8	5.2	12.8	8.1-18.9	2.8	4.8	2.6-8.0
Colorectal	41.8	36.4	31.5-41.8	20.2	44.0	35.4-53.9	21.6	31.7	25.9-38.3
Colon excluding rectum	31.0	27.0	22.8-31.7	14.4	31.0	23.9-39.4	16.6	24.5	19.5-30.5
Rectum & rectosigmoid	10.8	9.4	7.0-12.3	5.8	13.0	8.5-18.8	5.0	7.2	4.6-10.6
Liver / intrahepatic bile duct	12.6	10.3	7.8-13.3	8.8	16.8	12.0-22.8	3.8	5.7	3.4-8.9
Pancreas	13.4	11.6	8.9-14.8	5.6	11.9	7.7-17.4	7.8	11.4	8.1-15.7
Larynx	5.6	4.6	3.0-6.7	3.4	7.1	4.0-11.5	2.2	2.9	1.4-5.3
Lung and bronchus	47.0	41.0	35.8-46.8	23.2	49.4	40.4-59.7	23.8	35.4	29.2-42.5
Melanoma of the skin	2.4	1.9	1.0-3.4	0.4	0.7	0.1-2.7	2.0	2.8	1.3-5.2
Female breast							74.8	109.4	98.4-121.2
Cervix uteri							6.6	9.4	6.4-13.2
Corpus uterus and NOS							24.6	35.4	29.3-42.3
Ovary							6.4	9.3	6.3-13.2
Prostate				77.0	156.3	140.4-173.4			
Testis				2.6	3.6	1.9-6.4			
Urinary bladder (incl. in situ)	11.4	10.6	8.0-13.8	8.0	18.5	12.9-25.6	3.4	5.6	3.2-8.9
Kidney and renal pelvis	14.6	12.1	9.5-15.3	8.8	17.1	12.2-23.1	5.8	8.5	5.6-12.2
Brain and other central nervous system	5.8	4.5	3.0-6.6	3.0	5.6	3.0-9.4	2.8	3.9	2.1-6.6
Thyroid	14.6	11.1	8.6-14.0	2.4	4.7	2.4-8.2	12.2	16.1	12.3-20.9
Hodgkin lymphoma	4.2	3.0	1.8-4.7	1.8	2.6	1.1-5.1	2.4	3.3	1.7-5.9
Non-Hodgkin lymphomas	15.4	12.4	9.8-15.6	7.2	14.2	9.8-20.0	8.2	11.3	8.1-15.4
Myeloma	14.2	13.4	10.4-17.0	7.6	17.5	12.1-24.3	6.6	10.5	7.2-14.8
Leukemias	15.2	12.5	9.7-15.7	8.8	17.0	12.1-23.2	6.4	9.2	6.2-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Brooklyn Heights & Fort Greene**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	574.8	484.6	466.6-503.2	264.6	520.4	491.8-550.1	310.2	467.0	443.3-491.7
Oral cavity and pharynx	15.6	13.3	10.5-16.7	11.2	21.8	16.3-28.5	4.4	6.8	4.2-10.4
Esophagus	3.8	3.4	2.0-5.4	2.2	4.9	2.4-8.9	1.6	2.4	1.0-5.0
Stomach	9.4	8.3	6.0-11.1	4.2	8.7	5.3-13.5	5.2	7.9	5.1-11.7
Colorectal	48.0	42.0	36.7-47.8	26.8	55.1	45.9-65.6	21.2	31.9	26.0-38.8
Colon excluding rectum	30.8	27.1	22.9-31.9	16.0	33.5	26.4-41.8	14.8	22.1	17.3-27.9
Rectum & rectosigmoid	17.2	14.9	11.8-18.5	10.8	21.6	16.0-28.5	6.4	9.8	6.6-14.0
Liver / intrahepatic bile duct	11.6	9.8	7.4-12.7	8.8	17.3	12.4-23.4	2.8	4.1	2.2-7.1
Pancreas	17.4	14.9	11.9-18.5	7.4	14.7	10.3-20.5	10.0	15.1	11.1-20.1
Larynx	3.6	3.1	1.8-5.0	2.8	5.5	3.0-9.4	0.8	1.3	0.3-3.5
Lung and bronchus	53.2	46.0	40.5-52.0	24.2	50.0	41.3-60.0	29.0	42.8	35.9-50.6
Melanoma of the skin	18.2	14.8	11.8-18.3	10.6	21.0	15.6-27.7	7.6	10.2	7.1-14.3
Female breast							100.2	156.0	142.3-170.7
Cervix uteri							6.8	10.2	7.0-14.4
Corpus uterus and NOS							25.4	37.4	31.0-44.8
Ovary							8.0	11.3	8.0-15.7
Prostate				70.2	137.2	122.8-152.7			
Testis				5.4	7.5	4.8-11.4			
Urinary bladder (incl. in situ)	16.8	14.9	11.8-18.5	12.0	25.8	19.5-33.3	4.8	6.9	4.4-10.4
Kidney and renal pelvis	18.8	14.8	11.9-18.3	11.0	20.5	15.3-26.9	7.8	10.2	7.2-14.2
Brain and other central nervous system	5.0	4.1	2.6-6.1	2.4	4.6	2.3-8.3	2.6	3.7	1.9-6.4
Thyroid	25.2	19.1	15.8-23.0	5.6	8.9	5.8-13.2	19.6	28.2	22.6-34.7
Hodgkin lymphoma	4.8	4.0	2.5-6.1	2.8	5.4	2.9-9.3	2.0	2.9	1.3-5.8
Non-Hodgkin lymphomas	25.2	21.0	17.4-25.2	14.2	26.1	20.2-33.2	11.0	17.2	12.8-22.6
Myeloma	11.4	10.1	7.6-13.2	4.6	9.9	6.2-15.0	6.8	10.3	7.0-14.5
Leukemias	18.0	15.3	12.2-19.0	11.8	22.5	17.0-29.3	6.2	9.2	6.2-13.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Park Slope, Carroll Gardens & Red Hook**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	468.2	461.6	442.3-481.6	212.2	485.1	454.7-516.9	256.0	456.3	430.7-483.1
Oral cavity and pharynx	10.8	10.0	7.5-13.2	7.8	16.2	11.3-22.5	3.0	5.2	2.8-8.8
Esophagus	3.0	3.1	1.7-5.1	1.6	4.1	1.7-8.2	1.4	2.3	0.9-5.0
Stomach	8.8	9.2	6.6-12.5	4.8	11.9	7.4-18.0	4.0	7.5	4.5-11.8
Colorectal	30.0	30.9	26.0-36.5	14.6	35.5	27.5-45.1	15.4	28.0	21.9-35.4
Colon excluding rectum	21.0	22.1	17.9-26.9	10.2	26.5	19.5-35.2	10.8	19.7	14.6-26.1
Rectum & rectosigmoid	9.0	8.8	6.3-11.9	4.4	9.0	5.5-13.9	4.6	8.3	5.2-12.7
Liver / intrahepatic bile duct	10.6	10.2	7.6-13.5	7.6	16.0	11.1-22.3	3.0	5.3	2.9-9.0
Pancreas	13.8	14.4	11.1-18.3	7.0	16.8	11.4-23.7	6.8	12.4	8.5-17.6
Larynx	2.2	2.0	1.0-3.7	2.0	4.1	1.9-7.9	0.2	0.3	0.0-2.1
Lung and bronchus	43.8	47.0	40.8-53.9	19.4	49.4	39.6-60.8	24.4	46.3	38.2-55.7
Melanoma of the skin	15.0	14.5	11.2-18.3	7.0	15.7	10.7-22.2	8.0	13.9	9.8-19.3
Female breast							83.0	149.4	135.0-165.0
Cervix uteri							4.2	7.0	4.2-11.0
Corpus uterus and NOS							18.0	33.6	26.8-41.6
Ovary							6.8	11.9	8.1-16.9
Prostate				55.4	122.8	108.1-138.8			
Testis				4.2	6.3	3.8-10.1			
Urinary bladder (incl. in situ)	20.2	21.7	17.6-26.6	15.6	40.6	31.7-51.2	4.6	8.3	5.1-12.6
Kidney and renal pelvis	15.2	15.6	12.2-19.7	11.8	28.0	21.1-36.6	3.4	5.8	3.3-9.6
Brain and other central nervous system	7.8	7.2	4.9-10.2	3.6	7.5	4.2-12.3	4.2	7.0	4.0-11.2
Thyroid	26.4	20.6	17.0-24.8	5.2	8.5	5.4-12.9	21.2	31.7	25.6-39.0
Hodgkin lymphoma	3.2	2.6	1.3-4.7	1.4	2.8	0.8-6.5	1.8	2.4	1.0-5.0
Non-Hodgkin lymphomas	20.8	19.8	16.0-24.3	10.4	22.6	16.5-30.2	10.4	17.9	13.2-23.9
Myeloma	7.2	7.6	5.3-10.7	4.2	10.4	6.3-16.2	3.0	5.4	3.0-9.1
Leukemias	15.6	15.4	12.0-19.4	8.6	17.7	12.6-24.3	7.0	13.8	9.5-19.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Crown Heights North & Prospect Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	541.8	445.7	428.7-463.2	249.2	513.8	484.3-544.5	292.6	407.8	386.8-429.6
Oral cavity and pharynx	12.6	10.2	7.8-13.1	7.6	15.3	10.6-21.2	5.0	7.0	4.5-10.3
Esophagus	6.4	5.8	3.9-8.2	4.4	10.2	6.3-15.6	2.0	2.8	1.3-5.3
Stomach	11.2	9.5	7.1-12.4	6.2	14.3	9.5-20.5	5.0	6.8	4.4-10.1
Colorectal	51.0	43.0	37.8-48.8	25.0	56.0	46.2-67.2	26.0	35.7	29.7-42.5
Colon excluding rectum	37.8	32.1	27.6-37.2	17.2	40.7	32.2-50.6	20.6	28.1	22.8-34.2
Rectum & rectosigmoid	13.2	10.9	8.4-13.9	7.8	15.3	10.7-21.1	5.4	7.6	5.0-11.2
Liver / intrahepatic bile duct	10.8	8.3	6.2-10.9	7.4	13.8	9.6-19.3	3.4	4.4	2.5-7.2
Pancreas	17.4	14.4	11.4-17.8	6.8	13.2	8.9-18.7	10.6	14.9	11.1-19.6
Larynx	3.6	3.0	1.8-4.9	2.6	6.0	3.1-10.4	1.0	1.3	0.4-3.1
Lung and bronchus	45.4	39.0	34.0-44.5	20.8	45.8	37.1-55.9	24.6	35.0	29.0-41.9
Melanoma of the skin	5.4	3.7	2.4-5.5	3.6	5.6	3.3-9.1	1.8	2.2	1.0-4.4
Female breast							92.4	129.0	117.3-141.5
Cervix uteri							7.6	10.8	7.6-14.9
Corpus uterus and NOS							28.4	39.1	32.8-46.2
Ovary							9.2	13.3	9.7-17.8
Prostate				81.4	164.1	147.9-181.5			
Testis				4.0	5.7	3.4-9.0			
Urinary bladder (incl. in situ)	15.0	13.4	10.5-16.8	11.4	25.7	19.2-33.6	3.6	5.8	3.4-9.1
Kidney and renal pelvis	14.0	11.3	8.8-14.4	8.0	16.3	11.5-22.4	6.0	7.8	5.2-11.2
Brain and other central nervous system	7.8	6.2	4.4-8.5	4.0	7.2	4.3-11.2	3.8	5.6	3.3-8.8
Thyroid	18.4	14.1	11.3-17.4	3.6	6.7	3.9-10.8	14.8	19.9	15.6-25.2
Hodgkin lymphoma	5.2	4.0	2.6-5.9	2.4	4.0	2.0-7.1	2.8	4.1	2.2-6.9
Non-Hodgkin lymphomas	20.4	16.5	13.4-20.1	11.6	23.6	17.7-30.8	8.8	11.5	8.3-15.6
Myeloma	15.6	12.7	10.0-16.0	7.8	16.0	11.1-22.1	7.8	10.7	7.6-14.7
Leukemias	11.4	9.8	7.4-12.8	6.4	14.0	9.4-20.0	5.0	6.8	4.4-10.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Brownsville & Ocean Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	541.8	490.0	471.2-509.4	252.2	591.1	556.6-627.1	289.6	432.7	410.3-456.0
Oral cavity and pharynx	10.2	8.8	6.5-11.6	7.0	15.7	10.7-22.2	3.2	4.6	2.6-7.5
Esophagus	5.0	4.5	2.8-6.7	3.6	9.2	5.1-15.1	1.4	2.0	0.8-4.2
Stomach	11.4	10.2	7.7-13.3	6.4	14.2	9.5-20.3	5.0	7.6	4.9-11.3
Colorectal	45.0	42.1	36.6-48.1	22.2	53.1	43.1-64.7	22.8	35.2	28.9-42.4
Colon excluding rectum	30.6	28.4	24.0-33.4	15.0	35.0	27.2-44.4	15.6	24.0	18.9-30.1
Rectum & rectosigmoid	14.4	13.7	10.6-17.3	7.2	18.1	12.3-25.6	7.2	11.2	7.8-15.5
Liver / intrahepatic bile duct	16.6	14.3	11.3-17.8	11.8	25.4	19.1-33.2	4.8	6.9	4.4-10.4
Pancreas	14.0	13.1	10.1-16.6	7.0	16.4	11.2-23.2	7.0	10.9	7.5-15.2
Larynx	5.6	4.9	3.2-7.2	3.8	9.1	5.3-14.6	1.8	2.5	1.2-4.9
Lung and bronchus	57.0	52.8	46.6-59.5	26.6	66.5	54.8-79.8	30.4	45.4	38.4-53.4
Melanoma of the skin	1.6	1.5	0.6-2.9	0.8	1.8	0.5-4.6	0.8	1.2	0.3-3.1
Female breast							81.6	119.7	108.2-132.1
Cervix uteri							10.8	16.3	12.2-21.3
Corpus uterus and NOS							26.0	38.4	32.0-45.7
Ovary							8.4	12.1	8.7-16.5
Prostate				89.2	203.4	183.7-224.5			
Testis				1.8	3.4	1.5-6.7			
Urinary bladder (incl. in situ)	8.4	8.2	5.8-11.1	6.0	16.3	10.5-23.9	2.4	3.9	2.0-6.9
Kidney and renal pelvis	20.6	18.0	14.6-21.9	12.2	27.4	20.5-35.7	8.4	12.4	8.8-16.8
Brain and other central nervous system	6.0	5.0	3.4-7.3	3.2	6.6	3.6-11.0	2.8	4.0	2.2-6.8
Thyroid	10.6	9.6	7.1-12.5	1.8	3.9	1.7-7.4	8.8	13.3	9.6-17.9
Hodgkin lymphoma	5.0	4.3	2.8-6.3	2.8	5.6	3.0-9.6	2.2	3.2	1.6-5.8
Non-Hodgkin lymphomas	22.6	20.9	17.1-25.2	10.8	26.0	19.1-34.4	11.8	17.7	13.4-22.9
Myeloma	17.4	16.4	13.0-20.3	6.6	18.2	12.1-25.9	10.8	16.0	11.9-21.0
Leukemias	12.8	11.7	8.9-15.1	6.0	14.6	9.4-21.4	6.8	10.3	7.1-14.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
East New York & Starrett City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	682.0	443.9	428.8-459.4	334.0	526.3	500.3-553.2	348.0	391.4	373.0-410.5
Oral cavity and pharynx	13.6	8.5	6.6-10.8	9.4	14.0	10.2-18.7	4.2	4.5	2.8-6.9
Esophagus	7.2	4.8	3.3-6.7	4.4	7.4	4.6-11.3	2.8	3.1	1.7-5.2
Stomach	16.6	11.2	8.9-13.9	9.4	16.0	11.6-21.5	7.2	8.1	5.7-11.3
Colorectal	64.0	43.8	39.0-49.0	32.2	53.6	45.3-62.8	31.8	37.4	31.8-43.8
Colon excluding rectum	44.6	30.7	26.7-35.1	21.2	35.4	28.7-43.1	23.4	27.6	22.8-33.1
Rectum & rectosigmoid	19.4	13.1	10.6-16.0	11.0	18.2	13.5-23.8	8.4	9.8	7.1-13.3
Liver / intrahepatic bile duct	19.4	12.5	10.1-15.3	13.2	20.3	15.6-26.0	6.2	6.8	4.6-9.8
Pancreas	26.2	17.7	14.8-21.1	12.6	20.8	15.8-26.9	13.6	15.5	12.0-19.7
Larynx	4.8	2.8	1.8-4.3	3.4	4.8	2.8-7.8	1.4	1.4	0.6-3.0
Lung and bronchus	69.4	45.8	41.0-51.0	39.6	63.5	54.6-73.4	29.8	34.1	28.8-40.2
Melanoma of the skin	4.6	3.2	2.0-4.9	2.2	4.0	1.9-7.2	2.4	2.8	1.4-4.9
Female breast							92.2	102.1	92.8-112.0
Cervix uteri							12.2	14.1	10.7-18.2
Corpus uterus and NOS							31.8	34.0	28.8-39.8
Ovary							10.0	11.2	8.3-14.9
Prostate				104.0	156.6	142.9-171.2			
Testis				1.6	2.2	0.9-4.5			
Urinary bladder (incl. in situ)	18.4	12.8	10.3-15.8	13.6	24.9	19.1-31.8	4.8	5.3	3.3-7.9
Kidney and renal pelvis	19.0	11.9	9.6-14.6	11.0	16.6	12.4-21.8	8.0	8.7	6.2-12.0
Brain and other central nervous system	7.8	4.8	3.4-6.6	3.8	5.3	3.2-8.4	4.0	4.5	2.7-6.9
Thyroid	28.4	18.9	15.8-22.3	6.0	8.9	6.0-12.8	22.4	26.3	21.6-31.7
Hodgkin lymphoma	4.6	2.9	1.8-4.4	2.0	3.0	1.4-5.6	2.6	3.0	1.6-5.1
Non-Hodgkin lymphomas	25.0	16.3	13.5-19.5	14.4	22.6	17.5-28.6	10.6	11.9	8.9-15.6
Myeloma	18.8	12.3	9.9-15.2	9.2	14.4	10.4-19.4	9.6	10.8	7.9-14.4
Leukemias	19.0	12.9	10.4-15.8	10.4	16.9	12.5-22.4	8.6	10.0	7.2-13.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Canarsie & Flatlands**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1032.4	451.1	438.5-464.0	495.6	519.2	498.1-541.0	536.8	407.2	391.6-423.4
Oral cavity and pharynx	13.4	6.0	4.6-7.7	8.8	9.5	6.8-12.8	4.6	3.5	2.2-5.4
Esophagus	7.2	3.1	2.2-4.4	5.0	5.3	3.4-8.0	2.2	1.6	0.8-3.0
Stomach	24.8	11.4	9.4-13.6	12.6	14.5	11.0-18.7	12.2	9.4	7.1-12.1
Colorectal	90.0	39.6	36.0-43.6	42.4	46.1	39.9-53.1	47.6	35.7	31.2-40.7
Colon excluding rectum	61.6	27.3	24.3-30.7	27.0	29.9	24.9-35.7	34.6	26.0	22.1-30.3
Rectum & rectosigmoid	28.4	12.3	10.3-14.6	15.4	16.2	12.6-20.5	13.0	9.8	7.5-12.5
Liver / intrahepatic bile duct	15.4	6.7	5.3-8.5	10.6	11.0	8.1-14.6	4.8	3.8	2.4-5.7
Pancreas	32.0	13.9	11.8-16.3	14.6	15.3	11.9-19.5	17.4	12.8	10.2-16.0
Larynx	5.6	2.5	1.7-3.7	4.8	5.5	3.5-8.3	0.8	0.5	0.1-1.5
Lung and bronchus	87.6	39.6	35.8-43.6	48.8	55.6	48.6-63.4	38.8	29.0	25.0-33.5
Melanoma of the skin	17.4	7.6	6.0-9.4	8.0	8.4	5.9-11.6	9.4	7.1	5.2-9.6
Female breast							174.4	132.5	123.6-141.9
Cervix uteri							10.6	8.6	6.4-11.4
Corpus uterus and NOS							48.0	34.2	29.9-38.9
Ovary							14.2	10.5	8.1-13.3
Prostate				182.4	177.2	165.4-189.7			
Testis				1.4	1.6	0.6-3.3			
Urinary bladder (incl. in situ)	33.0	14.7	12.5-17.2	24.6	27.2	22.4-32.6	8.4	6.5	4.6-8.8
Kidney and renal pelvis	31.0	13.7	11.5-16.1	21.8	22.1	18.0-26.9	9.2	7.5	5.4-10.1
Brain and other central nervous system	11.0	5.1	3.8-6.7	6.4	6.5	4.4-9.3	4.6	4.3	2.7-6.5
Thyroid	35.6	16.4	14.0-19.0	9.0	10.0	7.2-13.5	26.6	21.5	17.9-25.6
Hodgkin lymphoma	5.8	2.7	1.8-3.8	2.6	2.6	1.4-4.5	3.2	2.7	1.5-4.5
Non-Hodgkin lymphomas	46.4	20.0	17.4-22.8	24.2	24.6	20.2-29.6	22.2	16.5	13.5-20.0
Myeloma	33.0	14.5	12.3-17.0	16.8	18.2	14.4-22.8	16.2	12.0	9.5-15.1
Leukemias	25.4	11.7	9.7-14.0	12.6	14.8	11.3-19.1	12.8	9.7	7.4-12.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
East Flatbush, Farragut & Rugby**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	695.0	431.0	416.4-446.1	339.8	508.9	483.7-535.0	355.2	381.1	363.0-399.8
Oral cavity and pharynx	11.0	6.8	5.1-9.0	6.6	10.2	6.8-14.5	4.4	4.6	2.9-7.2
Esophagus	3.8	2.4	1.4-3.8	2.2	3.6	1.7-6.5	1.6	1.6	0.7-3.4
Stomach	19.6	13.4	10.8-16.4	10.4	18.7	13.8-24.8	9.2	10.3	7.5-13.9
Colorectal	61.0	39.1	34.7-43.9	27.2	43.6	36.2-52.0	33.8	36.1	30.7-42.1
Colon excluding rectum	44.2	28.6	24.8-32.7	18.6	29.5	23.5-36.6	25.6	27.9	23.1-33.3
Rectum & rectosigmoid	16.8	10.5	8.3-13.1	8.6	14.0	10.0-19.2	8.2	8.2	5.8-11.3
Liver / intrahepatic bile duct	14.2	8.4	6.5-10.7	10.0	14.1	10.3-18.9	4.2	4.4	2.7-6.9
Pancreas	22.6	14.5	11.9-17.6	10.0	15.7	11.5-21.0	12.6	13.6	10.4-17.6
Larynx	3.4	2.0	1.1-3.3	2.8	4.3	2.2-7.4	0.6	0.6	0.1-1.9
Lung and bronchus	50.0	32.4	28.4-36.8	27.8	43.6	36.3-51.9	22.2	24.8	20.3-30.0
Melanoma of the skin	2.2	1.2	0.6-2.2	1.0	1.1	0.4-2.8	1.2	1.3	0.5-2.9
Female breast							112.4	118.9	109.0-129.5
Cervix uteri							12.6	13.7	10.5-17.7
Corpus uterus and NOS							37.8	37.7	32.4-43.7
Ovary							10.4	11.3	8.4-15.0
Prostate				151.4	210.9	195.4-227.3			
Testis				2.2	3.7	1.8-6.6			
Urinary bladder (incl. in situ)	13.6	9.3	7.1-11.8	9.2	15.9	11.4-21.6	4.4	5.0	3.1-7.7
Kidney and renal pelvis	16.6	10.2	8.1-12.8	11.2	17.1	12.7-22.6	5.4	5.7	3.7-8.5
Brain and other central nervous system	7.0	4.5	3.1-6.3	4.4	6.5	4.0-9.9	2.6	2.9	1.5-5.0
Thyroid	14.2	9.4	7.3-12.0	2.2	3.6	1.8-6.5	12.0	13.4	10.2-17.4
Hodgkin lymphoma	4.2	2.8	1.7-4.3	1.8	2.8	1.3-5.5	2.4	2.8	1.4-5.0
Non-Hodgkin lymphomas	25.4	16.0	13.2-19.1	12.2	17.7	13.4-23.0	13.2	14.6	11.2-18.7
Myeloma	22.8	14.3	11.7-17.3	10.6	17.2	12.7-22.8	12.2	12.7	9.6-16.4
Leukemias	17.6	11.8	9.4-14.6	8.8	14.4	10.3-19.4	8.8	10.0	7.2-13.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Crown Heights So., Prospect Lefferts & Wingate**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	519.6	419.0	402.6-435.8	242.8	481.2	453.6-510.1	276.8	383.3	362.9-404.6
Oral cavity and pharynx	8.6	6.9	5.0-9.4	5.0	10.3	6.5-15.4	3.6	4.9	2.9-8.0
Esophagus	3.8	3.0	1.8-4.8	3.0	5.9	3.2-9.9	0.8	0.9	0.2-2.6
Stomach	13.4	11.3	8.7-14.4	7.6	16.1	11.2-22.3	5.8	8.0	5.3-11.6
Colorectal	49.2	39.6	34.7-45.0	19.8	39.6	31.9-48.5	29.4	39.6	33.3-46.7
Colon excluding rectum	37.2	30.0	25.7-34.7	14.2	28.7	22.2-36.4	23.0	30.8	25.4-37.2
Rectum & rectosigmoid	12.0	9.7	7.3-12.5	5.6	10.9	7.1-16.0	6.4	8.7	5.9-12.5
Liver / intrahepatic bile duct	8.4	6.3	4.5-8.7	5.2	9.8	6.3-14.6	3.2	4.2	2.4-7.0
Pancreas	16.2	13.7	10.8-17.1	7.2	15.3	10.6-21.4	9.0	12.6	9.1-16.9
Larynx	3.0	2.3	1.2-3.8	2.4	4.5	2.3-8.0	0.6	0.8	0.2-2.6
Lung and bronchus	38.4	31.2	26.9-36.1	19.4	41.0	33.0-50.4	19.0	25.4	20.5-31.2
Melanoma of the skin	1.8	1.5	0.7-2.9	1.0	2.2	0.7-5.2	0.8	1.1	0.3-3.0
Female breast							83.0	117.0	105.7-129.1
Cervix uteri							6.0	8.8	5.8-12.7
Corpus uterus and NOS							31.4	40.3	34.1-47.3
Ovary							9.2	11.9	8.6-16.1
Prostate				103.2	192.4	175.6-210.4			
Testis				1.6	2.9	1.2-5.9			
Urinary bladder (incl. in situ)	10.4	8.7	6.5-11.5	7.2	16.0	11.1-22.3	3.2	4.5	2.5-7.4
Kidney and renal pelvis	15.0	12.0	9.4-15.1	8.8	17.2	12.3-23.3	6.2	8.6	5.8-12.4
Brain and other central nervous system	6.0	4.9	3.3-7.0	3.8	7.4	4.4-11.7	2.2	3.0	1.5-5.5
Thyroid	18.0	15.8	12.6-19.5	2.8	6.1	3.3-10.2	15.2	23.5	18.3-29.6
Hodgkin lymphoma	3.6	3.0	1.8-4.8	1.6	3.0	1.3-6.0	2.0	3.1	1.5-5.8
Non-Hodgkin lymphomas	14.2	12.2	9.5-15.5	7.0	15.1	10.5-21.1	7.2	10.3	7.1-14.4
Myeloma	17.8	14.6	11.6-18.0	8.4	17.4	12.4-23.8	9.4	12.7	9.3-17.1
Leukemias	13.2	11.8	9.0-15.0	8.4	18.8	13.4-25.5	4.8	7.2	4.6-10.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Sunset Park & Windsor Terrace**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	609.4	447.1	431.0-463.7	298.2	481.9	456.6-508.2	311.2	431.6	410.1-454.0
Oral cavity and pharynx	21.2	15.0	12.2-18.2	14.8	21.4	16.7-27.0	6.4	8.8	6.0-12.5
Esophagus	5.4	4.4	2.9-6.4	5.0	9.4	6.0-14.0	0.4	0.6	0.1-2.1
Stomach	33.0	24.3	20.7-28.4	23.2	36.7	30.1-44.3	9.8	13.2	9.7-17.6
Colorectal	62.0	46.9	41.7-52.5	30.4	49.4	41.6-58.2	31.6	44.1	37.4-51.6
Colon excluding rectum	40.4	31.1	26.9-35.8	19.6	32.6	26.2-40.0	20.8	29.3	23.9-35.6
Rectum & rectosigmoid	21.6	15.7	12.9-19.1	10.8	16.8	12.5-22.1	10.8	14.7	11.0-19.3
Liver / intrahepatic bile duct	28.6	20.8	17.4-24.6	23.2	35.2	28.8-42.6	5.4	8.1	5.3-11.8
Pancreas	17.0	13.8	11.0-17.1	8.2	15.0	10.6-20.4	8.8	12.8	9.3-17.3
Larynx	3.4	2.4	1.4-3.9	3.4	5.3	3.0-8.7	0.0	0.0	0.0-1.1
Lung and bronchus	59.8	45.4	40.3-51.0	33.6	56.7	48.1-66.3	26.2	37.1	30.9-44.1
Melanoma of the skin	7.2	5.5	3.8-7.6	3.8	7.0	4.1-11.1	3.4	4.7	2.7-7.5
Female breast							78.0	109.1	98.4-120.7
Cervix uteri							6.4	8.8	6.0-12.5
Corpus uterus and NOS							19.6	27.6	22.4-33.7
Ovary							8.2	11.8	8.4-16.0
Prostate				49.2	82.4	72.0-93.8			
Testis				4.4	4.9	3.0-7.6			
Urinary bladder (incl. in situ)	18.8	15.2	12.2-18.6	13.8	27.2	20.9-34.6	5.0	7.1	4.6-10.5
Kidney and renal pelvis	18.0	13.2	10.5-16.3	10.6	16.1	11.9-21.3	7.4	10.5	7.4-14.6
Brain and other central nervous system	9.6	6.5	4.8-8.7	4.6	6.5	4.0-10.0	5.0	6.7	4.3-9.9
Thyroid	52.4	33.8	29.8-38.3	13.6	18.1	13.9-23.1	38.8	50.3	43.3-58.0
Hodgkin lymphoma	4.4	2.9	1.8-4.5	2.6	3.3	1.6-5.9	1.8	2.4	1.1-4.7
Non-Hodgkin lymphomas	25.0	18.3	15.2-21.9	14.2	22.4	17.2-28.5	10.8	15.3	11.4-20.0
Myeloma	8.4	6.3	4.5-8.5	4.8	8.4	5.3-12.7	3.6	4.8	2.8-7.6
Leukemias	21.2	14.8	12.1-18.0	10.0	15.5	11.3-20.7	11.2	14.9	11.2-19.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Bay Ridge & Dyker Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	712.0	457.4	442.2-473.1	332.8	477.1	454.1-501.0	379.2	455.9	434.8-477.8
Oral cavity and pharynx	14.8	9.6	7.5-12.1	10.8	15.4	11.5-20.2	4.0	4.8	2.9-7.6
Esophagus	5.2	3.0	1.9-4.4	4.6	6.1	3.9-9.3	0.6	0.6	0.1-2.1
Stomach	17.0	10.6	8.4-13.2	10.0	14.2	10.5-18.8	7.0	7.6	5.2-10.9
Colorectal	66.6	41.9	37.4-46.8	35.6	51.8	44.4-60.1	31.0	34.3	28.9-40.5
Colon excluding rectum	45.0	27.7	24.1-31.7	23.0	33.6	27.7-40.5	22.0	23.1	18.8-28.2
Rectum & rectosigmoid	21.6	14.2	11.6-17.3	12.6	18.1	13.9-23.3	9.0	11.2	8.0-15.2
Liver / intrahepatic bile duct	16.4	10.5	8.3-13.1	13.2	18.6	14.3-23.8	3.2	3.7	2.0-6.2
Pancreas	19.8	12.0	9.7-14.7	8.4	12.3	8.8-16.7	11.4	11.3	8.5-15.0
Larynx	5.6	3.6	2.3-5.2	5.2	7.8	5.1-11.5	0.4	0.4	0.1-1.8
Lung and bronchus	90.6	55.2	50.2-60.7	49.0	69.7	61.1-79.2	41.6	45.7	39.6-52.6
Melanoma of the skin	21.4	14.3	11.7-17.4	11.0	16.3	12.3-21.4	10.4	13.0	9.6-17.3
Female breast							111.8	138.1	126.5-150.5
Cervix uteri							5.2	7.2	4.6-10.6
Corpus uterus and NOS							27.4	31.8	26.6-37.8
Ovary							9.0	11.0	7.9-14.9
Prostate				64.2	88.1	78.6-98.4			
Testis				3.8	5.7	3.4-9.0			
Urinary bladder (incl. in situ)	28.2	17.1	14.4-20.3	22.0	31.7	26.0-38.3	6.2	6.9	4.7-10.0
Kidney and renal pelvis	23.8	15.6	12.9-18.8	16.2	23.4	18.5-29.2	7.6	9.1	6.4-12.6
Brain and other central nervous system	8.4	6.4	4.6-8.7	4.4	6.6	4.1-10.2	4.0	6.2	3.7-9.7
Thyroid	49.8	35.8	31.4-40.7	12.0	17.2	13.1-22.3	37.8	54.1	46.4-62.7
Hodgkin lymphoma	4.4	3.6	2.2-5.6	2.6	4.2	2.2-7.3	1.8	3.1	1.3-5.9
Non-Hodgkin lymphomas	30.0	19.8	16.6-23.3	16.8	25.2	20.0-31.4	13.2	14.9	11.4-19.3
Myeloma	10.4	6.6	4.9-8.8	4.2	6.2	3.8-9.5	6.2	7.2	4.8-10.5
Leukemias	21.0	13.1	10.7-16.0	10.6	14.6	10.9-19.2	10.4	12.1	9.0-16.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Borough Park, Kensington & Ocean Parkway**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	655.4	431.8	416.5-447.6	316.0	444.3	421.9-467.6	339.4	434.2	412.6-456.6
Oral cavity and pharynx	14.8	10.1	7.8-12.7	9.4	13.8	10.0-18.6	5.4	6.5	4.2-9.6
Esophagus	3.8	2.5	1.5-4.0	2.6	4.0	2.1-6.9	1.2	1.2	0.4-2.8
Stomach	15.6	10.7	8.4-13.4	11.0	16.2	12.1-21.2	4.6	5.9	3.7-9.0
Colorectal	61.2	38.7	34.3-43.5	33.6	47.0	39.9-55.0	27.6	32.3	26.8-38.5
Colon excluding rectum	42.6	26.8	23.1-30.8	23.4	33.0	27.0-39.7	19.2	21.9	17.5-27.0
Rectum & rectosigmoid	18.6	11.9	9.5-14.7	10.2	14.1	10.4-18.7	8.4	10.4	7.3-14.4
Liver / intrahepatic bile duct	14.2	8.9	6.9-11.3	10.2	14.0	10.3-18.5	4.0	4.3	2.6-6.8
Pancreas	22.4	14.5	11.8-17.5	11.6	16.7	12.5-21.7	10.8	12.9	9.5-17.1
Larynx	4.2	2.8	1.7-4.3	2.8	4.1	2.2-7.0	1.4	1.7	0.6-3.6
Lung and bronchus	69.8	46.4	41.5-51.8	38.8	56.5	48.5-65.3	31.0	38.0	32.0-44.8
Melanoma of the skin	12.6	8.4	6.4-10.8	7.4	10.1	7.0-14.0	5.2	7.0	4.4-10.5
Female breast							84.4	116.9	105.4-129.2
Cervix uteri							5.0	6.8	4.3-10.2
Corpus uterus and NOS							25.0	32.1	26.4-38.5
Ovary							7.8	10.0	6.9-14.0
Prostate				55.8	79.3	69.9-89.5			
Testis				3.2	4.3	2.3-7.1			
Urinary bladder (incl. in situ)	28.6	18.2	15.2-21.6	21.0	30.3	24.5-36.9	7.6	8.9	6.1-12.6
Kidney and renal pelvis	22.4	15.1	12.3-18.2	14.0	20.0	15.4-25.4	8.4	10.7	7.6-14.7
Brain and other central nervous system	15.0	8.8	6.9-11.2	8.8	10.3	7.3-14.0	6.2	7.7	5.2-11.1
Thyroid	51.4	36.8	32.3-41.7	14.0	20.0	15.4-25.4	37.4	54.5	46.7-63.2
Hodgkin lymphoma	5.0	3.0	1.9-4.5	2.4	2.6	1.3-4.8	2.6	3.4	1.8-5.8
Non-Hodgkin lymphomas	34.2	22.4	19.0-26.2	18.0	25.5	20.4-31.5	16.2	19.3	15.1-24.3
Myeloma	11.2	7.4	5.5-9.7	6.6	9.5	6.5-13.5	4.6	5.8	3.6-8.8
Leukemias	23.6	15.0	12.3-18.1	11.6	15.9	12.0-20.8	12.0	14.1	10.6-18.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Flatbush & Midwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	751.4	422.3	408.6-436.4	353.8	459.4	437.7-482.0	397.6	398.7	380.9-417.1
Oral cavity and pharynx	12.2	6.9	5.3-9.0	6.4	8.3	5.6-11.8	5.8	5.8	3.8-8.4
Esophagus	5.0	2.8	1.8-4.2	3.8	4.8	2.9-7.7	1.2	1.3	0.5-3.0
Stomach	20.0	11.2	9.1-13.7	11.4	15.3	11.5-20.0	8.6	8.0	5.7-10.9
Colorectal	64.0	35.3	31.5-39.5	29.2	37.3	31.3-44.1	34.8	33.8	28.9-39.4
Colon excluding rectum	42.4	23.5	20.4-27.0	18.4	23.8	19.0-29.3	24.0	23.4	19.3-28.1
Rectum & rectosigmoid	21.6	11.8	9.6-14.3	10.8	13.5	10.1-17.8	10.8	10.4	7.8-13.7
Liver / intrahepatic bile duct	15.6	8.4	6.6-10.5	10.8	12.5	9.4-16.5	4.8	4.7	3.0-7.2
Pancreas	23.6	13.1	10.8-15.8	11.0	14.2	10.6-18.7	12.6	12.0	9.2-15.4
Larynx	3.4	1.7	1.0-2.8	2.6	3.1	1.6-5.4	0.8	0.7	0.2-1.9
Lung and bronchus	65.8	37.1	33.1-41.4	34.2	47.0	40.0-54.8	31.6	30.7	26.0-36.0
Melanoma of the skin	16.2	9.5	7.5-11.9	8.4	11.4	8.2-15.6	7.8	8.0	5.6-11.1
Female breast							108.2	113.5	103.9-123.8
Cervix uteri							9.8	10.4	7.7-13.8
Corpus uterus and NOS							38.0	36.0	31.0-41.7
Ovary							9.4	8.9	6.5-12.0
Prostate				106.0	130.5	119.3-142.5			
Testis				3.6	4.5	2.6-7.2			
Urinary bladder (incl. in situ)	29.4	16.8	14.1-19.8	22.0	30.7	25.1-37.1	7.4	7.4	5.2-10.3
Kidney and renal pelvis	28.4	15.7	13.2-18.6	18.0	23.2	18.5-28.7	10.4	10.1	7.5-13.3
Brain and other central nervous system	10.4	6.1	4.5-8.1	6.0	7.7	5.2-11.1	4.4	4.8	3.0-7.4
Thyroid	32.0	18.7	15.9-21.9	6.4	8.6	5.8-12.2	25.6	27.3	22.7-32.6
Hodgkin lymphoma	4.8	3.0	1.9-4.4	2.8	3.8	2.0-6.4	2.0	2.2	1.1-4.2
Non-Hodgkin lymphomas	36.2	20.6	17.6-23.9	17.8	23.3	18.6-28.8	18.4	18.4	14.8-22.7
Myeloma	14.0	7.7	6.0-9.8	7.8	10.1	7.1-13.9	6.2	5.9	4.0-8.5
Leukemias	25.8	14.9	12.4-17.7	14.0	19.3	15.0-24.5	11.8	11.3	8.5-14.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Sheepshead Bay, Gerritsen Beach & Homecrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	976.0	472.6	458.8-486.7	466.2	491.5	471.2-512.5	509.8	465.3	446.3-485.0
Oral cavity and pharynx	23.2	11.4	9.3-13.8	13.4	14.8	11.3-19.0	9.8	8.1	5.8-11.0
Esophagus	5.2	2.2	1.4-3.3	3.6	3.6	2.1-5.9	1.6	1.0	0.4-2.3
Stomach	23.8	11.5	9.4-13.9	12.0	12.7	9.6-16.5	11.8	10.7	8.0-14.1
Colorectal	85.4	39.6	35.8-43.8	44.6	46.0	40.0-52.8	40.8	34.5	29.7-40.0
Colon excluding rectum	65.0	29.6	26.4-33.2	33.4	34.0	28.9-39.8	31.6	26.2	22.1-31.0
Rectum & rectosigmoid	20.4	10.0	8.1-12.2	11.2	12.1	9.0-15.9	9.2	8.3	5.9-11.3
Liver / intrahepatic bile duct	16.0	7.4	5.8-9.3	10.8	10.9	8.1-14.5	5.2	4.3	2.7-6.4
Pancreas	32.6	14.1	12.0-16.6	16.0	16.2	12.8-20.4	16.6	12.1	9.5-15.2
Larynx	4.4	2.1	1.3-3.3	4.0	4.1	2.5-6.5	0.4	0.3	0.0-1.5
Lung and bronchus	113.4	51.0	46.8-55.5	63.6	66.0	58.8-73.8	49.8	39.4	34.5-44.9
Melanoma of the skin	31.4	15.5	13.1-18.3	17.6	19.1	15.3-23.7	13.8	12.8	9.8-16.5
Female breast							137.8	132.5	122.2-143.5
Cervix uteri							6.2	6.6	4.3-9.5
Corpus uterus and NOS							37.0	33.6	28.7-39.1
Ovary							14.6	13.8	10.6-17.6
Prostate				95.2	94.3	85.9-103.4			
Testis				3.6	5.2	3.1-8.2			
Urinary bladder (incl. in situ)	52.4	23.6	20.8-26.8	41.8	43.7	37.9-50.2	10.6	8.5	6.3-11.3
Kidney and renal pelvis	37.0	18.8	16.1-21.9	22.8	24.7	20.3-30.0	14.2	13.9	10.7-17.8
Brain and other central nervous system	12.8	7.1	5.4-9.1	6.4	7.7	5.2-11.0	6.4	6.4	4.3-9.3
Thyroid	52.0	30.7	26.9-34.8	12.8	14.7	11.2-19.0	39.2	45.7	39.3-52.9
Hodgkin lymphoma	5.8	3.7	2.5-5.4	3.0	4.1	2.2-6.8	2.8	3.4	1.8-5.8
Non-Hodgkin lymphomas	46.8	23.9	20.8-27.3	25.0	28.5	23.6-34.2	21.8	19.6	15.9-24.0
Myeloma	12.6	5.5	4.2-7.1	7.6	7.5	5.2-10.4	5.0	3.9	2.5-5.9
Leukemias	33.0	16.1	13.6-18.9	16.6	18.3	14.5-22.9	16.4	14.8	11.5-18.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Bensonhurst & Bath Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1013.2	431.3	419.2-443.6	490.8	457.1	438.9-475.8	522.4	419.7	403.2-436.7
Oral cavity and pharynx	27.6	12.1	10.1-14.4	17.2	16.2	12.9-20.1	10.4	8.3	6.1-11.1
Esophagus	6.8	2.8	1.9-3.9	5.6	5.2	3.4-7.5	1.2	0.8	0.3-1.9
Stomach	25.8	10.5	8.7-12.5	15.4	14.4	11.3-18.1	10.4	7.4	5.5-9.9
Colorectal	91.4	37.6	34.2-41.3	48.4	44.4	38.9-50.4	43.0	32.4	28.1-37.2
Colon excluding rectum	62.8	25.5	22.7-28.6	31.6	28.7	24.3-33.6	31.2	23.4	19.8-27.7
Rectum & rectosigmoid	28.6	12.1	10.2-14.3	16.8	15.7	12.5-19.5	11.8	8.9	6.7-11.7
Liver / intrahepatic bile duct	29.6	12.6	10.6-14.9	21.4	20.2	16.5-24.5	8.2	5.7	4.1-7.9
Pancreas	26.8	10.6	8.9-12.6	12.4	11.4	8.8-14.7	14.4	10.1	7.8-12.9
Larynx	6.6	2.7	1.8-3.8	6.2	5.7	3.9-8.2	0.4	0.3	0.0-1.2
Lung and bronchus	149.4	60.4	56.1-65.0	84.8	77.7	70.4-85.6	64.6	47.2	42.1-52.8
Melanoma of the skin	23.8	10.1	8.3-12.1	11.8	11.3	8.6-14.7	12.0	9.3	7.0-12.2
Female breast							142.0	119.4	110.5-128.8
Cervix uteri							7.6	7.2	5.0-10.0
Corpus uterus and NOS							33.0	26.7	22.7-31.2
Ovary							14.6	11.5	8.9-14.6
Prostate				82.4	74.1	67.1-81.8			
Testis				5.0	5.5	3.5-8.2			
Urinary bladder (incl. in situ)	42.2	16.8	14.6-19.3	33.6	30.9	26.4-36.0	8.6	6.3	4.5-8.6
Kidney and renal pelvis	38.2	16.6	14.3-19.2	25.0	23.6	19.6-28.2	13.2	10.7	8.2-13.7
Brain and other central nervous system	12.8	6.0	4.6-7.7	7.6	7.7	5.4-10.7	5.2	4.4	2.8-6.7
Thyroid	66.2	32.4	28.9-36.2	17.2	16.9	13.5-21.0	49.0	47.6	41.7-54.2
Hodgkin lymphoma	6.4	3.2	2.2-4.6	4.4	4.6	2.8-7.0	2.0	2.0	0.9-3.8
Non-Hodgkin lymphomas	40.2	17.2	14.8-19.8	22.0	20.8	17.0-25.1	18.2	14.0	11.2-17.4
Myeloma	12.8	5.1	3.9-6.6	6.8	6.2	4.3-8.8	6.0	4.1	2.8-6.0
Leukemias	32.8	14.5	12.3-17.0	18.2	17.5	14.1-21.6	14.6	12.1	9.4-15.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Kings (Brooklyn) County
Brighton Beach & Coney Island**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	902.2	480.8	465.8-496.2	438.8	530.8	507.8-554.7	463.4	451.0	430.9-471.8
Oral cavity and pharynx	17.0	9.1	7.2-11.6	12.6	16.2	12.3-21.2	4.4	3.5	2.1-5.7
Esophagus	5.6	2.7	1.7-4.1	4.0	4.2	2.5-6.8	1.6	1.7	0.6-3.8
Stomach	23.0	11.8	9.7-14.4	12.6	14.9	11.3-19.3	10.4	9.8	7.2-13.4
Colorectal	87.6	44.8	40.4-49.6	44.2	53.9	46.7-62.0	43.4	38.3	32.9-44.5
Colon excluding rectum	62.8	31.0	27.5-35.0	33.0	38.4	32.6-45.2	29.8	26.0	21.6-31.1
Rectum & rectosigmoid	24.8	13.8	11.3-16.7	11.2	15.5	11.5-20.5	13.6	12.4	9.4-16.2
Liver / intrahepatic bile duct	23.6	11.7	9.6-14.2	16.4	19.4	15.2-24.5	7.2	5.8	4.0-8.3
Pancreas	34.4	16.8	14.2-19.8	17.6	20.4	16.2-25.4	16.8	14.2	11.0-18.1
Larynx	4.8	2.4	1.5-3.8	4.2	5.0	3.0-7.9	0.6	0.5	0.1-1.9
Lung and bronchus	111.0	51.8	47.4-56.6	68.0	76.7	68.5-85.6	43.0	34.4	29.7-39.7
Melanoma of the skin	29.6	16.0	13.3-19.1	15.2	19.4	15.0-24.7	14.4	13.8	10.5-17.9
Female breast							116.0	121.8	111.2-133.3
Cervix uteri							7.8	10.3	7.1-14.6
Corpus uterus and NOS							36.6	36.7	31.2-43.0
Ovary							14.8	14.0	10.7-18.1
Prostate				81.8	95.2	85.9-105.2			
Testis				1.8	3.7	1.7-7.0			
Urinary bladder (incl. in situ)	51.8	23.6	20.7-26.8	41.6	45.9	39.8-52.9	10.2	8.1	5.9-11.1
Kidney and renal pelvis	39.4	21.7	18.6-25.3	25.0	32.0	26.3-38.5	14.4	13.8	10.6-17.9
Brain and other central nervous system	10.0	6.7	4.8-9.1	5.2	8.4	5.3-12.5	4.8	5.3	3.2-8.2
Thyroid	41.2	28.8	24.8-33.4	9.4	14.9	10.7-20.1	31.8	40.7	34.1-48.2
Hodgkin lymphoma	4.2	3.7	2.2-5.8	1.8	3.7	1.6-7.0	2.4	3.6	1.7-6.6
Non-Hodgkin lymphomas	40.2	21.4	18.3-25.0	22.4	28.2	22.9-34.5	17.8	16.4	12.8-20.7
Myeloma	14.0	6.6	5.1-8.6	6.6	7.1	4.8-10.3	7.4	6.4	4.4-9.2
Leukemias	28.4	16.0	13.2-19.2	14.8	20.0	15.5-25.6	13.6	12.6	9.4-16.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

New York (Manhattan) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8641.2	449.2	444.9-453.6	4126.0	486.1	479.3-492.8	4515.2	430.1	424.4-436.0
Oral cavity and pharynx	222.8	11.5	10.8-12.2	147.2	17.2	15.9-18.5	75.6	7.0	6.3-7.8
Esophagus	66.8	3.4	3.0-3.7	44.2	5.2	4.5-5.9	22.6	2.0	1.6-2.4
Stomach	148.8	7.7	7.1-8.3	85.0	10.2	9.2-11.2	63.8	5.8	5.2-6.5
Colorectal	648.0	33.8	32.6-35.0	337.4	40.3	38.4-42.4	310.6	28.7	27.2-30.2
Colon excluding rectum	449.6	23.3	22.3-24.3	223.4	27.0	25.4-28.6	226.2	20.6	19.4-21.9
Rectum & rectosigmoid	198.4	10.5	9.8-11.2	114.0	13.4	12.3-14.5	84.4	8.1	7.3-9.0
Liver / intrahepatic bile duct	212.2	10.6	10.0-11.3	142.4	16.2	15.0-17.4	69.8	6.0	5.4-6.7
Pancreas	265.8	13.4	12.7-14.2	133.4	15.9	14.7-17.2	132.4	11.5	10.6-12.4
Larynx	49.2	2.5	2.2-2.8	38.2	4.4	3.8-5.1	11.0	1.0	0.8-1.3
Lung and bronchus	905.2	45.6	44.3-47.0	407.0	48.4	46.3-50.6	498.2	43.8	42.1-45.6
Melanoma of the skin	338.8	17.4	16.6-18.3	197.2	23.4	22.0-25.0	141.6	13.1	12.1-14.1
Female breast							1410.6	141.0	137.6-144.4
Cervix uteri							66.2	6.9	6.1-7.7
Corpus uterus and NOS							318.0	29.9	28.4-31.4
Ovary							115.8	11.4	10.4-12.4
Prostate				1073.4	121.7	118.4-125.0			
Testis				63.4	6.9	6.2-7.8			
Urinary bladder (incl. in situ)	346.2	17.4	16.5-18.2	253.2	30.7	29.0-32.4	93.0	8.0	7.3-8.8
Kidney and renal pelvis	233.6	12.3	11.6-13.1	151.0	17.8	16.5-19.1	82.6	7.9	7.2-8.8
Brain and other central nervous system	120.4	7.0	6.4-7.6	71.6	9.1	8.2-10.2	48.8	5.2	4.5-6.0
Thyroid	348.4	19.2	18.3-20.2	97.6	11.4	10.4-12.5	250.8	26.5	25.0-28.1
Hodgkin lymphoma	54.0	3.0	2.6-3.4	26.4	3.2	2.6-3.8	27.6	2.9	2.4-3.4
Non-Hodgkin lymphomas	430.0	22.6	21.6-23.6	228.0	27.6	26.0-29.3	202.0	18.7	17.6-20.0
Myeloma	155.0	7.9	7.3-8.5	83.6	10.0	9.0-11.0	71.4	6.3	5.6-7.0
Leukemias	280.2	14.9	14.1-15.7	159.6	19.7	18.3-21.1	120.6	11.2	10.3-12.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Washington Heights, Inwood & Marble Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	896.4	393.9	382.3-405.8	444.2	474.2	454.2-494.8	452.2	349.0	334.4-364.0
Oral cavity and pharynx	18.6	8.3	6.7-10.2	12.4	13.6	10.4-17.6	6.2	4.6	3.1-6.6
Esophagus	8.8	3.7	2.7-5.0	6.0	6.6	4.4-9.5	2.8	1.9	1.0-3.3
Stomach	19.4	8.8	7.1-10.7	11.0	12.4	9.3-16.2	8.4	6.4	4.6-8.7
Colorectal	83.4	36.4	33.0-40.1	43.4	46.8	40.6-53.6	40.0	29.8	25.7-34.3
Colon excluding rectum	58.0	25.4	22.5-28.6	27.2	30.3	25.3-36.0	30.8	22.6	19.1-26.5
Rectum & rectosigmoid	25.4	11.0	9.1-13.1	16.2	16.5	13.0-20.6	9.2	7.2	5.2-9.7
Liver / intrahepatic bile duct	24.2	10.5	8.7-12.6	15.4	15.9	12.5-20.0	8.8	6.4	4.6-8.6
Pancreas	29.2	12.7	10.7-15.0	16.6	18.2	14.4-22.6	12.6	9.1	6.9-11.7
Larynx	5.8	2.5	1.6-3.6	4.0	3.8	2.3-6.0	1.8	1.4	0.6-2.7
Lung and bronchus	73.0	32.0	28.8-35.5	35.2	39.9	34.1-46.4	37.8	27.2	23.5-31.5
Melanoma of the skin	12.8	5.7	4.3-7.3	7.8	8.3	5.9-11.4	5.0	4.1	2.6-6.1
Female breast							137.4	109.8	101.6-118.6
Cervix uteri							8.8	7.5	5.4-10.2
Corpus uterus and NOS							35.8	26.9	23.0-31.2
Ovary							15.2	12.4	9.7-15.6
Prostate				150.2	153.5	142.4-165.2			
Testis				4.2	3.6	2.2-5.6			
Urinary bladder (incl. in situ)	29.8	13.1	11.0-15.4	23.2	27.2	22.4-32.7	6.6	4.7	3.2-6.7
Kidney and renal pelvis	23.6	10.5	8.6-12.6	15.4	16.1	12.7-20.3	8.2	6.1	4.3-8.4
Brain and other central nervous system	11.8	5.5	4.2-7.1	7.2	7.7	5.3-10.7	4.6	3.8	2.4-5.9
Thyroid	34.2	15.6	13.3-18.2	7.6	7.9	5.5-10.9	26.6	22.8	19.0-27.1
Hodgkin lymphoma	6.0	2.9	1.9-4.1	2.8	3.1	1.7-5.2	3.2	2.8	1.6-4.5
Non-Hodgkin lymphomas	41.2	18.5	16.0-21.3	20.6	23.1	18.7-28.1	20.6	15.5	12.6-18.9
Myeloma	19.4	8.6	7.0-10.6	9.2	10.7	7.8-14.3	10.2	7.4	5.5-9.9
Leukemias	24.2	11.0	9.1-13.2	13.4	14.5	11.2-18.5	10.8	8.5	6.3-11.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Hamilton Heights, Manhattanville & West Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	523.2	398.6	383.3-414.4	255.8	465.7	439.9-492.5	267.4	360.3	340.8-380.6
Oral cavity and pharynx	13.2	10.1	7.8-12.9	7.2	13.7	9.5-19.1	6.0	7.8	5.2-11.3
Esophagus	2.8	2.2	1.2-3.7	2.4	5.0	2.6-8.7	0.4	0.5	0.1-1.9
Stomach	12.2	9.1	6.9-11.7	6.2	11.5	7.7-16.4	6.0	7.7	5.2-11.2
Colorectal	46.2	35.3	30.9-40.3	23.0	42.2	34.7-50.9	23.2	30.5	25.1-36.8
Colon excluding rectum	33.8	25.9	22.1-30.2	16.8	31.6	25.1-39.3	17.0	22.3	17.7-27.7
Rectum & rectosigmoid	12.4	9.5	7.2-12.2	6.2	10.6	7.2-15.2	6.2	8.2	5.5-11.8
Liver / intrahepatic bile duct	16.0	11.9	9.4-14.9	10.4	18.5	13.7-24.4	5.6	7.0	4.7-10.3
Pancreas	16.6	12.4	9.9-15.4	8.2	16.1	11.4-21.9	8.4	9.9	7.0-13.6
Larynx	4.2	3.2	1.9-4.9	3.4	6.3	3.6-10.1	0.8	0.9	0.2-2.5
Lung and bronchus	46.0	34.6	30.3-39.5	22.0	42.0	34.4-50.8	24.0	30.5	25.2-36.6
Melanoma of the skin	7.4	5.5	3.8-7.6	4.0	6.9	4.2-10.8	3.4	4.6	2.6-7.5
Female breast							85.0	120.2	108.8-132.5
Cervix uteri							4.8	7.3	4.6-10.9
Corpus uterus and NOS							19.8	26.5	21.5-32.4
Ovary							8.0	10.2	7.2-14.1
Prostate				84.8	149.2	135.1-164.4			
Testis				3.4	4.8	2.7-8.0			
Urinary bladder (incl. in situ)	11.4	8.7	6.6-11.4	7.2	13.6	9.4-18.9	4.2	5.4	3.3-8.3
Kidney and renal pelvis	14.0	10.8	8.4-13.7	8.6	15.5	11.2-21.1	5.4	7.0	4.6-10.4
Brain and other central nervous system	6.4	5.0	3.4-7.2	4.0	7.4	4.5-11.6	2.4	3.5	1.7-6.3
Thyroid	19.0	14.5	11.7-17.9	5.6	9.2	6.0-13.5	13.4	19.2	14.7-24.6
Hodgkin lymphoma	3.4	2.3	1.3-3.9	1.8	2.9	1.3-5.7	1.6	1.8	0.7-3.7
Non-Hodgkin lymphomas	25.4	20.2	16.8-24.2	13.4	25.3	19.5-32.2	12.0	17.0	12.9-22.0
Myeloma	11.4	8.7	6.6-11.3	6.0	11.0	7.4-15.8	5.4	6.8	4.5-10.1
Leukemias	14.0	11.1	8.6-14.1	7.6	14.8	10.4-20.4	6.4	8.3	5.7-11.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018
New York (Manhattan) County
Central Harlem

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	598.8	492.2	474.5-510.3	281.4	554.8	525.3-585.4	317.4	455.2	433.0-478.4
Oral cavity and pharynx	12.2	10.1	7.7-13.0	8.2	16.5	11.6-22.5	4.0	5.7	3.5-8.9
Esophagus	5.0	4.3	2.8-6.3	2.4	5.7	2.9-10.0	2.6	3.6	1.9-6.2
Stomach	13.4	11.3	8.8-14.4	6.2	12.9	8.7-18.5	7.2	10.3	7.2-14.3
Colorectal	52.2	43.3	38.1-48.9	27.4	55.5	46.3-65.9	24.8	35.7	29.6-42.6
Colon excluding rectum	35.4	29.7	25.4-34.5	19.0	39.8	32.0-48.9	16.4	23.5	18.6-29.2
Rectum & rectosigmoid	16.8	13.6	10.8-16.9	8.4	15.7	11.2-21.3	8.4	12.2	8.8-16.5
Liver / intrahepatic bile duct	19.0	15.2	12.2-18.6	13.2	25.0	19.2-32.0	5.8	8.2	5.5-11.9
Pancreas	22.2	18.4	15.1-22.3	10.0	19.2	14.2-25.5	12.2	17.3	13.2-22.3
Larynx	4.8	3.7	2.4-5.6	3.8	7.3	4.3-11.4	1.0	1.4	0.4-3.3
Lung and bronchus	69.2	58.2	52.2-64.8	33.2	69.1	58.7-80.8	36.0	51.1	43.8-59.2
Melanoma of the skin	4.0	3.3	2.0-5.1	1.8	3.4	1.5-6.5	2.2	3.3	1.6-5.9
Female breast							99.8	144.5	132.1-157.9
Cervix uteri							8.2	11.5	8.3-15.7
Corpus uterus and NOS							29.0	40.6	34.3-47.9
Ovary							4.8	7.2	4.6-10.8
Prostate				90.4	175.4	159.2-192.8			
Testis				3.8	6.9	4.1-10.9			
Urinary bladder (incl. in situ)	16.2	13.3	10.6-16.6	10.8	22.5	16.7-29.6	5.4	7.4	4.9-10.9
Kidney and renal pelvis	20.6	17.0	13.8-20.6	13.2	25.8	19.8-33.0	7.4	10.6	7.5-14.7
Brain and other central nervous system	4.8	3.9	2.5-5.8	2.2	4.0	2.0-7.2	2.6	3.9	2.0-6.7
Thyroid	15.6	12.5	9.8-15.6	4.2	7.0	4.3-10.8	11.4	16.6	12.5-21.6
Hodgkin lymphoma	4.4	3.4	2.1-5.2	2.2	3.6	1.8-6.6	2.2	3.3	1.6-6.0
Non-Hodgkin lymphomas	22.6	18.8	15.5-22.7	11.6	22.0	16.5-28.7	11.0	16.3	12.3-21.3
Myeloma	11.4	9.8	7.4-12.8	4.6	8.7	5.5-13.2	6.8	10.0	6.9-14.1
Leukemias	13.2	11.1	8.5-14.1	6.6	13.4	9.1-18.9	6.6	9.4	6.4-13.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018
New York (Manhattan) County
East Harlem

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	621.8	477.1	460.3-494.3	279.8	533.1	505.3-562.0	342.0	447.5	426.2-469.7
Oral cavity and pharynx	19.8	15.5	12.5-18.9	13.8	26.6	20.7-33.7	6.0	7.9	5.3-11.5
Esophagus	4.2	3.1	1.9-4.8	1.6	3.0	1.3-6.0	2.6	3.1	1.6-5.4
Stomach	10.4	8.1	6.0-10.7	5.6	11.2	7.4-16.2	4.8	6.3	4.0-9.5
Colorectal	54.4	41.4	36.6-46.7	28.8	56.4	47.5-66.5	25.6	31.5	26.2-37.6
Colon excluding rectum	36.2	27.3	23.5-31.7	18.0	35.6	28.6-43.8	18.2	22.1	17.7-27.3
Rectum & rectosigmoid	18.2	14.1	11.3-17.4	10.8	20.8	15.6-27.2	7.4	9.4	6.6-13.0
Liver / intrahepatic bile duct	24.8	18.5	15.4-22.1	16.0	30.7	24.3-38.3	8.8	10.7	7.7-14.5
Pancreas	20.0	15.1	12.2-18.4	9.0	18.0	13.1-24.1	11.0	13.1	9.8-17.2
Larynx	5.4	4.2	2.7-6.1	4.2	8.1	5.0-12.4	1.2	1.7	0.6-3.8
Lung and bronchus	72.4	54.1	48.7-60.0	33.8	65.5	56.0-76.3	38.6	47.3	40.8-54.6
Melanoma of the skin	5.2	3.8	2.5-5.7	3.6	6.6	3.9-10.4	1.6	2.1	0.9-4.2
Female breast							96.0	129.7	118.1-142.1
Cervix uteri							9.4	13.7	10.0-18.3
Corpus uterus and NOS							26.6	35.1	29.3-41.8
Ovary							7.8	10.2	7.2-14.1
Prostate				65.2	122.8	109.8-137.0			
Testis				3.8	6.9	4.1-10.9			
Urinary bladder (incl. in situ)	20.0	14.8	12.0-18.0	11.4	22.0	16.6-28.5	8.6	10.1	7.3-13.7
Kidney and renal pelvis	23.6	18.5	15.3-22.2	13.6	25.2	19.5-32.0	10.0	13.5	9.9-17.9
Brain and other central nervous system	7.4	6.2	4.4-8.6	4.8	8.6	5.5-12.9	2.6	4.2	2.2-7.3
Thyroid	20.4	16.6	13.5-20.2	3.2	6.0	3.4-9.8	17.2	25.3	20.2-31.4
Hodgkin lymphoma	5.2	4.1	2.7-6.1	2.6	4.7	2.5-8.2	2.6	3.8	2.0-6.5
Non-Hodgkin lymphomas	29.0	22.5	19.0-26.5	14.8	28.2	22.1-35.5	14.2	18.4	14.3-23.4
Myeloma	15.2	11.7	9.2-14.6	8.0	15.8	11.3-21.5	7.2	8.8	6.2-12.4
Leukemias	19.0	14.6	11.8-17.8	12.0	22.0	16.7-28.4	7.0	9.4	6.5-13.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Upper East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1469.6	477.2	465.7-489.0	665.8	487.2	470.1-504.8	803.8	474.2	458.6-490.3
Oral cavity and pharynx	35.6	11.0	9.4-12.8	22.2	15.7	12.8-19.0	13.4	7.5	5.7-9.7
Esophagus	8.6	2.6	1.8-3.5	5.2	3.7	2.4-5.6	3.4	1.6	0.9-2.8
Stomach	13.6	4.3	3.3-5.5	8.4	6.0	4.3-8.3	5.2	3.1	2.0-4.7
Colorectal	87.8	28.8	26.0-31.8	41.4	32.0	27.6-37.0	46.4	25.8	22.4-29.7
Colon excluding rectum	62.2	19.9	17.6-22.4	28.2	21.5	17.9-25.7	34.0	18.4	15.6-21.6
Rectum & rectosigmoid	25.6	8.9	7.3-10.7	13.2	10.4	8.0-13.4	12.4	7.5	5.6-9.9
Liver / intrahepatic bile duct	17.6	5.4	4.3-6.7	10.4	7.3	5.4-9.8	7.2	3.8	2.6-5.5
Pancreas	43.6	13.3	11.5-15.4	22.4	15.9	13.0-19.5	21.2	11.4	9.1-14.2
Larynx	6.4	1.9	1.3-2.8	5.0	3.4	2.2-5.3	1.4	0.8	0.3-2.0
Lung and bronchus	150.0	44.0	40.8-47.3	51.8	35.3	31.1-40.0	98.2	50.8	46.3-55.7
Melanoma of the skin	94.4	30.4	27.6-33.4	55.0	40.9	36.1-46.3	39.4	22.6	19.4-26.2
Female breast							264.8	164.4	155.2-174.1
Cervix uteri							6.0	4.0	2.7-6.0
Corpus uterus and NOS							44.6	25.1	21.8-28.9
Ovary							22.0	13.3	10.7-16.4
Prostate				164.4	113.0	105.3-121.2			
Testis				9.8	8.8	6.3-11.9			
Urinary bladder (incl. in situ)	72.2	20.9	18.7-23.2	53.8	36.6	32.3-41.4	18.4	9.3	7.5-11.7
Kidney and renal pelvis	33.6	10.7	9.1-12.5	23.2	17.0	14.0-20.6	10.4	5.6	4.1-7.6
Brain and other central nervous system	21.6	8.9	7.1-11.0	13.4	13.0	9.7-17.0	8.2	5.3	3.7-7.6
Thyroid	66.6	25.9	23.0-29.1	20.0	16.9	13.6-20.8	46.6	33.2	28.7-38.2
Hodgkin lymphoma	9.0	4.1	2.8-5.7	3.8	4.0	2.1-6.7	5.2	4.0	2.5-6.1
Non-Hodgkin lymphomas	77.8	25.5	22.8-28.5	39.4	29.6	25.4-34.3	38.4	22.5	19.0-26.4
Myeloma	29.2	8.9	7.4-10.5	16.6	11.9	9.4-14.8	12.6	6.6	5.1-8.7
Leukemias	63.0	20.6	18.2-23.2	38.0	28.4	24.4-33.0	25.0	14.4	11.7-17.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Upper West Side & West Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1247.8	446.2	434.8-457.9	573.8	456.8	439.9-474.4	674.0	446.8	431.1-463.0
Oral cavity and pharynx	30.4	10.4	8.8-12.3	20.2	15.5	12.6-19.0	10.2	6.5	4.8-8.8
Esophagus	8.2	2.9	2.0-4.0	5.2	4.1	2.7-6.2	3.0	1.9	1.1-3.3
Stomach	16.8	5.9	4.7-7.5	8.6	7.1	5.1-9.7	8.2	5.0	3.6-7.1
Colorectal	79.0	28.0	25.2-31.1	39.2	31.3	27.0-36.2	39.8	25.7	22.1-29.9
Colon excluding rectum	57.2	20.1	17.7-22.7	27.4	22.0	18.4-26.2	29.8	18.8	15.8-22.4
Rectum & rectosigmoid	21.8	8.0	6.5-9.7	11.8	9.3	7.0-12.1	10.0	6.9	5.1-9.3
Liver / intrahepatic bile duct	18.6	6.1	4.9-7.6	12.4	9.2	7.0-11.9	6.2	3.6	2.4-5.3
Pancreas	37.8	12.7	10.9-14.7	17.4	13.8	11.0-17.2	20.4	11.8	9.5-14.5
Larynx	3.6	1.2	0.7-2.0	3.0	2.3	1.3-3.9	0.6	0.3	0.1-1.3
Lung and bronchus	117.6	39.9	36.7-43.4	47.8	37.6	33.0-42.9	69.8	41.9	37.5-46.7
Melanoma of the skin	68.8	24.5	21.9-27.4	40.2	33.0	28.6-38.1	28.6	18.0	15.1-21.5
Female breast							226.0	156.4	147.1-166.3
Cervix uteri							6.4	4.7	3.2-6.8
Corpus uterus and NOS							47.6	31.0	27.1-35.4
Ovary							14.6	9.9	7.7-12.7
Prostate				160.8	121.0	112.7-129.9			
Testis				7.4	7.3	5.1-10.2			
Urinary bladder (incl. in situ)	57.8	19.4	17.2-21.9	42.8	34.5	30.0-39.6	15.0	8.8	6.9-11.2
Kidney and renal pelvis	34.4	11.9	10.1-13.9	22.4	17.0	14.0-20.6	12.0	8.0	6.0-10.5
Brain and other central nervous system	21.4	8.5	6.8-10.5	11.0	10.1	7.4-13.6	10.4	7.2	5.2-9.7
Thyroid	48.2	20.6	17.9-23.6	11.8	10.2	7.7-13.4	36.4	29.7	25.3-34.8
Hodgkin lymphoma	6.2	3.1	2.0-4.6	3.6	4.0	2.2-6.5	2.6	2.6	1.2-4.7
Non-Hodgkin lymphomas	69.6	25.0	22.4-27.9	37.2	30.6	26.3-35.5	32.4	20.7	17.5-24.4
Myeloma	19.4	6.6	5.4-8.2	11.4	9.0	6.8-11.8	8.0	4.8	3.4-6.7
Leukemias	39.4	13.8	11.9-16.1	20.8	17.1	13.9-21.0	18.6	11.1	8.9-13.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Chelsea, Clinton & Midtown Business District**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	801.8	489.5	474.1-505.4	421.4	525.9	502.7-550.1	380.4	474.6	452.9-497.3
Oral cavity and pharynx	23.0	13.9	11.4-16.8	17.2	20.6	16.3-25.8	5.8	6.9	4.6-10.3
Esophagus	5.6	3.5	2.3-5.1	4.4	5.7	3.5-9.0	1.2	1.4	0.5-3.4
Stomach	11.6	7.1	5.4-9.4	7.2	9.1	6.3-13.0	4.4	5.0	3.1-8.0
Colorectal	63.6	40.2	35.8-45.0	38.2	49.6	42.6-57.5	25.4	31.8	26.4-38.2
Colon excluding rectum	41.6	26.6	23.1-30.6	23.8	31.9	26.2-38.5	17.8	22.0	17.6-27.5
Rectum & rectosigmoid	22.0	13.6	11.1-16.5	14.4	17.7	13.7-22.7	7.6	9.8	6.9-13.7
Liver / intrahepatic bile duct	19.4	11.4	9.2-14.0	13.8	16.3	12.6-21.0	5.6	6.4	4.3-9.7
Pancreas	23.4	14.3	11.8-17.3	12.0	15.4	11.7-20.2	11.4	13.2	9.9-17.4
Larynx	4.8	2.9	1.9-4.5	4.0	4.8	2.9-7.8	0.8	1.1	0.3-3.3
Lung and bronchus	80.8	50.5	45.7-55.9	42.8	56.4	48.9-64.8	38.0	45.8	39.4-53.1
Melanoma of the skin	32.0	18.1	15.4-21.4	19.2	22.8	18.3-28.2	12.8	14.7	11.1-19.2
Female breast							117.6	153.6	141.1-167.0
Cervix uteri							6.8	8.2	5.6-11.8
Corpus uterus and NOS							31.6	39.6	33.5-46.7
Ovary							12.6	16.6	12.6-21.6
Prostate				103.8	126.0	115.1-137.7			
Testis				8.2	7.8	5.5-11.0			
Urinary bladder (incl. in situ)	30.0	19.1	16.1-22.6	23.0	31.6	26.0-38.3	7.0	8.1	5.6-11.5
Kidney and renal pelvis	18.2	11.4	9.2-14.2	12.0	14.6	11.1-19.2	6.2	7.9	5.3-11.6
Brain and other central nervous system	11.2	7.8	5.6-10.6	7.4	10.8	7.0-16.1	3.8	4.5	2.7-7.5
Thyroid	33.0	18.6	15.8-21.9	10.0	11.1	8.2-15.1	23.0	28.4	23.2-34.6
Hodgkin lymphoma	6.4	3.4	2.3-5.0	4.0	4.0	2.4-6.8	2.4	2.5	1.2-4.9
Non-Hodgkin lymphomas	39.8	23.6	20.4-27.3	25.2	31.3	26.0-37.7	14.6	16.7	13.0-21.3
Myeloma	12.0	7.2	5.5-9.5	7.6	9.3	6.5-13.2	4.4	5.2	3.2-8.2
Leukemias	24.6	16.1	13.2-19.4	13.8	18.4	14.2-23.8	10.8	14.6	10.8-19.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Murray Hill, Gramercy & Stuyvesant Town**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	931.6	479.4	464.8-494.5	428.4	492.5	470.7-515.3	503.2	478.5	458.4-499.5
Oral cavity and pharynx	23.8	11.9	9.8-14.4	15.6	17.7	13.9-22.5	8.2	7.2	5.0-10.2
Esophagus	7.6	3.8	2.7-5.5	4.4	4.8	3.0-7.7	3.2	3.2	1.7-5.7
Stomach	11.8	6.2	4.6-8.2	6.6	7.5	5.1-10.9	5.2	5.2	3.2-8.1
Colorectal	58.0	30.3	26.6-34.4	31.6	37.5	31.5-44.5	26.4	24.7	20.4-29.8
Colon excluding rectum	41.8	21.6	18.5-25.1	21.4	25.6	20.5-31.7	20.4	18.8	15.1-23.4
Rectum & rectosigmoid	16.2	8.7	6.8-11.0	10.2	11.9	8.8-16.0	6.0	5.8	3.8-8.9
Liver / intrahepatic bile duct	20.6	10.3	8.4-12.7	14.6	16.7	13.0-21.4	6.0	5.1	3.4-7.8
Pancreas	26.0	12.7	10.6-15.3	12.2	14.1	10.7-18.4	13.8	11.6	8.9-15.1
Larynx	3.4	1.6	0.9-2.7	2.6	2.8	1.5-5.2	0.8	0.7	0.2-2.5
Lung and bronchus	106.0	50.2	45.9-54.8	45.6	50.6	44.2-57.9	60.4	49.6	44.1-55.9
Melanoma of the skin	55.6	26.9	23.7-30.5	32.2	36.2	30.7-42.6	23.4	20.2	16.5-24.8
Female breast							167.4	170.6	158.4-183.6
Cervix uteri							4.8	5.9	3.7-9.1
Corpus uterus and NOS							33.2	30.7	26.0-36.2
Ovary							12.4	12.6	9.4-16.8
Prostate				95.0	103.7	94.4-113.8			
Testis				8.6	9.7	6.3-14.3			
Urinary bladder (incl. in situ)	47.2	22.6	19.7-25.8	33.0	36.9	31.5-43.3	14.2	12.1	9.4-15.7
Kidney and renal pelvis	19.6	10.5	8.4-13.1	12.0	14.0	10.6-18.4	7.6	7.9	5.2-11.5
Brain and other central nervous system	16.0	10.5	7.7-14.0	9.6	13.9	9.3-19.9	6.4	7.7	4.7-12.0
Thyroid	32.4	18.2	15.3-21.6	11.2	13.5	9.9-18.3	21.2	22.8	18.3-28.3
Hodgkin lymphoma	5.2	3.0	1.6-4.9	1.8	1.7	0.7-3.9	3.4	3.8	1.8-7.0
Non-Hodgkin lymphomas	50.4	25.8	22.6-29.5	26.6	31.7	26.4-37.9	23.8	20.9	17.1-25.5
Myeloma	13.4	6.8	5.2-8.9	6.4	7.3	5.0-10.7	7.0	6.6	4.5-9.7
Leukemias	30.2	16.0	13.1-19.3	16.4	19.9	15.5-25.3	13.8	13.2	9.4-18.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Chinatown & Lower East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	848.0	410.9	398.4-423.8	421.2	454.4	435.0-474.5	426.8	387.4	370.4-405.1
Oral cavity and pharynx	25.8	12.7	10.5-15.1	14.8	15.9	12.4-20.0	11.0	10.1	7.5-13.4
Esophagus	8.4	3.8	2.7-5.2	7.0	7.3	5.0-10.2	1.4	1.1	0.4-2.5
Stomach	31.8	14.9	12.6-17.4	20.2	21.9	17.8-26.7	11.6	9.1	6.9-12.0
Colorectal	77.2	36.6	33.0-40.6	39.0	42.2	36.5-48.7	38.2	32.2	27.7-37.4
Colon excluding rectum	50.6	23.6	20.7-26.8	23.8	25.6	21.2-30.8	26.8	21.9	18.3-26.2
Rectum & rectosigmoid	26.6	13.0	10.9-15.5	15.2	16.6	13.1-20.9	11.4	10.3	7.7-13.5
Liver / intrahepatic bile duct	40.6	19.3	16.7-22.2	28.6	30.6	25.7-36.1	12.0	9.5	7.2-12.5
Pancreas	25.8	11.9	9.9-14.2	12.6	13.6	10.4-17.5	13.2	10.4	8.0-13.5
Larynx	6.6	3.1	2.1-4.5	4.6	4.9	3.1-7.4	2.0	1.7	0.8-3.3
Lung and bronchus	117.0	53.8	49.5-58.5	63.0	68.0	60.7-76.0	54.0	43.7	38.5-49.6
Melanoma of the skin	17.0	8.5	6.7-10.6	9.4	10.2	7.4-13.7	7.6	7.1	4.9-10.0
Female breast							103.2	99.5	90.8-109.0
Cervix uteri							6.8	6.8	4.7-9.8
Corpus uterus and NOS							27.8	26.5	22.1-31.5
Ovary							10.2	9.8	7.2-13.1
Prostate				78.2	82.6	74.6-91.3			
Testis				6.2	5.9	4.0-8.6			
Urinary bladder (incl. in situ)	28.8	13.0	10.9-15.4	22.4	24.0	19.7-29.0	6.4	5.0	3.4-7.3
Kidney and renal pelvis	27.8	14.4	12.1-17.2	17.6	19.7	15.7-24.3	10.2	10.3	7.5-13.9
Brain and other central nervous system	9.6	5.7	4.1-7.7	5.8	7.4	4.9-10.8	3.8	4.1	2.3-6.7
Thyroid	45.8	24.9	21.7-28.5	13.6	15.2	11.7-19.4	32.2	34.5	29.2-40.6
Hodgkin lymphoma	5.6	2.7	1.8-4.1	2.6	2.5	1.3-4.5	3.0	2.9	1.6-5.1
Non-Hodgkin lymphomas	36.0	17.6	15.0-20.4	18.0	19.7	15.8-24.3	18.0	16.1	12.8-20.0
Myeloma	13.4	6.2	4.8-8.0	7.2	7.9	5.5-11.1	6.2	4.8	3.2-7.0
Leukemias	25.0	12.1	10.0-14.5	12.6	13.9	10.6-17.9	12.4	11.2	8.4-14.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**New York (Manhattan) County
Battery Park City, Greenwich Village & Soho**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	698.4	462.7	447.0-478.8	352.2	489.1	465.8-513.3	346.2	449.1	427.5-471.7
Oral cavity and pharynx	20.2	13.0	10.6-15.9	15.6	20.7	16.2-26.0	4.6	5.7	3.6-8.8
Esophagus	7.6	5.0	3.5-7.0	5.6	7.4	4.9-10.9	2.0	2.7	1.3-5.2
Stomach	7.8	5.4	3.8-7.4	5.0	7.3	4.7-10.9	2.8	3.4	1.8-6.0
Colorectal	45.8	30.9	26.8-35.3	25.2	35.5	29.4-42.5	20.6	26.9	21.6-33.1
Colon excluding rectum	32.6	22.1	18.7-26.0	17.8	25.4	20.3-31.4	14.8	19.5	15.0-25.0
Rectum & rectosigmoid	13.2	8.8	6.7-11.3	7.4	10.1	7.1-14.2	5.8	7.3	4.8-10.8
Liver / intrahepatic bile duct	11.2	7.1	5.3-9.3	7.4	9.8	6.9-13.7	3.8	4.2	2.5-6.9
Pancreas	21.0	14.1	11.5-17.2	12.8	18.5	14.2-23.9	8.2	10.3	7.3-14.2
Larynx	4.2	2.8	1.7-4.3	3.6	5.0	2.9-8.1	0.6	0.7	0.1-2.4
Lung and bronchus	73.2	49.5	44.5-55.0	31.8	47.0	39.9-55.1	41.4	52.8	45.8-60.8
Melanoma of the skin	41.6	26.5	22.9-30.5	24.0	32.0	26.4-38.6	17.6	21.3	16.9-26.5
Female breast							113.2	152.0	139.4-165.5
Cervix uteri							4.2	5.9	3.6-9.2
Corpus uterus and NOS							22.0	29.6	24.3-35.9
Ovary							8.2	11.2	8.0-15.4
Prostate				80.0	108.3	97.8-119.8			
Testis				8.0	7.4	5.2-10.5			
Urinary bladder (incl. in situ)	32.6	22.2	18.9-26.0	25.4	38.1	31.6-45.5	7.2	9.0	6.3-12.7
Kidney and renal pelvis	18.0	12.1	9.7-15.0	12.8	17.3	13.2-22.3	5.2	6.7	4.4-10.0
Brain and other central nervous system	10.2	7.0	5.0-9.6	6.2	8.4	5.2-12.7	4.0	5.7	3.4-9.2
Thyroid	33.0	19.9	16.9-23.5	10.4	13.7	10.1-18.3	22.6	26.9	21.9-32.8
Hodgkin lymphoma	2.6	1.4	0.7-2.5	1.2	1.3	0.5-3.3	1.4	1.4	0.5-3.3
Non-Hodgkin lymphomas	37.6	25.2	21.6-29.2	21.2	29.5	24.0-36.0	16.4	20.9	16.6-26.2
Myeloma	10.0	6.5	4.8-8.7	6.4	8.8	6.0-12.7	3.6	4.2	2.5-6.9
Leukemias	27.6	20.0	16.5-24.0	18.4	27.4	21.7-34.1	9.2	13.3	9.2-18.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

Queens County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11343.2	421.3	417.8-424.9	5456.4	453.5	448.0-459.0	5886.8	404.7	400.0-409.5
Oral cavity and pharynx	250.6	9.2	8.7-9.8	157.8	12.8	11.9-13.7	92.8	6.3	5.7-6.9
Esophagus	93.4	3.3	3.0-3.6	70.2	5.7	5.1-6.4	23.2	1.4	1.2-1.7
Stomach	331.6	12.3	11.7-12.9	193.2	16.2	15.2-17.3	138.4	9.2	8.5-10.0
Colorectal	1031.0	38.3	37.3-39.4	535.8	44.9	43.1-46.6	495.2	33.2	31.9-34.6
Colon excluding rectum	723.4	26.9	26.0-27.8	365.2	30.9	29.5-32.4	358.2	23.8	22.7-25.0
Rectum & rectosigmoid	307.6	11.4	10.9-12.0	170.6	14.0	13.0-15.0	137.0	9.4	8.7-10.1
Liver / intrahepatic bile duct	282.6	10.1	9.6-10.7	199.2	15.8	14.8-16.9	83.4	5.5	4.9-6.0
Pancreas	353.0	12.9	12.3-13.5	166.0	14.2	13.2-15.2	187.0	11.9	11.1-12.7
Larynx	65.0	2.4	2.1-2.6	53.8	4.5	3.9-5.0	11.2	0.7	0.5-0.9
Lung and bronchus	1182.2	43.2	42.1-44.3	616.0	52.4	50.5-54.3	566.2	36.6	35.3-38.0
Melanoma of the skin	203.6	7.7	7.2-8.2	111.2	9.7	8.9-10.6	92.4	6.3	5.7-6.9
Female breast							1736.6	121.9	119.3-124.6
Cervix uteri							125.0	9.4	8.7-10.2
Corpus uterus and NOS							441.2	29.3	28.1-30.6
Ovary							164.2	11.6	10.8-12.5
Prostate				1451.6	114.6	111.9-117.3			
Testis				47.6	4.0	3.5-4.6			
Urinary bladder (incl. in situ)	443.4	16.3	15.6-17.0	327.8	28.7	27.3-30.2	115.6	7.4	6.8-8.0
Kidney and renal pelvis	365.0	13.5	12.9-14.2	234.4	19.1	18.0-20.3	130.6	8.9	8.2-9.6
Brain and other central nervous system	131.8	5.3	4.9-5.7	73.8	6.3	5.7-7.0	58.0	4.3	3.8-4.8
Thyroid	507.2	20.4	19.6-21.2	116.4	9.7	8.9-10.5	390.8	30.6	29.2-32.0
Hodgkin lymphoma	64.2	2.7	2.4-3.0	38.2	3.3	2.9-3.8	26.0	2.2	1.8-2.6
Non-Hodgkin lymphomas	478.4	18.0	17.3-18.8	254.6	21.7	20.5-23.0	223.8	15.2	14.3-16.2
Myeloma	213.8	7.9	7.4-8.4	106.8	8.9	8.1-9.7	107.0	7.1	6.5-7.7
Leukemias	353.0	13.6	13.0-14.3	195.4	17.1	16.0-18.2	157.6	11.0	10.2-11.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Astoria & Long Island City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	794.8	419.8	406.6-433.3	390.0	467.5	446.6-489.1	404.8	395.5	378.0-413.7
Oral cavity and pharynx	16.0	8.5	6.7-10.6	10.0	11.8	8.7-15.6	6.0	5.9	3.9-8.5
Esophagus	5.8	3.0	2.0-4.4	4.8	5.8	3.7-8.7	1.0	0.9	0.3-2.2
Stomach	23.2	12.2	10.1-14.7	13.4	16.8	12.9-21.4	9.8	9.0	6.6-12.0
Colorectal	69.0	36.6	32.8-40.8	37.8	45.7	39.3-52.9	31.2	29.8	25.2-35.0
Colon excluding rectum	47.4	25.2	22.0-28.7	24.6	30.3	25.1-36.2	22.8	21.8	17.9-26.4
Rectum & rectosigmoid	21.6	11.5	9.4-13.9	13.2	15.5	11.9-19.8	8.4	8.0	5.7-10.9
Liver / intrahepatic bile duct	20.4	10.6	8.6-13.0	14.6	17.6	13.8-22.3	5.8	5.4	3.6-8.0
Pancreas	25.2	13.2	11.0-15.8	13.6	16.7	12.9-21.2	11.6	10.6	8.1-13.9
Larynx	4.8	2.5	1.6-3.8	3.6	4.4	2.6-7.1	1.2	1.1	0.4-2.5
Lung and bronchus	88.6	46.1	41.9-50.7	46.2	57.1	49.8-65.1	42.4	38.6	33.5-44.4
Melanoma of the skin	17.8	8.7	7.0-10.8	8.2	8.9	6.3-12.1	9.6	8.4	6.1-11.4
Female breast							116.6	119.8	110.0-130.3
Cervix uteri							9.6	10.1	7.4-13.5
Corpus uterus and NOS							25.2	24.7	20.5-29.5
Ovary							11.0	10.7	8.0-14.1
Prostate				85.0	100.1	90.7-110.3			
Testis				6.8	5.6	3.8-8.1			
Urinary bladder (incl. in situ)	40.0	21.3	18.5-24.6	30.2	38.9	32.9-45.7	9.8	8.9	6.6-12.0
Kidney and renal pelvis	22.6	12.3	10.1-14.9	15.2	17.7	13.9-22.3	7.4	7.2	5.0-10.1
Brain and other central nervous system	10.6	6.2	4.6-8.2	6.6	8.0	5.4-11.3	4.0	4.7	2.8-7.4
Thyroid	39.4	20.8	17.9-24.1	8.8	9.5	6.9-12.9	30.6	32.4	27.2-38.3
Hodgkin lymphoma	7.4	4.2	2.9-5.8	5.4	6.3	4.1-9.3	2.0	2.2	1.0-4.2
Non-Hodgkin lymphomas	37.4	19.5	16.7-22.5	22.2	26.3	21.5-31.8	15.2	14.0	10.9-17.6
Myeloma	13.0	6.6	5.1-8.4	6.6	7.5	5.1-10.6	6.4	5.7	3.8-8.1
Leukemias	23.8	12.8	10.6-15.4	14.0	17.7	13.7-22.5	9.8	9.3	6.8-12.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Jackson Heights & North Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	700.6	383.6	370.8-396.8	339.0	411.4	391.2-432.3	361.6	375.9	358.5-393.9
Oral cavity and pharynx	17.0	9.1	7.2-11.2	11.2	12.8	9.5-16.7	5.8	5.8	3.8-8.3
Esophagus	3.6	2.1	1.2-3.3	1.6	2.1	0.9-4.2	2.0	1.9	0.9-3.6
Stomach	26.2	14.4	12.0-17.1	14.2	16.8	13.0-21.3	12.0	12.5	9.5-16.1
Colorectal	63.4	35.0	31.2-39.1	34.2	40.2	34.2-46.9	29.2	30.3	25.5-35.7
Colon excluding rectum	42.4	23.6	20.5-27.0	21.8	26.0	21.2-31.6	20.6	21.3	17.3-25.9
Rectum & rectosigmoid	21.0	11.4	9.3-13.9	12.4	14.2	10.8-18.3	8.6	9.0	6.5-12.2
Liver / intrahepatic bile duct	20.4	11.4	9.2-13.9	14.6	17.2	13.4-21.8	5.8	6.0	4.0-8.7
Pancreas	18.0	10.3	8.2-12.7	8.2	10.5	7.4-14.3	9.8	9.8	7.2-13.0
Larynx	3.0	1.8	1.0-3.0	2.0	2.8	1.3-5.2	1.0	1.1	0.4-2.7
Lung and bronchus	53.0	30.0	26.4-33.9	28.4	37.7	31.5-44.6	24.6	25.2	20.9-30.2
Melanoma of the skin	11.2	6.3	4.8-8.2	7.8	10.5	7.3-14.4	3.4	3.6	2.1-5.9
Female breast							99.4	104.3	95.2-114.0
Cervix uteri							10.2	10.9	8.0-14.3
Corpus uterus and NOS							24.4	24.5	20.3-29.4
Ovary							9.4	10.1	7.4-13.5
Prostate				97.4	117.4	106.9-128.8			
Testis				5.0	4.7	3.0-7.1			
Urinary bladder (incl. in situ)	20.2	11.7	9.5-14.3	13.0	18.1	13.9-23.2	7.2	7.7	5.3-10.7
Kidney and renal pelvis	27.6	14.7	12.3-17.4	17.2	19.4	15.4-24.1	10.4	10.2	7.6-13.5
Brain and other central nervous system	9.8	5.4	4.0-7.2	6.2	7.5	5.0-10.8	3.6	3.8	2.2-6.0
Thyroid	40.0	20.5	17.7-23.6	8.6	8.6	6.2-11.7	31.4	33.5	28.4-39.3
Hodgkin lymphoma	3.4	1.8	1.0-2.8	2.0	2.0	0.9-3.7	1.4	1.6	0.6-3.3
Non-Hodgkin lymphomas	35.4	19.9	17.0-23.1	17.4	22.1	17.5-27.5	18.0	19.1	15.3-23.6
Myeloma	12.0	6.7	5.1-8.7	5.6	6.8	4.4-9.9	6.4	6.8	4.6-9.6
Leukemias	24.0	13.1	10.8-15.7	13.2	16.2	12.3-20.8	10.8	11.1	8.3-14.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Flushing, Murray Hill & Whitestone**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1580.4	444.4	434.4-454.7	759.8	462.3	447.4-477.7	820.6	438.2	424.3-452.5
Oral cavity and pharynx	35.6	10.0	8.6-11.7	22.4	13.7	11.2-16.6	13.2	6.8	5.2-8.8
Esophagus	15.6	4.0	3.2-5.0	12.4	7.2	5.5-9.3	3.2	1.4	0.8-2.4
Stomach	65.6	17.5	15.7-19.6	39.4	23.7	20.5-27.4	26.2	12.6	10.5-15.1
Colorectal	157.2	43.8	40.7-47.0	87.6	54.2	49.1-59.7	69.6	35.1	31.4-39.2
Colon excluding rectum	108.8	29.9	27.4-32.6	58.8	36.4	32.3-40.9	50.0	24.6	21.5-28.0
Rectum & rectosigmoid	48.4	13.9	12.1-15.8	28.8	17.8	15.0-21.1	19.6	10.6	8.5-13.0
Liver / intrahepatic bile duct	52.4	14.0	12.3-15.9	36.6	21.1	18.1-24.5	15.8	8.0	6.3-10.1
Pancreas	52.2	13.4	11.8-15.2	24.0	14.1	11.7-17.0	28.2	12.9	10.8-15.4
Larynx	9.0	2.4	1.7-3.2	7.8	4.6	3.2-6.4	1.2	0.6	0.2-1.4
Lung and bronchus	200.8	52.8	49.5-56.2	106.0	63.3	57.9-69.0	94.8	44.7	40.7-49.1
Melanoma of the skin	26.6	7.5	6.2-9.0	13.8	9.0	7.0-11.5	12.8	6.4	4.8-8.3
Female breast							238.2	134.0	126.2-142.2
Cervix uteri							19.0	11.8	9.5-14.6
Corpus uterus and NOS							50.0	25.9	22.7-29.5
Ovary							23.0	12.6	10.3-15.3
Prostate				154.4	88.4	82.2-95.0			
Testis				5.2	4.3	2.8-6.3			
Urinary bladder (incl. in situ)	66.8	17.6	15.7-19.6	49.2	30.0	26.4-34.2	17.6	8.1	6.4-10.1
Kidney and renal pelvis	43.0	12.3	10.7-14.1	27.6	17.1	14.3-20.4	15.4	8.2	6.4-10.4
Brain and other central nervous system	16.4	5.4	4.2-6.8	7.4	5.1	3.5-7.1	9.0	5.7	4.0-7.8
Thyroid	80.0	27.8	25.0-30.8	20.0	13.9	11.2-17.1	60.0	40.7	36.0-45.8
Hodgkin lymphoma	7.2	2.5	1.7-3.5	4.4	3.1	1.9-4.9	2.8	1.9	1.0-3.3
Non-Hodgkin lymphomas	65.0	17.8	15.9-19.9	36.2	22.3	19.1-26.0	28.8	14.3	11.9-17.0
Myeloma	23.4	6.3	5.2-7.6	14.0	8.3	6.5-10.6	9.4	4.7	3.5-6.4
Leukemias	42.8	12.6	10.9-14.5	25.6	17.1	14.1-20.5	17.2	9.0	7.1-11.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Bayside, Douglaston & Little Neck**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	733.0	421.7	407.5-436.2	356.8	445.8	424.7-467.8	376.2	408.5	389.2-428.6
Oral cavity and pharynx	16.8	9.9	7.8-12.5	12.4	16.5	12.5-21.5	4.4	4.4	2.7-7.0
Esophagus	5.8	2.9	1.9-4.3	4.2	4.7	2.9-7.5	1.6	1.2	0.5-2.9
Stomach	20.6	11.7	9.5-14.4	11.6	14.8	11.1-19.4	9.0	9.1	6.6-12.5
Colorectal	62.6	35.0	31.1-39.4	32.2	39.7	33.7-46.7	30.4	31.1	26.1-37.0
Colon excluding rectum	45.8	25.5	22.1-29.2	23.2	28.2	23.1-34.1	22.6	23.1	18.8-28.3
Rectum & rectosigmoid	16.8	9.6	7.6-12.0	9.0	11.6	8.3-15.7	7.8	8.0	5.6-11.2
Liver / intrahepatic bile duct	16.2	9.5	7.5-12.0	11.6	14.9	11.2-19.5	4.6	5.1	3.2-8.1
Pancreas	23.6	12.9	10.6-15.6	12.8	16.3	12.4-21.0	10.8	10.4	7.8-13.9
Larynx	2.8	1.5	0.8-2.7	2.6	3.1	1.6-5.6	0.2	0.2	0.0-1.5
Lung and bronchus	95.8	52.1	47.5-57.2	52.4	64.8	57.0-73.4	43.4	42.4	36.8-48.8
Melanoma of the skin	20.6	11.5	9.3-14.2	11.8	14.8	11.2-19.4	8.8	9.3	6.6-12.9
Female breast							113.2	127.7	116.8-139.3
Cervix uteri							6.2	7.9	5.2-11.5
Corpus uterus and NOS							29.4	30.4	25.5-36.1
Ovary							9.2	9.6	6.9-13.2
Prostate				77.8	91.6	82.5-101.5			
Testis				3.0	5.6	3.0-9.4			
Urinary bladder (incl. in situ)	38.8	20.7	17.8-23.9	29.8	36.3	30.6-42.9	9.0	8.6	6.2-11.8
Kidney and renal pelvis	20.0	11.8	9.5-14.5	11.2	13.6	10.2-18.0	8.8	10.3	7.3-14.2
Brain and other central nervous system	7.6	4.6	3.2-6.6	3.8	5.2	3.0-8.5	3.8	4.0	2.3-6.6
Thyroid	33.4	24.4	20.6-28.6	11.0	15.8	11.8-20.9	22.4	32.4	26.4-39.4
Hodgkin lymphoma	2.2	1.7	0.8-3.1	1.2	1.8	0.6-4.1	1.0	1.6	0.5-3.8
Non-Hodgkin lymphomas	30.2	17.3	14.5-20.5	16.8	21.1	16.7-26.4	13.4	14.3	10.9-18.6
Myeloma	11.0	6.2	4.6-8.3	5.4	7.1	4.6-10.6	5.6	5.7	3.7-8.6
Leukemias	22.2	13.3	10.8-16.2	11.0	14.9	11.1-19.7	11.2	12.1	8.9-16.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Queens Village, Cambria Heights & Rosedale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1084.2	433.6	421.8-445.6	527.2	490.7	471.5-510.5	557.0	396.2	381.2-411.8
Oral cavity and pharynx	17.4	7.2	5.7-9.0	10.2	9.4	6.9-12.5	7.2	5.4	3.7-7.6
Esophagus	5.6	2.0	1.3-3.0	3.8	3.2	1.9-5.1	1.8	1.3	0.6-2.5
Stomach	25.2	10.2	8.5-12.2	15.6	15.1	11.8-19.0	9.6	6.8	5.0-9.2
Colorectal	97.8	38.8	35.4-42.5	46.2	43.0	37.4-49.1	51.6	35.8	31.4-40.7
Colon excluding rectum	72.0	28.5	25.6-31.8	33.8	31.3	26.6-36.6	38.2	26.4	22.6-30.6
Rectum & rectosigmoid	25.8	10.3	8.5-12.3	12.4	11.7	8.8-15.1	13.4	9.4	7.2-12.1
Liver / intrahepatic bile duct	15.0	6.0	4.7-7.6	10.4	9.2	6.8-12.2	4.6	3.5	2.2-5.4
Pancreas	39.8	15.8	13.6-18.2	18.6	18.0	14.4-22.2	21.2	14.3	11.7-17.5
Larynx	6.6	2.6	1.8-3.7	5.8	5.6	3.7-8.2	0.8	0.5	0.1-1.4
Lung and bronchus	85.4	33.5	30.3-36.9	41.2	40.1	34.6-46.1	44.2	29.3	25.5-33.6
Melanoma of the skin	10.8	4.2	3.1-5.5	5.8	5.3	3.5-7.8	5.0	3.6	2.3-5.5
Female breast							177.0	127.6	119.1-136.6
Cervix uteri							9.2	7.6	5.5-10.2
Corpus uterus and NOS							52.6	35.8	31.5-40.6
Ovary							15.4	11.0	8.6-13.9
Prostate				208.6	180.9	169.8-192.6			
Testis				3.4	3.7	2.1-6.0			
Urinary bladder (incl. in situ)	36.8	14.3	12.3-16.6	23.8	23.6	19.4-28.4	13.0	8.4	6.4-10.8
Kidney and renal pelvis	34.8	14.1	12.0-16.4	21.8	20.7	16.8-25.1	13.0	9.3	7.1-12.0
Brain and other central nervous system	9.0	4.0	2.9-5.4	5.4	5.6	3.6-8.2	3.6	2.8	1.6-4.5
Thyroid	31.4	14.3	12.1-16.9	6.4	6.8	4.6-9.7	25.0	20.4	16.9-24.6
Hodgkin lymphoma	5.8	2.8	1.9-4.1	3.6	3.7	2.2-6.0	2.2	2.1	1.0-3.7
Non-Hodgkin lymphomas	41.6	17.2	14.9-19.8	22.4	21.7	17.8-26.3	19.2	13.8	11.1-17.1
Myeloma	30.0	12.0	10.1-14.2	14.2	13.9	10.7-17.7	15.8	10.7	8.4-13.4
Leukemias	31.0	13.3	11.3-15.7	16.2	16.6	13.1-20.8	14.8	10.9	8.4-13.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Briarwood, Fresh Meadows & Hillcrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	787.4	407.1	394.1-420.5	378.8	430.7	410.9-451.1	408.6	394.1	376.5-412.4
Oral cavity and pharynx	18.2	9.2	7.4-11.4	10.2	11.4	8.4-15.2	8.0	7.4	5.2-10.3
Esophagus	5.8	2.7	1.8-3.9	4.6	5.0	3.1-7.6	1.2	0.9	0.3-2.1
Stomach	21.2	11.4	9.3-13.9	12.2	14.4	10.9-18.6	9.0	9.1	6.5-12.4
Colorectal	69.6	35.7	31.9-39.8	37.2	43.0	36.9-49.9	32.4	29.9	25.3-35.1
Colon excluding rectum	50.8	26.5	23.2-30.1	27.4	32.4	27.1-38.6	23.4	21.5	17.6-26.0
Rectum & rectosigmoid	18.8	9.3	7.4-11.4	9.8	10.5	7.7-14.1	9.0	8.3	6.0-11.4
Liver / intrahepatic bile duct	21.0	9.9	8.1-12.1	14.0	15.1	11.7-19.3	7.0	5.8	4.0-8.2
Pancreas	23.0	11.2	9.2-13.5	9.4	10.9	7.9-14.6	13.6	11.3	8.8-14.6
Larynx	5.2	2.5	1.6-3.8	4.4	4.7	2.9-7.3	0.8	0.8	0.2-2.1
Lung and bronchus	81.4	40.9	36.9-45.2	43.6	49.1	42.7-56.3	37.8	34.6	29.7-40.1
Melanoma of the skin	14.4	7.1	5.5-9.0	9.2	10.6	7.7-14.3	5.2	4.4	2.8-6.6
Female breast							124.8	123.3	113.4-133.9
Cervix uteri							6.4	7.4	4.9-10.6
Corpus uterus and NOS							30.8	28.5	24.1-33.6
Ovary							11.0	11.8	8.7-15.5
Prostate				96.2	104.1	94.7-114.1			
Testis				2.4	2.7	1.4-4.8			
Urinary bladder (incl. in situ)	28.4	13.8	11.6-16.4	21.2	24.1	19.6-29.4	7.2	5.9	4.1-8.3
Kidney and renal pelvis	26.8	14.2	11.8-16.9	16.8	19.4	15.4-24.3	10.0	10.0	7.3-13.3
Brain and other central nervous system	9.6	5.5	4.0-7.4	5.4	6.7	4.3-9.8	4.2	4.5	2.7-7.1
Thyroid	37.4	22.6	19.4-26.3	9.0	11.6	8.4-15.7	28.4	32.8	27.4-38.9
Hodgkin lymphoma	5.0	3.1	2.0-4.6	3.0	4.0	2.2-6.6	2.0	2.2	1.0-4.1
Non-Hodgkin lymphomas	37.8	19.9	17.1-23.1	20.8	25.1	20.4-30.5	17.0	15.9	12.6-19.9
Myeloma	14.6	7.4	5.8-9.4	8.4	9.3	6.6-12.7	6.2	6.0	4.0-8.7
Leukemias	26.2	13.9	11.6-16.6	14.8	17.6	13.7-22.3	11.4	10.7	8.0-14.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Elmhurst & South Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	589.4	404.3	389.5-419.5	291.6	448.4	424.5-473.1	297.8	382.4	362.9-402.7
Oral cavity and pharynx	15.2	10.2	8.0-12.9	8.6	12.4	8.8-16.9	6.6	8.2	5.6-11.6
Esophagus	5.4	3.6	2.3-5.3	4.6	7.1	4.4-10.8	0.8	0.9	0.2-2.5
Stomach	25.2	17.2	14.3-20.6	14.6	21.4	16.6-27.2	10.6	13.8	10.3-18.2
Colorectal	50.6	36.2	31.8-41.1	25.8	40.5	33.6-48.5	24.8	32.8	27.2-39.3
Colon excluding rectum	35.0	24.9	21.2-28.9	17.4	27.7	21.9-34.4	17.6	23.1	18.5-28.6
Rectum & rectosigmoid	15.6	11.4	8.9-14.2	8.4	12.8	9.2-17.5	7.2	9.7	6.8-13.5
Liver / intrahepatic bile duct	19.8	13.5	10.9-16.6	13.8	20.3	15.6-26.0	6.0	7.9	5.3-11.3
Pancreas	14.4	10.5	8.2-13.3	6.4	10.8	7.2-15.4	8.0	10.2	7.2-13.9
Larynx	2.6	1.6	0.9-2.8	2.2	3.3	1.6-6.1	0.4	0.4	0.1-1.7
Lung and bronchus	56.6	40.2	35.6-45.3	33.6	55.1	46.7-64.5	23.0	30.0	24.7-36.1
Melanoma of the skin	5.2	3.9	2.5-5.7	2.2	4.0	1.9-7.1	3.0	4.0	2.2-6.6
Female breast							82.6	105.1	95.0-116.0
Cervix uteri							6.8	8.8	6.0-12.3
Corpus uterus and NOS							23.0	29.0	23.9-34.9
Ovary							6.8	8.7	6.0-12.2
Prostate				75.8	111.6	100.2-123.9			
Testis				3.2	3.5	1.9-5.9			
Urinary bladder (incl. in situ)	21.0	15.6	12.7-18.9	18.0	32.2	25.6-39.9	3.0	3.8	2.1-6.3
Kidney and renal pelvis	18.0	12.1	9.7-14.9	11.0	15.7	11.7-20.7	7.0	8.5	5.9-12.0
Brain and other central nervous system	8.2	5.9	4.2-8.1	5.2	8.0	5.1-11.9	3.0	3.9	2.2-6.5
Thyroid	38.6	24.4	21.1-28.2	8.6	10.7	7.7-14.5	30.0	38.2	32.2-45.0
Hodgkin lymphoma	1.8	1.2	0.5-2.3	0.6	0.8	0.2-2.4	1.2	1.6	0.6-3.5
Non-Hodgkin lymphomas	24.0	16.7	13.7-20.0	12.4	19.5	14.7-25.3	11.6	14.8	11.2-19.3
Myeloma	9.2	6.4	4.7-8.6	5.6	8.6	5.6-12.6	3.6	4.7	2.7-7.4
Leukemias	17.8	12.7	10.1-15.7	11.0	16.7	12.4-22.0	6.8	9.4	6.4-13.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Forest Hills & Rego Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	723.6	421.8	407.5-436.6	333.2	443.0	421.2-465.6	390.4	412.1	392.7-432.3
Oral cavity and pharynx	12.4	7.5	5.7-9.8	6.6	9.2	6.3-13.2	5.8	6.1	3.9-9.1
Esophagus	5.2	2.8	1.8-4.3	4.4	5.7	3.5-8.8	0.8	0.7	0.2-2.3
Stomach	17.0	9.8	7.8-12.3	10.4	13.5	10.0-18.0	6.6	7.1	4.7-10.4
Colorectal	64.2	36.0	32.0-40.4	31.6	42.5	36.0-49.9	32.6	30.5	25.7-36.1
Colon excluding rectum	43.8	24.3	21.1-27.9	21.0	28.3	23.0-34.5	22.8	21.0	17.1-25.7
Rectum & rectosigmoid	20.4	11.7	9.5-14.4	10.6	14.2	10.6-18.9	9.8	9.5	6.9-13.0
Liver / intrahepatic bile duct	14.8	8.3	6.4-10.6	10.2	12.9	9.5-17.3	4.6	4.6	2.7-7.4
Pancreas	23.8	12.5	10.3-15.1	10.6	13.6	10.2-18.1	13.2	11.5	8.8-15.1
Larynx	3.4	1.8	1.0-3.0	2.8	3.6	2.0-6.4	0.6	0.5	0.1-2.0
Lung and bronchus	73.4	39.6	35.5-44.0	36.2	46.1	39.6-53.6	37.2	35.0	30.0-40.8
Melanoma of the skin	19.6	10.9	8.8-13.4	12.2	16.0	12.2-20.9	7.4	7.0	4.9-10.1
Female breast							117.8	133.6	122.4-145.7
Cervix uteri							5.2	6.4	4.1-9.8
Corpus uterus and NOS							22.2	22.8	18.6-27.9
Ovary							8.6	9.3	6.6-12.9
Prostate				74.2	92.0	82.8-102.2			
Testis				2.4	4.4	2.2-7.9			
Urinary bladder (incl. in situ)	34.6	17.8	15.2-20.9	24.6	30.7	25.4-36.8	10.0	8.9	6.5-12.2
Kidney and renal pelvis	25.4	14.4	12.0-17.4	15.4	20.3	15.9-25.6	10.0	10.0	7.3-13.6
Brain and other central nervous system	8.2	5.6	3.9-7.9	4.4	7.2	4.4-11.2	3.8	4.1	2.2-7.0
Thyroid	36.6	26.4	22.5-30.7	8.8	13.3	9.5-18.1	27.8	38.4	31.9-45.9
Hodgkin lymphoma	3.0	3.1	1.6-5.3	1.8	4.2	1.7-8.2	1.2	2.0	0.7-4.4
Non-Hodgkin lymphomas	38.4	22.9	19.6-26.7	17.2	24.2	19.2-30.2	21.2	22.2	17.8-27.4
Myeloma	14.8	8.6	6.7-11.0	7.8	10.8	7.6-15.0	7.0	6.8	4.7-9.9
Leukemias	24.6	14.9	12.1-18.2	14.0	19.5	15.0-25.0	10.6	11.5	8.2-15.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Sunnyside & Woodside**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	587.2	408.5	393.6-423.9	276.4	425.2	402.1-449.2	310.8	412.2	391.5-433.8
Oral cavity and pharynx	17.0	11.3	9.0-14.1	9.6	13.7	10.0-18.4	7.4	9.5	6.6-13.2
Esophagus	4.6	3.2	2.0-4.9	3.0	4.3	2.4-7.3	1.6	2.2	0.9-4.5
Stomach	21.2	14.7	12.0-17.8	14.4	21.9	16.9-27.9	6.8	9.1	6.2-12.8
Colorectal	51.8	36.8	32.4-41.7	26.2	41.4	34.3-49.5	25.6	34.1	28.4-40.8
Colon excluding rectum	33.4	23.7	20.2-27.7	14.4	23.2	17.9-29.5	19.0	25.2	20.3-31.0
Rectum & rectosigmoid	18.4	13.1	10.5-16.1	11.8	18.2	13.7-23.7	6.6	8.9	6.1-12.7
Liver / intrahepatic bile duct	14.8	10.2	7.9-12.9	10.6	16.2	12.0-21.4	4.2	5.3	3.2-8.2
Pancreas	16.4	12.2	9.7-15.2	8.8	14.3	10.2-19.4	7.6	10.4	7.3-14.4
Larynx	2.0	1.4	0.6-2.6	1.8	2.6	1.2-5.1	0.2	0.2	0.0-1.6
Lung and bronchus	55.8	39.5	34.9-44.5	30.0	50.3	42.3-59.4	25.8	32.4	27.0-38.7
Melanoma of the skin	14.8	10.8	8.4-13.6	8.4	14.1	10.0-19.3	6.4	8.4	5.7-12.1
Female breast							91.8	123.0	111.8-135.2
Cervix uteri							6.8	8.7	6.0-12.3
Corpus uterus and NOS							22.8	29.6	24.3-35.7
Ovary							10.4	14.3	10.6-18.9
Prostate				61.0	87.9	78.0-98.8			
Testis				4.4	4.7	2.9-7.3			
Urinary bladder (incl. in situ)	18.4	13.4	10.8-16.5	13.6	23.8	18.3-30.4	4.8	6.2	3.9-9.3
Kidney and renal pelvis	16.0	11.0	8.6-13.7	10.6	16.1	11.9-21.2	5.4	6.5	4.2-9.6
Brain and other central nervous system	7.8	5.6	3.9-7.8	4.4	6.3	3.8-9.7	3.4	5.0	2.8-8.3
Thyroid	33.2	22.2	18.8-25.9	5.2	7.0	4.5-10.4	28.0	38.1	31.9-45.2
Hodgkin lymphoma	4.2	3.1	1.8-4.9	2.8	4.3	2.2-7.5	1.4	1.7	0.7-3.8
Non-Hodgkin lymphomas	27.8	19.5	16.4-23.2	15.0	22.3	17.4-28.2	12.8	16.6	12.7-21.4
Myeloma	10.0	7.0	5.2-9.3	5.8	8.5	5.6-12.4	4.2	5.2	3.2-8.1
Leukemias	18.2	13.6	10.9-16.9	9.2	13.9	10.0-18.8	9.0	13.7	9.8-18.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Ridgewood, Glendale & Middle Village**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	834.6	415.4	402.7-428.4	394.4	435.8	416.4-455.9	440.2	408.2	391.0-426.1
Oral cavity and pharynx	21.8	10.9	8.9-13.2	15.4	17.0	13.3-21.3	6.4	5.8	3.9-8.2
Esophagus	8.2	4.0	2.8-5.4	6.2	6.8	4.6-9.8	2.0	1.6	0.8-3.1
Stomach	20.2	9.9	8.1-12.1	10.6	11.8	8.8-15.6	9.6	8.7	6.4-11.6
Colorectal	75.6	37.4	33.7-41.4	36.2	40.4	34.7-46.9	39.4	35.7	30.8-41.3
Colon excluding rectum	52.6	26.0	22.9-29.3	25.0	28.5	23.6-34.0	27.6	24.5	20.5-29.1
Rectum & rectosigmoid	23.0	11.4	9.4-13.8	11.2	12.0	9.0-15.7	11.8	11.2	8.5-14.6
Liver / intrahepatic bile duct	21.6	10.2	8.4-12.4	16.6	17.0	13.5-21.2	5.0	4.5	2.9-6.7
Pancreas	28.2	13.8	11.6-16.4	11.6	12.8	9.6-16.6	16.6	14.5	11.5-18.1
Larynx	7.4	3.6	2.5-5.0	5.2	5.4	3.5-8.0	2.2	2.1	1.0-3.7
Lung and bronchus	96.0	47.5	43.3-52.0	46.4	52.6	45.9-60.0	49.6	44.1	38.7-50.0
Melanoma of the skin	21.6	10.9	8.9-13.2	10.2	12.0	8.9-15.9	11.4	10.8	8.2-14.2
Female breast							119.2	112.5	103.5-122.1
Cervix uteri							8.8	8.6	6.2-11.7
Corpus uterus and NOS							30.4	27.2	23.0-32.0
Ovary							14.6	13.9	10.9-17.7
Prostate				85.6	89.5	81.0-98.6			
Testis				3.4	3.6	2.1-5.9			
Urinary bladder (incl. in situ)	42.4	21.3	18.5-24.4	33.6	39.7	33.8-46.3	8.8	7.8	5.6-10.5
Kidney and renal pelvis	31.8	15.8	13.4-18.6	19.8	20.9	16.9-25.6	12.0	11.7	8.8-15.1
Brain and other central nervous system	10.6	5.5	4.1-7.2	4.6	5.0	3.1-7.5	6.0	5.8	3.9-8.5
Thyroid	33.0	17.4	14.8-20.4	7.8	8.6	6.1-11.8	25.2	26.1	21.6-31.2
Hodgkin lymphoma	5.0	2.7	1.8-4.1	3.4	3.7	2.2-6.1	1.6	1.7	0.7-3.5
Non-Hodgkin lymphomas	36.4	18.5	15.8-21.4	20.2	22.3	18.1-27.3	16.2	15.2	12.0-19.0
Myeloma	11.0	5.4	4.1-7.1	5.0	6.0	3.8-8.9	6.0	5.1	3.4-7.4
Leukemias	28.6	14.7	12.3-17.3	16.4	18.6	14.8-23.2	12.2	11.5	8.7-14.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Richmond Hill & Woodhaven**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	578.6	396.3	381.4-411.5	286.8	433.0	409.5-457.3	291.8	375.9	356.4-396.2
Oral cavity and pharynx	10.8	7.3	5.4-9.6	7.2	10.0	6.8-14.1	3.6	5.1	3.0-8.1
Esophagus	5.8	3.8	2.5-5.6	4.6	6.4	4.0-9.9	1.2	1.6	0.6-3.6
Stomach	10.8	7.3	5.4-9.6	5.8	9.2	6.0-13.4	5.0	6.1	3.9-9.1
Colorectal	52.2	36.0	31.7-40.8	31.6	47.9	40.4-56.5	20.6	26.6	21.6-32.4
Colon excluding rectum	34.0	23.7	20.2-27.7	21.0	33.0	26.7-40.3	13.0	16.5	12.6-21.1
Rectum & rectosigmoid	18.2	12.3	9.9-15.3	10.6	14.9	11.0-19.8	7.6	10.1	7.1-13.9
Liver / intrahepatic bile duct	14.4	9.2	7.1-11.7	10.6	14.0	10.3-18.7	3.8	4.9	2.9-7.8
Pancreas	16.0	11.1	8.8-14.0	10.0	15.9	11.5-21.2	6.0	7.3	4.8-10.5
Larynx	2.8	2.0	1.1-3.4	2.6	4.2	2.1-7.3	0.2	0.3	0.0-1.6
Lung and bronchus	57.6	41.9	37.0-47.2	32.4	53.3	44.9-62.7	25.2	33.7	28.0-40.4
Melanoma of the skin	7.2	5.2	3.6-7.3	3.6	5.7	3.3-9.1	3.6	5.0	2.9-8.0
Female breast							87.8	110.7	100.3-121.8
Cervix uteri							8.6	11.0	7.9-14.9
Corpus uterus and NOS							26.0	33.4	27.8-39.9
Ovary							10.0	12.5	9.2-16.6
Prostate				72.6	105.5	94.3-117.7			
Testis				2.4	3.2	1.7-5.7			
Urinary bladder (incl. in situ)	18.4	13.7	10.9-16.9	14.2	25.2	19.4-32.1	4.2	5.3	3.2-8.2
Kidney and renal pelvis	21.2	13.4	10.9-16.3	16.6	22.1	17.4-27.7	4.6	5.6	3.5-8.6
Brain and other central nervous system	7.2	5.0	3.5-7.0	5.4	7.7	4.9-11.3	1.8	2.6	1.2-5.0
Thyroid	32.2	20.8	17.7-24.3	7.6	10.4	7.3-14.4	24.6	31.3	26.0-37.5
Hodgkin lymphoma	5.8	3.8	2.5-5.5	2.4	3.0	1.5-5.5	3.4	4.5	2.6-7.3
Non-Hodgkin lymphomas	27.0	19.2	16.0-22.9	14.6	22.3	17.2-28.3	12.4	16.6	12.6-21.4
Myeloma	11.2	7.8	5.8-10.2	5.4	8.4	5.4-12.3	5.8	7.5	5.0-10.9
Leukemias	21.6	15.4	12.6-18.7	12.2	19.5	14.7-25.3	9.4	12.3	8.9-16.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Jamaica, Hollis & St. Albans**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1091.4	433.7	422.0-445.6	507.0	482.8	463.6-502.6	584.4	407.1	392.2-422.4
Oral cavity and pharynx	22.0	8.5	7.0-10.3	13.0	12.1	9.3-15.6	9.0	6.3	4.5-8.4
Esophagus	10.0	4.0	2.9-5.2	7.2	6.9	4.7-9.6	2.8	1.9	1.1-3.3
Stomach	28.6	11.8	9.9-13.9	16.6	17.0	13.4-21.2	12.0	8.3	6.3-10.7
Colorectal	101.2	40.6	37.0-44.3	46.0	44.6	38.8-50.9	55.2	38.2	33.8-43.1
Colon excluding rectum	76.0	30.7	27.6-34.0	32.0	31.4	26.6-36.8	44.0	30.5	26.5-34.9
Rectum & rectosigmoid	25.2	9.9	8.2-11.8	14.0	13.2	10.2-16.8	11.2	7.7	5.8-10.1
Liver / intrahepatic bile duct	24.2	9.3	7.7-11.1	16.4	15.1	11.9-18.9	7.8	5.1	3.6-7.0
Pancreas	33.4	13.6	11.6-15.9	13.6	14.6	11.2-18.5	19.8	13.1	10.6-16.0
Larynx	5.6	2.2	1.4-3.2	5.0	4.9	3.1-7.4	0.6	0.4	0.1-1.2
Lung and bronchus	97.8	39.4	36.0-43.2	48.4	49.2	43.0-56.0	49.4	33.1	29.1-37.6
Melanoma of the skin	3.4	1.4	0.8-2.3	1.8	1.7	0.7-3.2	1.6	1.2	0.5-2.4
Female breast							185.4	130.4	122.0-139.3
Cervix uteri							17.8	13.6	10.8-16.8
Corpus uterus and NOS							52.8	34.3	30.2-38.8
Ovary							14.8	10.4	8.1-13.1
Prostate				200.4	182.6	171.1-194.7			
Testis				3.0	2.9	1.6-4.9			
Urinary bladder (incl. in situ)	26.8	10.9	9.1-13.0	19.4	20.1	16.2-24.6	7.4	5.0	3.5-6.9
Kidney and renal pelvis	37.6	14.5	12.5-16.8	24.8	22.9	18.9-27.4	12.8	8.6	6.6-11.0
Brain and other central nervous system	8.6	3.7	2.6-4.9	4.8	4.5	2.9-6.8	3.8	2.9	1.7-4.6
Thyroid	28.2	12.0	10.0-14.2	4.8	4.6	2.9-6.9	23.4	18.2	15.0-21.9
Hodgkin lymphoma	6.8	3.1	2.1-4.3	3.6	3.6	2.1-5.7	3.2	2.7	1.5-4.4
Non-Hodgkin lymphomas	31.8	12.9	10.9-15.1	14.2	13.3	10.3-16.9	17.6	12.5	9.9-15.4
Myeloma	31.2	12.5	10.6-14.7	11.8	11.3	8.5-14.7	19.4	13.3	10.7-16.2
Leukemias	29.0	11.9	10.0-14.1	12.8	12.6	9.6-16.1	16.2	11.6	9.2-14.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Howard Beach & Ozone Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	596.8	407.9	393.1-423.1	291.6	446.5	423.2-470.8	305.2	383.9	364.5-404.1
Oral cavity and pharynx	12.6	8.9	6.8-11.4	8.4	12.9	9.2-17.6	4.2	5.7	3.5-8.8
Esophagus	6.0	4.1	2.8-5.9	4.8	8.1	5.1-12.1	1.2	1.2	0.4-2.9
Stomach	13.8	9.1	7.0-11.5	8.0	11.7	8.2-16.1	5.8	6.8	4.6-10.0
Colorectal	53.2	36.7	32.3-41.5	30.2	45.4	38.2-53.6	23.0	29.2	24.0-35.2
Colon excluding rectum	38.6	26.8	23.1-31.0	22.4	34.2	28.0-41.5	16.2	20.5	16.2-25.6
Rectum & rectosigmoid	14.6	9.9	7.7-12.5	7.8	11.2	7.8-15.5	6.8	8.7	6.0-12.3
Liver / intrahepatic bile duct	12.4	8.4	6.4-10.8	9.6	14.4	10.5-19.3	2.8	3.3	1.8-5.7
Pancreas	17.2	12.0	9.5-14.9	8.2	13.1	9.3-17.9	9.0	11.2	8.2-15.2
Larynx	3.4	2.3	1.4-3.8	3.2	5.0	2.8-8.2	0.2	0.2	0.0-1.4
Lung and bronchus	66.8	45.3	40.5-50.6	32.0	50.6	42.8-59.3	34.8	42.3	36.1-49.2
Melanoma of the skin	8.6	6.0	4.3-8.2	4.8	7.5	4.8-11.4	3.8	4.7	2.8-7.5
Female breast							93.0	116.0	105.5-127.3
Cervix uteri							6.0	8.3	5.6-12.0
Corpus uterus and NOS							24.0	29.3	24.2-35.2
Ovary							10.0	13.0	9.5-17.3
Prostate				73.0	104.2	93.5-115.9			
Testis				1.6	2.5	1.1-5.1			
Urinary bladder (incl. in situ)	27.6	19.3	16.1-22.8	21.0	34.1	27.7-41.5	6.6	7.9	5.4-11.3
Kidney and renal pelvis	19.6	13.5	10.9-16.5	13.2	19.9	15.3-25.5	6.4	7.8	5.3-11.1
Brain and other central nervous system	9.6	7.1	5.2-9.5	5.6	8.6	5.6-12.5	4.0	5.5	3.3-8.6
Thyroid	23.6	17.0	14.0-20.4	5.2	8.1	5.2-12.0	18.4	25.5	20.5-31.5
Hodgkin lymphoma	2.2	1.9	0.9-3.3	1.2	2.1	0.8-4.5	1.0	1.7	0.6-3.9
Non-Hodgkin lymphomas	20.6	14.5	11.7-17.6	12.8	20.5	15.7-26.4	7.8	10.0	7.0-13.8
Myeloma	10.0	6.7	4.9-8.9	5.6	7.8	5.1-11.5	4.4	5.5	3.4-8.5
Leukemias	22.6	16.3	13.4-19.7	14.2	23.3	18.1-29.6	8.4	10.7	7.7-14.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Queens County
Far Rockaway, Breezy Point & Broad Channel**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	656.2	468.5	452.3-485.2	320.6	503.9	478.9-529.8	335.6	442.8	421.3-465.1
Oral cavity and pharynx	17.8	12.4	9.9-15.4	12.6	19.0	14.5-24.5	5.2	7.0	4.5-10.4
Esophagus	6.0	4.0	2.7-5.8	4.0	5.9	3.6-9.3	2.0	2.3	1.1-4.4
Stomach	12.4	9.0	6.8-11.6	6.0	10.3	6.9-14.9	6.4	8.1	5.5-11.6
Colorectal	61.6	44.4	39.5-49.7	32.4	52.0	44.1-61.0	29.2	37.7	31.7-44.6
Colon excluding rectum	42.0	30.0	26.0-34.5	21.8	34.8	28.5-42.3	20.2	25.7	20.8-31.4
Rectum & rectosigmoid	19.6	14.3	11.6-17.6	10.6	17.2	12.8-22.7	9.0	12.0	8.7-16.2
Liver / intrahepatic bile duct	14.8	9.6	7.5-12.2	9.4	13.9	10.1-18.6	5.4	6.2	4.1-9.1
Pancreas	21.2	14.6	11.9-17.7	9.8	15.2	11.2-20.3	11.4	13.8	10.4-18.0
Larynx	6.4	4.3	2.9-6.2	4.8	7.2	4.6-10.9	1.6	2.0	0.8-4.0
Lung and bronchus	73.0	50.6	45.4-56.1	39.0	61.1	52.6-70.5	34.0	42.6	36.3-49.7
Melanoma of the skin	21.8	15.9	13.0-19.2	11.4	18.8	14.1-24.5	10.4	14.2	10.5-18.7
Female breast							89.6	121.7	110.4-133.9
Cervix uteri							4.4	6.0	3.7-9.2
Corpus uterus and NOS							27.6	35.3	29.5-41.9
Ovary							10.0	13.5	10.0-18.0
Prostate				89.0	132.4	120.1-145.6			
Testis				1.4	2.7	1.1-5.6			
Urinary bladder (incl. in situ)	23.2	16.2	13.3-19.5	16.2	25.7	20.3-32.2	7.0	8.8	6.1-12.4
Kidney and renal pelvis	20.6	15.0	12.2-18.3	13.2	21.2	16.3-27.2	7.4	10.1	7.1-14.0
Brain and other central nervous system	8.6	6.3	4.5-8.5	4.6	7.4	4.6-11.2	4.0	5.3	3.2-8.3
Thyroid	20.2	16.7	13.5-20.4	4.6	7.8	4.8-11.9	15.6	24.2	19.0-30.3
Hodgkin lymphoma	4.4	3.5	2.2-5.4	2.8	4.5	2.4-7.7	1.6	2.7	1.1-5.3
Non-Hodgkin lymphomas	24.8	18.2	15.1-21.8	12.2	20.6	15.6-26.6	12.6	16.4	12.5-21.2
Myeloma	12.4	8.6	6.6-11.2	5.6	8.4	5.5-12.4	6.8	8.9	6.1-12.6
Leukemias	20.4	15.1	12.3-18.5	10.6	18.2	13.6-24.0	9.8	12.7	9.3-17.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

Richmond (Staten Island) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2999.2	526.2	517.6-535.0	1463.0	565.0	551.7-578.5	1536.2	501.8	490.3-513.6
Oral cavity and pharynx	59.6	10.1	8.9-11.3	40.8	15.1	13.0-17.4	18.8	5.8	4.7-7.2
Esophagus	25.8	4.3	3.6-5.1	19.4	7.1	5.7-8.8	6.4	2.0	1.4-2.9
Stomach	50.8	8.8	7.7-10.0	30.8	12.2	10.2-14.3	20.0	6.2	5.0-7.6
Colorectal	230.6	40.5	38.2-43.0	122.0	48.1	44.2-52.2	108.6	34.0	31.1-37.1
Colon excluding rectum	165.6	29.1	27.2-31.2	83.6	33.4	30.1-36.8	82.0	25.5	23.0-28.2
Rectum & rectosigmoid	65.0	11.4	10.1-12.7	38.4	14.7	12.7-17.1	26.6	8.5	7.1-10.1
Liver / intrahepatic bile duct	65.4	10.9	9.7-12.2	46.8	17.0	14.8-19.4	18.6	5.7	4.6-7.1
Pancreas	89.8	15.3	13.9-16.9	45.0	17.2	15.0-19.7	44.8	13.7	11.9-15.6
Larynx	20.8	3.5	2.8-4.2	16.4	6.3	5.0-7.9	4.4	1.4	0.9-2.1
Lung and bronchus	382.6	65.9	63.0-69.0	183.4	72.5	67.7-77.5	199.2	61.5	57.7-65.6
Melanoma of the skin	88.4	15.6	14.2-17.2	49.4	19.4	17.0-22.1	39.0	12.9	11.1-15.0
Female breast							407.8	134.4	128.4-140.5
Cervix uteri							22.4	8.2	6.7-10.0
Corpus uterus and NOS							115.8	35.9	32.9-39.0
Ovary							41.6	13.6	11.8-15.7
Prostate				328.8	117.6	111.8-123.6			
Testis				13.2	6.0	4.6-7.6			
Urinary bladder (incl. in situ)	147.8	25.6	23.7-27.5	113.8	45.7	42.0-49.8	34.0	10.3	8.7-12.0
Kidney and renal pelvis	123.0	21.4	19.7-23.2	81.4	30.7	27.7-33.9	41.6	13.5	11.7-15.5
Brain and other central nervous system	38.2	7.0	6.0-8.1	20.0	7.9	6.4-9.7	18.2	6.2	4.9-7.6
Thyroid	173.0	33.7	31.4-36.1	46.4	18.3	15.9-20.9	126.6	48.1	44.3-52.1
Hodgkin lymphoma	18.4	3.8	3.0-4.7	11.6	4.8	3.6-6.3	6.8	2.8	1.9-4.0
Non-Hodgkin lymphomas	141.6	25.5	23.6-27.5	75.8	30.7	27.6-34.1	65.8	21.3	19.0-23.9
Myeloma	53.2	9.2	8.1-10.4	30.6	12.0	10.1-14.2	22.6	6.9	5.7-8.3
Leukemias	102.0	18.6	17.0-20.4	60.2	24.3	21.6-27.3	41.8	14.3	12.4-16.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Richmond (Staten Island) County
Tottenville, Great Kills & Annadale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1113.2	557.2	542.2-572.5	538.6	586.6	563.9-610.1	574.6	541.5	521.2-562.4
Oral cavity and pharynx	25.4	12.5	10.4-15.0	16.8	17.5	13.8-21.9	8.6	8.2	5.9-11.2
Esophagus	9.2	4.3	3.1-5.8	7.6	7.8	5.5-10.9	1.6	1.3	0.6-2.8
Stomach	17.8	8.7	6.9-10.8	10.6	11.6	8.5-15.4	7.2	6.5	4.5-9.2
Colorectal	82.8	42.1	38.1-46.5	45.4	50.5	44.0-57.9	37.4	35.0	30.0-40.6
Colon excluding rectum	57.8	29.8	26.4-33.5	30.4	34.5	29.1-40.7	27.4	25.8	21.6-30.6
Rectum & rectosigmoid	25.0	12.4	10.2-14.8	15.0	16.0	12.5-20.3	10.0	9.2	6.8-12.3
Liver / intrahepatic bile duct	22.8	11.1	9.1-13.4	16.6	17.2	13.6-21.6	6.2	5.9	4.0-8.6
Pancreas	33.0	16.1	13.7-18.9	16.2	17.4	13.7-21.8	16.8	14.9	11.8-18.6
Larynx	8.0	3.9	2.8-5.4	6.0	6.9	4.6-10.0	2.0	1.7	0.8-3.3
Lung and bronchus	131.4	65.2	60.2-70.6	62.2	71.6	63.6-80.3	69.2	61.5	55.1-68.5
Melanoma of the skin	39.8	20.1	17.3-23.2	22.0	23.6	19.3-28.8	17.8	17.4	13.9-21.7
Female breast							157.2	147.0	136.5-158.0
Cervix uteri							8.0	8.7	6.1-12.0
Corpus uterus and NOS							40.8	35.2	30.4-40.7
Ovary							16.2	15.0	11.8-18.9
Prostate				115.2	114.8	105.3-124.9			
Testis				4.4	6.1	3.8-9.2			
Urinary bladder (incl. in situ)	60.8	30.2	26.8-33.9	47.0	53.0	46.2-60.6	13.8	12.1	9.4-15.5
Kidney and renal pelvis	50.8	25.0	21.9-28.4	31.4	32.9	27.8-38.7	19.4	18.2	14.6-22.4
Brain and other central nervous system	14.8	7.9	6.2-10.1	7.0	8.1	5.6-11.4	7.8	7.6	5.3-10.5
Thyroid	75.2	41.4	37.2-46.0	20.6	22.9	18.6-28.0	54.6	58.9	51.9-66.7
Hodgkin lymphoma	5.8	3.6	2.4-5.3	3.8	4.7	2.8-7.5	2.0	2.6	1.2-4.7
Non-Hodgkin lymphomas	54.4	27.6	24.3-31.2	27.6	30.4	25.4-36.1	26.8	25.3	21.0-30.2
Myeloma	19.0	9.1	7.3-11.2	11.4	12.3	9.2-16.1	7.6	6.6	4.6-9.2
Leukemias	37.6	19.9	17.1-23.1	22.2	25.5	20.8-30.9	15.4	15.7	12.2-19.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Richmond (Staten Island) County
New Springville & South Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	916.4	506.5	491.4-521.9	450.6	551.6	528.4-575.6	465.8	478.4	458.2-499.4
Oral cavity and pharynx	17.0	9.0	7.1-11.2	12.6	15.0	11.4-19.5	4.4	4.1	2.5-6.5
Esophagus	6.8	3.4	2.4-4.9	5.0	5.7	3.6-8.5	1.8	1.6	0.7-3.3
Stomach	18.0	10.2	8.1-12.7	11.6	14.8	11.1-19.3	6.4	6.6	4.4-9.6
Colorectal	74.0	39.8	35.7-44.3	38.8	48.4	41.6-56.0	35.2	32.7	27.9-38.3
Colon excluding rectum	54.0	29.0	25.5-32.8	26.8	33.9	28.2-40.4	27.2	24.8	20.7-29.6
Rectum & rectosigmoid	20.0	10.9	8.8-13.3	12.0	14.5	11.0-18.9	8.0	8.0	5.6-11.1
Liver / intrahepatic bile duct	17.6	9.0	7.2-11.2	13.4	15.6	12.0-20.1	4.2	3.6	2.2-5.7
Pancreas	26.6	13.7	11.5-16.4	14.2	17.0	13.2-21.7	12.4	11.1	8.4-14.4
Larynx	6.2	3.2	2.2-4.7	5.2	6.0	3.9-9.0	1.0	1.2	0.4-2.9
Lung and bronchus	130.8	69.8	64.5-75.6	65.8	81.4	72.6-91.0	65.0	61.1	54.4-68.4
Melanoma of the skin	24.6	13.7	11.3-16.5	14.0	17.6	13.6-22.4	10.6	11.4	8.4-15.2
Female breast							124.8	132.1	121.4-143.5
Cervix uteri							7.6	8.7	6.0-12.2
Corpus uterus and NOS							33.4	33.3	28.3-39.1
Ovary							11.0	12.2	9.0-16.1
Prostate				98.2	110.6	100.8-121.1			
Testis				3.8	5.7	3.4-9.0			
Urinary bladder (incl. in situ)	46.0	24.5	21.4-28.0	34.6	43.0	36.7-50.2	11.4	10.4	7.8-13.7
Kidney and renal pelvis	37.2	20.4	17.4-23.7	25.2	30.3	25.1-36.4	12.0	12.0	9.1-15.7
Brain and other central nervous system	10.0	5.7	4.2-7.7	5.8	7.4	4.9-10.9	4.2	4.4	2.6-7.0
Thyroid	50.6	33.1	29.0-37.7	13.6	18.2	14.0-23.2	37.0	47.0	40.2-54.8
Hodgkin lymphoma	6.2	4.5	3.0-6.5	3.2	4.6	2.6-7.7	3.0	4.5	2.5-7.5
Non-Hodgkin lymphomas	41.8	23.8	20.6-27.4	22.4	29.3	23.9-35.4	19.4	19.4	15.6-24.0
Myeloma	13.8	7.3	5.7-9.4	8.0	10.3	7.3-14.2	5.8	5.3	3.5-7.8
Leukemias	30.2	16.8	14.1-19.9	18.4	22.7	18.2-28.1	11.8	12.8	9.5-16.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2014-2018**

**Richmond (Staten Island) County
Port Richmond, Stapleton & Mariner's Harbor**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	969.6	513.9	499.2-528.9	473.8	553.6	530.8-577.1	495.8	485.4	466.1-505.4
Oral cavity and pharynx	17.2	8.8	7.0-10.9	11.4	12.8	9.6-16.8	5.8	5.2	3.4-7.5
Esophagus	9.8	5.2	3.8-6.9	6.8	7.9	5.4-11.2	3.0	3.1	1.7-5.2
Stomach	15.0	7.8	6.1-9.8	8.6	10.2	7.3-13.8	6.4	5.7	3.9-8.1
Colorectal	73.8	39.6	35.6-43.9	37.8	45.1	38.7-52.2	36.0	34.3	29.4-39.8
Colon excluding rectum	53.8	28.8	25.4-32.5	26.4	31.9	26.6-38.1	27.4	25.8	21.6-30.7
Rectum & rectosigmoid	20.0	10.8	8.7-13.2	11.4	13.1	9.8-17.1	8.6	8.5	6.1-11.5
Liver / intrahepatic bile duct	25.0	12.6	10.4-15.1	16.8	17.9	14.2-22.4	8.2	7.9	5.6-10.8
Pancreas	30.2	16.1	13.6-19.0	14.6	17.2	13.3-21.8	15.6	15.0	11.8-18.8
Larynx	6.6	3.3	2.3-4.7	5.2	5.9	3.8-8.8	1.4	1.3	0.5-2.8
Lung and bronchus	120.4	63.5	58.4-68.9	55.4	65.6	57.9-74.1	65.0	62.3	55.6-69.7
Melanoma of the skin	24.0	12.9	10.6-15.5	13.4	16.5	12.7-21.1	10.6	10.1	7.6-13.4
Female breast							125.8	123.4	113.8-133.7
Cervix uteri							6.8	7.4	5.1-10.5
Corpus uterus and NOS							41.6	39.2	34.0-45.1
Ovary							14.4	13.6	10.6-17.2
Prostate				115.4	127.5	117.0-138.8			
Testis				5.0	6.1	3.9-9.0			
Urinary bladder (incl. in situ)	41.0	22.0	19.0-25.3	32.2	40.8	34.6-47.9	8.8	8.1	5.9-11.0
Kidney and renal pelvis	35.0	18.3	15.6-21.2	24.8	28.5	23.5-34.1	10.2	9.8	7.2-13.0
Brain and other central nervous system	13.4	7.1	5.5-9.1	7.2	8.1	5.6-11.3	6.2	6.2	4.1-8.8
Thyroid	47.2	26.7	23.3-30.4	12.2	14.1	10.7-18.2	35.0	38.3	32.7-44.5
Hodgkin lymphoma	6.4	3.5	2.4-5.0	4.6	5.1	3.2-7.7	1.8	2.0	0.9-3.8
Non-Hodgkin lymphomas	45.4	24.8	21.6-28.3	25.8	32.1	26.7-38.3	19.6	19.0	15.3-23.3
Myeloma	20.4	11.0	8.9-13.4	11.2	13.2	9.8-17.2	9.2	8.9	6.5-12.0
Leukemias	34.2	18.5	15.7-21.5	19.6	23.3	18.8-28.6	14.6	14.4	11.2-18.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2020.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.