

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**New York State**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	110495.0	488.9	487.5-490.2	54761.8	542.0	539.9-544.1	55733.2	454.8	453.0-456.5
Oral cavity and pharynx	2470.2	10.8	10.6-10.9	1691.2	16.1	15.7-16.4	779.0	6.3	6.1-6.5
Esophagus	1055.0	4.5	4.4-4.7	793.6	7.7	7.5-8.0	261.4	2.0	1.9-2.1
Stomach	1981.0	8.8	8.6-8.9	1192.8	12.1	11.7-12.4	788.2	6.2	6.0-6.4
Colorectal	9002.6	39.8	39.4-40.2	4558.6	46.0	45.4-46.6	4444.0	35.0	34.5-35.4
Colon excluding rectum	6387.8	28.3	27.9-28.6	3079.8	31.5	31.0-32.0	3308.0	25.8	25.4-26.2
Rectum & rectosigmoid	2614.8	11.6	11.4-11.8	1478.8	14.5	14.2-14.8	1136.0	9.2	8.9-9.4
Liver / intrahepatic bile duct	2078.2	8.8	8.6-9.0	1475.6	13.7	13.4-14.0	602.6	4.7	4.5-4.9
Pancreas	3217.0	14.0	13.8-14.2	1592.0	15.9	15.6-16.3	1625.0	12.4	12.1-12.7
Larynx	784.4	3.3	3.2-3.5	624.2	6.0	5.8-6.2	160.2	1.3	1.2-1.4
Lung and bronchus	13738.4	60.2	59.8-60.7	6827.0	69.1	68.3-69.8	6911.4	54.1	53.5-54.6
Melanoma of the skin	4036.8	18.2	17.9-18.4	2304.4	23.3	22.9-23.7	1732.4	14.6	14.3-14.9
Female breast							15765.2	131.3	130.3-132.2
Cervix uteri							844.0	7.7	7.4-7.9
Corpus uterus and NOS							3981.0	31.5	31.0-31.9
Ovary							1507.4	12.4	12.1-12.7
Prostate				14076.4	131.7	130.7-132.7			
Testis				559.6	5.9	5.7-6.1			
Urinary bladder (incl. in situ)	5330.2	23.4	23.1-23.7	3948.2	41.1	40.5-41.7	1382.0	10.6	10.3-10.9
Kidney and renal pelvis	3724.2	16.5	16.2-16.7	2385.4	23.2	22.8-23.7	1338.8	10.9	10.6-11.2
Brain and other nervous system	1401.2	6.6	6.4-6.8	765.6	7.7	7.5-8.0	635.6	5.6	5.4-5.8
Thyroid	4152.6	19.9	19.6-20.2	1033.8	10.3	10.0-10.6	3118.8	29.0	28.6-29.5
Hodgkin lymphoma	656.4	3.3	3.1-3.4	356.4	3.7	3.5-3.8	300.0	2.9	2.7-3.1
Non-Hodgkin lymphomas	4816.8	21.6	21.3-21.9	2610.2	26.5	26.0-27.0	2206.6	17.8	17.4-18.1
Myeloma	1836.8	8.0	7.9-8.2	992.6	9.9	9.6-10.2	844.2	6.6	6.4-6.8
Leukemias	3616.6	16.4	16.1-16.6	2064.8	21.2	20.8-21.7	1551.8	12.7	12.4-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
New York City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	40126.8	453.4	451.4-455.4	19387.0	509.1	505.8-512.4	20739.8	419.5	416.9-422.1
Oral cavity and pharynx	870.2	9.7	9.4-10.0	574.2	14.5	14.0-15.1	296.0	5.9	5.6-6.3
Esophagus	321.2	3.6	3.4-3.8	229.0	6.1	5.7-6.5	92.2	1.8	1.6-2.0
Stomach	963.6	11.0	10.7-11.3	552.2	15.0	14.4-15.6	411.4	8.1	7.8-8.5
Colorectal	3531.6	40.2	39.6-40.8	1776.0	47.7	46.7-48.7	1755.6	34.7	33.9-35.4
Colon excluding rectum	2504.4	28.6	28.1-29.1	1212.2	33.1	32.2-34.0	1292.2	25.4	24.8-26.1
Rectum & rectosigmoid	1027.2	11.6	11.3-11.9	563.8	14.6	14.1-15.2	463.4	9.3	8.9-9.6
Liver / intrahepatic bile duct	1048.0	11.4	11.1-11.8	731.4	18.1	17.5-18.7	316.6	6.2	5.9-6.5
Pancreas	1205.4	13.7	13.3-14.0	576.6	15.6	15.0-16.2	628.8	12.2	11.8-12.7
Larynx	286.0	3.2	3.0-3.3	228.8	5.9	5.6-6.3	57.2	1.1	1.0-1.3
Lung and bronchus	4288.2	48.9	48.3-49.6	2178.8	59.7	58.5-60.8	2109.4	41.7	40.9-42.5
Melanoma of the skin	928.2	10.5	10.2-10.8	503.8	13.6	13.1-14.2	424.4	8.5	8.2-8.9
Female breast							5887.2	121.2	119.8-122.6
Cervix uteri							426.6	9.1	8.7-9.5
Corpus uterus and NOS							1560.6	30.7	30.1-31.4
Ovary							589.4	12.0	11.5-12.4
Prostate				5347.6	134.8	133.2-136.5			
Testis				202.8	4.7	4.4-5.0			
Urinary bladder (incl. in situ)	1495.2	17.2	16.8-17.6	1094.0	31.0	30.2-31.9	401.2	7.8	7.5-8.2
Kidney and renal pelvis	1259.8	14.2	13.9-14.6	796.2	20.3	19.7-21.0	463.6	9.4	9.0-9.8
Brain and other nervous system	496.8	5.8	5.6-6.0	265.8	6.8	6.5-7.2	231.0	4.9	4.6-5.2
Thyroid	1813.0	20.6	20.2-21.1	411.2	10.2	9.7-10.6	1401.8	30.0	29.3-30.8
Hodgkin lymphoma	276.6	3.2	3.0-3.3	146.4	3.6	3.3-3.8	130.2	2.8	2.6-3.1
Non-Hodgkin lymphomas	1764.4	20.1	19.7-20.5	935.8	24.7	24.0-25.4	828.6	16.6	16.1-17.2
Myeloma	782.4	8.9	8.6-9.2	410.2	11.0	10.5-11.5	372.2	7.4	7.1-7.7
Leukemias	1208.2	14.0	13.6-14.3	662.2	17.9	17.3-18.5	546.0	11.2	10.8-11.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Bronx**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6230.6	458.3	453.2-463.5	3029.4	537.9	529.1-546.8	3201.2	408.7	402.3-415.1
Oral cavity and pharynx	141.6	10.2	9.4-11.0	95.4	16.1	14.7-17.7	46.2	5.8	5.1-6.6
Esophagus	53.0	3.9	3.4-4.4	36.4	6.6	5.7-7.7	16.6	2.1	1.6-2.6
Stomach	149.2	11.3	10.5-12.2	77.4	14.7	13.2-16.3	71.8	9.2	8.2-10.2
Colorectal	541.0	40.5	38.9-42.1	268.8	49.3	46.6-52.1	272.2	34.3	32.5-36.2
Colon excluding rectum	387.4	29.3	28.0-30.6	187.8	35.3	33.0-37.7	199.6	25.2	23.7-26.9
Rectum & rectosigmoid	153.6	11.2	10.4-12.0	81.0	14.0	12.6-15.4	72.6	9.1	8.2-10.1
Liver / intrahepatic bile duct	240.4	16.9	16.0-17.9	170.4	28.2	26.3-30.2	70.0	8.7	7.8-9.7
Pancreas	194.0	14.6	13.7-15.5	88.0	16.2	14.6-17.8	106.0	13.4	12.3-14.7
Larynx	57.4	4.2	3.7-4.7	42.8	7.5	6.5-8.7	14.6	1.8	1.4-2.3
Lung and bronchus	646.6	48.7	47.0-50.4	328.0	61.8	58.8-65.0	318.6	40.4	38.4-42.5
Melanoma of the skin	59.8	4.5	4.0-5.0	32.0	6.0	5.1-7.1	27.8	3.5	3.0-4.2
Female breast							875.0	112.3	109.0-115.8
Cervix uteri							74.4	9.8	8.8-10.8
Corpus uterus and NOS							248.6	31.0	29.3-32.8
Ovary							82.2	10.4	9.4-11.5
Prostate				935.8	160.6	155.9-165.4			
Testis				24.4	3.6	3.0-4.4			
Urinary bladder (incl. in situ)	181.8	14.0	13.1-14.9	125.8	25.0	23.0-27.0	56.0	7.1	6.2-8.0
Kidney and renal pelvis	224.6	16.6	15.6-17.6	137.0	23.9	22.1-25.8	87.6	11.2	10.2-12.3
Brain and other nervous system	70.2	5.1	4.6-5.7	34.8	5.7	4.9-6.7	35.4	4.7	4.0-5.4
Thyroid	227.4	16.5	15.6-17.5	35.8	6.0	5.2-7.0	191.6	25.2	23.6-26.8
Hodgkin lymphoma	53.2	3.7	3.2-4.1	26.4	4.0	3.3-4.8	26.8	3.4	2.9-4.1
Non-Hodgkin lymphomas	260.8	19.2	18.1-20.2	136.2	24.0	22.2-25.9	124.6	15.9	14.7-17.2
Myeloma	142.8	10.7	9.9-11.6	73.4	13.5	12.1-14.9	69.4	9.0	8.0-10.0
Leukemias	175.6	13.0	12.1-13.9	89.8	16.0	14.5-17.6	85.8	11.0	10.0-12.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Riverdale, Fieldston & Kingsbridge**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	611.2	430.0	414.3-446.2	283.2	478.6	453.4-504.8	328.0	404.3	383.9-425.6
Oral cavity and pharynx	14.4	10.4	8.1-13.3	6.4	10.9	7.4-15.6	8.0	10.0	7.0-14.0
Esophagus	4.4	2.9	1.8-4.5	2.8	4.4	2.4-7.5	1.6	1.9	0.8-4.0
Stomach	10.0	7.0	5.1-9.4	5.6	9.8	6.4-14.3	4.4	5.4	3.3-8.5
Colorectal	53.6	36.4	32.0-41.3	24.4	41.9	34.6-50.2	29.2	32.4	27.0-38.6
Colon excluding rectum	37.2	24.8	21.2-28.8	17.2	29.9	23.8-37.1	20.0	20.9	16.7-25.9
Rectum & rectosigmoid	16.4	11.6	9.2-14.6	7.2	12.0	8.3-16.7	9.2	11.5	8.2-15.7
Liver / intrahepatic bile duct	16.0	11.1	8.8-13.9	10.4	17.3	12.8-22.8	5.6	6.7	4.4-9.9
Pancreas	19.2	12.3	9.9-15.2	9.6	16.4	12.0-22.0	9.6	9.7	7.0-13.2
Larynx	4.0	2.8	1.7-4.5	3.6	6.0	3.5-9.7	0.4	0.6	0.1-2.3
Lung and bronchus	66.2	44.0	39.3-49.2	30.6	51.0	43.1-60.0	35.6	40.3	34.4-47.1
Melanoma of the skin	18.2	12.8	10.2-15.9	9.8	16.6	12.1-22.1	8.4	10.6	7.4-14.6
Female breast							90.0	117.3	106.3-129.3
Cervix uteri							2.8	4.1	2.2-7.0
Corpus uterus and NOS							25.6	32.1	26.6-38.5
Ovary							8.6	11.5	8.2-15.7
Prostate				75.6	124.0	111.6-137.4			
Testis				2.6	5.4	2.9-9.3			
Urinary bladder (incl. in situ)	26.0	16.8	13.9-20.2	19.4	33.1	26.7-40.5	6.6	5.9	3.9-8.8
Kidney and renal pelvis	24.4	17.7	14.6-21.3	15.4	27.7	21.7-34.8	9.0	10.5	7.5-14.4
Brain and other nervous system	6.4	5.2	3.5-7.4	2.6	4.7	2.5-8.2	3.8	5.6	3.2-9.1
Thyroid	20.8	17.6	14.3-21.5	3.8	6.8	4.1-10.8	17.0	26.7	21.2-33.2
Hodgkin lymphoma	4.2	3.6	2.2-5.5	2.0	3.5	1.6-6.5	2.2	3.7	1.8-6.6
Non-Hodgkin lymphomas	28.4	19.6	16.3-23.2	13.0	21.8	16.7-28.0	15.4	18.0	14.0-22.8
Myeloma	16.4	11.8	9.3-14.8	10.2	17.3	12.8-22.9	6.2	8.0	5.4-11.5
Leukemias	17.8	12.3	9.7-15.3	9.8	16.2	11.9-21.7	8.0	9.8	6.8-13.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Wakefield, Williamsbridge & Woodlawn**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	669.0	455.5	440.0-471.5	320.4	527.0	500.5-554.4	348.6	408.6	389.4-428.5
Oral cavity and pharynx	12.0	8.3	6.3-10.8	7.8	12.6	8.9-17.4	4.2	5.3	3.3-8.2
Esophagus	6.4	4.3	2.9-6.1	3.4	5.6	3.2-9.1	3.0	3.5	1.9-5.8
Stomach	17.4	12.2	9.7-15.1	9.2	17.1	12.3-22.9	8.2	9.2	6.6-12.6
Colorectal	64.4	43.8	39.1-49.0	31.2	50.2	42.4-59.1	33.2	38.8	33.0-45.3
Colon excluding rectum	44.4	30.5	26.5-34.8	21.0	34.9	28.3-42.5	23.4	27.2	22.5-32.7
Rectum & rectosigmoid	20.0	13.4	10.8-16.3	10.2	15.3	11.3-20.3	9.8	11.6	8.5-15.4
Liver / intrahepatic bile duct	15.8	10.1	8.0-12.7	12.6	19.1	14.5-24.7	3.2	3.5	2.0-5.8
Pancreas	22.6	15.7	12.9-19.0	8.6	14.5	10.4-19.7	14.0	16.5	12.8-21.0
Larynx	4.0	2.8	1.7-4.4	3.2	5.8	3.2-9.5	0.8	0.9	0.3-2.4
Lung and bronchus	58.0	40.0	35.4-44.9	28.6	48.9	40.9-57.9	29.4	34.1	28.8-40.2
Melanoma of the skin	5.0	3.8	2.4-5.6	2.4	4.9	2.5-8.5	2.6	3.2	1.7-5.6
Female breast							95.6	111.7	101.8-122.4
Cervix uteri							8.0	9.3	6.6-12.8
Corpus uterus and NOS							29.0	32.5	27.4-38.4
Ovary							8.8	10.6	7.6-14.3
Prostate				115.0	180.6	165.6-196.5			
Testis				1.2	2.0	0.7-4.4			
Urinary bladder (incl. in situ)	15.4	11.1	8.7-13.9	10.8	19.6	14.5-25.7	4.6	5.6	3.5-8.5
Kidney and renal pelvis	24.6	17.0	14.1-20.3	16.0	26.5	20.9-33.2	8.6	10.1	7.3-13.7
Brain and other nervous system	6.8	4.9	3.3-6.8	4.2	7.1	4.3-11.0	2.6	3.4	1.8-5.8
Thyroid	25.6	17.3	14.4-20.6	3.2	5.1	2.9-8.4	22.4	26.4	21.7-31.8
Hodgkin lymphoma	6.2	4.4	3.0-6.3	2.0	3.4	1.6-6.3	4.2	5.3	3.3-8.2
Non-Hodgkin lymphomas	27.8	19.5	16.4-23.1	15.2	26.2	20.5-33.0	12.6	15.1	11.5-19.4
Myeloma	19.2	13.6	10.9-16.6	9.4	16.1	11.7-21.6	9.8	11.8	8.7-15.7
Leukemias	21.2	14.8	12.1-17.9	11.0	18.8	14.0-24.7	10.2	12.4	9.2-16.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Co-op City, Pelham Bay & Schuylerville**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	768.0	469.9	454.8-485.5	359.8	539.9	514.9-565.8	408.2	430.5	411.0-450.7
Oral cavity and pharynx	17.2	10.5	8.3-13.1	11.4	17.3	13.1-22.6	5.8	5.3	3.5-7.9
Esophagus	5.8	3.2	2.1-4.7	4.2	5.9	3.6-9.2	1.6	1.2	0.5-2.7
Stomach	14.8	8.7	6.8-11.1	6.8	10.0	6.9-14.1	8.0	7.8	5.5-11.0
Colorectal	71.8	43.1	38.6-48.0	37.8	58.0	50.0-67.1	34.0	32.9	27.9-38.6
Colon excluding rectum	52.4	30.9	27.2-35.0	27.6	42.2	35.4-50.0	24.8	23.3	19.3-28.2
Rectum & rectosigmoid	19.4	12.2	9.8-15.1	10.2	15.9	11.7-21.0	9.2	9.6	6.9-13.1
Liver / intrahepatic bile duct	24.0	14.5	12.0-17.5	16.4	24.0	19.0-29.9	7.6	7.4	5.2-10.5
Pancreas	25.4	14.4	11.9-17.3	10.6	15.9	11.9-21.0	14.8	13.5	10.5-17.2
Larynx	4.0	2.4	1.4-3.8	3.2	4.7	2.7-7.8	0.8	0.8	0.2-2.3
Lung and bronchus	95.6	54.7	49.9-60.0	47.6	69.1	60.6-78.7	48.0	45.8	40.0-52.2
Melanoma of the skin	12.8	7.7	5.9-9.9	8.0	12.1	8.6-16.6	4.8	4.5	2.8-7.0
Female breast							107.6	119.2	108.9-130.3
Cervix uteri							6.4	8.2	5.5-11.8
Corpus uterus and NOS							31.6	33.3	28.1-39.2
Ovary							12.2	12.3	9.3-16.1
Prostate				90.8	130.7	118.9-143.5			
Testis				2.6	4.8	2.5-8.3			
Urinary bladder (incl. in situ)	35.0	19.5	16.7-22.7	23.8	36.0	29.8-43.2	11.2	9.7	7.3-12.9
Kidney and renal pelvis	25.8	16.4	13.6-19.6	13.8	22.1	17.1-28.1	12.0	12.0	9.1-15.8
Brain and other nervous system	8.6	6.1	4.3-8.3	3.8	6.6	3.9-10.5	4.8	5.6	3.5-8.7
Thyroid	24.8	19.4	16.0-23.3	5.0	9.1	5.8-13.5	19.8	28.3	22.8-34.8
Hodgkin lymphoma	4.6	3.6	2.2-5.4	2.6	4.2	2.2-7.3	2.0	3.2	1.5-6.0
Non-Hodgkin lymphomas	31.0	19.2	16.2-22.6	16.6	25.8	20.5-32.2	14.4	15.1	11.6-19.4
Myeloma	16.8	10.2	8.1-12.7	8.8	13.2	9.6-17.8	8.0	8.5	6.0-11.9
Leukemias	23.0	14.6	11.9-17.7	10.0	16.0	11.8-21.3	13.0	13.8	10.4-18.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Pelham Parkway, Morris Park & Laconia**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	642.8	457.7	441.8-474.0	304.4	503.0	477.8-529.3	338.4	431.8	411.0-453.3
Oral cavity and pharynx	13.4	9.2	7.1-11.7	8.2	12.7	9.1-17.4	5.2	6.4	4.1-9.5
Esophagus	4.4	3.1	1.9-4.8	2.6	4.5	2.4-7.8	1.8	1.9	0.9-3.9
Stomach	14.4	10.4	8.1-13.1	7.4	12.5	8.7-17.3	7.0	9.1	6.3-12.8
Colorectal	58.6	41.2	36.5-46.3	28.4	49.0	41.1-57.8	30.2	35.9	30.2-42.3
Colon excluding rectum	43.0	30.1	26.1-34.4	20.2	35.2	28.6-42.9	22.8	26.9	22.1-32.6
Rectum & rectosigmoid	15.6	11.1	8.8-13.9	8.2	13.7	9.8-18.7	7.4	8.9	6.2-12.4
Liver / intrahepatic bile duct	24.8	17.2	14.3-20.5	18.0	28.8	23.1-35.5	6.8	8.4	5.8-11.8
Pancreas	21.8	15.1	12.4-18.3	7.8	12.8	9.0-17.5	14.0	16.6	12.9-21.1
Larynx	5.2	3.6	2.4-5.3	4.2	7.1	4.4-10.9	1.0	1.1	0.4-2.8
Lung and bronchus	68.0	47.0	42.1-52.3	35.8	60.2	51.6-69.8	32.2	38.2	32.5-44.8
Melanoma of the skin	7.6	5.4	3.8-7.4	3.2	5.6	3.2-9.1	4.4	5.4	3.3-8.3
Female breast							85.8	112.1	101.5-123.4
Cervix uteri							6.8	9.9	6.8-13.9
Corpus uterus and NOS							27.0	34.6	28.9-41.1
Ovary							9.4	12.5	9.1-16.7
Prostate				80.8	129.9	117.4-143.4			
Testis				2.8	4.7	2.5-7.9			
Urinary bladder (incl. in situ)	23.2	16.0	13.2-19.2	17.8	29.5	23.6-36.4	5.4	6.4	4.2-9.5
Kidney and renal pelvis	24.0	17.4	14.4-20.9	15.8	26.4	20.9-33.0	8.2	10.8	7.7-14.8
Brain and other nervous system	7.2	5.3	3.7-7.3	3.8	6.1	3.6-9.6	3.4	4.5	2.6-7.4
Thyroid	26.0	19.5	16.3-23.3	6.0	9.4	6.3-13.5	20.0	28.4	23.0-34.7
Hodgkin lymphoma	6.2	4.8	3.2-6.8	1.8	3.1	1.4-5.9	4.4	6.3	3.9-9.7
Non-Hodgkin lymphomas	26.4	19.0	15.8-22.5	13.6	23.1	17.9-29.4	12.8	16.0	12.3-20.6
Myeloma	13.0	9.2	7.1-11.7	6.8	11.1	7.7-15.6	6.2	7.8	5.3-11.1
Leukemias	21.0	15.4	12.6-18.7	10.4	17.5	13.0-23.0	10.6	13.9	10.3-18.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Belmont, Crotona Park East & East Tremont**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	628.8	490.9	473.3-508.9	307.6	592.4	561.0-625.0	321.2	426.5	405.5-448.2
Oral cavity and pharynx	17.6	13.8	11.0-17.1	12.0	22.9	17.1-30.1	5.6	7.7	5.1-11.1
Esophagus	5.0	4.1	2.6-6.1	3.0	6.6	3.5-11.0	2.0	2.7	1.3-5.0
Stomach	17.0	14.1	11.2-17.6	8.0	17.3	12.0-23.9	9.0	12.2	8.9-16.4
Colorectal	53.2	43.1	37.9-48.8	26.8	52.4	43.3-62.8	26.4	36.2	30.2-43.0
Colon excluding rectum	37.8	31.1	26.7-36.0	18.8	37.1	29.4-46.0	19.0	26.6	21.4-32.5
Rectum & rectosigmoid	15.4	12.0	9.4-15.1	8.0	15.4	10.8-21.2	7.4	9.6	6.7-13.3
Liver / intrahepatic bile duct	27.0	20.3	16.9-24.1	19.4	34.5	27.6-42.6	7.6	10.3	7.2-14.2
Pancreas	20.2	17.0	13.8-20.8	10.4	22.1	16.1-29.4	9.8	13.8	10.1-18.3
Larynx	6.0	4.3	2.9-6.2	4.0	7.0	4.2-11.0	2.0	2.4	1.2-4.5
Lung and bronchus	72.0	59.4	53.2-66.0	37.8	80.7	68.8-93.8	34.2	46.8	39.9-54.4
Melanoma of the skin	0.8	0.7	0.2-1.8	0.6	1.1	0.2-3.2	0.2	0.3	0.0-1.7
Female breast							88.8	117.1	106.3-128.7
Cervix uteri							9.4	12.2	8.9-16.3
Corpus uterus and NOS							23.2	30.3	24.9-36.4
Ovary							9.8	12.6	9.3-16.7
Prostate				97.8	185.6	168.6-203.8			
Testis				2.8	3.5	1.9-6.2			
Urinary bladder (incl. in situ)	17.6	15.6	12.4-19.3	11.2	24.3	18.0-32.0	6.4	9.8	6.6-13.8
Kidney and renal pelvis	21.6	16.5	13.4-20.0	12.0	21.7	16.3-28.2	9.6	12.8	9.3-17.0
Brain and other nervous system	7.0	4.5	3.1-6.3	3.6	4.7	2.8-7.7	3.4	4.1	2.4-6.7
Thyroid	18.2	12.6	10.1-15.6	2.2	3.6	1.7-6.7	16.0	19.6	15.5-24.4
Hodgkin lymphoma	6.4	4.0	2.7-5.8	4.2	5.8	3.5-9.1	2.2	2.6	1.3-4.7
Non-Hodgkin lymphomas	25.0	18.7	15.4-22.3	13.4	24.7	18.7-31.8	11.6	14.7	11.1-19.1
Myeloma	16.0	13.0	10.2-16.2	5.8	12.0	7.8-17.5	10.2	13.7	10.2-18.1
Leukemias	15.6	11.9	9.3-15.0	8.2	16.5	11.3-23.0	7.4	9.4	6.5-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Bedford Park, Fordham North & Norwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	488.8	452.6	434.2-471.6	249.4	549.9	517.8-583.4	239.4	389.0	366.7-412.3
Oral cavity and pharynx	11.6	10.7	8.0-13.9	8.4	18.2	12.8-25.0	3.2	5.3	2.9-8.6
Esophagus	5.4	5.0	3.3-7.4	4.8	10.8	6.7-16.3	0.6	1.0	0.2-2.8
Stomach	14.8	14.4	11.2-18.2	9.0	21.8	15.6-29.5	5.8	9.9	6.5-14.3
Colorectal	39.6	37.7	32.4-43.5	22.2	50.9	41.3-61.9	17.4	29.0	23.1-36.0
Colon excluding rectum	28.4	28.1	23.5-33.3	16.0	38.7	30.1-48.7	12.4	21.6	16.4-27.9
Rectum & rectosigmoid	11.2	9.5	7.1-12.4	6.2	12.2	8.2-17.6	5.0	7.4	4.8-11.0
Liver / intrahepatic bile duct	21.0	18.7	15.2-22.7	15.4	31.6	24.6-39.9	5.6	8.9	5.9-13.0
Pancreas	15.2	14.4	11.3-18.2	8.0	17.6	12.3-24.3	7.2	12.2	8.5-16.9
Larynx	4.0	3.4	2.0-5.3	2.6	5.1	2.6-9.0	1.4	2.1	0.8-4.3
Lung and bronchus	46.0	45.5	39.6-52.0	24.6	60.2	49.4-72.4	21.4	36.0	29.3-43.7
Melanoma of the skin	5.2	4.6	3.0-6.9	3.4	6.8	3.8-11.3	1.8	2.7	1.2-5.2
Female breast							71.4	115.0	103.1-127.9
Cervix uteri							6.8	10.4	7.1-14.6
Corpus uterus and NOS							16.2	25.9	20.4-32.3
Ovary							5.2	8.4	5.4-12.4
Prostate				72.6	155.5	139.0-173.4			
Testis				3.0	4.6	2.6-7.8			
Urinary bladder (incl. in situ)	11.4	11.8	8.8-15.4	6.6	17.0	11.4-24.2	4.8	8.7	5.5-13.0
Kidney and renal pelvis	18.4	17.2	13.8-21.3	11.8	24.6	18.4-32.1	6.6	11.2	7.6-15.8
Brain and other nervous system	6.0	4.8	3.2-7.0	3.0	5.1	2.8-8.5	3.0	4.5	2.5-7.5
Thyroid	21.4	18.3	14.9-22.2	2.4	5.8	2.8-10.2	19.0	29.2	23.5-35.8
Hodgkin lymphoma	5.6	4.2	2.7-6.2	2.6	4.2	2.1-7.5	3.0	4.2	2.3-7.1
Non-Hodgkin lymphomas	20.8	18.1	14.7-22.0	11.4	21.9	16.3-28.7	9.4	15.0	10.9-20.0
Myeloma	7.8	7.9	5.5-10.8	4.6	11.2	6.9-17.1	3.2	5.5	3.1-9.0
Leukemias	16.2	15.6	12.3-19.5	9.0	21.3	15.2-29.0	7.2	11.7	8.1-16.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Morris Heights, Fordham South & Mount Hope**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	480.6	463.5	443.7-484.0	250.6	598.2	560.2-637.9	230.0	380.5	357.8-404.3
Oral cavity and pharynx	10.2	8.0	5.9-10.6	8.0	13.9	9.8-19.2	2.2	3.3	1.6-5.9
Esophagus	4.0	4.8	2.8-7.5	3.4	11.6	5.9-19.6	0.6	1.1	0.2-3.3
Stomach	11.8	12.4	9.3-16.3	6.8	18.6	12.2-27.0	5.0	8.7	5.5-12.9
Colorectal	40.4	41.2	35.2-47.8	19.6	50.3	39.3-63.1	20.8	35.6	28.7-43.5
Colon excluding rectum	28.6	30.9	25.6-36.8	12.8	35.7	26.2-47.1	15.8	28.3	22.0-35.6
Rectum & rectosigmoid	11.8	10.3	7.7-13.5	6.8	14.6	9.5-21.3	5.0	7.3	4.6-11.0
Liver / intrahepatic bile duct	22.0	21.1	17.0-25.8	15.4	36.1	27.2-46.7	6.6	11.2	7.6-16.0
Pancreas	11.2	12.2	9.0-16.2	6.8	17.4	11.1-25.8	4.4	8.9	5.5-13.6
Larynx	7.4	6.6	4.5-9.3	4.6	10.5	6.2-16.4	2.8	4.0	2.1-6.8
Lung and bronchus	42.6	46.6	40.1-53.8	19.6	53.2	41.9-66.4	23.0	42.2	34.5-51.1
Melanoma of the skin	1.4	1.1	0.4-2.4	0.6	0.9	0.2-3.2	0.8	1.2	0.3-3.2
Female breast							64.6	102.3	90.9-114.6
Cervix uteri							6.8	9.9	6.8-13.9
Corpus uterus and NOS							18.8	28.7	23.0-35.3
Ovary							3.8	6.1	3.6-9.7
Prostate				93.4	217.3	195.4-240.8			
Testis				1.4	2.8	0.8-6.6			
Urinary bladder (incl. in situ)	9.0	10.3	7.3-14.1	6.4	18.2	11.6-26.8	2.6	5.4	2.8-9.3
Kidney and renal pelvis	15.8	13.9	10.8-17.6	9.2	17.0	12.1-23.3	6.6	11.1	7.5-15.8
Brain and other nervous system	5.0	4.1	2.6-6.1	3.0	5.6	2.9-9.9	2.0	2.9	1.4-5.4
Thyroid	18.0	15.6	12.4-19.4	2.0	3.7	1.7-7.2	16.0	24.7	19.5-31.0
Hodgkin lymphoma	5.6	4.5	2.8-6.7	3.4	6.2	3.1-11.1	2.2	3.2	1.5-5.9
Non-Hodgkin lymphomas	21.8	20.9	16.9-25.6	12.6	30.1	22.1-39.8	9.2	14.9	10.7-20.2
Myeloma	12.8	13.6	10.2-17.6	7.2	19.2	12.4-28.1	5.6	10.4	6.8-15.2
Leukemias	11.6	10.9	8.0-14.4	7.6	16.6	10.9-24.1	4.0	6.8	4.0-10.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Concourse, Highbridge & Mount Eden**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	570.8	470.2	452.5-488.4	283.4	555.9	525.0-588.0	287.4	415.0	393.5-437.4
Oral cavity and pharynx	13.2	10.9	8.4-14.0	10.4	20.1	14.6-26.8	2.8	4.3	2.3-7.2
Esophagus	4.8	4.1	2.6-6.1	3.2	7.9	4.2-13.1	1.6	2.2	0.9-4.3
Stomach	13.4	12.0	9.2-15.4	5.6	13.5	8.6-19.9	7.8	11.5	8.2-15.8
Colorectal	45.0	39.6	34.5-45.3	22.6	49.3	39.9-59.9	22.4	33.5	27.5-40.4
Colon excluding rectum	34.6	30.9	26.4-36.0	15.8	35.4	27.5-44.7	18.8	28.4	22.9-34.9
Rectum & rectosigmoid	10.4	8.7	6.4-11.5	6.8	13.9	9.3-19.7	3.6	5.1	3.0-8.1
Liver / intrahepatic bile duct	24.2	19.0	15.7-22.8	16.0	28.6	22.3-36.0	8.2	11.8	8.4-16.1
Pancreas	16.2	14.3	11.3-17.9	7.0	14.8	9.9-21.1	9.2	14.0	10.2-18.8
Larynx	7.6	6.6	4.6-9.1	5.4	11.6	7.4-17.3	2.2	3.2	1.6-5.7
Lung and bronchus	63.2	55.6	49.5-62.3	34.0	73.6	62.1-86.3	29.2	43.6	36.7-51.4
Melanoma of the skin	1.8	1.4	0.6-2.8	0.8	1.1	0.3-3.1	1.0	1.5	0.5-3.5
Female breast							79.6	114.1	103.0-126.0
Cervix uteri							8.6	11.6	8.4-15.6
Corpus uterus and NOS							19.2	27.1	21.8-33.1
Ovary							6.6	9.4	6.4-13.3
Prostate				101.6	191.4	174.0-210.0			
Testis				1.4	2.0	0.8-4.3			
Urinary bladder (incl. in situ)	11.0	10.0	7.5-13.1	7.0	15.7	10.6-22.2	4.0	6.2	3.8-9.6
Kidney and renal pelvis	17.8	14.9	11.9-18.4	11.6	21.7	16.1-28.5	6.2	9.4	6.3-13.4
Brain and other nervous system	6.0	4.5	3.0-6.5	2.2	3.9	1.8-7.3	3.8	5.2	3.1-8.2
Thyroid	20.4	14.8	12.0-18.1	2.8	4.5	2.4-7.8	17.6	23.5	18.8-29.0
Hodgkin lymphoma	4.2	2.8	1.7-4.3	1.8	2.4	1.1-4.9	2.4	3.0	1.5-5.3
Non-Hodgkin lymphomas	25.4	20.6	17.1-24.6	9.8	19.0	13.6-25.7	15.6	22.6	17.8-28.3
Myeloma	11.8	10.5	8.0-13.7	6.6	13.9	9.3-19.9	5.2	8.0	5.2-11.8
Leukemias	15.2	11.3	8.8-14.3	7.6	11.8	8.2-16.5	7.6	10.5	7.4-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Castle Hill, Clason Point & Parkchester**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	800.0	448.4	434.3-462.8	374.8	507.8	483.9-532.5	425.2	412.4	394.8-430.6
Oral cavity and pharynx	16.0	8.8	7.0-11.1	11.6	15.6	11.7-20.4	4.4	4.1	2.6-6.3
Esophagus	7.0	3.9	2.7-5.4	5.0	6.8	4.3-10.1	2.0	1.8	0.9-3.4
Stomach	18.8	10.7	8.6-13.2	9.8	13.4	9.7-18.0	9.0	8.9	6.5-11.9
Colorectal	68.8	39.7	35.6-44.3	32.4	45.4	38.3-53.4	36.4	35.8	30.7-41.4
Colon excluding rectum	47.8	28.1	24.6-32.0	21.2	30.3	24.5-36.9	26.6	26.4	22.1-31.4
Rectum & rectosigmoid	21.0	11.6	9.4-14.1	11.2	15.1	11.2-19.9	9.8	9.3	6.9-12.4
Liver / intrahepatic bile duct	33.6	17.6	15.0-20.6	23.0	28.0	22.9-33.9	10.6	10.1	7.5-13.2
Pancreas	24.6	14.0	11.6-16.8	10.4	14.4	10.6-19.2	14.2	13.7	10.6-17.3
Larynx	8.2	4.5	3.2-6.1	6.2	8.0	5.3-11.4	2.0	2.0	0.9-3.7
Lung and bronchus	76.8	45.7	41.2-50.6	39.0	57.3	49.2-66.4	37.8	38.0	32.7-43.9
Melanoma of the skin	5.0	2.6	1.7-3.9	2.6	3.5	1.8-6.1	2.4	2.2	1.1-3.8
Female breast							121.2	116.1	106.9-125.9
Cervix uteri							9.4	9.5	7.0-12.7
Corpus uterus and NOS							39.4	36.1	31.2-41.7
Ovary							10.4	9.7	7.2-12.8
Prostate				118.6	154.8	142.1-168.4			
Testis				3.0	3.3	1.8-5.6			
Urinary bladder (incl. in situ)	19.2	11.7	9.4-14.3	13.6	22.7	17.4-29.1	5.6	5.4	3.6-7.9
Kidney and renal pelvis	32.4	17.8	15.1-20.9	19.6	25.2	20.2-30.9	12.8	12.5	9.6-16.0
Brain and other nervous system	10.0	5.6	4.1-7.4	4.8	6.3	3.9-9.5	5.2	5.2	3.4-7.6
Thyroid	29.0	16.2	13.6-19.1	5.6	7.3	4.8-10.7	23.4	23.3	19.2-28.0
Hodgkin lymphoma	4.6	2.4	1.5-3.6	2.2	2.5	1.2-4.6	2.4	2.2	1.1-3.8
Non-Hodgkin lymphomas	32.6	18.7	15.9-21.9	18.0	24.9	19.8-30.8	14.6	14.5	11.3-18.3
Myeloma	17.6	9.7	7.7-12.0	7.4	9.5	6.5-13.2	10.2	9.8	7.3-13.0
Leukemias	19.8	11.2	9.1-13.7	9.2	13.2	9.5-17.8	10.6	10.4	7.7-13.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Hunts Point, Longwood & Melrose**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	569.2	450.1	433.3-467.4	294.6	553.6	523.8-584.5	274.6	384.6	364.3-405.8
Oral cavity and pharynx	16.0	12.3	9.7-15.4	11.2	19.8	14.7-26.0	4.8	6.8	4.3-10.2
Esophagus	5.8	5.1	3.4-7.4	4.0	8.8	5.2-13.7	1.8	2.8	1.3-5.3
Stomach	16.6	14.7	11.7-18.3	9.0	19.6	14.0-26.4	7.6	11.6	8.1-15.9
Colorectal	45.4	37.0	32.2-42.2	23.4	44.8	36.5-54.3	22.0	31.3	25.7-37.8
Colon excluding rectum	33.0	27.1	23.0-31.7	17.2	34.0	26.7-42.6	15.8	22.4	17.7-28.0
Rectum & rectosigmoid	12.4	9.8	7.5-12.6	6.2	10.8	7.2-15.5	6.2	8.9	6.0-12.7
Liver / intrahepatic bile duct	32.0	24.2	20.5-28.4	23.8	42.9	35.1-51.8	8.2	10.8	7.7-14.6
Pancreas	17.6	14.8	11.8-18.3	8.8	17.1	12.1-23.3	8.8	12.9	9.3-17.3
Larynx	7.0	5.5	3.8-7.7	5.8	11.0	7.1-16.1	1.2	1.6	0.6-3.6
Lung and bronchus	58.2	47.5	42.0-53.3	30.4	60.8	51.0-71.8	27.8	39.1	32.8-46.2
Melanoma of the skin	2.0	1.8	0.8-3.2	0.6	1.4	0.2-4.1	1.4	2.1	0.8-4.3
Female breast							70.4	97.9	87.9-108.8
Cervix uteri							9.4	12.6	9.2-16.8
Corpus uterus and NOS							18.6	25.4	20.5-31.2
Ovary							7.4	10.6	7.4-14.6
Prostate				89.0	171.2	154.9-188.7			
Testis				3.6	4.0	2.3-6.7			
Urinary bladder (incl. in situ)	14.0	12.2	9.4-15.5	9.2	19.2	13.7-26.0	4.8	7.4	4.7-11.0
Kidney and renal pelvis	19.8	15.8	12.7-19.3	11.8	22.7	16.9-29.7	8.0	11.1	7.9-15.1
Brain and other nervous system	7.0	5.4	3.7-7.5	3.6	5.7	3.2-9.2	3.4	4.9	2.8-7.9
Thyroid	23.2	16.5	13.6-19.9	2.8	4.6	2.4-7.9	20.4	26.9	21.9-32.8
Hodgkin lymphoma	5.6	3.4	2.2-5.0	3.8	4.9	2.9-7.9	1.8	2.1	0.9-4.1
Non-Hodgkin lymphomas	21.6	16.3	13.3-19.8	12.6	20.5	15.4-26.7	9.0	12.8	9.3-17.2
Myeloma	11.4	10.0	7.5-13.0	6.6	14.6	9.8-20.8	4.8	7.0	4.5-10.5
Leukemias	14.0	10.9	8.4-13.9	6.8	11.4	7.6-16.2	7.2	10.3	7.2-14.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Kings (Brooklyn)**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11768.0	453.0	449.2-456.7	5611.2	507.6	501.5-513.7	6156.8	419.7	415.0-424.5
Oral cavity and pharynx	240.2	9.2	8.7-9.7	158.8	13.9	12.9-14.9	81.4	5.5	5.0-6.1
Esophagus	91.2	3.5	3.2-3.9	64.2	6.0	5.3-6.7	27.0	1.8	1.5-2.1
Stomach	309.4	12.1	11.5-12.8	175.2	16.6	15.5-17.8	134.2	8.9	8.3-9.7
Colorectal	1083.0	42.0	40.9-43.2	541.4	50.1	48.2-52.1	541.6	36.4	35.0-37.8
Colon excluding rectum	770.4	30.0	29.1-31.0	368.0	34.6	33.0-36.3	402.4	26.9	25.8-28.2
Rectum & rectosigmoid	312.6	12.0	11.4-12.6	173.4	15.5	14.4-16.6	139.2	9.4	8.7-10.2
Liver / intrahepatic bile duct	282.0	10.6	10.0-11.2	196.6	16.8	15.7-17.9	85.4	5.7	5.2-6.3
Pancreas	360.8	14.1	13.4-14.8	168.8	15.8	14.7-16.9	192.0	12.8	12.0-13.6
Larynx	77.4	2.9	2.6-3.2	63.4	5.7	5.1-6.4	14.0	0.9	0.7-1.2
Lung and bronchus	1231.0	48.2	47.0-49.5	660.2	62.7	60.5-64.9	570.8	38.5	37.1-40.0
Melanoma of the skin	221.0	8.6	8.1-9.1	111.8	10.3	9.4-11.2	109.2	7.5	6.9-8.2
Female breast							1715.6	119.0	116.4-121.6
Cervix uteri							137.6	9.7	9.0-10.5
Corpus uterus and NOS							489.8	32.5	31.2-33.8
Ovary							172.0	11.7	10.9-12.5
Prostate				1559.2	136.0	133.0-139.2			
Testis				60.4	4.6	4.1-5.2			
Urinary bladder (incl. in situ)	421.6	16.6	15.8-17.3	310.4	30.4	28.9-32.0	111.2	7.3	6.7-8.0
Kidney and renal pelvis	369.0	14.1	13.5-14.8	223.8	19.7	18.5-20.9	145.2	9.9	9.2-10.6
Brain and other nervous system	151.2	5.8	5.4-6.2	83.6	7.1	6.4-7.8	67.6	4.7	4.2-5.3
Thyroid	580.6	22.1	21.3-23.0	125.6	10.6	9.8-11.5	455.0	32.1	30.8-33.5
Hodgkin lymphoma	81.8	3.1	2.8-3.4	42.6	3.5	3.0-4.0	39.2	2.8	2.4-3.2
Non-Hodgkin lymphomas	500.2	19.3	18.5-20.0	258.6	23.1	21.8-24.4	241.6	16.3	15.4-17.2
Myeloma	242.4	9.4	8.9-9.9	121.4	11.2	10.3-12.2	121.0	8.1	7.5-8.8
Leukemias	348.0	13.4	12.8-14.1	187.8	17.0	15.9-18.1	160.2	10.9	10.1-11.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Greenpoint & Williamsburg**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	505.4	402.0	386.0-418.5	241.4	442.3	416.5-469.2	264.0	380.2	359.4-402.0
Oral cavity and pharynx	13.6	10.9	8.4-13.8	9.2	17.1	12.3-23.0	4.4	6.3	3.9-9.6
Esophagus	1.8	1.5	0.7-2.9	1.6	2.9	1.2-5.8	0.2	0.4	0.0-2.0
Stomach	13.6	11.4	8.8-14.5	8.4	16.8	11.9-22.8	5.2	7.5	4.8-11.0
Colorectal	50.0	40.1	35.2-45.5	27.0	47.7	39.7-56.8	23.0	33.8	27.8-40.7
Colon excluding rectum	33.0	26.8	22.8-31.3	15.8	28.6	22.4-35.8	17.2	25.3	20.1-31.3
Rectum & rectosigmoid	17.0	13.3	10.6-16.6	11.2	19.2	14.3-25.1	5.8	8.5	5.6-12.4
Liver / intrahepatic bile duct	11.2	9.4	7.0-12.2	8.8	16.0	11.5-21.6	2.4	3.9	2.0-6.7
Pancreas	16.0	12.9	10.2-16.2	9.2	17.7	12.8-23.8	6.8	9.2	6.3-13.0
Larynx	4.0	3.1	1.8-4.7	3.2	5.7	3.2-9.3	0.8	1.0	0.3-2.7
Lung and bronchus	48.0	40.7	35.7-46.3	23.4	47.6	39.1-57.2	24.6	35.9	29.7-42.9
Melanoma of the skin	14.6	10.2	7.9-13.1	6.6	10.2	6.7-14.7	8.0	10.8	7.5-15.0
Female breast							66.4	100.4	89.6-112.1
Cervix uteri							5.4	7.2	4.6-10.6
Corpus uterus and NOS							19.6	28.3	22.9-34.6
Ovary							10.0	14.7	10.8-19.5
Prostate				51.6	98.4	86.3-111.6			
Testis				6.8	6.8	4.5-9.9			
Urinary bladder (incl. in situ)	21.6	18.1	14.8-21.9	15.2	30.4	23.7-38.2	6.4	9.6	6.5-13.7
Kidney and renal pelvis	16.0	12.7	10.0-15.9	10.4	18.5	13.7-24.5	5.6	8.0	5.3-11.6
Brain and other nervous system	6.4	4.4	2.9-6.3	3.4	5.1	2.8-8.4	3.0	3.7	2.0-6.2
Thyroid	27.8	19.5	16.2-23.3	6.4	9.4	6.3-13.6	21.4	29.4	23.8-36.0
Hodgkin lymphoma	4.6	2.6	1.5-4.1	2.8	3.7	1.8-6.5	1.8	1.5	0.6-3.3
Non-Hodgkin lymphomas	23.4	18.7	15.4-22.6	11.2	20.6	15.3-27.0	12.2	17.6	13.4-22.8
Myeloma	8.2	6.8	4.8-9.3	4.6	9.2	5.7-13.9	3.6	4.8	2.8-7.7
Leukemias	15.6	11.6	9.1-14.6	8.4	13.9	9.8-19.1	7.2	9.6	6.6-13.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Bushwick**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	421.4	416.0	397.6-434.9	206.2	482.8	451.1-515.9	215.2	376.6	353.9-400.2
Oral cavity and pharynx	9.8	10.4	7.6-13.8	6.6	15.5	10.3-22.2	3.2	6.4	3.6-10.3
Esophagus	5.2	5.7	3.7-8.5	3.6	10.5	5.9-16.8	1.6	2.9	1.3-5.8
Stomach	11.8	12.6	9.5-16.4	6.6	16.9	11.2-24.2	5.2	9.6	6.2-14.1
Colorectal	36.4	36.7	31.3-42.6	20.6	47.6	38.1-58.5	15.8	28.7	22.6-35.8
Colon excluding rectum	25.2	25.7	21.2-30.7	12.8	30.6	23.0-39.8	12.4	22.4	17.1-28.8
Rectum & rectosigmoid	11.2	11.0	8.2-14.4	7.8	17.0	11.7-23.6	3.4	6.3	3.6-10.0
Liver / intrahepatic bile duct	12.0	12.4	9.3-16.0	7.2	17.0	11.5-24.1	4.8	9.1	5.8-13.5
Pancreas	10.8	11.9	8.8-15.6	5.0	11.2	7.0-17.0	5.8	11.5	7.6-16.4
Larynx	1.8	1.9	0.9-3.7	1.4	3.9	1.5-8.0	0.4	0.7	0.1-2.5
Lung and bronchus	46.6	49.0	42.6-55.9	25.8	69.4	57.0-83.6	20.8	37.4	30.4-45.4
Melanoma of the skin	3.2	2.4	1.3-4.1	1.6	2.2	0.9-4.8	1.6	2.6	1.0-5.2
Female breast							59.6	104.0	92.3-116.7
Cervix uteri							8.0	12.8	9.1-17.6
Corpus uterus and NOS							20.4	34.6	28.1-42.1
Ovary							5.0	8.7	5.5-12.8
Prostate				60.4	139.3	123.1-157.0			
Testis				3.8	4.2	2.4-7.0			
Urinary bladder (incl. in situ)	11.4	11.9	8.9-15.6	8.2	20.6	14.3-28.4	3.2	5.9	3.3-9.6
Kidney and renal pelvis	13.0	12.7	9.7-16.3	6.8	15.5	10.3-22.4	6.2	11.0	7.4-15.7
Brain and other nervous system	4.4	3.8	2.3-5.9	3.0	5.2	2.8-9.0	1.4	2.3	0.9-4.9
Thyroid	12.4	10.5	8.0-13.6	2.6	5.4	2.8-9.5	9.8	15.6	11.4-20.7
Hodgkin lymphoma	4.2	3.2	1.9-5.0	2.4	4.3	2.1-7.8	1.8	2.3	1.0-4.6
Non-Hodgkin lymphomas	20.6	17.7	14.3-21.7	11.8	21.9	16.3-28.9	8.8	14.0	10.1-18.9
Myeloma	9.4	10.5	7.7-14.1	3.8	9.5	5.6-15.0	5.6	10.8	7.1-15.7
Leukemias	11.8	11.2	8.3-14.6	5.4	11.1	7.0-16.8	6.4	10.9	7.3-15.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Bedford-Stuyvesant**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	503.8	443.8	426.1-462.0	239.2	513.5	483.0-545.3	264.6	400.3	378.6-422.8
Oral cavity and pharynx	9.8	8.2	6.0-10.8	6.8	13.4	9.1-18.8	3.0	4.3	2.4-7.2
Esophagus	5.6	5.2	3.4-7.6	2.4	5.5	2.7-9.8	3.2	5.0	2.8-8.2
Stomach	10.2	9.9	7.3-13.1	5.0	11.3	7.1-16.9	5.2	8.6	5.6-12.6
Colorectal	43.0	39.8	34.5-45.6	20.4	48.2	38.7-59.1	22.6	34.8	28.6-41.9
Colon excluding rectum	29.8	28.0	23.5-33.0	13.2	31.8	24.1-40.9	16.6	25.8	20.5-32.1
Rectum & rectosigmoid	13.2	11.8	9.1-15.1	7.2	16.4	11.2-23.0	6.0	9.0	6.1-12.9
Liver / intrahepatic bile duct	18.0	15.7	12.6-19.4	12.0	23.5	17.7-30.5	6.0	9.8	6.6-14.0
Pancreas	13.8	12.9	10.0-16.4	6.6	15.6	10.5-22.2	7.2	11.2	7.8-15.6
Larynx	4.2	3.5	2.1-5.4	3.2	6.2	3.5-10.3	1.0	1.5	0.5-3.5
Lung and bronchus	57.4	53.0	46.8-59.6	30.4	70.4	59.0-83.1	27.0	42.0	35.1-49.9
Melanoma of the skin	2.2	2.0	0.9-3.6	1.0	2.6	0.8-6.1	1.2	1.7	0.6-3.8
Female breast							80.2	120.2	108.6-132.7
Cervix uteri							8.4	12.6	9.1-17.1
Corpus uterus and NOS							21.0	31.3	25.5-38.0
Ovary							7.2	10.3	7.2-14.3
Prostate				79.4	168.0	151.1-186.2			
Testis				2.4	3.4	1.7-6.2			
Urinary bladder (incl. in situ)	11.0	10.4	7.8-13.6	7.6	17.6	12.1-24.4	3.4	5.7	3.3-9.2
Kidney and renal pelvis	15.6	13.7	10.7-17.2	9.0	18.9	13.5-25.6	6.6	9.9	6.8-14.0
Brain and other nervous system	5.2	4.1	2.7-6.1	2.2	4.2	2.0-7.8	3.0	4.3	2.4-7.1
Thyroid	14.6	10.9	8.5-13.8	2.6	4.5	2.4-7.9	12.0	16.0	12.1-20.7
Hodgkin lymphoma	4.6	3.3	2.1-5.1	2.8	4.3	2.3-7.4	1.8	2.5	1.1-4.8
Non-Hodgkin lymphomas	17.2	14.6	11.6-18.1	8.4	17.6	12.4-24.2	8.8	12.8	9.2-17.2
Myeloma	13.8	13.2	10.2-16.8	6.2	16.5	10.9-23.7	7.6	11.7	8.2-16.1
Leukemias	16.2	14.0	11.0-17.5	9.4	18.4	13.2-25.0	6.8	10.6	7.3-14.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Brooklyn Heights & Fort Greene**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	548.6	483.2	464.8-502.1	263.0	544.0	514.0-575.4	285.6	445.2	421.9-469.6
Oral cavity and pharynx	13.6	11.7	9.0-15.0	9.2	18.8	13.6-25.3	4.4	6.7	4.2-10.4
Esophagus	4.6	4.1	2.6-6.2	3.0	6.3	3.5-10.6	1.6	2.5	1.1-5.0
Stomach	10.0	9.9	7.3-13.0	4.4	11.0	6.8-16.6	5.6	9.2	6.1-13.4
Colorectal	44.4	40.3	35.1-46.1	23.8	49.2	40.4-59.1	20.6	33.0	26.8-40.2
Colon excluding rectum	30.4	27.6	23.3-32.4	16.0	33.3	26.2-41.7	14.4	22.9	17.8-29.0
Rectum & rectosigmoid	14.0	12.8	9.9-16.2	7.8	15.8	11.1-21.9	6.2	10.0	6.8-14.4
Liver / intrahepatic bile duct	13.8	11.9	9.2-15.2	10.2	20.0	14.8-26.5	3.6	5.6	3.3-9.0
Pancreas	17.0	16.0	12.7-19.8	9.0	19.5	14.1-26.2	8.0	13.0	9.2-17.8
Larynx	4.6	4.1	2.5-6.2	3.8	7.8	4.6-12.3	0.8	1.3	0.3-3.4
Lung and bronchus	50.4	45.9	40.3-52.1	22.2	49.0	40.1-59.3	28.2	43.8	36.7-51.9
Melanoma of the skin	16.2	13.5	10.6-16.9	8.8	17.6	12.6-24.0	7.4	10.8	7.5-15.1
Female breast							89.8	140.9	127.9-154.9
Cervix uteri							4.8	7.0	4.4-10.6
Corpus uterus and NOS							21.8	34.6	28.3-42.0
Ovary							9.4	15.2	11.1-20.4
Prostate				74.8	158.4	142.3-175.8			
Testis				6.4	8.3	5.5-12.1			
Urinary bladder (incl. in situ)	17.2	16.1	12.8-20.0	11.0	25.9	19.3-33.9	6.2	9.7	6.5-13.9
Kidney and renal pelvis	15.2	13.4	10.5-16.9	10.4	20.2	14.9-26.8	4.8	7.7	4.9-11.6
Brain and other nervous system	6.0	4.8	3.1-6.9	3.4	6.5	3.7-10.6	2.6	3.3	1.7-5.9
Thyroid	26.0	20.2	16.8-24.2	6.2	10.1	6.8-14.6	19.8	29.1	23.4-35.7
Hodgkin lymphoma	4.2	3.4	2.1-5.3	2.2	4.1	2.0-7.6	2.0	2.8	1.3-5.5
Non-Hodgkin lymphomas	24.2	20.6	17.0-24.7	12.6	23.5	17.8-30.4	11.6	17.9	13.5-23.3
Myeloma	11.4	10.3	7.8-13.4	6.4	13.1	8.8-18.6	5.0	8.0	5.1-11.9
Leukemias	17.2	14.9	11.8-18.5	9.8	19.7	14.4-26.3	7.4	11.0	7.7-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Park Slope, Carroll Gardens & Red Hook**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	441.0	452.9	433.3-473.2	204.4	493.8	462.0-527.2	236.6	431.7	406.4-458.1
Oral cavity and pharynx	11.0	11.4	8.5-15.1	8.2	20.1	14.1-27.7	2.8	4.6	2.4-8.0
Esophagus	3.8	3.7	2.2-5.9	2.2	4.9	2.3-9.1	1.6	2.9	1.2-6.0
Stomach	6.8	7.8	5.3-11.0	2.6	6.6	3.3-11.6	4.2	9.0	5.5-13.9
Colorectal	34.0	37.3	31.7-43.6	16.6	42.6	33.4-53.4	17.4	33.3	26.5-41.4
Colon excluding rectum	22.0	24.9	20.3-30.2	10.6	28.6	21.0-37.9	11.4	22.4	16.8-29.3
Rectum & rectosigmoid	12.0	12.4	9.4-16.2	6.0	14.0	9.3-20.4	6.0	10.9	7.2-15.8
Liver / intrahepatic bile duct	6.8	6.8	4.7-9.7	5.6	12.8	8.2-18.9	1.2	2.3	0.8-5.1
Pancreas	10.8	12.2	9.1-16.1	6.4	15.4	10.3-22.1	4.4	9.3	5.7-14.3
Larynx	2.2	2.2	1.1-4.1	1.8	4.3	1.9-8.4	0.4	0.6	0.1-2.6
Lung and bronchus	39.6	45.6	39.2-52.6	16.8	45.0	35.4-56.3	22.8	46.5	38.1-56.2
Melanoma of the skin	17.2	15.2	12.0-19.0	8.8	19.1	13.5-26.2	8.4	12.4	8.8-17.2
Female breast							70.6	127.4	114.0-141.9
Cervix uteri							3.2	5.4	3.0-9.0
Corpus uterus and NOS							15.4	28.4	22.2-35.7
Ovary							5.8	10.9	7.2-15.9
Prostate				54.6	129.6	113.9-146.8			
Testis				4.0	5.2	3.1-8.6			
Urinary bladder (incl. in situ)	19.4	22.5	18.1-27.7	15.0	42.4	32.8-53.7	4.4	8.7	5.3-13.3
Kidney and renal pelvis	14.8	15.6	12.1-19.7	9.2	21.5	15.4-29.1	5.6	10.8	7.1-15.9
Brain and other nervous system	6.2	6.1	4.0-8.8	3.0	6.0	3.2-10.3	3.2	6.0	3.2-10.1
Thyroid	26.4	21.3	17.6-25.5	4.4	7.6	4.6-12.0	22.0	33.9	27.5-41.3
Hodgkin lymphoma	5.2	3.6	2.2-5.7	2.0	3.0	1.3-6.2	3.2	4.2	2.1-7.7
Non-Hodgkin lymphomas	20.4	21.2	17.1-26.0	9.6	23.3	16.8-31.6	10.8	20.0	14.8-26.4
Myeloma	6.8	7.4	5.1-10.5	5.0	13.6	8.6-20.5	1.8	3.1	1.4-6.0
Leukemias	16.4	16.2	12.7-20.4	9.8	21.0	15.2-28.4	6.6	12.4	8.4-17.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Crown Heights North & Prospect Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	532.0	457.2	439.6-475.4	242.4	529.8	498.7-562.2	289.6	417.4	395.8-439.9
Oral cavity and pharynx	10.8	8.9	6.7-11.7	7.0	13.5	9.3-18.9	3.8	5.6	3.3-8.8
Esophagus	7.4	6.9	4.8-9.5	4.6	11.5	7.1-17.4	2.8	4.1	2.2-7.0
Stomach	14.0	13.3	10.3-16.8	6.8	18.0	12.2-25.4	7.2	10.8	7.5-15.0
Colorectal	48.8	43.1	37.7-49.0	24.2	53.9	44.2-64.9	24.6	36.6	30.3-43.8
Colon excluding rectum	34.6	31.1	26.6-36.2	17.2	40.2	31.7-50.2	17.4	26.1	20.8-32.3
Rectum & rectosigmoid	14.2	12.0	9.3-15.2	7.0	13.7	9.4-19.2	7.2	10.5	7.3-14.7
Liver / intrahepatic bile duct	12.8	10.8	8.2-13.8	8.8	18.9	13.5-25.7	4.0	5.7	3.4-8.8
Pancreas	16.4	14.4	11.4-18.0	6.6	14.1	9.4-20.1	9.8	14.2	10.5-18.9
Larynx	4.2	3.8	2.3-5.8	3.6	8.3	4.8-13.3	0.6	0.8	0.2-2.4
Lung and bronchus	47.4	42.4	37.0-48.2	20.0	45.7	36.7-56.1	27.4	40.9	34.3-48.5
Melanoma of the skin	5.4	4.0	2.6-5.9	2.2	3.6	1.7-6.7	3.2	4.2	2.4-7.0
Female breast							84.4	121.1	109.7-133.4
Cervix uteri							8.6	12.3	8.9-16.7
Corpus uterus and NOS							26.4	37.1	30.9-44.1
Ovary							7.2	9.9	6.9-13.8
Prostate				82.0	179.7	161.9-198.9			
Testis				3.2	4.4	2.5-7.4			
Urinary bladder (incl. in situ)	14.6	14.1	11.0-17.8	8.6	21.9	15.5-29.8	6.0	9.5	6.3-13.5
Kidney and renal pelvis	12.0	10.2	7.7-13.2	7.6	15.7	10.9-21.8	4.4	6.2	3.8-9.5
Brain and other nervous system	5.8	4.8	3.2-6.9	3.0	5.7	3.1-9.6	2.8	4.0	2.2-6.8
Thyroid	16.2	12.3	9.7-15.3	1.4	2.7	1.1-5.7	14.8	19.7	15.4-24.9
Hodgkin lymphoma	5.8	4.3	2.8-6.2	2.2	3.6	1.8-6.7	3.6	4.8	2.8-7.7
Non-Hodgkin lymphomas	23.4	19.3	15.9-23.2	13.2	26.9	20.5-34.8	10.2	14.0	10.3-18.5
Myeloma	14.6	12.7	9.9-16.1	7.0	15.0	10.2-21.2	7.6	11.1	7.8-15.4
Leukemias	10.4	9.8	7.3-12.9	6.0	15.1	10.0-21.8	4.4	6.9	4.3-10.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Brownsville & Ocean Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	517.8	489.0	469.7-508.9	244.2	595.6	560.0-632.8	273.6	425.9	403.2-449.5
Oral cavity and pharynx	8.8	7.5	5.4-10.1	6.0	12.4	8.3-17.8	2.8	4.1	2.2-7.0
Esophagus	5.0	4.5	2.9-6.8	4.0	10.5	6.0-16.8	1.0	1.3	0.4-3.2
Stomach	11.0	11.2	8.3-14.6	6.0	16.5	10.8-24.0	5.0	8.2	5.2-12.1
Colorectal	45.6	44.3	38.5-50.7	22.2	54.7	44.2-66.8	23.4	37.6	31.0-45.2
Colon excluding rectum	32.2	32.0	27.0-37.5	15.0	37.5	28.9-47.7	17.2	28.1	22.4-34.9
Rectum & rectosigmoid	13.4	12.4	9.5-15.8	7.2	17.2	11.6-24.5	6.2	9.5	6.4-13.5
Liver / intrahepatic bile duct	15.6	14.5	11.3-18.2	10.2	22.9	16.7-30.6	5.4	8.6	5.6-12.6
Pancreas	15.0	15.3	11.9-19.3	7.0	19.1	12.9-27.0	8.0	13.2	9.4-18.1
Larynx	6.0	5.3	3.6-7.7	4.2	9.5	5.7-14.8	1.8	2.7	1.2-5.1
Lung and bronchus	55.8	54.3	47.9-61.3	28.6	74.3	61.5-88.7	27.2	43.2	36.1-51.3
Melanoma of the skin	2.0	1.8	0.9-3.4	1.4	3.0	1.2-6.4	0.6	1.0	0.2-2.9
Female breast							82.6	125.9	113.9-138.9
Cervix uteri							8.2	12.7	9.0-17.2
Corpus uterus and NOS							25.4	38.6	32.0-46.0
Ovary							7.0	10.3	7.1-14.4
Prostate				88.8	209.5	189.3-231.3			
Testis				0.8	1.4	0.4-4.0			
Urinary bladder (incl. in situ)	10.8	11.7	8.6-15.3	7.2	22.9	15.3-32.6	3.6	6.4	3.7-10.1
Kidney and renal pelvis	16.0	14.6	11.5-18.3	8.8	19.2	13.7-26.0	7.2	11.3	7.8-15.7
Brain and other nervous system	5.0	4.4	2.8-6.7	2.4	5.2	2.5-9.5	2.6	3.9	2.1-6.8
Thyroid	10.2	9.2	6.8-12.1	1.2	2.5	0.9-5.7	9.0	13.6	9.9-18.2
Hodgkin lymphoma	4.4	3.6	2.3-5.6	2.4	4.4	2.3-8.0	2.0	3.0	1.4-5.5
Non-Hodgkin lymphomas	21.2	20.4	16.6-24.9	9.8	25.2	18.2-34.0	11.4	17.7	13.3-23.0
Myeloma	11.8	11.5	8.7-14.9	4.2	12.0	7.0-19.0	7.6	11.7	8.3-16.2
Leukemias	10.6	9.5	7.1-12.6	6.8	16.3	10.8-23.6	3.8	5.7	3.4-9.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by New York City Neighborhood, 2011-2015**  
**East New York & Starrett City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	660.6	452.2	436.5-468.2	323.6	550.9	523.0-579.7	337.0	392.8	374.0-412.3
Oral cavity and pharynx	13.6	8.9	6.9-11.4	7.4	11.8	8.2-16.4	6.2	7.0	4.7-10.0
Esophagus	4.8	3.4	2.2-5.1	2.8	5.2	2.8-8.9	2.0	2.3	1.1-4.2
Stomach	17.8	12.7	10.1-15.7	11.0	20.4	15.1-26.8	6.8	8.0	5.5-11.2
Colorectal	62.0	43.9	39.1-49.2	31.8	55.9	47.1-65.7	30.2	36.2	30.6-42.5
Colon excluding rectum	42.8	31.0	26.9-35.6	21.4	38.7	31.4-47.1	21.4	26.2	21.4-31.7
Rectum & rectosigmoid	19.2	12.9	10.4-15.8	10.4	17.2	12.6-22.7	8.8	10.0	7.2-13.5
Liver / intrahepatic bile duct	20.8	13.5	11.0-16.4	14.6	22.2	17.3-28.2	6.2	7.0	4.7-10.1
Pancreas	21.8	16.1	13.1-19.4	10.8	20.0	14.8-26.3	11.0	13.5	10.2-17.7
Larynx	4.0	2.4	1.5-3.8	3.0	4.5	2.5-7.6	1.0	1.1	0.3-2.5
Lung and bronchus	69.2	49.5	44.3-55.1	38.8	70.7	60.6-81.9	30.4	36.4	30.8-42.7
Melanoma of the skin	4.2	3.0	1.9-4.7	2.2	4.1	2.0-7.3	2.0	2.4	1.1-4.4
Female breast							93.4	107.0	97.4-117.4
Cervix uteri							8.2	9.8	7.0-13.4
Corpus uterus and NOS							30.8	34.8	29.5-40.9
Ovary							8.0	9.1	6.5-12.4
Prostate				108.8	178.2	162.9-194.5			
Testis				1.2	1.6	0.6-3.6			
Urinary bladder (incl. in situ)	15.8	11.9	9.3-14.9	10.8	22.0	16.3-29.0	5.0	6.0	3.8-8.9
Kidney and renal pelvis	21.0	14.0	11.4-17.0	11.2	18.1	13.5-23.7	9.8	11.3	8.3-14.9
Brain and other nervous system	6.2	4.1	2.8-5.9	2.6	4.2	2.2-7.2	3.6	4.3	2.5-6.8
Thyroid	23.0	15.1	12.5-18.2	4.2	6.8	4.1-10.4	18.8	21.7	17.5-26.6
Hodgkin lymphoma	4.6	2.8	1.8-4.3	2.4	3.3	1.6-6.0	2.2	2.4	1.2-4.3
Non-Hodgkin lymphomas	24.2	16.1	13.3-19.3	13.2	22.0	16.8-28.3	11.0	12.3	9.3-16.1
Myeloma	18.6	13.2	10.6-16.3	8.6	14.9	10.6-20.3	10.0	12.2	9.0-16.1
Leukemias	17.6	12.4	9.9-15.3	9.4	15.7	11.3-21.1	8.2	10.1	7.2-13.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Canarsie & Flatlands**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	967.6	446.6	433.7-459.8	467.6	524.1	502.1-546.9	500.0	396.6	380.9-412.9
Oral cavity and pharynx	12.8	5.7	4.4-7.4	8.6	9.3	6.6-12.7	4.2	3.2	1.9-5.0
Esophagus	6.2	3.1	2.1-4.4	4.6	5.7	3.6-8.7	1.6	1.3	0.5-2.6
Stomach	23.2	10.9	8.9-13.1	14.0	16.3	12.6-20.9	9.2	7.2	5.2-9.7
Colorectal	87.2	41.2	37.3-45.4	41.0	49.4	42.6-56.9	46.2	36.0	31.4-41.1
Colon excluding rectum	62.0	29.5	26.2-33.1	27.2	33.3	27.7-39.7	34.8	27.3	23.3-31.8
Rectum & rectosigmoid	25.2	11.7	9.7-14.0	13.8	16.1	12.4-20.5	11.4	8.7	6.6-11.4
Liver / intrahepatic bile duct	15.2	6.8	5.3-8.6	9.8	10.7	7.8-14.3	5.4	4.1	2.7-6.1
Pancreas	29.8	14.4	12.1-16.9	12.0	14.1	10.7-18.4	17.8	14.5	11.5-17.9
Larynx	6.6	3.1	2.1-4.4	5.4	6.5	4.2-9.6	1.2	0.8	0.3-1.8
Lung and bronchus	90.8	43.5	39.5-47.8	49.2	58.9	51.5-67.1	41.6	33.5	29.0-38.6
Melanoma of the skin	15.8	7.5	5.9-9.4	7.0	9.1	6.3-12.8	8.8	6.8	4.9-9.2
Female breast							150.8	119.2	110.7-128.3
Cervix uteri							14.4	11.9	9.2-15.1
Corpus uterus and NOS							43.8	32.6	28.3-37.3
Ovary							13.6	10.7	8.2-13.6
Prostate				171.2	174.0	161.9-186.6			
Testis				3.4	4.0	2.3-6.4			
Urinary bladder (incl. in situ)	30.0	14.6	12.3-17.2	22.6	28.2	23.0-34.1	7.4	5.9	4.2-8.3
Kidney and renal pelvis	28.2	13.2	11.0-15.6	19.0	20.7	16.6-25.5	9.2	7.8	5.7-10.5
Brain and other nervous system	12.2	5.9	4.5-7.6	7.2	8.0	5.5-11.3	5.0	4.4	2.8-6.6
Thyroid	36.6	17.0	14.6-19.7	8.4	9.0	6.4-12.3	28.2	23.3	19.5-27.6
Hodgkin lymphoma	3.4	1.7	1.0-2.7	1.6	1.6	0.7-3.3	1.8	1.7	0.8-3.3
Non-Hodgkin lymphomas	40.6	18.5	16.0-21.3	21.0	23.1	18.8-28.2	19.6	15.0	12.1-18.4
Myeloma	25.6	11.8	9.8-14.2	13.0	14.3	10.9-18.5	12.6	10.2	7.8-13.1
Leukemias	26.8	13.0	10.9-15.5	14.4	17.8	13.8-22.6	12.4	10.1	7.7-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
East Flatbush, Farragut & Rugby**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	655.6	426.6	411.6-442.0	312.8	493.8	468.2-520.4	342.8	383.7	365.3-402.8
Oral cavity and pharynx	9.8	6.1	4.5-8.2	6.2	9.1	6.1-13.1	3.6	3.9	2.3-6.3
Esophagus	3.6	2.4	1.4-3.8	2.4	4.1	2.0-7.4	1.2	1.2	0.4-2.8
Stomach	18.2	13.1	10.5-16.2	7.8	13.5	9.5-18.7	10.4	12.6	9.3-16.6
Colorectal	61.6	41.9	37.2-47.0	27.8	47.3	39.3-56.3	33.8	38.4	32.7-44.8
Colon excluding rectum	46.4	32.3	28.2-37.0	19.8	34.4	27.6-42.4	26.6	30.9	25.7-36.8
Rectum & rectosigmoid	15.2	9.5	7.5-12.0	8.0	12.8	9.0-17.7	7.2	7.5	5.2-10.5
Liver / intrahepatic bile duct	13.0	7.8	6.0-10.0	9.8	13.9	10.2-18.7	3.2	3.4	1.9-5.6
Pancreas	19.8	13.4	10.8-16.4	7.8	12.7	8.8-17.8	12.0	13.6	10.3-17.6
Larynx	3.4	2.0	1.1-3.3	2.8	4.4	2.3-7.6	0.6	0.5	0.1-1.7
Lung and bronchus	42.4	28.9	25.1-33.3	25.6	43.1	35.5-51.7	16.8	19.7	15.6-24.5
Melanoma of the skin	1.8	1.1	0.5-2.1	0.6	0.7	0.1-2.3	1.2	1.3	0.5-3.0
Female breast							111.8	122.7	112.5-133.7
Cervix uteri							12.0	13.1	9.9-17.0
Corpus uterus and NOS							35.4	37.6	32.2-43.8
Ovary							10.2	11.5	8.5-15.2
Prostate				147.4	219.2	202.8-236.6			
Testis				0.8	1.4	0.4-3.6			
Urinary bladder (incl. in situ)	11.4	8.1	6.0-10.5	7.6	13.3	9.2-18.5	3.8	4.7	2.8-7.4
Kidney and renal pelvis	12.8	8.1	6.2-10.4	7.2	10.9	7.5-15.4	5.6	6.2	4.1-9.1
Brain and other nervous system	6.4	4.1	2.8-5.8	3.2	4.6	2.6-7.7	3.2	3.7	2.0-6.1
Thyroid	14.8	10.0	7.8-12.7	1.0	1.9	0.6-4.4	13.8	15.8	12.3-20.2
Hodgkin lymphoma	4.0	3.0	1.8-4.6	2.0	3.7	1.7-6.9	2.0	2.5	1.2-4.7
Non-Hodgkin lymphomas	23.0	15.2	12.5-18.4	10.4	15.8	11.7-20.9	12.6	14.4	11.0-18.6
Myeloma	20.8	14.0	11.4-17.1	9.2	16.2	11.6-22.0	11.6	12.7	9.6-16.6
Leukemias	14.6	10.0	7.8-12.7	7.4	12.4	8.6-17.2	7.2	8.3	5.8-11.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Crown Heights So., Prospect Lefferts & Wingate**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	503.8	428.0	411.1-445.5	238.2	504.3	474.9-534.9	265.6	383.9	363.1-405.6
Oral cavity and pharynx	6.8	5.9	4.0-8.3	4.0	9.0	5.4-14.1	2.8	4.0	2.2-6.9
Esophagus	3.0	2.4	1.3-4.1	2.4	4.8	2.4-8.6	0.6	0.8	0.2-2.6
Stomach	10.8	9.3	6.9-12.1	5.6	12.5	8.1-18.2	5.2	7.1	4.6-10.5
Colorectal	47.2	40.6	35.5-46.3	20.4	46.2	37.4-56.6	26.8	37.9	31.7-45.1
Colon excluding rectum	34.0	29.4	25.0-34.2	13.6	31.0	23.8-39.6	20.4	28.9	23.5-35.2
Rectum & rectosigmoid	13.2	11.2	8.6-14.4	6.8	15.3	10.4-21.6	6.4	9.0	6.1-12.9
Liver / intrahepatic bile duct	9.4	7.8	5.7-10.5	6.2	12.4	8.3-17.9	3.2	4.7	2.6-7.7
Pancreas	16.4	14.8	11.7-18.4	7.6	17.2	12.0-23.9	8.8	13.1	9.5-17.7
Larynx	3.0	2.4	1.4-4.1	2.2	4.8	2.3-8.6	0.8	1.0	0.3-2.8
Lung and bronchus	42.8	37.5	32.5-42.9	23.0	52.4	42.9-63.3	19.8	28.5	23.1-34.8
Melanoma of the skin	3.2	2.6	1.5-4.3	1.8	3.9	1.7-7.5	1.4	1.8	0.7-4.0
Female breast							77.8	113.2	102.0-125.3
Cervix uteri							7.6	11.3	7.9-15.7
Corpus uterus and NOS							27.8	37.2	31.1-44.1
Ovary							7.6	10.4	7.3-14.5
Prostate				101.2	203.4	185.4-222.7			
Testis				1.8	3.1	1.4-6.1			
Urinary bladder (incl. in situ)	11.6	10.4	7.8-13.5	8.2	20.7	14.6-28.2	3.4	4.5	2.6-7.3
Kidney and renal pelvis	10.8	8.9	6.7-11.7	5.4	10.4	6.8-15.4	5.4	7.7	5.0-11.4
Brain and other nervous system	6.0	5.1	3.4-7.4	3.8	7.3	4.4-11.6	2.2	3.2	1.6-5.9
Thyroid	16.6	14.7	11.7-18.4	3.2	6.4	3.6-10.6	13.4	21.3	16.4-27.2
Hodgkin lymphoma	5.2	4.4	2.9-6.6	2.6	5.3	2.7-9.2	2.6	3.9	2.1-6.9
Non-Hodgkin lymphomas	17.6	15.4	12.3-19.1	7.8	17.0	12.0-23.4	9.8	14.3	10.5-19.0
Myeloma	15.8	14.0	11.0-17.5	7.0	15.3	10.5-21.5	8.8	12.8	9.3-17.3
Leukemias	12.0	11.0	8.3-14.2	6.4	14.7	9.9-20.9	5.6	8.4	5.5-12.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Sunset Park & Windsor Terrace**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	593.4	458.3	441.5-475.6	295.8	518.9	491.1-547.8	297.6	426.3	404.6-449.0
Oral cavity and pharynx	22.8	16.9	13.9-20.4	15.2	23.5	18.4-29.7	7.6	10.5	7.4-14.5
Esophagus	5.4	4.6	3.0-6.7	4.4	8.2	5.0-12.6	1.0	1.7	0.5-3.9
Stomach	30.4	24.1	20.3-28.4	21.0	36.6	29.6-44.8	9.4	13.8	10.1-18.4
Colorectal	53.2	43.7	38.4-49.4	28.2	52.9	44.1-62.9	25.0	37.4	31.0-44.6
Colon excluding rectum	35.2	29.6	25.3-34.4	17.8	35.0	27.8-43.4	17.4	26.4	21.1-32.6
Rectum & rectosigmoid	18.0	14.0	11.2-17.3	10.4	17.9	13.1-23.8	7.6	11.0	7.7-15.1
Liver / intrahepatic bile duct	24.4	18.6	15.4-22.3	18.2	28.8	22.8-35.7	6.2	9.6	6.5-13.6
Pancreas	15.2	13.3	10.4-16.7	7.6	14.5	10.0-20.2	7.6	12.4	8.7-17.0
Larynx	4.6	3.7	2.3-5.6	4.6	8.6	5.3-13.1	0.0	0.0	0.0-1.1
Lung and bronchus	60.2	50.7	45.0-56.9	35.0	67.3	57.2-78.5	25.2	39.0	32.4-46.5
Melanoma of the skin	6.6	5.2	3.5-7.3	4.4	8.0	4.8-12.3	2.2	3.3	1.6-5.8
Female breast							74.8	107.4	96.6-119.0
Cervix uteri							7.8	10.5	7.4-14.4
Corpus uterus and NOS							20.2	28.6	23.2-34.9
Ovary							7.4	10.8	7.6-15.0
Prostate				51.8	92.4	81.0-104.9			
Testis				4.0	5.1	3.0-8.1			
Urinary bladder (incl. in situ)	16.6	13.9	11.0-17.2	13.4	27.7	21.2-35.6	3.2	4.7	2.7-7.7
Kidney and renal pelvis	17.0	13.0	10.3-16.1	10.4	18.1	13.2-24.1	6.6	9.4	6.4-13.2
Brain and other nervous system	9.4	6.4	4.7-8.6	4.4	6.1	3.7-9.5	5.0	6.6	4.2-9.9
Thyroid	51.0	32.9	28.9-37.4	11.6	16.5	12.3-21.6	39.4	50.5	43.6-58.3
Hodgkin lymphoma	4.2	2.8	1.7-4.3	2.2	2.7	1.3-5.0	2.0	2.7	1.3-5.0
Non-Hodgkin lymphomas	23.4	17.3	14.2-20.9	14.8	23.7	18.2-30.2	8.6	12.2	8.8-16.5
Myeloma	9.8	7.7	5.6-10.2	6.4	11.5	7.7-16.4	3.4	4.9	2.9-8.0
Leukemias	21.6	15.5	12.7-18.9	11.4	17.6	13.0-23.2	10.2	14.0	10.3-18.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Bay Ridge & Dyker Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	720.0	487.1	471.0-503.5	334.8	513.8	489.1-539.5	385.2	479.6	457.8-502.2
Oral cavity and pharynx	13.6	8.9	6.9-11.3	9.6	14.3	10.5-19.0	4.0	5.1	3.1-8.0
Esophagus	5.8	3.8	2.5-5.5	4.8	7.0	4.4-10.5	1.0	1.3	0.4-3.1
Stomach	18.4	12.1	9.7-14.9	10.6	16.5	12.3-21.7	7.8	8.8	6.2-12.2
Colorectal	67.8	44.3	39.6-49.3	35.4	53.3	45.6-61.9	32.4	37.4	31.7-43.9
Colon excluding rectum	47.4	30.8	26.9-35.1	23.6	36.5	30.1-43.8	23.8	26.6	21.9-32.1
Rectum & rectosigmoid	20.4	13.5	11.0-16.4	11.8	16.8	12.8-21.8	8.6	10.8	7.7-14.7
Liver / intrahepatic bile duct	16.8	11.2	8.9-14.0	14.4	21.1	16.5-26.8	2.4	2.9	1.5-5.3
Pancreas	17.4	11.3	9.0-14.0	7.6	11.7	8.3-16.2	9.8	11.1	8.1-14.8
Larynx	6.2	4.0	2.7-5.7	5.2	7.5	4.9-11.2	1.0	1.1	0.4-2.8
Lung and bronchus	92.2	61.3	55.8-67.3	47.6	75.9	66.4-86.3	44.6	51.5	44.8-59.0
Melanoma of the skin	17.8	12.2	9.7-15.1	8.6	13.4	9.7-18.1	9.2	11.4	8.3-15.4
Female breast							108.4	141.6	129.7-154.4
Cervix uteri							5.8	7.9	5.2-11.5
Corpus uterus and NOS							24.8	29.9	24.8-35.8
Ovary							10.2	12.6	9.3-16.8
Prostate				65.2	96.3	86.0-107.6			
Testis				5.2	7.8	5.1-11.5			
Urinary bladder (incl. in situ)	33.6	21.8	18.6-25.5	24.8	39.0	32.4-46.6	8.8	9.6	6.9-13.0
Kidney and renal pelvis	24.4	16.9	14.0-20.2	14.6	22.3	17.4-28.2	9.8	12.3	9.0-16.5
Brain and other nervous system	9.6	7.4	5.4-9.9	5.6	9.0	5.9-13.1	4.0	5.6	3.3-8.8
Thyroid	48.0	34.7	30.4-39.5	11.8	17.6	13.3-22.8	36.2	51.3	44.0-59.6
Hodgkin lymphoma	3.6	2.8	1.6-4.5	1.6	2.4	1.0-4.8	2.0	3.2	1.5-6.1
Non-Hodgkin lymphomas	32.2	22.3	18.9-26.2	16.0	26.0	20.5-32.5	16.2	19.1	15.0-23.9
Myeloma	9.8	6.7	4.9-8.9	4.6	7.2	4.6-11.0	5.2	6.5	4.2-9.7
Leukemias	22.0	15.2	12.4-18.4	12.4	19.0	14.5-24.6	9.6	12.1	8.8-16.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Borough Park, Kensington & Ocean Parkway**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	642.8	442.1	426.3-458.3	312.2	465.3	441.6-489.9	330.6	433.6	411.8-456.2
Oral cavity and pharynx	13.0	9.5	7.2-12.2	8.0	12.9	9.1-17.7	5.0	6.1	3.9-9.3
Esophagus	5.4	3.7	2.4-5.5	4.2	6.6	4.0-10.2	1.2	1.4	0.5-3.2
Stomach	18.0	12.6	10.0-15.6	12.0	18.8	14.2-24.3	6.0	7.6	5.0-11.0
Colorectal	61.6	41.9	37.1-47.0	31.8	47.9	40.5-56.2	29.8	36.7	30.7-43.5
Colon excluding rectum	41.4	27.5	23.7-31.7	19.4	29.1	23.4-35.7	22.0	26.1	21.2-31.9
Rectum & rectosigmoid	20.2	14.4	11.6-17.6	12.4	18.8	14.3-24.3	7.8	10.6	7.4-14.7
Liver / intrahepatic bile duct	13.4	9.7	7.4-12.4	9.2	14.5	10.5-19.4	4.2	5.5	3.3-8.4
Pancreas	23.4	15.5	12.7-18.7	11.4	17.6	13.2-22.9	12.0	13.7	10.2-18.0
Larynx	4.2	2.6	1.6-4.1	3.4	4.8	2.7-7.7	0.8	0.8	0.2-2.2
Lung and bronchus	60.0	41.5	36.7-46.6	34.2	52.4	44.5-61.1	25.8	32.1	26.6-38.5
Melanoma of the skin	12.4	8.5	6.4-10.9	6.0	8.7	5.7-12.5	6.4	8.9	5.9-12.6
Female breast							81.8	116.3	104.8-128.6
Cervix uteri							5.0	7.4	4.7-11.1
Corpus uterus and NOS							23.6	31.9	26.2-38.4
Ovary							9.8	13.2	9.6-17.7
Prostate				58.6	89.1	78.8-100.3			
Testis				3.8	5.2	3.1-8.2			
Urinary bladder (incl. in situ)	31.2	19.9	16.7-23.4	23.2	35.0	28.7-42.2	8.0	8.3	5.8-11.6
Kidney and renal pelvis	23.0	16.2	13.2-19.5	13.2	19.7	15.1-25.3	9.8	12.7	9.3-17.0
Brain and other nervous system	13.8	8.7	6.7-11.1	7.4	9.4	6.5-13.2	6.4	8.2	5.5-11.6
Thyroid	44.2	33.0	28.7-37.8	11.2	17.4	13.0-22.7	33.0	49.2	41.7-57.6
Hodgkin lymphoma	7.0	4.5	3.1-6.3	3.6	4.8	2.8-7.8	3.4	4.3	2.5-7.0
Non-Hodgkin lymphomas	35.2	23.9	20.4-27.9	20.4	28.9	23.4-35.4	14.8	19.3	14.9-24.5
Myeloma	10.0	6.8	4.9-9.0	5.4	8.2	5.3-12.0	4.6	5.7	3.5-8.7
Leukemias	25.2	16.0	13.2-19.2	15.4	21.9	17.1-27.6	9.8	10.9	7.8-14.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Flatbush & Midwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	746.0	441.0	426.7-455.7	348.6	481.7	458.6-505.6	397.4	416.4	397.9-435.6
Oral cavity and pharynx	14.0	8.2	6.3-10.4	8.4	10.9	7.8-14.8	5.6	5.8	3.8-8.5
Esophagus	5.8	3.4	2.3-4.9	4.8	6.8	4.3-10.2	1.0	1.1	0.3-2.5
Stomach	17.2	10.4	8.3-13.0	10.2	14.9	11.0-19.7	7.0	6.9	4.7-9.6
Colorectal	73.2	43.7	39.3-48.5	34.2	49.6	42.2-57.9	39.0	40.1	34.5-46.3
Colon excluding rectum	54.0	32.2	28.4-36.4	25.0	36.2	29.9-43.3	29.0	29.9	25.1-35.3
Rectum & rectosigmoid	19.2	11.5	9.3-14.1	9.2	13.4	9.7-18.0	10.0	10.2	7.6-13.6
Liver / intrahepatic bile duct	13.6	7.6	5.9-9.7	10.2	12.5	9.2-16.5	3.4	3.7	2.1-6.0
Pancreas	21.8	12.9	10.5-15.6	10.2	13.9	10.2-18.5	11.6	12.1	9.1-15.7
Larynx	3.6	2.0	1.2-3.2	3.2	4.1	2.3-6.7	0.4	0.4	0.0-1.5
Lung and bronchus	61.8	36.9	32.8-41.4	31.0	45.5	38.4-53.4	30.8	31.5	26.6-37.0
Melanoma of the skin	17.2	10.4	8.3-12.9	9.2	13.0	9.4-17.5	8.0	8.5	6.1-11.7
Female breast							111.8	119.0	109.1-129.5
Cervix uteri							9.6	10.9	8.0-14.6
Corpus uterus and NOS							36.8	36.2	31.1-42.0
Ovary							10.4	11.1	8.2-14.6
Prostate				105.4	137.9	126.0-150.7			
Testis				2.8	3.5	1.9-6.0			
Urinary bladder (incl. in situ)	26.0	16.1	13.4-19.2	19.0	29.7	23.9-36.4	7.0	7.3	5.0-10.2
Kidney and renal pelvis	24.0	14.0	11.6-16.9	15.8	21.8	17.1-27.3	8.2	8.4	6.0-11.5
Brain and other nervous system	9.6	5.6	4.1-7.5	5.8	7.4	4.9-10.7	3.8	4.1	2.4-6.4
Thyroid	36.8	22.1	19.0-25.6	8.8	12.2	8.8-16.5	28.0	30.5	25.6-36.1
Hodgkin lymphoma	4.2	2.7	1.7-4.2	2.4	3.3	1.6-5.8	1.8	2.2	1.0-4.1
Non-Hodgkin lymphomas	31.0	18.5	15.6-21.7	14.4	19.7	15.3-25.0	16.6	17.3	13.7-21.5
Myeloma	20.2	11.8	9.5-14.4	10.0	14.2	10.4-18.8	10.2	10.2	7.6-13.6
Leukemias	26.8	16.2	13.5-19.2	13.4	18.6	14.3-23.8	13.4	14.0	10.8-17.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Sheepshead Bay, Gerritsen Beach & Homecrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	947.4	479.9	465.8-494.3	446.0	501.1	480.1-522.9	501.4	471.3	452.1-491.2
Oral cavity and pharynx	16.6	8.9	7.0-11.2	10.2	11.5	8.4-15.3	6.4	6.4	4.2-9.3
Esophagus	5.4	2.5	1.6-3.7	3.2	3.6	2.0-6.0	2.2	1.4	0.7-2.8
Stomach	24.6	12.5	10.3-15.0	12.2	14.2	10.8-18.3	12.4	11.2	8.4-14.6
Colorectal	83.4	39.9	36.0-44.1	44.0	48.8	42.4-55.9	39.4	33.1	28.4-38.5
Colon excluding rectum	62.8	29.5	26.2-33.1	31.8	35.0	29.6-41.0	31.0	25.4	21.3-30.1
Rectum & rectosigmoid	20.6	10.4	8.4-12.7	12.2	13.8	10.5-17.9	8.4	7.7	5.4-10.6
Liver / intrahepatic bile duct	16.0	7.7	6.0-9.6	9.8	10.1	7.4-13.6	6.2	5.5	3.7-8.0
Pancreas	33.8	16.2	13.7-18.9	14.6	16.9	13.2-21.4	19.2	15.4	12.3-19.1
Larynx	4.4	2.1	1.3-3.3	3.8	4.1	2.4-6.5	0.6	0.7	0.1-2.0
Lung and bronchus	119.4	58.1	53.4-63.1	62.6	70.7	62.9-79.1	56.8	49.6	43.8-55.9
Melanoma of the skin	30.6	15.8	13.3-18.6	16.2	18.5	14.6-23.1	14.4	13.8	10.6-17.6
Female breast							123.2	119.4	109.7-129.8
Cervix uteri							5.2	5.4	3.4-8.2
Corpus uterus and NOS							34.2	32.9	28.0-38.4
Ovary							14.6	14.6	11.3-18.6
Prostate				91.8	97.8	88.9-107.4			
Testis				4.2	5.8	3.5-8.9			
Urinary bladder (incl. in situ)	49.4	23.5	20.6-26.7	37.4	41.3	35.5-47.8	12.0	9.9	7.5-13.0
Kidney and renal pelvis	39.2	20.7	17.8-23.9	24.2	27.3	22.5-32.8	15.0	15.2	11.8-19.2
Brain and other nervous system	15.2	8.4	6.5-10.6	8.6	10.0	7.1-13.6	6.6	7.0	4.7-10.0
Thyroid	59.6	35.0	31.0-39.4	14.6	18.4	14.3-23.2	45.0	50.4	43.7-57.8
Hodgkin lymphoma	4.8	3.3	2.1-5.0	2.8	4.1	2.2-6.9	2.0	2.5	1.2-4.7
Non-Hodgkin lymphomas	40.8	21.0	18.1-24.2	21.4	24.7	20.1-30.0	19.4	17.9	14.3-22.1
Myeloma	13.0	6.5	5.0-8.4	7.6	8.3	5.9-11.6	5.4	5.1	3.3-7.6
Leukemias	28.0	14.2	11.9-17.0	12.2	14.1	10.7-18.3	15.8	14.5	11.3-18.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Bensonhurst & Bath Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	985.4	440.5	428.0-453.1	478.2	477.5	458.4-497.3	507.2	419.3	402.7-436.4
Oral cavity and pharynx	26.4	12.0	10.0-14.3	17.6	17.3	13.8-21.4	8.8	7.3	5.3-10.0
Esophagus	6.0	2.6	1.7-3.7	4.4	4.3	2.7-6.6	1.6	1.0	0.4-2.2
Stomach	25.0	11.0	9.1-13.2	15.2	15.6	12.3-19.6	9.8	7.3	5.3-9.8
Colorectal	92.6	40.5	36.9-44.5	48.2	48.6	42.6-55.3	44.4	34.0	29.6-39.0
Colon excluding rectum	67.6	29.3	26.3-32.7	34.0	34.3	29.3-39.9	33.6	25.5	21.7-29.9
Rectum & rectosigmoid	25.0	11.2	9.3-13.4	14.2	14.4	11.2-18.2	10.8	8.5	6.4-11.2
Liver / intrahepatic bile duct	27.8	12.3	10.3-14.6	19.8	19.3	15.6-23.5	8.0	6.3	4.5-8.7
Pancreas	29.0	12.5	10.5-14.7	15.6	15.7	12.4-19.7	13.4	9.9	7.6-12.7
Larynx	5.2	2.2	1.4-3.3	4.4	4.3	2.7-6.6	0.8	0.6	0.2-1.8
Lung and bronchus	142.4	61.8	57.3-66.6	84.6	84.3	76.4-92.9	57.8	44.3	39.3-49.9
Melanoma of the skin	20.6	9.0	7.3-11.0	10.2	9.8	7.3-13.0	10.4	8.5	6.3-11.3
Female breast							136.6	117.5	108.6-126.9
Cervix uteri							8.6	7.9	5.7-10.7
Corpus uterus and NOS							31.8	26.8	22.7-31.5
Ovary							13.0	10.5	8.1-13.6
Prostate				82.2	79.7	72.1-87.9			
Testis				4.6	4.7	3.0-7.1			
Urinary bladder (incl. in situ)	43.6	18.7	16.3-21.4	34.8	35.6	30.5-41.4	8.8	6.4	4.6-8.7
Kidney and renal pelvis	33.4	15.1	12.8-17.6	20.8	20.6	16.8-25.0	12.6	10.4	7.9-13.4
Brain and other nervous system	13.4	6.5	5.0-8.3	8.0	8.4	5.9-11.4	5.4	4.7	3.0-7.0
Thyroid	70.8	34.5	31.0-38.4	16.6	16.3	13.0-20.3	54.2	52.0	45.8-58.7
Hodgkin lymphoma	3.6	2.0	1.2-3.2	2.2	2.4	1.2-4.3	1.4	1.6	0.6-3.3
Non-Hodgkin lymphomas	41.2	18.3	15.9-21.1	23.2	23.3	19.2-28.0	18.0	14.1	11.3-17.5
Myeloma	10.8	4.7	3.5-6.2	6.2	6.1	4.1-8.7	4.6	3.5	2.2-5.4
Leukemias	30.2	13.6	11.5-16.0	17.2	17.6	14.1-21.8	13.0	10.7	8.2-13.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by New York City Neighborhood, 2011-2015**  
**Brighton Beach & Coney Island**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	874.6	492.8	477.4-508.5	412.2	539.1	515.3-563.8	462.4	466.1	445.6-487.3
Oral cavity and pharynx	13.4	8.1	6.2-10.5	10.6	14.8	10.9-19.7	2.8	3.1	1.5-5.6
Esophagus	6.4	3.6	2.4-5.2	4.8	6.5	4.1-9.9	1.6	1.4	0.6-3.2
Stomach	28.4	15.2	12.6-18.1	15.8	20.1	15.8-25.4	12.6	11.8	8.9-15.6
Colorectal	90.8	49.1	44.4-54.1	43.8	57.0	49.5-65.5	47.0	43.7	37.9-50.3
Colon excluding rectum	69.4	36.5	32.6-40.8	33.8	42.9	36.5-50.2	35.6	32.3	27.4-37.9
Rectum & rectosigmoid	21.4	12.6	10.1-15.4	10.0	14.1	10.3-18.9	11.4	11.4	8.4-15.2
Liver / intrahepatic bile duct	21.4	11.9	9.6-14.6	11.8	15.2	11.5-20.0	9.6	9.4	6.8-12.8
Pancreas	32.6	16.8	14.2-19.8	13.8	17.7	13.6-22.6	18.8	16.2	12.9-20.3
Larynx	5.2	2.9	1.8-4.4	4.2	5.5	3.4-8.7	1.0	0.9	0.3-2.6
Lung and bronchus	104.6	53.0	48.4-58.0	61.4	76.0	67.6-85.3	43.2	37.0	32.0-42.7
Melanoma of the skin	30.0	17.2	14.4-20.4	15.2	20.3	15.9-25.7	14.8	15.2	11.6-19.5
Female breast							111.6	121.2	110.6-132.6
Cervix uteri							6.8	7.6	5.1-11.0
Corpus uterus and NOS							30.6	31.1	26.0-36.9
Ovary							15.6	16.0	12.4-20.4
Prostate				84.0	105.9	95.9-116.9			
Testis				1.2	2.1	0.7-4.6			
Urinary bladder (incl. in situ)	46.4	23.6	20.5-27.0	35.8	44.3	37.9-51.6	10.6	9.3	6.9-12.6
Kidney and renal pelvis	32.6	18.5	15.6-21.7	19.8	27.7	22.3-34.0	12.8	11.1	8.5-14.4
Brain and other nervous system	10.4	7.3	5.3-9.7	6.6	10.6	7.2-15.1	3.8	4.7	2.7-7.6
Thyroid	45.6	32.4	28.1-37.2	9.4	14.3	10.3-19.3	36.2	47.8	40.6-55.9
Hodgkin lymphoma	4.2	3.7	2.3-5.8	2.4	4.9	2.5-8.5	1.8	2.6	1.1-5.2
Non-Hodgkin lymphomas	40.4	22.9	19.6-26.6	19.2	25.8	20.7-31.9	21.2	20.8	16.6-25.7
Myeloma	12.0	6.3	4.7-8.3	6.2	7.3	4.9-10.6	5.8	5.9	3.8-8.9
Leukemias	25.0	13.3	10.9-16.1	12.6	16.4	12.5-21.3	12.4	11.0	8.2-14.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
New York (Manhattan)**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8348.2	460.5	456.0-465.0	4012.4	510.1	503.0-517.4	4335.8	432.5	426.6-438.4
Oral cavity and pharynx	199.2	10.9	10.2-11.6	132.2	16.5	15.2-17.8	67.0	6.4	5.7-7.2
Esophagus	71.0	3.9	3.5-4.3	48.8	6.3	5.5-7.1	22.2	2.1	1.7-2.6
Stomach	152.6	8.4	7.8-9.0	93.0	12.0	10.9-13.1	59.6	5.7	5.0-6.4
Colorectal	642.6	35.6	34.4-36.9	323.0	41.8	39.7-43.9	319.6	30.8	29.3-32.4
Colon excluding rectum	452.0	25.0	23.9-26.0	219.0	28.6	26.9-30.4	233.0	22.2	20.9-23.6
Rectum & rectosigmoid	190.6	10.6	10.0-11.3	104.0	13.1	12.0-14.3	86.6	8.6	7.8-9.5
Liver / intrahepatic bile duct	207.0	11.1	10.4-11.8	140.6	17.2	15.9-18.5	66.4	6.1	5.4-6.8
Pancreas	244.4	13.4	12.6-14.1	124.8	16.2	15.0-17.6	119.6	11.2	10.3-12.1
Larynx	55.6	3.0	2.7-3.4	44.6	5.5	4.8-6.3	11.0	1.1	0.8-1.4
Lung and bronchus	906.4	49.7	48.2-51.2	408.0	53.7	51.4-56.1	498.4	47.4	45.5-49.3
Melanoma of the skin	336.0	18.3	17.4-19.2	193.0	24.6	23.1-26.3	143.0	13.8	12.7-14.8
Female breast							1335.0	138.0	134.6-141.4
Cervix uteri							68.4	7.1	6.4-7.9
Corpus uterus and NOS							297.4	29.1	27.7-30.7
Ovary							126.2	12.9	11.9-14.0
Prostate				1052.4	129.3	125.7-132.9			
Testis				57.8	6.2	5.5-7.0			
Urinary bladder (incl. in situ)	316.4	17.4	16.6-18.3	233.4	31.5	29.7-33.4	83.0	7.7	7.0-8.5
Kidney and renal pelvis	227.4	12.7	12.0-13.5	147.4	18.5	17.2-19.9	80.0	8.1	7.3-8.9
Brain and other nervous system	111.8	6.7	6.1-7.3	60.2	8.1	7.2-9.1	51.6	5.5	4.9-6.3
Thyroid	349.8	19.5	18.6-20.5	96.4	11.6	10.5-12.7	253.4	27.1	25.6-28.7
Hodgkin lymphoma	61.4	3.4	3.0-3.8	31.8	3.8	3.2-4.5	29.6	3.0	2.5-3.6
Non-Hodgkin lymphomas	401.2	22.5	21.5-23.5	219.0	28.1	26.5-29.9	182.2	18.0	16.9-19.3
Myeloma	145.4	8.0	7.4-8.6	82.4	10.6	9.6-11.7	63.0	6.0	5.4-6.7
Leukemias	257.6	14.8	13.9-15.6	147.0	19.7	18.3-21.2	110.6	11.2	10.3-12.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Washington Heights, Inwood & Marble Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	894.4	415.9	403.7-428.5	449.6	518.9	496.9-541.5	444.8	357.3	342.3-372.8
Oral cavity and pharynx	17.6	8.0	6.4-9.9	11.6	12.5	9.4-16.3	6.0	4.6	3.1-6.6
Esophagus	7.2	3.4	2.4-4.8	5.0	6.4	4.1-9.4	2.2	1.7	0.8-3.1
Stomach	17.0	8.0	6.3-9.9	9.2	11.0	7.9-14.7	7.8	6.0	4.2-8.3
Colorectal	80.8	38.0	34.3-41.9	40.8	48.8	42.2-56.2	40.0	31.5	27.2-36.3
Colon excluding rectum	56.6	26.9	23.9-30.3	28.0	34.3	28.7-40.6	28.6	22.6	19.0-26.8
Rectum & rectosigmoid	24.2	11.0	9.1-13.2	12.8	14.6	11.1-18.7	11.4	8.9	6.7-11.6
Liver / intrahepatic bile duct	25.4	11.5	9.6-13.8	15.6	17.2	13.5-21.6	9.8	7.2	5.3-9.7
Pancreas	24.6	11.5	9.6-13.8	14.2	16.4	12.7-20.9	10.4	7.9	5.9-10.4
Larynx	8.8	4.0	2.9-5.4	6.6	7.2	4.9-10.2	2.2	1.7	0.8-3.1
Lung and bronchus	76.0	36.1	32.5-39.9	35.2	44.5	38.0-51.7	40.8	31.7	27.5-36.5
Melanoma of the skin	10.0	4.6	3.4-6.1	5.0	6.1	3.9-9.0	5.0	4.0	2.6-6.1
Female breast							132.4	108.2	99.9-116.9
Cervix uteri							9.8	8.1	5.9-10.8
Corpus uterus and NOS							32.8	25.6	21.8-29.9
Ovary							13.2	10.7	8.3-13.8
Prostate				164.8	182.7	170.1-196.1			
Testis				2.8	2.3	1.2-4.0			
Urinary bladder (incl. in situ)	24.2	12.0	10.0-14.4	18.0	24.8	19.8-30.5	6.2	4.8	3.2-6.9
Kidney and renal pelvis	28.0	13.0	10.9-15.4	20.0	22.2	17.9-27.1	8.0	6.3	4.5-8.7
Brain and other nervous system	13.2	6.5	5.0-8.3	6.4	7.1	4.8-10.1	6.8	6.1	4.2-8.6
Thyroid	39.0	18.0	15.5-20.8	8.4	8.9	6.3-12.1	30.6	26.4	22.3-31.1
Hodgkin lymphoma	9.0	4.1	3.0-5.6	4.2	4.2	2.6-6.5	4.8	4.1	2.6-6.3
Non-Hodgkin lymphomas	35.8	16.9	14.5-19.6	19.4	22.7	18.3-27.9	16.4	13.3	10.5-16.6
Myeloma	18.0	8.7	6.9-10.7	9.6	11.8	8.7-15.8	8.4	6.6	4.7-9.0
Leukemias	27.0	13.0	10.9-15.4	14.2	17.2	13.3-21.8	12.8	10.4	8.0-13.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified. NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs). For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Hamilton Heights, Manhattanville & West Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	535.4	432.5	416.1-449.5	265.4	524.4	495.7-554.2	270.0	378.4	358.1-399.6
Oral cavity and pharynx	11.0	8.5	6.4-11.2	5.8	11.4	7.5-16.4	5.2	6.6	4.3-9.8
Esophagus	4.4	3.5	2.2-5.4	3.6	7.1	4.1-11.3	0.8	1.1	0.3-3.1
Stomach	14.2	11.6	9.0-14.6	9.0	18.1	13.1-24.4	5.2	7.0	4.6-10.5
Colorectal	43.2	35.5	30.9-40.7	20.8	42.2	34.3-51.4	22.4	31.2	25.6-37.7
Colon excluding rectum	30.2	25.0	21.1-29.4	14.4	30.4	23.6-38.4	15.8	22.0	17.3-27.5
Rectum & rectosigmoid	13.0	10.5	8.1-13.4	6.4	11.9	8.1-16.9	6.6	9.2	6.3-13.0
Liver / intrahepatic bile duct	17.2	13.8	11.0-17.0	10.8	20.7	15.4-27.2	6.4	8.6	5.9-12.3
Pancreas	16.8	13.6	10.9-16.9	7.0	15.3	10.5-21.3	9.8	12.8	9.4-17.0
Larynx	3.8	3.0	1.8-4.7	3.2	6.3	3.5-10.2	0.6	0.8	0.2-2.4
Lung and bronchus	55.6	45.3	40.1-51.1	25.4	53.1	44.1-63.4	30.2	40.8	34.5-48.0
Melanoma of the skin	8.2	6.2	4.4-8.5	5.2	10.6	6.8-15.7	3.0	3.7	2.0-6.2
Female breast							82.8	120.3	108.8-132.7
Cervix uteri							5.4	7.8	5.0-11.4
Corpus uterus and NOS							21.0	29.2	23.8-35.5
Ovary							7.6	11.0	7.7-15.2
Prostate				92.2	176.7	160.5-194.0			
Testis				2.0	2.7	1.3-5.3			
Urinary bladder (incl. in situ)	14.2	11.4	8.9-14.5	10.6	21.9	16.3-28.9	3.6	4.7	2.8-7.6
Kidney and renal pelvis	13.4	10.7	8.3-13.7	8.6	16.4	11.7-22.2	4.8	6.3	4.0-9.4
Brain and other nervous system	5.8	5.2	3.5-7.5	3.8	8.0	4.7-12.5	2.0	3.3	1.5-6.1
Thyroid	18.4	14.0	11.2-17.3	3.8	6.0	3.5-9.6	14.6	20.8	16.2-26.4
Hodgkin lymphoma	3.6	2.8	1.6-4.5	3.0	4.8	2.6-8.2	0.6	0.8	0.2-2.6
Non-Hodgkin lymphomas	22.6	18.9	15.5-22.8	11.4	22.2	16.7-28.8	11.2	16.6	12.4-21.6
Myeloma	11.2	9.1	6.8-11.8	5.4	10.4	6.8-15.2	5.8	7.8	5.2-11.4
Leukemias	16.8	14.4	11.5-18.0	8.2	17.5	12.4-23.9	8.6	12.4	8.8-16.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by New York City Neighborhood, 2011-2015**  
**Central Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	590.2	510.4	491.8-529.4	276.6	590.6	558.5-624.0	313.6	466.7	443.7-490.6
Oral cavity and pharynx	12.6	11.2	8.6-14.4	7.4	16.1	11.1-22.5	5.2	7.9	5.1-11.6
Esophagus	5.2	4.6	3.0-6.8	2.8	6.6	3.5-11.2	2.4	3.6	1.8-6.3
Stomach	12.2	11.0	8.4-14.1	6.8	15.7	10.7-22.1	5.4	8.1	5.3-11.8
Colorectal	57.6	50.4	44.7-56.7	29.2	63.4	53.1-75.1	28.4	42.0	35.3-49.6
Colon excluding rectum	41.2	36.3	31.4-41.7	20.2	45.1	36.4-55.1	21.0	30.8	25.1-37.4
Rectum & rectosigmoid	16.4	14.1	11.2-17.6	9.0	18.3	13.1-24.8	7.4	11.3	7.9-15.6
Liver / intrahepatic bile duct	20.0	16.6	13.4-20.2	13.2	24.9	19.1-31.9	6.8	10.1	6.9-14.1
Pancreas	19.8	17.7	14.3-21.6	9.0	19.4	14.0-26.2	10.8	16.5	12.3-21.6
Larynx	4.6	3.9	2.5-5.9	3.0	6.2	3.4-10.3	1.6	2.4	1.0-4.8
Lung and bronchus	76.6	68.7	61.9-76.1	36.2	85.0	72.6-98.9	40.4	60.2	52.2-69.2
Melanoma of the skin	3.8	3.2	1.9-5.1	1.8	3.5	1.6-6.9	2.0	2.9	1.4-5.4
Female breast							97.6	145.5	132.8-159.2
Cervix uteri							6.6	9.7	6.6-13.6
Corpus uterus and NOS							28.4	41.2	34.7-48.7
Ovary							6.2	9.7	6.6-13.8
Prostate				93.0	196.0	177.9-215.3			
Testis				2.0	3.8	1.7-7.1			
Urinary bladder (incl. in situ)	15.8	13.8	10.9-17.3	11.4	26.4	19.7-34.4	4.4	6.2	3.9-9.4
Kidney and renal pelvis	13.4	11.6	8.9-14.7	8.6	17.2	12.3-23.5	4.8	7.4	4.7-11.0
Brain and other nervous system	4.0	3.3	2.0-5.1	2.4	4.1	2.1-7.3	1.6	2.6	1.1-5.2
Thyroid	15.4	12.0	9.5-15.1	3.2	5.3	3.0-8.8	12.2	17.5	13.3-22.6
Hodgkin lymphoma	4.2	3.2	2.0-5.0	2.2	3.4	1.7-6.3	2.0	3.0	1.4-5.6
Non-Hodgkin lymphomas	22.2	19.1	15.6-23.1	11.0	21.9	16.2-28.8	11.2	16.9	12.7-22.0
Myeloma	11.2	10.1	7.6-13.1	5.0	11.0	7.0-16.4	6.2	9.5	6.4-13.5
Leukemias	13.4	11.7	9.1-15.0	6.6	14.1	9.5-20.0	6.8	10.3	7.1-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
East Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	571.0	463.4	446.5-480.9	259.0	531.2	502.3-561.4	312.0	427.9	406.7-450.0
Oral cavity and pharynx	13.8	11.0	8.5-13.9	9.2	18.6	13.6-24.9	4.6	5.9	3.7-9.0
Esophagus	5.2	4.2	2.7-6.2	3.6	7.6	4.5-12.0	1.6	2.0	0.9-4.1
Stomach	14.2	11.9	9.3-15.0	7.6	16.8	11.9-23.1	6.6	8.7	6.0-12.4
Colorectal	53.6	43.7	38.6-49.3	25.2	53.5	44.5-63.8	28.4	37.9	31.8-44.7
Colon excluding rectum	38.4	31.3	27.0-36.1	17.2	36.9	29.4-45.7	21.2	28.4	23.2-34.4
Rectum & rectosigmoid	15.2	12.4	9.8-15.6	8.0	16.6	11.8-22.6	7.2	9.5	6.6-13.2
Liver / intrahepatic bile duct	23.6	19.1	15.8-22.9	14.8	30.9	24.2-38.9	8.8	11.5	8.3-15.6
Pancreas	17.0	13.9	11.1-17.2	8.6	18.6	13.4-25.1	8.4	10.8	7.8-14.8
Larynx	4.8	3.9	2.5-5.8	3.8	8.1	4.8-12.6	1.0	1.5	0.5-3.6
Lung and bronchus	77.4	62.5	56.4-69.1	40.4	84.8	73.4-97.5	37.0	49.3	42.4-57.1
Melanoma of the skin	5.8	4.8	3.2-6.9	3.2	6.6	3.7-10.8	2.6	3.5	1.9-6.2
Female breast							86.0	120.0	108.7-132.0
Cervix uteri							7.4	11.3	7.9-15.6
Corpus uterus and NOS							24.4	33.6	27.9-40.2
Ovary							9.0	12.2	8.9-16.4
Prostate				63.0	128.3	114.4-143.4			
Testis				2.0	3.1	1.5-5.9			
Urinary bladder (incl. in situ)	13.8	11.2	8.7-14.2	8.4	18.1	13.0-24.4	5.4	7.1	4.6-10.4
Kidney and renal pelvis	20.8	16.9	13.8-20.5	10.6	21.1	15.7-27.6	10.2	14.1	10.4-18.6
Brain and other nervous system	5.8	4.6	3.1-6.7	3.6	6.3	3.7-10.1	2.2	3.2	1.6-5.8
Thyroid	17.2	14.1	11.2-17.4	2.8	5.7	3.1-9.6	14.4	21.5	16.7-27.1
Hodgkin lymphoma	4.4	3.4	2.1-5.3	3.2	5.5	3.1-9.1	1.2	1.5	0.6-3.4
Non-Hodgkin lymphomas	23.4	19.2	15.9-23.1	12.2	24.1	18.4-31.1	11.2	15.5	11.7-20.2
Myeloma	12.4	10.0	7.6-12.8	6.6	14.0	9.6-19.7	5.8	7.6	5.1-11.0
Leukemias	13.0	10.7	8.2-13.6	7.6	14.6	10.3-20.2	5.4	7.8	5.1-11.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Upper East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1419.4	487.0	475.3-499.0	643.4	506.8	488.9-525.1	776.0	477.3	461.6-493.5
Oral cavity and pharynx	33.0	11.1	9.4-13.0	20.4	15.7	12.8-19.3	12.6	7.5	5.7-9.8
Esophagus	8.8	2.9	2.1-3.9	5.6	4.4	2.9-6.5	3.2	1.7	1.0-3.0
Stomach	13.6	4.5	3.5-5.8	9.8	7.5	5.6-10.1	3.8	2.3	1.3-3.7
Colorectal	96.8	32.7	29.8-35.9	42.4	34.0	29.5-39.1	54.4	31.4	27.6-35.5
Colon excluding rectum	67.8	22.5	20.2-25.2	28.6	22.9	19.3-27.1	39.2	21.9	18.9-25.4
Rectum & rectosigmoid	29.0	10.2	8.5-12.1	13.8	11.1	8.6-14.2	15.2	9.4	7.3-12.0
Liver / intrahepatic bile duct	17.0	5.4	4.3-6.8	11.2	8.3	6.2-10.9	5.8	3.2	2.1-4.8
Pancreas	40.2	13.1	11.3-15.2	20.4	15.6	12.7-19.0	19.8	11.2	8.9-14.0
Larynx	6.6	2.1	1.5-3.1	5.2	4.0	2.6-5.9	1.4	0.8	0.3-1.9
Lung and bronchus	151.8	49.1	45.7-52.9	53.6	41.0	36.2-46.4	98.2	55.5	50.6-60.9
Melanoma of the skin	97.2	33.6	30.5-36.8	56.0	45.0	39.7-50.8	41.2	25.0	21.5-28.9
Female breast							243.0	156.0	147.0-165.5
Cervix uteri							7.4	4.8	3.4-6.9
Corpus uterus and NOS							48.4	28.5	24.9-32.6
Ovary							22.2	14.3	11.6-17.6
Prostate				164.0	121.6	113.3-130.4			
Testis				8.8	7.9	5.5-10.9			
Urinary bladder (incl. in situ)	65.8	21.2	18.9-23.7	48.4	37.2	32.6-42.3	17.4	9.5	7.5-11.9
Kidney and renal pelvis	34.6	11.7	9.9-13.6	23.2	18.1	14.9-21.8	11.4	6.7	5.0-8.9
Brain and other nervous system	20.0	7.7	6.2-9.6	10.4	9.5	6.9-12.8	9.6	6.2	4.5-8.4
Thyroid	65.8	25.8	22.9-28.9	20.0	18.0	14.5-22.2	45.8	32.0	27.8-36.7
Hodgkin lymphoma	10.2	4.6	3.2-6.2	4.0	3.8	2.3-6.0	6.2	5.2	3.2-8.0
Non-Hodgkin lymphomas	75.4	26.4	23.7-29.4	39.6	33.1	28.5-38.2	35.8	21.3	18.1-25.0
Myeloma	23.2	7.7	6.4-9.3	14.2	11.2	8.7-14.3	9.0	5.1	3.7-7.0
Leukemias	52.8	19.4	16.9-22.1	32.4	27.5	23.1-32.5	20.4	13.1	10.5-16.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Upper West Side & West Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1191.8	452.4	440.7-464.4	542.4	468.0	450.1-486.4	649.4	449.0	433.1-465.3
Oral cavity and pharynx	26.6	9.5	7.9-11.4	17.0	13.8	11.0-17.2	9.6	6.1	4.5-8.3
Esophagus	9.4	3.6	2.6-4.9	5.4	4.8	3.1-7.1	4.0	2.7	1.6-4.3
Stomach	14.4	5.3	4.1-6.7	9.4	7.8	5.7-10.5	5.0	3.3	2.1-5.1
Colorectal	77.4	28.9	26.1-32.1	38.4	33.5	28.9-38.8	39.0	25.4	21.8-29.4
Colon excluding rectum	55.2	20.5	18.1-23.1	25.6	22.3	18.5-26.6	29.6	19.2	16.1-22.7
Rectum & rectosigmoid	22.2	8.5	7.0-10.3	12.8	11.3	8.7-14.5	9.4	6.2	4.5-8.4
Liver / intrahepatic bile duct	19.4	7.0	5.7-8.7	13.0	10.7	8.2-13.8	6.4	4.0	2.7-5.9
Pancreas	36.4	13.2	11.3-15.3	17.6	14.8	11.8-18.3	18.8	11.9	9.5-14.7
Larynx	5.2	1.9	1.2-2.9	4.6	4.0	2.5-6.2	0.6	0.3	0.1-1.2
Lung and bronchus	120.2	44.1	40.6-47.9	47.0	40.8	35.7-46.5	73.2	47.0	42.2-52.3
Melanoma of the skin	62.2	24.4	21.7-27.4	35.0	31.0	26.5-36.1	27.2	19.4	16.1-23.2
Female breast							214.0	153.8	144.4-163.7
Cervix uteri							7.2	5.3	3.7-7.5
Corpus uterus and NOS							43.6	29.4	25.5-33.8
Ovary							18.2	12.7	10.1-15.8
Prostate				141.4	115.0	106.6-124.1			
Testis				9.4	9.4	6.8-12.8			
Urinary bladder (incl. in situ)	47.8	17.6	15.4-20.1	33.8	30.2	25.8-35.3	14.0	8.5	6.6-10.9
Kidney and renal pelvis	36.4	13.6	11.7-15.8	22.0	18.7	15.3-22.7	14.4	9.9	7.7-12.7
Brain and other nervous system	19.0	7.9	6.3-9.9	10.0	9.6	6.9-13.0	9.0	6.5	4.6-8.9
Thyroid	46.2	19.6	17.1-22.4	11.0	10.0	7.4-13.1	35.2	28.1	24.0-32.8
Hodgkin lymphoma	6.2	3.0	2.0-4.4	3.2	3.6	2.0-6.1	3.0	2.4	1.3-4.2
Non-Hodgkin lymphomas	65.6	25.2	22.4-28.2	35.6	31.8	27.2-37.0	30.0	20.2	16.9-24.0
Myeloma	21.0	7.9	6.4-9.6	12.4	10.8	8.2-13.9	8.6	5.8	4.1-7.9
Leukemias	39.8	15.7	13.5-18.2	23.0	21.6	17.6-26.1	16.8	11.4	9.0-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Chelsea, Clinton & Midtown Business District**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	754.0	489.7	473.6-506.3	399.8	543.4	518.3-569.5	354.2	460.0	438.1-482.8
Oral cavity and pharynx	18.8	12.4	10.0-15.4	14.4	19.1	14.8-24.5	4.4	6.0	3.7-9.4
Esophagus	5.4	3.5	2.3-5.3	4.2	5.7	3.5-9.1	1.2	1.5	0.5-3.7
Stomach	12.0	7.6	5.8-10.0	8.6	11.2	8.0-15.5	3.4	4.2	2.4-7.2
Colorectal	56.8	38.3	33.9-43.2	35.0	49.1	41.8-57.4	21.8	28.5	23.3-34.7
Colon excluding rectum	39.6	27.1	23.4-31.2	24.0	34.7	28.6-42.0	15.6	20.3	15.9-25.6
Rectum & rectosigmoid	17.2	11.3	9.0-14.1	11.0	14.3	10.6-19.0	6.2	8.3	5.6-12.0
Liver / intrahepatic bile duct	15.4	9.8	7.7-12.4	10.4	13.6	10.0-18.2	5.0	6.0	3.9-9.2
Pancreas	22.8	15.4	12.7-18.6	12.0	17.1	12.9-22.4	10.8	13.7	10.3-18.2
Larynx	6.4	4.0	2.7-5.8	5.6	7.0	4.6-10.6	0.8	1.0	0.3-3.0
Lung and bronchus	77.6	52.9	47.6-58.6	42.0	62.7	54.2-72.2	35.6	45.7	39.1-53.2
Melanoma of the skin	35.2	21.5	18.4-25.1	22.4	28.2	23.0-34.3	12.8	15.2	11.5-19.8
Female breast							116.6	156.0	143.3-169.7
Cervix uteri							4.4	4.7	2.9-7.6
Corpus uterus and NOS							23.2	30.9	25.4-37.4
Ovary							13.0	17.6	13.5-22.8
Prostate				92.4	123.4	112.0-135.8			
Testis				7.8	7.5	4.7-11.4			
Urinary bladder (incl. in situ)	30.2	21.4	18.1-25.2	22.6	36.1	29.6-43.8	7.6	9.5	6.7-13.4
Kidney and renal pelvis	19.4	12.6	10.2-15.6	12.4	15.9	12.1-20.8	7.0	9.0	6.2-12.8
Brain and other nervous system	11.0	8.3	5.9-11.4	6.0	10.5	6.3-16.4	5.0	6.1	3.8-9.5
Thyroid	30.0	16.8	14.2-20.0	8.6	9.4	6.7-13.1	21.4	26.6	21.5-32.6
Hodgkin lymphoma	6.0	3.3	2.2-4.9	3.4	3.3	1.9-5.8	2.6	2.9	1.5-5.5
Non-Hodgkin lymphomas	36.2	23.0	19.7-26.8	22.8	30.3	24.6-37.1	13.4	16.7	12.8-21.5
Myeloma	13.2	8.6	6.6-11.1	8.8	11.1	8.0-15.3	4.4	5.8	3.6-9.0
Leukemias	23.6	16.8	13.6-20.5	13.4	20.0	15.0-26.1	10.2	14.7	10.5-20.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Murray Hill, Gramercy & Stuyvesant Town**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	889.8	485.8	470.9-501.2	404.8	506.3	483.5-530.1	485.0	479.4	459.4-500.3
Oral cavity and pharynx	21.2	11.4	9.3-14.0	14.2	17.7	13.7-22.6	7.0	6.4	4.4-9.4
Esophagus	8.2	4.6	3.2-6.4	5.6	6.9	4.5-10.3	2.6	2.9	1.5-5.3
Stomach	10.2	5.5	4.1-7.4	5.0	6.3	4.0-9.6	5.2	5.0	3.2-7.7
Colorectal	60.6	32.8	29.1-36.9	29.8	37.2	31.4-44.0	30.8	29.3	24.7-34.8
Colon excluding rectum	42.0	22.2	19.3-25.7	19.2	23.8	19.2-29.4	22.8	21.2	17.3-25.8
Rectum & rectosigmoid	18.6	10.5	8.4-13.1	10.6	13.4	9.9-17.8	8.0	8.2	5.7-11.5
Liver / intrahepatic bile duct	14.8	8.0	6.2-10.2	10.2	12.3	9.1-16.6	4.6	4.2	2.6-6.8
Pancreas	27.0	14.1	11.8-16.8	12.6	16.1	12.3-20.8	14.4	12.5	9.7-16.1
Larynx	4.2	2.2	1.3-3.6	3.2	4.0	2.3-6.8	1.0	0.8	0.3-2.6
Lung and bronchus	103.6	54.2	49.6-59.3	42.6	52.6	45.7-60.5	61.0	55.9	49.7-62.9
Melanoma of the skin	58.6	31.1	27.5-35.1	31.4	39.4	33.3-46.4	27.2	24.8	20.6-30.0
Female breast							151.2	158.5	146.8-171.0
Cervix uteri							5.6	5.8	3.7-8.8
Corpus uterus and NOS							28.8	27.4	22.9-32.7
Ovary							13.8	14.3	10.9-18.7
Prostate				86.8	101.9	92.5-112.3			
Testis				7.6	9.6	6.3-14.3			
Urinary bladder (incl. in situ)	44.4	23.4	20.4-26.8	32.2	40.2	34.2-47.2	12.2	11.4	8.6-15.0
Kidney and renal pelvis	17.0	9.9	7.8-12.5	10.4	13.5	10.0-18.0	6.6	7.0	4.7-10.4
Brain and other nervous system	14.8	10.0	7.3-13.3	8.0	12.1	7.7-18.0	6.8	8.3	5.3-12.5
Thyroid	32.2	18.4	15.4-21.8	10.4	12.7	9.2-17.3	21.8	24.0	19.3-29.5
Hodgkin lymphoma	6.0	3.6	2.1-5.6	3.4	4.5	2.3-8.0	2.6	2.8	1.2-5.5
Non-Hodgkin lymphomas	48.6	27.1	23.7-31.0	25.2	32.3	26.8-38.8	23.4	23.1	18.9-28.1
Myeloma	13.2	6.9	5.3-8.9	7.4	9.1	6.4-12.9	5.8	5.3	3.5-8.0
Leukemias	29.6	15.9	13.3-19.0	15.8	19.9	15.7-25.0	13.8	13.1	9.8-17.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Chinatown & Lower East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	826.4	425.5	412.4-438.9	428.0	497.1	476.1-518.9	398.4	379.5	362.5-397.3
Oral cavity and pharynx	28.6	14.9	12.5-17.6	20.0	22.9	18.6-28.0	8.6	7.9	5.6-10.8
Esophagus	10.4	5.1	3.8-6.7	8.4	9.6	6.9-13.1	2.0	1.6	0.8-3.2
Stomach	33.8	16.7	14.2-19.4	20.6	23.7	19.3-28.8	13.2	11.3	8.7-14.6
Colorectal	69.2	35.2	31.5-39.2	36.6	42.9	36.8-49.7	32.6	28.1	23.8-33.0
Colon excluding rectum	46.6	23.3	20.4-26.6	23.6	27.7	22.9-33.3	23.0	19.1	15.7-23.2
Rectum & rectosigmoid	22.6	11.9	9.8-14.4	13.0	15.2	11.7-19.4	9.6	9.0	6.5-12.1
Liver / intrahepatic bile duct	43.4	21.9	19.0-25.1	33.8	38.4	32.8-44.8	9.6	7.8	5.7-10.5
Pancreas	22.2	11.5	9.4-13.9	12.2	14.6	11.1-18.8	10.0	8.8	6.5-11.9
Larynx	8.2	4.1	2.9-5.6	6.8	7.5	5.2-10.6	1.4	1.3	0.5-2.8
Lung and bronchus	101.8	50.8	46.4-55.5	57.0	67.7	60.1-76.2	44.8	39.0	34.0-44.7
Melanoma of the skin	18.0	9.3	7.4-11.5	12.0	13.8	10.5-17.9	6.0	5.7	3.8-8.4
Female breast							99.8	100.9	92.0-110.6
Cervix uteri							10.0	10.4	7.6-13.9
Corpus uterus and NOS							26.2	25.1	20.9-30.0
Ovary							13.2	12.6	9.7-16.3
Prostate				80.2	91.8	83.0-101.4			
Testis				5.0	4.9	3.1-7.4			
Urinary bladder (incl. in situ)	27.8	13.5	11.3-16.0	21.8	25.7	21.0-31.0	6.0	5.0	3.3-7.3
Kidney and renal pelvis	25.0	13.5	11.2-16.2	16.4	19.2	15.2-23.9	8.6	8.6	6.1-11.8
Brain and other nervous system	9.4	5.7	4.1-7.6	4.6	6.3	3.9-9.5	4.8	5.2	3.2-8.0
Thyroid	48.4	27.0	23.6-30.7	14.2	15.7	12.2-20.0	34.2	38.2	32.5-44.6
Hodgkin lymphoma	6.4	3.3	2.2-4.8	2.6	2.7	1.4-4.7	3.8	4.1	2.3-6.6
Non-Hodgkin lymphomas	35.4	18.2	15.6-21.1	19.2	22.4	18.1-27.4	16.2	15.2	12.0-19.1
Myeloma	12.2	6.2	4.7-8.0	6.6	7.9	5.4-11.1	5.6	4.8	3.2-7.2
Leukemias	19.0	9.6	7.7-11.8	11.0	13.1	9.8-17.1	8.0	7.1	5.0-9.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Battery Park City, Greenwich Village & Soho**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	673.8	465.8	449.7-482.4	341.8	503.1	478.6-528.6	332.0	443.8	421.9-466.6
Oral cavity and pharynx	16.0	11.1	8.7-13.9	12.2	17.4	13.2-22.6	3.8	5.3	3.2-8.5
Esophagus	6.8	4.6	3.2-6.6	4.6	6.6	4.1-10.1	2.2	3.0	1.5-5.6
Stomach	10.6	7.7	5.7-10.1	6.6	10.5	7.2-15.0	4.0	5.4	3.2-8.5
Colorectal	46.6	33.1	28.9-37.8	24.8	37.1	30.7-44.6	21.8	29.6	24.2-36.0
Colon excluding rectum	34.4	24.8	21.1-28.9	18.2	27.9	22.3-34.6	16.2	22.0	17.4-27.6
Rectum & rectosigmoid	12.2	8.3	6.3-10.8	6.6	9.2	6.2-13.2	5.6	7.6	5.0-11.2
Liver / intrahepatic bile duct	10.6	7.4	5.5-9.7	7.4	11.0	7.7-15.3	3.2	3.8	2.1-6.4
Pancreas	17.6	12.4	9.9-15.4	11.2	17.0	12.7-22.3	6.4	8.4	5.7-12.1
Larynx	3.0	2.2	1.2-3.7	2.6	3.9	2.1-6.9	0.4	0.6	0.1-2.3
Lung and bronchus	65.8	48.0	42.9-53.7	28.6	45.9	38.5-54.4	37.2	50.2	43.1-58.3
Melanoma of the skin	36.8	23.7	20.3-27.6	20.8	29.6	24.0-36.2	16.0	19.2	15.0-24.2
Female breast							111.2	151.6	138.9-165.2
Cervix uteri							4.6	6.7	4.2-10.2
Corpus uterus and NOS							20.6	28.5	23.1-34.7
Ovary							9.8	13.7	10.0-18.4
Prostate				74.2	107.3	96.3-119.2			
Testis				10.4	10.0	7.4-13.6			
Urinary bladder (incl. in situ)	32.4	24.1	20.5-28.3	26.2	43.6	36.2-52.0	6.2	8.3	5.6-12.1
Kidney and renal pelvis	19.4	13.6	11.0-16.7	15.2	21.7	16.9-27.4	4.2	6.0	3.7-9.4
Brain and other nervous system	8.8	6.7	4.5-9.5	5.0	8.5	4.9-13.5	3.8	4.9	2.8-8.2
Thyroid	37.2	22.3	19.1-26.0	14.0	17.8	13.7-22.9	23.2	27.6	22.5-33.6
Hodgkin lymphoma	5.4	2.5	1.6-3.8	2.6	2.6	1.3-4.9	2.8	2.3	1.2-4.3
Non-Hodgkin lymphomas	35.8	25.5	21.8-29.7	22.4	32.6	26.6-39.7	13.4	18.2	14.0-23.3
Myeloma	9.8	6.7	4.9-8.9	6.4	9.2	6.2-13.2	3.4	4.2	2.4-7.0
Leukemias	22.6	16.7	13.6-20.3	14.8	22.9	17.8-29.1	7.8	11.4	7.8-16.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Queens**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	10937.0	430.5	426.8-434.2	5334.4	479.9	474.0-485.8	5602.6	401.2	396.5-406.0
Oral cavity and pharynx	232.8	9.0	8.5-9.6	149.4	12.8	11.9-13.8	83.4	6.0	5.4-6.6
Esophagus	88.2	3.4	3.1-3.8	65.4	5.8	5.2-6.5	22.8	1.5	1.3-1.9
Stomach	308.0	12.1	11.5-12.8	181.6	16.7	15.6-17.8	126.4	8.8	8.1-9.5
Colorectal	1032.0	40.7	39.5-41.8	526.2	48.3	46.4-50.2	505.8	35.1	33.7-36.5
Colon excluding rectum	727.6	28.8	27.9-29.8	357.2	33.3	31.8-34.9	370.4	25.6	24.4-26.8
Rectum & rectosigmoid	304.4	11.9	11.3-12.5	169.0	14.9	13.9-16.0	135.4	9.5	8.8-10.2
Liver / intrahepatic bile duct	258.0	9.8	9.3-10.4	179.2	15.2	14.2-16.3	78.8	5.4	4.9-6.0
Pancreas	331.2	13.0	12.3-13.6	156.6	14.4	13.4-15.5	174.6	11.8	11.1-12.7
Larynx	72.6	2.8	2.5-3.1	60.2	5.3	4.7-6.0	12.4	0.8	0.6-1.1
Lung and bronchus	1152.6	45.5	44.3-46.7	602.6	56.2	54.1-58.3	550.0	38.0	36.6-39.5
Melanoma of the skin	214.6	8.5	8.0-9.1	112.2	10.6	9.7-11.5	102.4	7.3	6.7-8.0
Female breast							1565.2	114.0	111.5-116.6
Cervix uteri							126.4	9.9	9.1-10.7
Corpus uterus and NOS							416.2	29.0	27.8-30.3
Ovary							171.4	12.4	11.6-13.3
Prostate				1474.6	126.7	123.7-129.7			
Testis				46.2	3.9	3.4-4.4			
Urinary bladder (incl. in situ)	434.4	17.4	16.6-18.1	314.4	30.4	28.9-32.0	120.0	8.3	7.6-9.0
Kidney and renal pelvis	334.6	13.1	12.4-13.7	218.4	18.9	17.8-20.1	116.2	8.3	7.6-9.0
Brain and other nervous system	129.2	5.4	5.0-5.8	69.6	6.3	5.6-7.0	59.6	4.6	4.1-5.1
Thyroid	485.8	19.7	18.9-20.5	108.2	9.2	8.4-10.0	377.6	29.5	28.2-30.9
Hodgkin lymphoma	61.4	2.6	2.3-2.9	35.8	3.1	2.7-3.6	25.6	2.1	1.8-2.5
Non-Hodgkin lymphomas	473.8	18.9	18.2-19.7	254.2	23.3	22.0-24.6	219.6	15.5	14.6-16.4
Myeloma	203.8	8.0	7.5-8.6	104.2	9.5	8.7-10.4	99.6	7.0	6.4-7.7
Leukemias	330.0	13.4	12.7-14.0	183.6	17.2	16.1-18.3	146.4	10.6	9.8-11.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Astoria & Long Island City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	752.4	421.1	407.5-434.9	376.0	485.3	463.1-508.2	376.4	382.4	365.0-400.5
Oral cavity and pharynx	16.6	9.2	7.3-11.5	10.6	13.1	9.8-17.3	6.0	6.3	4.2-9.0
Esophagus	4.8	2.7	1.7-4.1	2.8	3.6	1.9-6.0	2.0	1.9	0.9-3.7
Stomach	19.6	11.2	9.0-13.6	11.8	16.4	12.4-21.1	7.8	7.6	5.4-10.5
Colorectal	68.0	38.8	34.7-43.2	36.0	48.5	41.6-56.3	32.0	31.9	27.1-37.3
Colon excluding rectum	45.0	25.9	22.6-29.5	21.4	29.7	24.2-35.9	23.6	23.5	19.4-28.3
Rectum & rectosigmoid	23.0	12.9	10.6-15.5	14.6	18.9	14.7-23.8	8.4	8.4	6.0-11.4
Liver / intrahepatic bile duct	18.2	10.2	8.2-12.6	12.6	16.0	12.2-20.5	5.6	5.7	3.8-8.3
Pancreas	24.2	13.7	11.4-16.4	13.4	17.7	13.7-22.6	10.8	10.6	8.0-14.0
Larynx	6.2	3.4	2.3-4.9	5.2	6.8	4.4-10.0	1.0	0.9	0.3-2.2
Lung and bronchus	83.4	46.7	42.3-51.4	45.2	59.8	52.1-68.3	38.2	37.0	31.9-42.7
Melanoma of the skin	18.8	9.9	8.0-12.2	8.2	9.7	6.9-13.3	10.6	9.9	7.4-13.2
Female breast							102.2	107.9	98.6-117.8
Cervix uteri							7.6	8.1	5.7-11.2
Corpus uterus and NOS							24.2	25.1	20.8-30.1
Ovary							9.8	9.8	7.2-13.0
Prostate				89.2	114.9	104.3-126.3			
Testis				6.2	5.6	3.7-8.1			
Urinary bladder (incl. in situ)	34.0	19.2	16.4-22.4	24.2	33.4	27.7-40.0	9.8	9.7	7.1-13.0
Kidney and renal pelvis	21.4	12.2	10.0-14.8	14.8	18.8	14.7-23.6	6.6	6.6	4.5-9.4
Brain and other nervous system	8.2	5.1	3.6-6.9	5.8	7.4	4.9-10.7	2.4	3.1	1.6-5.5
Thyroid	39.0	20.6	17.7-23.8	9.2	10.0	7.3-13.5	29.8	31.0	26.1-36.7
Hodgkin lymphoma	6.4	3.4	2.2-4.8	4.4	4.7	2.9-7.4	2.0	2.0	0.9-3.8
Non-Hodgkin lymphomas	35.6	20.1	17.2-23.4	20.4	26.4	21.3-32.2	15.2	15.5	12.1-19.5
Myeloma	11.0	6.1	4.5-7.9	7.4	9.5	6.7-13.2	3.6	3.5	2.0-5.6
Leukemias	22.2	12.6	10.3-15.2	12.6	16.8	12.8-21.6	9.6	9.3	6.8-12.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Jackson Heights & North Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	665.8	384.5	371.3-398.0	337.8	437.1	415.5-459.4	328.0	353.5	336.4-371.2
Oral cavity and pharynx	14.6	8.3	6.4-10.4	9.4	10.9	7.9-14.7	5.2	5.7	3.7-8.5
Esophagus	5.0	2.9	1.9-4.4	3.0	4.1	2.2-6.9	2.0	2.1	1.0-3.8
Stomach	23.8	13.9	11.5-16.7	14.6	19.2	14.8-24.3	9.2	9.9	7.2-13.3
Colorectal	59.6	35.2	31.2-39.5	29.8	38.9	32.6-45.9	29.8	32.1	27.1-37.7
Colon excluding rectum	41.2	24.7	21.4-28.4	20.0	26.8	21.6-32.9	21.2	22.8	18.7-27.7
Rectum & rectosigmoid	18.4	10.5	8.4-12.9	9.8	12.0	8.8-16.1	8.6	9.2	6.6-12.4
Liver / intrahepatic bile duct	17.6	10.2	8.1-12.6	13.6	17.0	13.1-21.8	4.0	4.2	2.5-6.5
Pancreas	17.4	10.5	8.4-13.0	8.6	11.4	8.1-15.5	8.8	9.5	6.9-12.8
Larynx	3.6	2.2	1.3-3.5	2.6	3.4	1.8-5.9	1.0	1.2	0.4-2.8
Lung and bronchus	57.6	35.4	31.4-39.8	31.6	46.4	39.2-54.5	26.0	28.2	23.5-33.5
Melanoma of the skin	12.6	7.6	5.8-9.8	6.6	9.7	6.6-13.8	6.0	6.5	4.3-9.3
Female breast							85.6	92.8	84.1-102.1
Cervix uteri							10.0	11.1	8.2-14.6
Corpus uterus and NOS							22.6	24.1	19.8-29.1
Ovary							8.4	8.9	6.4-12.1
Prostate				102.0	129.4	118.0-141.7			
Testis				4.4	4.0	2.5-6.2			
Urinary bladder (incl. in situ)	22.0	14.1	11.5-17.0	15.2	24.0	18.7-30.1	6.8	7.7	5.3-10.8
Kidney and renal pelvis	23.6	13.4	11.1-16.1	15.6	18.3	14.4-23.0	8.0	8.6	6.2-11.8
Brain and other nervous system	6.4	3.5	2.4-5.0	3.4	3.9	2.2-6.3	3.0	3.2	1.8-5.4
Thyroid	34.2	17.7	15.1-20.6	7.2	7.8	5.4-10.9	27.0	28.7	24.0-34.0
Hodgkin lymphoma	3.8	1.9	1.1-3.0	2.2	2.0	1.0-3.8	1.6	1.6	0.7-3.3
Non-Hodgkin lymphomas	32.4	18.6	15.8-21.8	16.4	20.5	16.1-25.6	16.0	17.0	13.5-21.2
Myeloma	12.2	7.1	5.4-9.2	6.2	8.0	5.3-11.5	6.0	6.3	4.2-9.0
Leukemias	22.2	12.6	10.3-15.2	12.6	15.9	12.1-20.6	9.6	10.0	7.3-13.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Flushing, Murray Hill & Whitestone**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1503.4	446.3	436.1-456.8	726.2	479.5	463.8-495.6	777.2	427.7	413.9-441.9
Oral cavity and pharynx	38.6	11.8	10.1-13.6	26.6	17.6	14.7-20.9	12.0	6.8	5.2-8.9
Esophagus	11.6	3.3	2.5-4.3	9.0	5.7	4.2-7.8	2.6	1.3	0.7-2.4
Stomach	59.0	17.2	15.3-19.4	36.8	24.4	20.9-28.3	22.2	11.4	9.3-13.8
Colorectal	155.6	45.2	42.1-48.6	87.4	57.4	52.1-63.2	68.2	35.8	32.0-40.0
Colon excluding rectum	108.4	31.1	28.5-33.9	59.8	39.3	34.9-44.1	48.6	24.9	21.8-28.5
Rectum & rectosigmoid	47.2	14.1	12.4-16.1	27.6	18.1	15.2-21.5	19.6	10.9	8.8-13.4
Liver / intrahepatic bile duct	47.8	13.6	11.9-15.5	34.0	21.6	18.4-25.2	13.8	6.8	5.3-8.7
Pancreas	48.4	13.6	11.9-15.5	22.0	14.4	11.8-17.4	26.4	13.0	10.8-15.6
Larynx	10.2	2.9	2.1-3.8	8.0	5.1	3.6-7.0	2.2	1.2	0.6-2.2
Lung and bronchus	172.2	49.5	46.2-53.0	87.4	58.2	52.8-64.0	84.8	43.2	39.1-47.7
Melanoma of the skin	31.6	9.4	8.0-11.1	17.4	11.7	9.3-14.5	14.2	7.9	6.1-10.2
Female breast							223.0	126.4	118.8-134.3
Cervix uteri							18.8	12.0	9.7-14.9
Corpus uterus and NOS							47.6	25.7	22.5-29.3
Ovary							21.2	11.6	9.4-14.1
Prostate				150.6	95.1	88.4-102.3			
Testis				3.6	3.0	1.7-4.7			
Urinary bladder (incl. in situ)	64.6	18.3	16.3-20.5	46.8	31.0	27.2-35.4	17.8	8.8	7.0-10.9
Kidney and renal pelvis	46.2	13.7	11.9-15.6	30.4	19.8	16.7-23.3	15.8	8.6	6.8-10.9
Brain and other nervous system	15.4	5.2	4.0-6.5	7.8	5.3	3.8-7.4	7.6	5.1	3.5-7.2
Thyroid	73.6	25.3	22.7-28.1	15.2	10.8	8.5-13.6	58.4	38.6	34.1-43.4
Hodgkin lymphoma	6.2	2.3	1.5-3.3	3.2	2.5	1.4-4.2	3.0	2.0	1.1-3.5
Non-Hodgkin lymphomas	62.0	18.2	16.1-20.4	34.4	23.3	19.9-27.1	27.6	14.2	11.9-16.9
Myeloma	19.2	5.6	4.5-6.9	11.0	7.4	5.5-9.7	8.2	4.3	3.1-6.0
Leukemias	48.4	14.6	12.7-16.6	28.0	19.5	16.4-23.1	20.4	10.7	8.6-13.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Bayside, Douglaston & Little Neck**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	718.6	437.8	423.2-452.9	360.8	490.9	467.9-514.7	357.8	404.1	384.8-424.2
Oral cavity and pharynx	12.8	8.0	6.1-10.3	8.6	12.2	8.7-16.6	4.2	4.6	2.8-7.3
Esophagus	5.4	2.9	1.9-4.3	3.6	4.3	2.5-7.0	1.8	1.7	0.7-3.5
Stomach	20.2	12.1	9.8-14.8	13.2	18.2	14.0-23.4	7.0	7.4	5.1-10.7
Colorectal	65.2	38.4	34.3-43.0	31.2	42.5	35.9-50.0	34.0	35.6	30.3-41.8
Colon excluding rectum	44.8	26.2	22.8-30.0	21.0	28.9	23.5-35.2	23.8	24.4	20.1-29.5
Rectum & rectosigmoid	20.4	12.3	10.0-15.1	10.2	13.6	10.0-18.1	10.2	11.2	8.2-15.0
Liver / intrahepatic bile duct	15.4	9.1	7.1-11.4	12.4	16.4	12.5-21.2	3.0	3.1	1.7-5.4
Pancreas	27.0	15.7	13.1-18.7	14.2	19.2	14.9-24.4	12.8	13.0	9.9-16.9
Larynx	2.6	1.5	0.8-2.8	2.2	2.9	1.4-5.5	0.4	0.4	0.0-1.9
Lung and bronchus	80.6	47.3	42.7-52.4	45.8	61.8	53.9-70.7	34.8	36.4	31.1-42.5
Melanoma of the skin	21.2	13.1	10.6-16.0	11.6	15.6	11.8-20.4	9.6	11.9	8.6-16.1
Female breast							105.8	123.7	113.0-135.2
Cervix uteri							4.8	6.3	3.9-9.6
Corpus uterus and NOS							27.6	29.8	24.9-35.5
Ovary							10.8	12.3	9.1-16.4
Prostate				83.8	107.3	97.1-118.4			
Testis				2.8	5.3	2.8-8.9			
Urinary bladder (incl. in situ)	40.8	24.3	21.0-28.0	30.2	42.3	35.7-49.8	10.6	11.7	8.7-15.5
Kidney and renal pelvis	18.8	11.5	9.2-14.2	12.6	16.7	12.8-21.7	6.2	7.3	4.9-10.6
Brain and other nervous system	8.6	6.1	4.3-8.3	5.0	7.8	4.9-11.7	3.6	4.5	2.6-7.4
Thyroid	32.0	22.3	18.9-26.2	9.0	12.9	9.3-17.5	23.0	31.0	25.4-37.5
Hodgkin lymphoma	2.6	2.1	1.1-3.7	1.8	3.0	1.3-5.8	0.8	1.3	0.3-3.5
Non-Hodgkin lymphomas	32.4	20.4	17.3-24.0	18.0	25.3	20.2-31.3	14.4	16.4	12.7-21.0
Myeloma	10.8	6.3	4.7-8.3	6.0	8.3	5.5-12.0	4.8	4.9	3.1-7.6
Leukemias	20.6	13.1	10.6-16.1	12.4	18.4	13.9-23.8	8.2	9.0	6.3-12.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Queens Village, Cambria Heights & Rosedale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1037.4	443.2	430.9-455.7	526.4	530.1	509.4-551.4	511.0	385.8	370.6-401.6
Oral cavity and pharynx	16.0	6.8	5.4-8.6	9.8	9.6	7.1-12.9	6.2	4.6	3.1-6.6
Esophagus	6.4	2.6	1.8-3.8	5.2	5.4	3.5-8.0	1.2	0.9	0.3-2.0
Stomach	24.6	10.5	8.7-12.6	13.8	14.4	11.1-18.3	10.8	7.8	5.8-10.3
Colorectal	99.8	42.7	39.0-46.7	47.0	48.3	42.2-55.1	52.8	39.1	34.4-44.3
Colon excluding rectum	72.8	31.5	28.3-35.0	34.2	35.8	30.5-41.8	38.6	28.8	24.8-33.3
Rectum & rectosigmoid	27.0	11.2	9.4-13.3	12.8	12.5	9.6-16.2	14.2	10.3	8.0-13.1
Liver / intrahepatic bile duct	14.8	6.2	4.8-7.8	10.2	9.6	7.0-12.7	4.6	3.7	2.4-5.7
Pancreas	32.4	13.7	11.6-16.0	15.4	15.9	12.4-20.0	17.0	12.4	9.8-15.4
Larynx	5.8	2.5	1.7-3.6	4.8	5.3	3.3-7.9	1.0	0.6	0.2-1.6
Lung and bronchus	89.2	38.5	34.9-42.3	46.0	50.3	43.8-57.4	43.2	31.0	27.0-35.6
Melanoma of the skin	12.6	5.5	4.2-7.1	5.8	6.1	4.1-8.9	6.8	5.2	3.5-7.4
Female breast							156.4	120.5	112.0-129.6
Cervix uteri							7.8	6.8	4.8-9.4
Corpus uterus and NOS							44.4	32.8	28.5-37.5
Ovary							13.2	9.9	7.5-12.7
Prostate				206.2	192.8	180.8-205.3			
Testis				1.8	1.9	0.9-3.7			
Urinary bladder (incl. in situ)	37.4	16.1	13.8-18.6	26.2	28.3	23.5-33.7	11.2	7.9	5.9-10.4
Kidney and renal pelvis	30.4	13.2	11.2-15.6	18.2	18.4	14.7-22.8	12.2	9.3	7.0-12.0
Brain and other nervous system	11.0	4.9	3.7-6.5	6.4	6.8	4.6-9.7	4.6	3.4	2.2-5.3
Thyroid	28.0	12.9	10.8-15.3	6.8	6.9	4.7-9.8	21.2	17.8	14.5-21.7
Hodgkin lymphoma	6.0	3.1	2.1-4.4	3.2	3.5	2.0-5.7	2.8	2.6	1.4-4.5
Non-Hodgkin lymphomas	42.6	18.5	16.1-21.3	22.0	23.7	19.4-28.7	20.6	14.8	12.0-18.1
Myeloma	28.6	12.1	10.1-14.3	13.8	13.7	10.6-17.5	14.8	11.1	8.7-14.0
Leukemias	27.6	12.2	10.2-14.5	14.4	14.8	11.5-18.8	13.2	10.6	8.1-13.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Briarwood, Fresh Meadows & Hillcrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	777.0	422.4	408.9-436.3	380.2	463.3	442.2-485.2	396.8	396.9	379.1-415.4
Oral cavity and pharynx	14.6	7.8	6.1-9.9	8.2	9.9	7.0-13.6	6.4	6.1	4.1-8.7
Esophagus	5.6	3.0	2.0-4.4	3.6	4.4	2.5-7.0	2.0	2.0	0.9-3.8
Stomach	20.0	11.0	8.9-13.4	11.2	13.7	10.3-17.9	8.8	9.1	6.5-12.4
Colorectal	70.2	38.1	34.1-42.5	35.2	42.9	36.6-49.9	35.0	34.3	29.3-40.1
Colon excluding rectum	51.0	27.9	24.5-31.6	24.6	30.4	25.1-36.4	26.4	25.6	21.3-30.6
Rectum & rectosigmoid	19.2	10.2	8.2-12.6	10.6	12.5	9.3-16.5	8.6	8.7	6.2-11.9
Liver / intrahepatic bile duct	16.2	8.1	6.4-10.2	9.6	10.5	7.7-14.1	6.6	6.0	4.1-8.5
Pancreas	21.8	12.0	9.8-14.5	10.4	13.8	10.2-18.1	11.4	10.9	8.2-14.3
Larynx	5.8	3.0	2.0-4.4	5.2	6.0	3.9-8.9	0.6	0.7	0.1-2.0
Lung and bronchus	79.8	42.1	38.0-46.6	44.0	54.2	47.1-62.1	35.8	33.1	28.3-38.5
Melanoma of the skin	16.8	9.1	7.2-11.3	10.2	12.8	9.5-17.0	6.6	6.4	4.4-9.1
Female breast							112.4	114.6	105.0-124.8
Cervix uteri							7.6	8.8	6.2-12.2
Corpus uterus and NOS							30.4	29.4	24.8-34.6
Ovary							13.6	13.9	10.7-17.8
Prostate				98.0	114.7	104.5-125.6			
Testis				3.6	4.5	2.6-7.2			
Urinary bladder (incl. in situ)	32.0	17.2	14.6-20.1	23.6	30.4	25.1-36.6	8.4	7.5	5.3-10.3
Kidney and renal pelvis	28.8	15.6	13.1-18.4	19.2	23.3	18.7-28.6	9.6	9.4	6.8-12.6
Brain and other nervous system	10.6	6.4	4.7-8.4	6.0	7.7	5.1-11.1	4.6	5.2	3.2-7.9
Thyroid	35.2	20.5	17.5-23.9	10.2	12.5	9.2-16.6	25.0	28.1	23.2-33.6
Hodgkin lymphoma	4.2	2.5	1.6-3.9	3.0	3.9	2.1-6.5	1.2	1.3	0.5-2.9
Non-Hodgkin lymphomas	38.4	21.2	18.2-24.5	20.2	25.7	20.8-31.4	18.2	17.9	14.3-22.2
Myeloma	14.4	8.0	6.2-10.1	7.8	9.6	6.7-13.2	6.6	6.8	4.7-9.7
Leukemias	29.8	16.5	13.9-19.5	18.0	22.1	17.7-27.4	11.8	12.0	9.0-15.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Elmhurst & South Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	558.6	406.8	391.4-422.5	269.8	447.9	423.1-473.8	288.8	385.3	365.3-406.0
Oral cavity and pharynx	16.8	11.1	8.8-13.8	10.0	14.3	10.4-19.1	6.8	8.5	5.8-11.9
Esophagus	4.0	3.2	1.9-5.0	3.2	5.9	3.3-9.6	0.8	1.2	0.3-3.0
Stomach	19.4	14.5	11.7-17.8	11.2	19.1	14.2-25.1	8.2	10.9	7.8-14.9
Colorectal	53.8	40.3	35.5-45.5	27.0	46.1	38.3-54.9	26.8	35.9	30.0-42.6
Colon excluding rectum	37.8	28.4	24.4-32.8	18.4	32.0	25.5-39.6	19.4	26.2	21.1-32.0
Rectum & rectosigmoid	16.0	11.9	9.4-14.9	8.6	14.1	10.0-19.1	7.4	9.7	6.8-13.4
Liver / intrahepatic bile duct	16.4	11.3	8.9-14.1	12.2	17.4	13.2-22.6	4.2	5.6	3.4-8.6
Pancreas	14.2	11.2	8.7-14.2	6.4	11.6	7.8-16.6	7.8	10.6	7.5-14.6
Larynx	2.6	1.9	1.0-3.2	2.4	3.9	1.9-6.9	0.2	0.3	0.0-1.5
Lung and bronchus	54.0	42.1	37.1-47.5	29.2	52.5	44.0-62.2	24.8	34.7	28.7-41.4
Melanoma of the skin	5.0	4.1	2.6-6.0	2.6	4.8	2.5-8.3	2.4	3.5	1.8-6.2
Female breast							71.2	93.2	83.6-103.6
Cervix uteri							7.8	10.1	7.1-13.8
Corpus uterus and NOS							21.2	27.1	22.1-32.9
Ovary							9.0	12.0	8.7-16.1
Prostate				77.2	123.4	110.9-136.8			
Testis				3.8	4.4	2.5-7.1			
Urinary bladder (incl. in situ)	18.4	14.6	11.7-17.9	13.4	25.6	19.6-32.8	5.0	6.8	4.4-10.2
Kidney and renal pelvis	15.6	10.9	8.6-13.7	9.8	15.7	11.4-21.0	5.8	7.3	4.8-10.5
Brain and other nervous system	7.4	5.1	3.5-7.1	4.6	6.5	4.0-10.1	2.8	3.6	2.0-6.2
Thyroid	39.8	26.1	22.6-30.1	8.0	10.4	7.3-14.3	31.8	41.9	35.5-49.1
Hodgkin lymphoma	2.0	1.3	0.6-2.4	1.0	1.3	0.4-3.1	1.0	1.3	0.4-3.2
Non-Hodgkin lymphomas	23.0	16.8	13.8-20.3	11.2	18.5	13.8-24.3	11.8	15.7	11.9-20.4
Myeloma	9.2	7.1	5.1-9.5	4.8	8.3	5.2-12.4	4.4	6.1	3.8-9.2
Leukemias	13.2	10.3	7.9-13.2	6.6	11.1	7.4-15.8	6.6	9.6	6.5-13.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Forest Hills & Rego Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	709.4	435.1	420.4-450.3	328.6	469.2	446.3-493.0	380.8	416.7	397.1-437.0
Oral cavity and pharynx	11.4	6.9	5.1-9.1	6.8	9.0	6.2-12.8	4.6	5.3	3.2-8.5
Esophagus	5.0	3.0	1.9-4.5	3.8	5.5	3.3-8.7	1.2	1.1	0.4-2.9
Stomach	17.0	10.2	8.1-12.7	11.4	15.8	11.9-20.7	5.6	5.9	3.8-9.0
Colorectal	64.8	38.3	34.1-42.9	30.4	44.1	37.2-51.9	34.4	33.9	28.8-39.8
Colon excluding rectum	46.4	27.0	23.5-30.9	20.8	30.4	24.7-37.0	25.6	24.4	20.2-29.5
Rectum & rectosigmoid	18.4	11.3	9.0-14.0	9.6	13.7	10.0-18.4	8.8	9.5	6.8-13.1
Liver / intrahepatic bile duct	14.0	8.1	6.3-10.4	8.2	11.3	8.0-15.5	5.8	5.8	3.8-8.7
Pancreas	24.8	14.3	11.8-17.2	10.4	14.9	11.1-19.7	14.4	13.6	10.5-17.6
Larynx	4.2	2.4	1.4-3.7	3.2	4.5	2.6-7.5	1.0	0.9	0.3-2.6
Lung and bronchus	73.6	42.9	38.5-47.6	36.0	50.7	43.5-58.9	37.6	37.4	32.1-43.5
Melanoma of the skin	18.2	11.0	8.8-13.6	8.8	12.2	8.8-16.6	9.4	10.5	7.6-14.3
Female breast							108.8	127.0	116.1-138.9
Cervix uteri							4.8	5.9	3.7-9.1
Corpus uterus and NOS							23.4	24.6	20.2-29.8
Ovary							8.8	9.7	6.9-13.5
Prostate				74.0	100.3	90.2-111.3			
Testis				2.8	4.7	2.5-8.1			
Urinary bladder (incl. in situ)	35.4	20.3	17.3-23.6	26.6	37.0	30.9-44.1	8.8	8.6	6.2-11.8
Kidney and renal pelvis	22.4	13.6	11.1-16.6	14.4	20.4	15.9-25.9	8.0	8.7	6.0-12.3
Brain and other nervous system	10.6	7.5	5.6-10.1	4.8	8.5	5.4-12.8	5.8	6.4	4.1-9.6
Thyroid	35.0	25.6	21.8-29.9	7.8	11.9	8.4-16.4	27.2	37.9	31.5-45.3
Hodgkin lymphoma	5.0	4.5	2.8-6.9	3.2	6.1	3.3-10.3	1.8	3.3	1.4-6.4
Non-Hodgkin lymphomas	40.4	25.4	21.9-29.4	22.2	34.1	27.9-41.4	18.2	18.4	14.7-23.0
Myeloma	9.4	5.5	4.0-7.5	4.2	6.0	3.7-9.3	5.2	5.1	3.3-7.8
Leukemias	21.8	13.5	11.0-16.5	12.4	18.1	13.7-23.5	9.4	10.1	7.3-13.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Sunnyside & Woodside**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	546.6	400.7	385.5-416.4	265.2	441.4	416.8-467.0	281.4	384.3	364.1-405.4
Oral cavity and pharynx	13.0	9.2	7.0-11.7	8.4	12.5	8.9-17.1	4.6	6.0	3.8-9.2
Esophagus	4.6	3.5	2.2-5.4	3.6	6.3	3.7-10.1	1.0	1.4	0.4-3.3
Stomach	18.2	13.7	11.0-16.9	12.0	20.8	15.7-27.1	6.2	8.5	5.7-12.2
Colorectal	51.0	38.6	34.0-43.8	27.0	47.4	39.4-56.6	24.0	32.6	27.0-39.2
Colon excluding rectum	37.0	28.2	24.2-32.6	18.0	32.3	25.6-40.1	19.0	25.8	20.8-31.7
Rectum & rectosigmoid	14.0	10.4	8.1-13.3	9.0	15.1	10.9-20.5	5.0	6.8	4.4-10.2
Liver / intrahepatic bile duct	16.8	12.0	9.5-15.0	10.4	15.9	11.7-21.1	6.4	8.4	5.7-12.0
Pancreas	15.4	12.1	9.5-15.1	8.2	14.8	10.4-20.3	7.2	9.9	6.9-13.8
Larynx	2.8	2.2	1.2-3.7	2.4	4.2	2.1-7.5	0.4	0.6	0.1-2.2
Lung and bronchus	57.8	44.1	39.0-49.6	30.0	53.9	45.2-63.6	27.8	38.1	31.9-45.1
Melanoma of the skin	12.0	9.1	6.9-11.8	6.2	11.9	7.9-17.1	5.8	7.7	5.1-11.1
Female breast							80.8	110.6	99.9-122.1
Cervix uteri							4.4	5.9	3.7-9.1
Corpus uterus and NOS							20.4	26.9	21.9-32.9
Ovary							9.6	13.8	10.1-18.4
Prostate				65.2	103.9	92.6-116.3			
Testis				3.6	3.8	2.2-6.3			
Urinary bladder (incl. in situ)	18.2	14.1	11.3-17.4	13.2	24.6	18.8-31.6	5.0	6.8	4.4-10.1
Kidney and renal pelvis	16.6	11.9	9.4-14.9	9.6	14.7	10.7-19.7	7.0	9.5	6.6-13.4
Brain and other nervous system	7.8	5.4	3.8-7.5	4.6	7.0	4.3-10.7	3.2	4.1	2.3-6.9
Thyroid	30.0	19.9	16.8-23.4	5.2	7.1	4.6-10.6	24.8	33.1	27.4-39.7
Hodgkin lymphoma	3.4	2.4	1.3-4.0	2.2	3.0	1.4-5.7	1.2	1.9	0.7-4.3
Non-Hodgkin lymphomas	26.0	18.8	15.7-22.5	16.4	25.3	19.9-31.8	9.6	12.8	9.4-17.1
Myeloma	8.4	6.4	4.5-8.6	5.6	9.7	6.4-14.2	2.8	3.8	2.0-6.5
Leukemias	14.8	11.7	9.1-14.7	8.2	14.5	10.3-19.9	6.6	9.9	6.8-14.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Ridgewood, Glendale & Middle Village**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	849.4	447.9	434.3-461.7	399.4	475.4	454.3-497.2	450.0	436.4	418.3-455.1
Oral cavity and pharynx	20.8	10.8	8.8-13.2	13.8	16.0	12.4-20.4	7.0	6.6	4.6-9.2
Esophagus	8.6	4.6	3.3-6.2	6.8	8.1	5.6-11.4	1.8	1.7	0.8-3.3
Stomach	18.8	9.9	8.0-12.1	9.2	11.2	8.1-15.0	9.6	8.9	6.5-11.8
Colorectal	79.4	41.5	37.4-45.8	39.6	47.7	41.2-55.0	39.8	36.9	31.9-42.5
Colon excluding rectum	53.6	28.1	24.8-31.7	25.2	30.8	25.5-36.8	28.4	26.2	22.0-31.0
Rectum & rectosigmoid	25.8	13.4	11.1-15.9	14.4	17.0	13.2-21.5	11.4	10.7	8.1-14.0
Liver / intrahepatic bile duct	20.0	10.1	8.2-12.4	13.8	15.1	11.7-19.3	6.2	6.0	4.0-8.5
Pancreas	26.0	13.5	11.3-16.1	13.8	16.6	12.8-21.1	12.2	11.2	8.5-14.4
Larynx	8.2	4.1	2.9-5.6	6.8	7.3	5.0-10.3	1.4	1.4	0.5-2.9
Lung and bronchus	109.4	57.9	53.1-63.0	52.4	63.7	56.0-72.0	57.0	53.7	47.6-60.4
Melanoma of the skin	23.6	12.6	10.4-15.1	11.2	14.2	10.7-18.5	12.4	12.0	9.1-15.5
Female breast							112.4	111.8	102.7-121.6
Cervix uteri							12.6	13.1	10.0-16.9
Corpus uterus and NOS							33.6	31.4	26.8-36.6
Ovary							16.6	16.7	13.2-20.8
Prostate				85.2	97.3	88.0-107.3			
Testis				4.0	4.2	2.6-6.6			
Urinary bladder (incl. in situ)	41.6	22.3	19.4-25.6	32.2	41.2	35.0-48.2	9.4	8.7	6.4-11.7
Kidney and renal pelvis	25.8	13.4	11.1-15.9	16.8	18.5	14.7-23.1	9.0	9.2	6.7-12.4
Brain and other nervous system	10.6	5.6	4.2-7.4	4.4	5.0	3.1-7.6	6.2	6.2	4.2-8.8
Thyroid	34.6	18.5	15.8-21.5	8.2	9.3	6.7-12.7	26.4	27.4	22.9-32.6
Hodgkin lymphoma	4.4	2.5	1.6-3.8	2.2	2.4	1.2-4.4	2.2	2.6	1.3-4.6
Non-Hodgkin lymphomas	38.6	21.0	18.1-24.2	23.4	27.9	23.0-33.5	15.2	15.2	11.9-19.1
Myeloma	11.2	5.8	4.4-7.6	6.2	7.5	5.1-10.8	5.0	4.6	3.0-6.9
Leukemias	29.2	16.0	13.5-18.8	16.8	21.2	16.8-26.3	12.4	11.9	9.1-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Richmond Hill & Woodhaven**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	556.2	407.4	391.8-423.4	273.0	456.2	430.7-482.7	283.2	379.8	359.8-400.6
Oral cavity and pharynx	12.4	8.7	6.6-11.3	8.2	12.2	8.6-16.8	4.2	5.9	3.6-9.0
Esophagus	7.2	5.0	3.5-7.0	6.6	9.7	6.5-13.9	0.6	0.9	0.2-2.7
Stomach	14.2	11.5	8.9-14.6	8.8	16.9	12.0-23.0	5.4	7.3	4.7-10.7
Colorectal	47.2	35.7	31.1-40.8	25.2	43.6	35.9-52.4	22.0	29.7	24.2-36.0
Colon excluding rectum	30.6	23.4	19.7-27.5	14.8	26.1	20.2-33.1	15.8	21.3	16.8-26.8
Rectum & rectosigmoid	16.6	12.4	9.8-15.4	10.4	17.5	12.8-23.3	6.2	8.4	5.6-12.0
Liver / intrahepatic bile duct	15.0	10.6	8.2-13.4	11.0	17.3	12.8-23.0	4.0	5.2	3.1-8.1
Pancreas	17.2	12.4	9.8-15.5	7.0	11.0	7.4-15.6	10.2	13.4	9.9-17.7
Larynx	3.6	2.5	1.4-4.0	3.0	4.5	2.4-7.7	0.6	0.8	0.2-2.5
Lung and bronchus	58.4	45.3	40.0-51.0	32.8	59.4	50.1-69.7	25.6	35.1	29.1-42.0
Melanoma of the skin	9.0	6.9	5.0-9.3	4.6	8.1	5.0-12.3	4.4	6.3	3.9-9.7
Female breast							80.8	106.3	96.0-117.4
Cervix uteri							7.0	8.6	5.9-12.0
Corpus uterus and NOS							21.4	28.2	23.0-34.2
Ovary							11.4	15.8	11.9-20.6
Prostate				71.8	117.3	104.7-131.0			
Testis				3.8	5.0	3.0-8.0			
Urinary bladder (incl. in situ)	17.4	14.5	11.6-18.0	12.2	24.8	18.7-32.1	5.2	7.1	4.5-10.4
Kidney and renal pelvis	17.2	11.4	9.0-14.2	14.2	19.2	14.8-24.6	3.0	4.2	2.3-7.0
Brain and other nervous system	7.8	5.9	4.2-8.2	4.0	6.4	3.8-10.1	3.8	5.6	3.4-8.8
Thyroid	28.2	19.0	15.9-22.5	4.0	6.0	3.5-9.4	24.2	31.7	26.3-38.0
Hodgkin lymphoma	3.2	2.0	1.1-3.3	1.8	2.2	1.0-4.3	1.4	1.8	0.7-3.8
Non-Hodgkin lymphomas	25.6	19.0	15.8-22.8	14.2	21.4	16.4-27.3	11.4	16.4	12.3-21.4
Myeloma	10.2	7.2	5.3-9.5	5.2	7.8	4.9-11.6	5.0	6.6	4.2-9.9
Leukemias	18.0	13.4	10.7-16.6	10.0	18.1	13.2-24.2	8.0	10.7	7.6-14.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Jamaica, Hollis & St. Albans**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1043.2	439.1	427.1-451.4	504.6	519.8	499.0-541.3	538.6	391.1	376.3-406.4
Oral cavity and pharynx	19.0	7.8	6.3-9.6	10.6	10.5	7.8-13.9	8.4	6.2	4.4-8.4
Esophagus	8.6	3.7	2.7-5.1	5.2	5.8	3.7-8.5	3.4	2.3	1.4-3.8
Stomach	29.4	12.9	10.9-15.2	15.6	17.7	13.9-22.2	13.8	10.2	7.9-12.9
Colorectal	107.8	46.0	42.2-50.2	54.8	58.9	51.9-66.5	53.0	37.8	33.3-42.7
Colon excluding rectum	81.0	34.8	31.5-38.5	39.2	42.8	36.8-49.4	41.8	29.8	25.9-34.2
Rectum & rectosigmoid	26.8	11.2	9.4-13.3	15.6	16.1	12.6-20.2	11.2	8.0	6.0-10.4
Liver / intrahepatic bile duct	23.0	9.5	7.8-11.4	15.0	14.9	11.6-18.8	8.0	5.7	4.1-7.8
Pancreas	29.8	12.8	10.8-15.1	12.2	13.6	10.3-17.6	17.6	12.3	9.9-15.3
Larynx	6.2	2.5	1.7-3.6	5.4	5.9	3.8-8.6	0.8	0.5	0.1-1.3
Lung and bronchus	95.8	41.0	37.3-44.9	46.0	50.3	43.8-57.5	49.8	35.5	31.2-40.3
Melanoma of the skin	2.0	0.9	0.4-1.7	1.0	1.2	0.4-2.8	1.0	0.8	0.2-1.8
Female breast							155.2	112.9	105.0-121.2
Cervix uteri							17.6	13.7	11.0-16.9
Corpus uterus and NOS							46.8	32.8	28.7-37.3
Ovary							14.0	9.9	7.7-12.6
Prostate				205.8	203.5	190.8-216.8			
Testis				2.0	1.9	0.9-3.5			
Urinary bladder (incl. in situ)	23.6	10.6	8.7-12.7	15.8	18.4	14.4-23.0	7.8	5.7	4.0-7.8
Kidney and renal pelvis	33.2	13.9	11.8-16.2	20.8	20.8	16.9-25.4	12.4	9.0	6.9-11.6
Brain and other nervous system	8.6	3.7	2.7-5.1	4.8	4.7	3.0-7.0	3.8	3.0	1.8-4.6
Thyroid	32.0	13.5	11.5-15.8	7.4	7.1	5.0-9.9	24.6	18.9	15.6-22.6
Hodgkin lymphoma	6.2	2.7	1.8-3.9	3.6	3.3	1.9-5.3	2.6	2.2	1.2-3.7
Non-Hodgkin lymphomas	31.8	13.5	11.5-15.8	15.4	15.2	11.9-19.1	16.4	12.1	9.6-15.1
Myeloma	33.6	14.5	12.3-16.9	14.2	15.4	11.9-19.6	19.4	14.1	11.4-17.2
Leukemias	23.2	10.0	8.2-12.0	11.2	11.0	8.2-14.4	12.0	9.1	6.9-11.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.



**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Howard Beach & Ozone Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	584.2	422.3	406.9-438.2	287.4	471.5	446.6-497.4	296.8	391.0	371.0-411.8
Oral cavity and pharynx	11.6	8.4	6.3-10.9	8.2	12.6	9.0-17.4	3.4	4.8	2.8-7.8
Esophagus	4.4	3.2	2.0-4.9	3.0	4.9	2.7-8.2	1.4	1.8	0.7-3.8
Stomach	12.0	8.8	6.6-11.3	6.8	10.7	7.3-15.2	5.2	7.0	4.6-10.4
Colorectal	50.6	37.5	33.0-42.6	28.6	49.0	41.1-58.0	22.0	28.7	23.5-34.8
Colon excluding rectum	35.0	26.5	22.6-30.8	19.2	34.8	28.0-42.7	15.8	20.5	16.2-25.7
Rectum & rectosigmoid	15.6	11.1	8.7-13.9	9.4	14.2	10.3-19.1	6.2	8.2	5.5-11.7
Liver / intrahepatic bile duct	8.8	6.4	4.6-8.6	6.4	9.9	6.7-14.1	2.4	3.4	1.7-6.0
Pancreas	12.8	9.3	7.1-12.0	5.2	8.4	5.4-12.5	7.6	10.1	7.1-13.9
Larynx	4.2	3.0	1.8-4.6	4.0	6.4	3.8-10.0	0.2	0.2	0.0-1.5
Lung and bronchus	69.2	51.2	45.9-57.0	37.8	64.9	55.7-75.1	31.4	41.4	35.1-48.6
Melanoma of the skin	8.4	6.5	4.6-8.8	5.0	8.5	5.4-12.7	3.4	4.9	2.8-7.9
Female breast							84.8	109.5	99.2-120.7
Cervix uteri							8.4	11.6	8.3-15.8
Corpus uterus and NOS							26.0	32.5	27.1-38.8
Ovary							13.2	17.7	13.6-22.7
Prostate				80.8	122.9	110.8-136.0			
Testis				2.0	3.1	1.5-5.8			
Urinary bladder (incl. in situ)	25.4	19.6	16.3-23.3	18.8	34.1	27.3-41.9	6.6	9.0	6.1-12.7
Kidney and renal pelvis	16.4	11.3	9.0-14.1	11.8	18.0	13.5-23.4	4.6	5.9	3.7-8.9
Brain and other nervous system	8.4	6.2	4.5-8.5	4.2	6.6	4.0-10.2	4.2	5.9	3.6-9.1
Thyroid	23.8	17.2	14.2-20.7	6.0	9.4	6.2-13.6	17.8	24.8	19.9-30.7
Hodgkin lymphoma	3.8	3.1	1.9-4.9	2.0	3.3	1.6-6.2	1.8	2.9	1.3-5.5
Non-Hodgkin lymphomas	21.8	15.7	12.9-19.0	10.8	17.7	13.2-23.3	11.0	14.3	10.7-18.7
Myeloma	12.0	8.8	6.7-11.4	6.6	10.5	7.1-15.0	5.4	7.2	4.7-10.6
Leukemias	20.4	15.8	12.8-19.2	11.0	20.4	15.3-26.7	9.4	13.0	9.5-17.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Far Rockaway, Breezy Point & Broad Channel**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	628.0	477.5	460.7-494.8	296.2	506.8	480.8-533.9	331.8	457.4	435.2-480.4
Oral cavity and pharynx	14.4	10.8	8.4-13.7	10.2	16.8	12.5-22.3	4.2	5.9	3.6-9.1
Esophagus	7.0	5.0	3.5-7.0	6.0	9.7	6.5-14.0	1.0	1.2	0.4-3.0
Stomach	11.4	8.7	6.6-11.3	5.2	9.1	5.9-13.5	6.2	8.2	5.5-11.7
Colorectal	58.6	44.5	39.5-50.0	26.6	46.1	38.5-54.9	32.0	42.7	36.3-50.1
Colon excluding rectum	42.6	32.7	28.4-37.5	20.2	35.7	29.0-43.6	22.4	30.1	24.7-36.4
Rectum & rectosigmoid	16.0	11.8	9.3-14.7	6.4	10.4	7.0-14.8	9.6	12.6	9.3-16.9
Liver / intrahepatic bile duct	13.8	9.8	7.6-12.4	9.6	15.0	10.9-20.0	4.2	5.4	3.3-8.3
Pancreas	19.6	14.8	12.0-18.1	9.4	16.1	11.7-21.5	10.2	13.3	9.9-17.5
Larynx	6.6	4.6	3.2-6.6	5.0	7.9	5.1-11.8	1.6	2.0	0.8-4.0
Lung and bronchus	71.0	53.5	48.0-59.4	38.2	65.8	56.6-76.0	32.8	44.0	37.5-51.4
Melanoma of the skin	22.8	17.2	14.2-20.8	13.0	23.2	17.8-29.7	9.8	13.2	9.7-17.6
Female breast							85.2	121.3	109.8-133.6
Cervix uteri							7.0	10.6	7.3-14.8
Corpus uterus and NOS							26.4	34.9	29.1-41.5
Ovary							11.6	15.8	12.0-20.6
Prostate				83.4	135.7	122.8-149.7			
Testis				1.8	3.6	1.6-6.8			
Urinary bladder (incl. in situ)	23.6	18.2	15.1-21.9	16.0	29.0	22.9-36.3	7.6	10.5	7.4-14.5
Kidney and renal pelvis	18.0	13.8	11.0-17.0	10.0	17.1	12.6-22.7	8.0	11.0	7.8-15.1
Brain and other nervous system	7.8	6.2	4.4-8.5	3.8	7.0	4.1-10.9	4.0	5.5	3.3-8.6
Thyroid	20.0	16.6	13.4-20.2	4.0	7.9	4.7-12.2	16.0	24.0	18.9-30.0
Hodgkin lymphoma	4.2	3.7	2.3-5.7	2.0	3.5	1.7-6.5	2.2	3.9	1.9-6.9
Non-Hodgkin lymphomas	23.0	17.5	14.4-21.0	9.2	16.4	11.9-21.9	13.8	18.6	14.4-23.7
Myeloma	13.0	9.7	7.5-12.5	5.2	8.8	5.7-13.0	7.8	10.6	7.5-14.6
Leukemias	18.0	13.9	11.1-17.1	9.2	16.6	12.1-22.2	8.8	11.9	8.6-16.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Richmond (Staten Island)**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2843.0	524.9	516.1-533.8	1399.6	577.1	563.2-591.2	1443.4	491.5	479.9-503.2
Oral cavity and pharynx	56.4	10.0	8.8-11.3	38.4	14.9	12.8-17.2	18.0	6.0	4.8-7.4
Esophagus	17.8	3.3	2.6-4.0	14.2	5.9	4.6-7.5	3.6	1.2	0.7-1.9
Stomach	44.4	8.3	7.2-9.5	25.0	10.6	8.7-12.7	19.4	6.5	5.3-8.0
Colorectal	233.0	43.3	40.8-45.9	116.6	49.4	45.3-53.7	116.4	38.2	35.1-41.6
Colon excluding rectum	167.0	31.2	29.1-33.5	80.2	34.5	31.1-38.2	86.8	28.4	25.8-31.3
Rectum & rectosigmoid	66.0	12.1	10.8-13.5	36.4	14.9	12.7-17.3	29.6	9.8	8.3-11.6
Liver / intrahepatic bile duct	60.6	10.5	9.4-11.8	44.6	17.0	14.7-19.4	16.0	5.3	4.2-6.6
Pancreas	75.0	13.7	12.3-15.2	38.4	15.8	13.6-18.3	36.6	12.0	10.3-13.9
Larynx	23.0	4.1	3.3-4.9	17.8	7.1	5.6-8.8	5.2	1.7	1.1-2.6
Lung and bronchus	351.6	64.7	61.7-67.9	180.0	76.1	71.1-81.4	171.6	56.5	52.7-60.5
Melanoma of the skin	96.8	18.0	16.4-19.7	54.8	23.1	20.4-26.1	42.0	14.6	12.6-16.7
Female breast							396.4	134.8	128.8-141.0
Cervix uteri							19.8	7.4	5.9-9.0
Corpus uterus and NOS							108.6	35.4	32.4-38.6
Ovary							37.6	12.8	11.0-14.8
Prostate				325.6	125.4	119.2-131.9			
Testis				14.0	6.3	4.9-8.0			
Urinary bladder (incl. in situ)	141.0	26.0	24.1-28.1	110.0	47.7	43.7-52.0	31.0	10.1	8.5-11.9
Kidney and renal pelvis	104.2	18.9	17.2-20.6	69.6	27.2	24.3-30.3	34.6	11.8	10.1-13.8
Brain and other nervous system	34.4	6.8	5.8-8.0	17.6	7.7	6.1-9.5	16.8	6.1	4.8-7.6
Thyroid	169.4	33.2	30.9-35.5	45.2	18.3	16.0-21.0	124.2	47.0	43.2-50.9
Hodgkin lymphoma	18.8	3.9	3.2-4.8	9.8	4.1	3.0-5.5	9.0	3.7	2.7-5.0
Non-Hodgkin lymphomas	128.4	24.1	22.3-26.1	67.8	28.9	25.8-32.3	60.6	20.5	18.2-23.0
Myeloma	48.0	8.8	7.7-10.0	28.8	12.3	10.3-14.6	19.2	6.1	4.9-7.5
Leukemias	97.0	18.5	16.9-20.3	54.0	23.3	20.5-26.3	43.0	15.3	13.3-17.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015**

**Tottenville, Great Kills & Annadale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1040.6	546.7	531.5-562.1	513.4	593.9	570.3-618.3	527.2	516.7	496.6-537.4
Oral cavity and pharynx	22.0	11.1	9.1-13.5	14.8	16.1	12.5-20.4	7.2	6.8	4.7-9.6
Esophagus	6.2	3.2	2.1-4.6	5.0	5.7	3.6-8.6	1.2	1.1	0.4-2.5
Stomach	14.6	7.8	6.1-9.9	8.8	10.5	7.5-14.4	5.8	5.9	3.9-8.6
Colorectal	81.6	43.6	39.4-48.2	40.0	48.6	41.8-56.1	41.6	40.1	34.7-46.1
Colon excluding rectum	58.6	31.7	28.1-35.7	28.8	35.9	30.1-42.6	29.8	28.7	24.2-33.9
Rectum & rectosigmoid	23.0	11.8	9.7-14.3	11.2	12.6	9.4-16.6	11.8	11.3	8.6-14.8
Liver / intrahepatic bile duct	21.6	10.9	8.9-13.3	16.8	18.0	14.2-22.5	4.8	5.0	3.1-7.5
Pancreas	29.0	15.4	12.9-18.2	15.4	17.7	13.8-22.4	13.6	13.1	10.1-16.7
Larynx	7.6	3.8	2.7-5.4	6.0	7.1	4.7-10.3	1.6	1.4	0.6-2.9
Lung and bronchus	124.4	65.3	60.1-70.8	61.2	73.6	65.3-82.7	63.2	59.5	53.0-66.7
Melanoma of the skin	41.8	22.0	19.1-25.3	22.4	25.8	21.1-31.4	19.4	19.5	15.7-24.0
Female breast							144.2	140.7	130.4-151.7
Cervix uteri							5.6	5.9	3.9-8.7
Corpus uterus and NOS							39.2	35.0	30.2-40.4
Ovary							14.2	13.7	10.6-17.4
Prostate				113.0	119.3	109.3-130.0			
Testis				5.8	7.6	5.1-11.0			
Urinary bladder (incl. in situ)	54.6	28.5	25.2-32.2	43.2	51.8	44.9-59.5	11.4	10.4	7.8-13.6
Kidney and renal pelvis	39.2	19.9	17.2-23.0	27.0	29.3	24.4-34.9	12.2	11.7	8.9-15.2
Brain and other nervous system	13.4	7.8	6.0-9.9	6.6	8.4	5.7-11.8	6.8	7.4	5.0-10.5
Thyroid	73.2	40.9	36.7-45.5	22.4	25.8	21.1-31.2	50.8	55.4	48.6-62.9
Hodgkin lymphoma	6.4	4.0	2.7-5.6	4.0	4.9	3.0-7.7	2.4	3.1	1.6-5.4
Non-Hodgkin lymphomas	44.2	23.6	20.5-27.0	21.6	25.2	20.5-30.6	22.6	22.3	18.3-27.0
Myeloma	15.8	8.4	6.6-10.5	10.2	12.6	9.3-16.8	5.6	5.1	3.4-7.6
Leukemias	38.2	21.3	18.3-24.6	21.0	26.1	21.2-31.8	17.2	18.0	14.3-22.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
New Springville & South Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	866.4	507.2	491.7-523.0	418.2	553.2	529.1-578.1	448.2	479.6	459.2-500.8
Oral cavity and pharynx	15.0	8.6	6.7-10.8	10.2	13.0	9.6-17.3	4.8	5.3	3.3-8.2
Esophagus	5.4	3.0	2.0-4.5	4.4	5.7	3.6-8.9	1.0	1.0	0.3-2.5
Stomach	15.2	9.0	7.0-11.4	8.4	11.3	8.0-15.4	6.8	7.1	4.8-10.1
Colorectal	75.0	43.2	38.9-48.0	38.2	51.9	44.6-60.1	36.8	35.6	30.5-41.4
Colon excluding rectum	52.6	30.2	26.6-34.2	23.4	32.2	26.5-38.8	29.2	27.9	23.4-33.1
Rectum & rectosigmoid	22.4	13.0	10.7-15.8	14.8	19.7	15.3-24.9	7.6	7.7	5.4-10.8
Liver / intrahepatic bile duct	15.6	8.7	6.8-10.9	12.0	14.9	11.3-19.4	3.6	3.6	2.1-5.9
Pancreas	21.2	11.9	9.7-14.4	10.6	13.7	10.2-18.1	10.6	10.3	7.7-13.7
Larynx	7.8	4.4	3.1-6.1	5.6	7.1	4.6-10.4	2.2	2.4	1.2-4.4
Lung and bronchus	118.8	67.5	62.0-73.3	63.0	84.0	74.8-94.2	55.8	55.1	48.7-62.3
Melanoma of the skin	28.0	16.5	13.9-19.6	15.0	20.0	15.6-25.3	13.0	14.4	11.0-18.7
Female breast							129.8	140.5	129.5-152.3
Cervix uteri							5.6	7.4	4.8-10.8
Corpus uterus and NOS							32.4	34.7	29.4-40.8
Ovary							11.2	12.3	9.1-16.2
Prostate				88.2	109.1	98.9-120.1			
Testis				3.6	5.6	3.3-8.9			
Urinary bladder (incl. in situ)	46.2	26.3	23.0-30.0	36.0	48.9	41.9-56.8	10.2	10.6	7.9-14.2
Kidney and renal pelvis	28.4	16.6	13.9-19.7	18.4	23.4	18.7-29.0	10.0	11.2	8.2-15.0
Brain and other nervous system	9.4	6.1	4.4-8.2	5.0	7.3	4.7-10.9	4.4	5.0	3.0-7.8
Thyroid	47.6	30.6	26.7-34.9	11.2	14.9	11.2-19.6	36.4	44.9	38.4-52.3
Hodgkin lymphoma	6.6	5.0	3.4-7.0	3.2	4.9	2.8-8.1	3.4	5.0	2.9-8.2
Non-Hodgkin lymphomas	41.0	24.7	21.4-28.5	22.6	31.5	25.8-38.1	18.4	19.4	15.5-24.0
Myeloma	14.0	7.9	6.1-10.0	8.0	10.4	7.4-14.3	6.0	6.0	4.0-8.7
Leukemias	27.0	16.0	13.3-19.1	16.2	21.4	16.9-26.7	10.8	12.6	9.3-16.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by New York City Neighborhood, 2011-2015  
Port Richmond, Stapleton & Mariner's Harbor**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	935.8	520.4	505.3-535.9	468.0	580.8	556.5-605.8	467.8	479.3	459.7-499.5
Oral cavity and pharynx	19.4	10.2	8.2-12.5	13.4	14.9	11.4-19.1	6.0	6.0	4.0-8.6
Esophagus	6.2	3.5	2.4-5.0	4.8	6.3	3.9-9.4	1.4	1.4	0.6-3.0
Stomach	14.6	8.4	6.5-10.6	7.8	10.1	7.1-14.0	6.8	6.7	4.6-9.5
Colorectal	76.2	43.7	39.3-48.4	38.4	49.0	42.0-56.8	37.8	38.9	33.4-45.0
Colon excluding rectum	55.6	32.1	28.4-36.2	28.0	36.5	30.4-43.3	27.6	28.3	23.7-33.6
Rectum & rectosigmoid	20.6	11.5	9.4-14.0	10.4	12.5	9.2-16.6	10.2	10.6	7.8-14.0
Liver / intrahepatic bile duct	23.4	11.9	9.8-14.4	15.8	17.4	13.7-21.9	7.6	7.4	5.2-10.3
Pancreas	24.8	13.9	11.5-16.7	12.4	16.1	12.2-20.8	12.4	12.6	9.6-16.2
Larynx	7.6	3.9	2.8-5.4	6.2	7.1	4.7-10.3	1.4	1.4	0.6-2.9
Lung and bronchus	108.4	61.6	56.4-67.1	55.8	71.3	62.9-80.6	52.6	54.4	47.9-61.5
Melanoma of the skin	27.0	15.1	12.6-18.0	17.4	23.0	18.2-28.5	9.6	9.8	7.2-13.1
Female breast							122.4	123.6	113.8-134.0
Cervix uteri							8.6	9.1	6.5-12.3
Corpus uterus and NOS							37.0	37.1	31.9-43.0
Ovary							12.2	12.2	9.3-15.8
Prostate				124.4	147.8	135.9-160.4			
Testis				4.6	5.4	3.4-8.2			
Urinary bladder (incl. in situ)	40.2	23.0	19.8-26.5	30.8	41.3	34.8-48.6	9.4	9.5	6.9-12.7
Kidney and renal pelvis	36.6	19.9	17.1-23.1	24.2	28.2	23.2-33.9	12.4	12.7	9.7-16.4
Brain and other nervous system	11.6	6.7	5.1-8.7	6.0	7.3	4.8-10.5	5.6	6.0	4.0-8.8
Thyroid	48.6	27.4	24.0-31.1	11.6	13.7	10.3-17.8	37.0	40.0	34.3-46.3
Hodgkin lymphoma	5.8	3.2	2.1-4.6	2.6	2.9	1.5-5.1	3.2	3.5	2.0-5.6
Non-Hodgkin lymphomas	43.2	24.2	21.0-27.7	23.6	30.1	24.7-36.2	19.6	19.9	16.1-24.4
Myeloma	18.2	10.4	8.3-12.8	10.6	14.1	10.5-18.6	7.6	7.7	5.4-10.6
Leukemias	31.8	18.1	15.3-21.2	16.8	21.6	17.1-26.9	15.0	15.6	12.2-19.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2017.  
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.  
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).  
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.