

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

New York State

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	111527.0	482.9	481.7-484.2	55138.4	531.6	529.6-533.6	56388.6	452.4	450.7-454.1
Oral cavity and pharynx	2558.2	10.9	10.7-11.1	1748.2	16.3	16.0-16.7	810.0	6.4	6.2-6.6
Esophagus	1072.4	4.5	4.4-4.6	809.4	7.7	7.5-7.9	263.0	2.0	1.9-2.1
Stomach	2021.0	8.7	8.6-8.9	1219.0	12.0	11.7-12.3	802.0	6.3	6.1-6.5
Colorectal	8981.2	38.9	38.5-39.2	4585.0	45.0	44.4-45.6	4396.2	34.0	33.6-34.5
Colon excluding rectum	6370.4	27.5	27.2-27.9	3094.4	30.7	30.2-31.2	3276.0	25.1	24.7-25.5
Rectum & rectosigmoid	2610.8	11.3	11.1-11.5	1490.6	14.3	14.0-14.6	1120.2	8.9	8.7-9.2
Liver / intrahepatic bile duct	2171.0	9.0	8.8-9.1	1547.4	14.0	13.7-14.4	623.6	4.7	4.6-4.9
Pancreas	3294.4	14.0	13.8-14.2	1637.0	15.9	15.6-16.3	1657.4	12.4	12.1-12.7
Larynx	779.6	3.3	3.2-3.4	620.6	5.8	5.6-6.0	159.0	1.2	1.1-1.3
Lung and bronchus	13803.0	58.9	58.4-59.3	6823.8	67.0	66.3-67.7	6979.2	53.2	52.7-53.8
Melanoma of the skin	4104.2	18.1	17.8-18.4	2351.4	23.2	22.8-23.7	1752.8	14.6	14.2-14.9
Female breast							15931.6	130.7	129.8-131.7
Cervix uteri							855.0	7.7	7.5-8.0
Corpus uterus and NOS							4089.8	31.7	31.3-32.2
Ovary							1495.4	12.1	11.8-12.4
Prostate				13766.6	125.0	124.0-126.0			
Testis				563.4	5.9	5.7-6.1			
Urinary bladder (incl. in situ)	5370.4	23.0	22.7-23.2	3988.4	40.3	39.7-40.8	1382.0	10.3	10.1-10.6
Kidney and renal pelvis	3803.6	16.5	16.2-16.7	2444.6	23.3	22.8-23.7	1359.0	10.8	10.6-11.1
Brain and other central nervous system	1421.6	6.6	6.4-6.8	785.2	7.8	7.6-8.1	636.4	5.6	5.4-5.8
Thyroid	4185.0	20.0	19.7-20.2	1047.4	10.3	10.0-10.6	3137.6	29.1	28.7-29.6
Hodgkin lymphoma	659.0	3.2	3.1-3.4	348.8	3.6	3.4-3.7	310.2	3.0	2.8-3.1
Non-Hodgkin lymphomas	4908.2	21.5	21.3-21.8	2644.8	26.2	25.8-26.7	2263.4	17.9	17.5-18.2
Myeloma	1903.2	8.1	8.0-8.3	1037.0	10.1	9.8-10.4	866.2	6.7	6.5-6.9
Leukemias	3724.2	16.5	16.3-16.7	2142.8	21.5	21.1-21.9	1581.4	12.7	12.4-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

New York City

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	40531.0	442.6	440.7-444.6	19498.8	491.6	488.5-494.8	21032.2	413.6	411.1-416.2
Oral cavity and pharynx	891.4	9.7	9.4-9.9	587.6	14.4	13.9-14.9	303.8	5.9	5.6-6.2
Esophagus	323.6	3.5	3.3-3.7	229.4	5.8	5.5-6.2	94.2	1.8	1.6-1.9
Stomach	996.0	10.9	10.6-11.2	576.6	14.9	14.4-15.5	419.4	8.0	7.7-8.4
Colorectal	3540.8	38.8	38.2-39.4	1799.2	46.3	45.3-47.2	1741.6	33.3	32.6-34.1
Colon excluding rectum	2502.8	27.5	27.0-28.0	1222.4	31.9	31.1-32.7	1280.4	24.4	23.8-25.0
Rectum & rectosigmoid	1038.0	11.3	11.0-11.6	576.8	14.4	13.9-14.9	461.2	9.0	8.6-9.3
Liver / intrahepatic bile duct	1078.2	11.3	11.0-11.7	755.6	18.0	17.4-18.6	322.6	6.1	5.8-6.4
Pancreas	1223.8	13.3	13.0-13.6	588.4	15.2	14.6-15.7	635.4	11.9	11.5-12.3
Larynx	284.6	3.0	2.9-3.2	229.8	5.7	5.4-6.1	54.8	1.0	0.9-1.2
Lung and bronchus	4297.6	47.0	46.4-47.6	2167.6	56.6	55.5-57.7	2130.0	40.5	39.7-41.3
Melanoma of the skin	923.8	10.2	9.9-10.5	504.0	13.2	12.6-13.7	419.8	8.2	7.8-8.6
Female breast							5975.0	119.9	118.5-121.3
Cervix uteri							432.6	9.1	8.7-9.5
Corpus uterus and NOS							1607.6	30.8	30.1-31.5
Ovary							583.4	11.6	11.2-12.0
Prostate				5217.4	126.1	124.5-127.7			
Testis				204.6	4.7	4.4-5.0			
Urinary bladder (incl. in situ)	1508.0	16.6	16.2-17.0	1110.2	30.0	29.2-30.8	397.8	7.4	7.1-7.7
Kidney and renal pelvis	1295.2	14.1	13.8-14.5	820.0	20.3	19.6-20.9	475.2	9.3	8.9-9.7
Brain and other central nervous system	512.8	5.8	5.6-6.1	278.2	6.9	6.6-7.3	234.6	4.9	4.6-5.2
Thyroid	1864.8	20.9	20.5-21.3	428.6	10.3	9.9-10.8	1436.2	30.4	29.7-31.1
Hodgkin lymphoma	277.4	3.2	3.0-3.3	143.0	3.5	3.2-3.7	134.4	2.9	2.7-3.1
Non-Hodgkin lymphomas	1792.2	19.8	19.4-20.2	953.4	24.3	23.6-25.0	838.8	16.3	15.8-16.9
Myeloma	807.4	8.8	8.5-9.1	426.0	10.9	10.4-11.4	381.4	7.3	7.0-7.6
Leukemias	1250.6	14.0	13.6-14.3	690.2	17.9	17.3-18.6	560.4	11.1	10.7-11.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

Bronx County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6263.6	444.6	439.6-449.6	3041.4	517.1	508.7-525.6	3222.2	399.4	393.2-405.7
Oral cavity and pharynx	142.2	9.9	9.2-10.7	98.0	16.0	14.5-17.5	44.2	5.4	4.7-6.2
Esophagus	49.6	3.5	3.1-4.0	34.6	6.1	5.2-7.1	15.0	1.8	1.4-2.3
Stomach	151.8	11.1	10.3-11.9	80.8	14.6	13.2-16.2	71.0	8.8	7.9-9.7
Colorectal	553.0	39.7	38.3-41.3	276.8	48.3	45.7-51.0	276.2	33.8	32.0-35.6
Colon excluding rectum	391.6	28.4	27.1-29.7	192.4	34.3	32.2-36.7	199.2	24.4	22.9-26.0
Rectum & rectosigmoid	161.4	11.4	10.6-12.2	84.4	14.0	12.6-15.4	77.0	9.4	8.5-10.4
Liver / intrahepatic bile duct	239.2	16.2	15.3-17.2	170.2	27.0	25.1-28.9	69.0	8.2	7.4-9.2
Pancreas	192.8	13.9	13.0-14.8	92.2	16.1	14.7-17.7	100.6	12.3	11.2-13.5
Larynx	57.6	4.1	3.6-4.6	43.8	7.4	6.5-8.5	13.8	1.7	1.3-2.2
Lung and bronchus	638.8	46.2	44.6-47.9	317.4	56.9	54.1-59.9	321.4	39.3	37.3-41.2
Melanoma of the skin	58.8	4.3	3.8-4.8	31.4	5.7	4.9-6.7	27.4	3.4	2.8-4.0
Female breast							881.0	110.1	106.8-113.4
Cervix uteri							75.0	9.7	8.7-10.7
Corpus uterus and NOS							253.2	30.7	29.0-32.5
Ovary							84.2	10.4	9.4-11.4
Prostate				901.0	147.8	143.4-152.3			
Testis				24.0	3.6	2.9-4.3			
Urinary bladder (incl. in situ)	182.8	13.4	12.5-14.3	127.6	24.0	22.1-26.0	55.2	6.7	5.9-7.5
Kidney and renal pelvis	234.8	16.8	15.8-17.8	142.8	24.1	22.4-26.0	92.0	11.4	10.4-12.5
Brain and other central nervous system	71.8	5.1	4.6-5.7	35.8	5.7	4.9-6.6	36.0	4.6	4.0-5.3
Thyroid	235.6	16.8	15.8-17.8	37.0	6.0	5.1-6.9	198.6	25.7	24.1-27.4
Hodgkin lymphoma	50.8	3.5	3.1-4.0	25.6	3.9	3.2-4.7	25.2	3.2	2.7-3.8
Non-Hodgkin lymphomas	261.6	18.6	17.6-19.6	140.2	23.8	22.1-25.7	121.4	15.0	13.8-16.3
Myeloma	153.8	11.1	10.3-11.9	82.4	14.4	13.0-15.9	71.4	8.9	8.0-9.9
Leukemias	177.4	12.6	11.8-13.5	93.2	16.0	14.5-17.5	84.2	10.5	9.5-11.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Riverdale, Fieldston & Kingsbridge**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	601.8	420.3	404.8-436.2	279.4	465.4	440.8-491.1	322.4	396.3	376.1-417.4
Oral cavity and pharynx	14.4	10.5	8.1-13.4	7.4	12.6	8.8-17.6	7.0	8.9	6.0-12.8
Esophagus	4.0	2.5	1.5-4.1	2.4	3.6	1.8-6.5	1.6	1.9	0.8-4.1
Stomach	10.2	7.0	5.1-9.4	5.4	9.4	6.1-13.9	4.8	5.6	3.5-8.7
Colorectal	53.0	36.4	31.9-41.3	24.2	40.9	33.8-49.1	28.8	33.2	27.7-39.7
Colon excluding rectum	36.8	24.9	21.3-29.0	17.0	28.8	22.8-35.8	19.8	22.2	17.8-27.5
Rectum & rectosigmoid	16.2	11.4	9.0-14.4	7.2	12.1	8.4-16.9	9.0	11.0	7.9-15.1
Liver / intrahepatic bile duct	16.8	11.5	9.2-14.4	11.2	18.4	13.8-24.0	5.6	6.7	4.4-9.8
Pancreas	19.6	12.2	9.8-15.0	9.8	16.0	11.7-21.3	9.8	9.9	7.1-13.4
Larynx	4.4	3.2	2.0-4.9	3.8	6.4	3.8-10.2	0.6	0.9	0.2-2.7
Lung and bronchus	64.2	41.7	37.1-46.7	30.0	48.9	41.3-57.6	34.2	37.6	31.9-44.0
Melanoma of the skin	16.8	11.9	9.4-14.9	8.8	14.7	10.6-20.0	8.0	10.3	7.2-14.4
Female breast							88.6	113.6	102.8-125.3
Cervix uteri							3.6	5.3	3.1-8.5
Corpus uterus and NOS							25.8	32.9	27.3-39.5
Ovary							9.0	11.8	8.5-16.0
Prostate				70.4	112.3	100.7-125.0			
Testis				2.4	4.8	2.5-8.5			
Urinary bladder (incl. in situ)	24.6	15.9	13.1-19.2	18.2	30.6	24.5-37.8	6.4	6.1	4.1-9.0
Kidney and renal pelvis	23.2	16.8	13.8-20.3	14.8	26.2	20.4-33.1	8.4	10.1	7.2-14.0
Brain and other central nervous system	7.4	6.2	4.3-8.7	3.4	6.5	3.7-10.6	4.0	6.1	3.5-9.8
Thyroid	21.0	17.8	14.5-21.7	4.2	7.7	4.7-11.8	16.8	26.3	20.7-32.8
Hodgkin lymphoma	4.2	3.6	2.2-5.5	1.8	3.1	1.4-6.0	2.4	4.0	2.0-7.1
Non-Hodgkin lymphomas	26.8	18.5	15.4-22.1	13.8	23.3	18.0-29.8	13.0	15.2	11.6-19.8
Myeloma	16.2	11.6	9.2-14.6	10.4	17.5	13.0-23.2	5.8	7.5	5.0-11.0
Leukemias	18.4	12.2	9.7-15.2	10.2	16.8	12.3-22.3	8.2	9.0	6.2-12.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Wakefield, Williamsbridge & Woodlawn**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	672.2	452.1	436.7-468.0	322.0	523.5	497.3-550.6	350.2	405.6	386.6-425.3
Oral cavity and pharynx	10.6	7.2	5.4-9.4	7.2	11.5	7.9-16.1	3.4	4.2	2.4-6.8
Esophagus	4.8	3.3	2.1-4.9	2.4	4.4	2.2-7.7	2.4	2.7	1.4-4.7
Stomach	17.0	11.9	9.5-14.8	10.0	18.5	13.6-24.5	7.0	7.8	5.4-11.0
Colorectal	62.8	41.9	37.3-46.9	30.0	47.0	39.5-55.5	32.8	37.9	32.2-44.3
Colon excluding rectum	43.0	29.0	25.2-33.2	20.4	33.6	27.1-41.0	22.6	25.8	21.2-31.1
Rectum & rectosigmoid	19.8	12.9	10.4-15.8	9.6	13.4	9.8-17.9	10.2	12.1	9.0-16.0
Liver / intrahepatic bile duct	15.4	9.6	7.5-12.0	12.4	18.5	14.1-24.0	3.0	3.1	1.7-5.3
Pancreas	20.8	14.2	11.6-17.3	8.4	13.9	9.9-18.9	12.4	14.6	11.1-18.7
Larynx	4.0	2.8	1.7-4.4	3.2	5.7	3.2-9.3	0.8	0.9	0.3-2.5
Lung and bronchus	62.6	42.7	38.0-47.8	29.0	48.2	40.4-57.0	33.6	38.6	32.9-45.0
Melanoma of the skin	5.2	3.9	2.6-5.8	2.8	5.6	3.0-9.3	2.4	2.9	1.5-5.0
Female breast							95.6	111.1	101.2-121.7
Cervix uteri							9.0	10.3	7.4-13.8
Corpus uterus and NOS							29.2	32.2	27.1-37.9
Ovary							8.2	9.6	6.9-13.2
Prostate				113.8	174.6	160.1-190.1			
Testis				1.4	2.4	0.9-5.0			
Urinary bladder (incl. in situ)	16.2	11.5	9.1-14.4	11.4	21.0	15.7-27.4	4.8	5.7	3.6-8.6
Kidney and renal pelvis	25.2	17.3	14.4-20.7	16.2	26.9	21.2-33.6	9.0	10.6	7.7-14.3
Brain and other central nervous system	6.8	4.9	3.4-6.9	4.2	7.1	4.3-11.0	2.6	3.4	1.8-5.8
Thyroid	25.8	17.4	14.5-20.7	2.8	4.3	2.3-7.3	23.0	27.0	22.2-32.5
Hodgkin lymphoma	5.8	4.1	2.7-5.9	2.4	4.1	2.1-7.3	3.4	4.2	2.5-6.8
Non-Hodgkin lymphomas	28.0	19.5	16.4-23.1	14.0	24.4	18.8-31.0	14.0	16.6	12.9-21.0
Myeloma	21.8	15.3	12.5-18.5	11.8	20.8	15.7-27.1	10.0	11.9	8.8-15.7
Leukemias	20.8	14.2	11.6-17.3	10.8	18.5	13.7-24.3	10.0	11.9	8.8-15.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Co-op City, Pelham Bay & Schuylerville**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	759.4	458.4	443.5-473.7	354.0	520.5	496.2-545.8	405.4	425.0	405.7-445.1
Oral cavity and pharynx	17.6	10.5	8.3-13.0	11.4	16.9	12.7-22.1	6.2	5.8	3.9-8.5
Esophagus	5.6	3.0	2.0-4.5	3.8	5.2	3.1-8.3	1.8	1.4	0.6-3.1
Stomach	16.2	9.4	7.4-11.8	7.6	10.9	7.7-15.1	8.6	8.3	5.9-11.5
Colorectal	68.0	40.2	35.9-44.9	36.0	54.8	47.0-63.6	32.0	30.5	25.7-36.0
Colon excluding rectum	49.8	28.9	25.3-32.9	26.2	39.6	33.1-47.2	23.6	21.9	18.0-26.6
Rectum & rectosigmoid	18.2	11.3	9.0-14.0	9.8	15.1	11.1-20.2	8.4	8.6	6.0-11.9
Liver / intrahepatic bile duct	23.0	13.7	11.2-16.5	15.8	22.7	17.9-28.4	7.2	7.1	4.9-10.1
Pancreas	22.6	12.7	10.4-15.4	10.0	14.7	10.9-19.6	12.6	11.3	8.6-14.7
Larynx	4.0	2.3	1.4-3.7	3.0	4.3	2.4-7.3	1.0	1.0	0.3-2.7
Lung and bronchus	90.0	50.8	46.2-55.8	45.6	65.2	56.9-74.4	44.4	41.6	36.2-47.8
Melanoma of the skin	13.2	8.2	6.3-10.5	8.0	12.1	8.6-16.7	5.2	5.4	3.4-8.2
Female breast							110.4	121.2	110.8-132.4
Cervix uteri							6.4	8.1	5.4-11.7
Corpus uterus and NOS							31.8	32.8	27.8-38.7
Ovary							11.4	11.3	8.4-15.0
Prostate				88.6	124.1	112.7-136.4			
Testis				3.0	5.8	3.2-9.7			
Urinary bladder (incl. in situ)	34.8	19.0	16.3-22.2	23.8	34.9	28.9-41.9	11.0	9.5	7.1-12.6
Kidney and renal pelvis	26.6	16.1	13.4-19.2	15.2	23.4	18.3-29.4	11.4	10.8	8.1-14.3
Brain and other central nervous system	9.6	6.7	4.9-9.1	3.4	5.9	3.4-9.6	6.2	7.3	4.7-10.7
Thyroid	27.4	21.3	17.7-25.3	6.2	11.1	7.4-15.9	21.2	29.9	24.2-36.6
Hodgkin lymphoma	4.4	3.4	2.1-5.3	2.6	4.4	2.3-7.5	1.8	2.7	1.2-5.2
Non-Hodgkin lymphomas	30.0	18.1	15.2-21.5	15.0	22.5	17.6-28.4	15.0	15.7	12.1-20.1
Myeloma	18.0	10.7	8.5-13.2	9.0	13.1	9.5-17.6	9.0	9.2	6.6-12.6
Leukemias	23.4	15.0	12.3-18.2	11.8	18.4	13.9-24.0	11.6	13.3	9.8-17.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Pelham Parkway, Morris Park & Laconia**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	640.2	449.0	433.4-465.1	303.8	489.7	465.1-515.3	336.4	426.1	405.6-447.4
Oral cavity and pharynx	11.8	7.9	6.0-10.2	7.8	11.7	8.3-16.1	4.0	4.8	2.9-7.5
Esophagus	3.6	2.6	1.5-4.2	2.4	4.2	2.2-7.4	1.2	1.3	0.5-3.0
Stomach	15.8	11.4	9.0-14.2	8.4	13.9	9.9-18.8	7.4	9.7	6.8-13.5
Colorectal	60.6	41.6	37.0-46.7	31.0	50.8	43.0-59.6	29.6	35.2	29.6-41.6
Colon excluding rectum	43.4	29.7	25.8-34.0	21.6	35.8	29.3-43.4	21.8	25.7	21.0-31.2
Rectum & rectosigmoid	17.2	12.0	9.5-14.8	9.4	15.0	10.9-20.0	7.8	9.5	6.7-13.1
Liver / intrahepatic bile duct	25.0	16.9	14.1-20.2	17.4	26.6	21.3-33.0	7.6	9.3	6.6-12.9
Pancreas	21.0	14.2	11.6-17.3	7.8	12.4	8.8-17.1	13.2	15.2	11.7-19.4
Larynx	5.6	3.9	2.6-5.7	4.8	8.0	5.1-12.0	0.8	0.9	0.2-2.5
Lung and bronchus	65.4	44.8	40.0-50.0	32.4	53.7	45.7-62.8	33.0	39.1	33.2-45.7
Melanoma of the skin	7.4	5.1	3.5-7.0	2.8	4.8	2.6-8.1	4.6	5.4	3.4-8.3
Female breast							85.2	109.5	99.2-120.6
Cervix uteri							6.8	10.0	6.9-14.1
Corpus uterus and NOS							27.4	34.7	29.1-41.2
Ovary							10.4	13.5	10.0-17.8
Prostate				77.8	122.8	110.7-135.8			
Testis				3.2	5.3	3.0-8.6			
Urinary bladder (incl. in situ)	22.0	14.8	12.1-17.9	17.0	27.9	22.2-34.6	5.0	5.8	3.7-8.7
Kidney and renal pelvis	26.4	18.5	15.4-21.9	17.0	27.2	21.7-33.7	9.4	11.9	8.7-15.9
Brain and other central nervous system	7.4	5.4	3.8-7.5	4.2	6.8	4.2-10.5	3.2	4.1	2.3-6.9
Thyroid	26.4	19.7	16.5-23.5	5.8	8.8	5.8-12.6	20.6	29.3	23.8-35.6
Hodgkin lymphoma	5.8	4.5	3.0-6.5	1.8	3.1	1.4-5.9	4.0	5.8	3.5-9.0
Non-Hodgkin lymphomas	25.2	17.7	14.7-21.1	13.8	22.5	17.4-28.5	11.4	14.1	10.6-18.4
Myeloma	14.8	10.2	8.0-12.9	8.0	12.6	9.0-17.3	6.8	8.4	5.8-11.9
Leukemias	20.2	14.9	12.1-18.2	10.2	17.1	12.7-22.5	10.0	13.3	9.8-17.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Belmont, Crotona Park East & East Tremont**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	639.0	490.5	473.0-508.3	311.2	589.6	558.5-621.9	327.8	428.4	407.6-450.1
Oral cavity and pharynx	17.8	13.9	11.1-17.2	11.6	22.3	16.5-29.3	6.2	8.3	5.6-11.8
Esophagus	5.8	4.6	3.0-6.6	4.4	8.8	5.3-13.5	1.4	1.9	0.7-3.9
Stomach	16.4	13.4	10.6-16.7	8.0	17.3	12.0-23.9	8.4	11.1	8.0-15.1
Colorectal	55.8	44.0	38.8-49.6	28.6	54.6	45.4-65.0	27.2	36.3	30.4-43.1
Colon excluding rectum	37.8	30.3	26.0-35.1	20.0	38.6	30.8-47.6	17.8	24.3	19.4-30.0
Rectum & rectosigmoid	18.0	13.7	10.9-16.9	8.6	16.0	11.4-21.8	9.4	12.0	8.8-16.0
Liver / intrahepatic bile duct	31.2	23.2	19.6-27.3	22.6	39.7	32.3-48.3	8.6	11.6	8.3-15.6
Pancreas	20.0	16.4	13.2-20.0	10.2	20.6	15.0-27.5	9.8	13.5	10.0-17.9
Larynx	7.8	5.8	4.1-8.0	5.2	9.5	6.0-14.1	2.6	3.3	1.7-5.7
Lung and bronchus	68.4	56.1	50.1-62.5	33.6	71.2	60.1-83.5	34.8	47.3	40.4-55.0
Melanoma of the skin	1.6	1.6	0.7-3.1	1.4	3.8	1.4-7.7	0.2	0.3	0.0-1.6
Female breast							89.4	115.8	105.2-127.3
Cervix uteri							9.0	11.7	8.5-15.7
Corpus uterus and NOS							22.8	29.2	24.0-35.1
Ovary							10.4	13.5	10.0-17.7
Prostate				92.4	172.6	156.3-190.0			
Testis				2.4	3.1	1.6-5.7			
Urinary bladder (incl. in situ)	16.4	14.2	11.2-17.7	11.6	25.3	18.8-33.2	4.8	7.2	4.6-10.7
Kidney and renal pelvis	22.8	17.2	14.1-20.8	12.8	23.1	17.5-29.8	10.0	13.0	9.6-17.3
Brain and other central nervous system	6.8	4.5	3.0-6.3	3.2	4.2	2.4-7.1	3.6	4.4	2.6-7.1
Thyroid	20.4	14.0	11.4-17.1	2.8	4.6	2.5-7.9	17.6	21.4	17.1-26.4
Hodgkin lymphoma	5.2	3.3	2.2-5.0	3.4	4.9	2.8-8.0	1.8	2.0	0.9-3.9
Non-Hodgkin lymphomas	25.6	19.1	15.8-22.8	14.2	26.2	20.1-33.5	11.4	14.4	10.8-18.7
Myeloma	16.8	13.2	10.4-16.4	6.6	13.3	8.9-18.9	10.2	13.4	9.9-17.6
Leukemias	16.4	12.3	9.6-15.4	8.6	16.5	11.4-22.9	7.8	9.8	6.9-13.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Bedford Park, Fordham North & Norwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	495.6	452.0	433.7-470.8	253.8	548.6	516.9-581.7	241.8	387.9	365.8-411.0
Oral cavity and pharynx	12.0	11.0	8.3-14.2	8.6	18.2	12.9-24.8	3.4	5.7	3.3-9.2
Esophagus	5.2	4.7	3.0-7.0	4.4	9.5	5.7-14.6	0.8	1.3	0.3-3.3
Stomach	14.8	14.2	11.0-17.9	9.0	21.9	15.7-29.6	5.8	9.3	6.2-13.5
Colorectal	41.2	38.2	33.0-44.0	23.0	50.6	41.2-61.5	18.2	29.5	23.5-36.4
Colon excluding rectum	28.6	27.5	23.0-32.6	16.2	37.2	29.0-46.8	12.4	20.9	15.8-26.9
Rectum & rectosigmoid	12.6	10.7	8.2-13.8	6.8	13.5	9.1-19.1	5.8	8.6	5.7-12.5
Liver / intrahepatic bile duct	23.0	20.1	16.5-24.3	16.4	32.3	25.4-40.6	6.6	10.5	7.1-14.8
Pancreas	16.8	16.1	12.7-20.0	9.2	20.8	14.9-28.1	7.6	12.7	8.9-17.5
Larynx	4.0	3.3	2.0-5.2	3.0	5.7	3.1-9.6	1.0	1.5	0.5-3.6
Lung and bronchus	46.8	45.8	39.9-52.3	25.6	62.6	51.6-75.0	21.2	35.2	28.6-42.7
Melanoma of the skin	5.8	5.4	3.6-7.9	3.8	7.9	4.6-12.6	2.0	3.5	1.6-6.5
Female breast							73.0	116.5	104.6-129.4
Cervix uteri							6.6	10.1	6.9-14.3
Corpus uterus and NOS							16.2	25.6	20.2-31.9
Ovary							5.2	8.4	5.4-12.3
Prostate				68.0	142.2	126.7-159.1			
Testis				2.8	4.1	2.2-7.1			
Urinary bladder (incl. in situ)	13.0	13.0	9.9-16.7	8.2	19.9	13.9-27.3	4.8	8.7	5.5-13.1
Kidney and renal pelvis	19.2	17.6	14.2-21.6	11.6	24.1	18.0-31.5	7.6	12.6	8.8-17.4
Brain and other central nervous system	6.6	5.5	3.7-7.8	3.8	6.9	4.0-11.1	2.8	4.2	2.2-7.0
Thyroid	20.2	16.8	13.6-20.6	2.4	5.3	2.6-9.5	17.8	26.9	21.5-33.2
Hodgkin lymphoma	5.8	4.1	2.7-6.0	2.8	4.3	2.2-7.6	3.0	4.0	2.2-6.7
Non-Hodgkin lymphomas	21.4	18.5	15.0-22.5	12.6	24.2	18.3-31.4	8.8	14.1	10.2-19.1
Myeloma	8.0	7.9	5.6-10.9	4.8	11.3	7.0-17.1	3.2	5.5	3.1-8.9
Leukemias	16.2	15.6	12.3-19.5	9.0	21.6	15.4-29.2	7.2	11.5	8.0-16.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Morris Heights, Fordham South & Mount Hope**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	488.0	462.9	443.2-483.2	252.2	588.1	550.9-627.0	235.8	385.7	362.9-409.4
Oral cavity and pharynx	11.2	9.2	6.8-12.0	9.0	17.3	12.2-24.0	2.2	3.1	1.5-5.7
Esophagus	3.6	4.6	2.6-7.4	2.8	10.2	4.9-17.9	0.8	1.6	0.4-4.2
Stomach	12.2	12.5	9.3-16.2	7.4	20.5	13.6-29.4	4.8	7.9	5.0-11.8
Colorectal	42.2	41.9	36.0-48.5	21.8	52.7	41.8-65.3	20.4	34.8	28.0-42.6
Colon excluding rectum	30.2	31.3	26.1-37.2	14.0	35.6	26.5-46.5	16.2	28.6	22.4-35.9
Rectum & rectosigmoid	12.0	10.6	7.9-13.9	7.8	17.1	11.5-24.3	4.2	6.2	3.7-9.6
Liver / intrahepatic bile duct	19.8	19.0	15.1-23.5	13.8	31.8	23.4-42.0	6.0	10.6	7.0-15.4
Pancreas	11.2	11.7	8.6-15.5	7.0	16.3	10.6-23.9	4.2	8.4	5.1-12.9
Larynx	7.2	6.4	4.4-9.0	4.4	9.6	5.7-15.1	2.8	4.1	2.2-7.1
Lung and bronchus	45.6	49.3	42.6-56.7	21.6	55.2	44.0-68.2	24.0	44.5	36.5-53.6
Melanoma of the skin	1.0	0.7	0.2-1.8	0.4	0.6	0.1-2.8	0.6	0.8	0.2-2.5
Female breast							69.8	110.2	98.4-122.9
Cervix uteri							6.4	9.1	6.2-12.9
Corpus uterus and NOS							19.4	28.6	23.0-35.1
Ovary							3.4	5.2	2.9-8.4
Prostate				88.8	201.0	180.3-223.3			
Testis				0.8	1.0	0.3-3.3			
Urinary bladder (incl. in situ)	8.0	9.1	6.3-12.6	5.6	15.6	9.6-23.6	2.4	5.0	2.5-8.7
Kidney and renal pelvis	17.0	15.7	12.3-19.7	11.0	22.5	16.4-30.2	6.0	10.4	6.9-15.1
Brain and other central nervous system	5.0	4.3	2.7-6.5	3.6	6.6	3.7-10.9	1.4	2.4	0.9-5.0
Thyroid	18.6	16.1	12.8-19.9	1.8	3.8	1.6-7.6	16.8	25.7	20.4-32.1
Hodgkin lymphoma	5.0	3.8	2.3-5.7	3.0	5.6	2.6-10.3	2.0	2.6	1.2-4.9
Non-Hodgkin lymphomas	21.0	19.0	15.3-23.3	12.4	28.4	20.8-37.6	8.6	13.0	9.2-17.7
Myeloma	12.8	13.5	10.1-17.5	7.2	19.0	12.3-27.6	5.6	10.3	6.7-15.0
Leukemias	12.8	11.6	8.7-15.1	8.0	16.7	11.1-24.0	4.8	7.9	4.9-11.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Concourse, Highbridge & Mount Eden**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	573.8	465.2	447.7-483.1	288.8	558.0	527.2-589.9	285.0	406.0	384.9-428.0
Oral cavity and pharynx	14.4	11.9	9.2-15.1	11.2	22.2	16.4-29.4	3.2	4.7	2.6-7.6
Esophagus	5.2	4.4	2.8-6.5	3.8	9.0	5.1-14.4	1.4	1.9	0.8-4.0
Stomach	13.8	12.1	9.3-15.4	6.6	15.4	10.2-22.1	7.2	10.4	7.3-14.5
Colorectal	47.8	41.5	36.3-47.3	23.6	51.4	41.8-62.3	24.2	35.7	29.5-42.8
Colon excluding rectum	36.4	31.8	27.2-36.9	16.6	36.8	28.7-46.3	19.8	29.3	23.7-35.7
Rectum & rectosigmoid	11.4	9.7	7.3-12.7	7.0	14.6	9.8-20.7	4.4	6.4	4.0-9.8
Liver / intrahepatic bile duct	21.6	16.5	13.4-20.0	15.6	27.0	21.0-34.1	6.0	8.6	5.7-12.3
Pancreas	16.8	14.6	11.5-18.1	8.6	18.8	13.1-26.0	8.2	12.2	8.7-16.6
Larynx	6.8	5.6	3.9-7.9	5.2	10.3	6.6-15.4	1.6	2.3	1.0-4.5
Lung and bronchus	61.0	53.2	47.2-59.7	30.2	65.4	54.7-77.5	30.8	45.2	38.3-53.1
Melanoma of the skin	1.4	1.1	0.4-2.4	0.6	0.8	0.2-2.7	0.8	1.2	0.3-3.1
Female breast							75.4	106.3	95.7-117.7
Cervix uteri							8.4	11.5	8.2-15.5
Corpus uterus and NOS							20.6	28.6	23.2-34.7
Ovary							6.4	8.9	6.0-12.7
Prostate				103.0	188.5	171.5-206.7			
Testis				2.2	2.8	1.4-5.3			
Urinary bladder (incl. in situ)	10.6	9.6	7.1-12.6	6.6	14.5	9.7-20.7	4.0	6.2	3.7-9.5
Kidney and renal pelvis	19.6	16.1	13.0-19.7	12.2	23.0	17.2-30.0	7.4	10.9	7.6-15.0
Brain and other central nervous system	6.0	4.5	3.0-6.5	2.2	3.7	1.7-6.9	3.8	5.3	3.2-8.4
Thyroid	20.4	14.8	12.0-18.1	2.2	3.8	1.8-7.0	18.2	24.1	19.3-29.7
Hodgkin lymphoma	3.6	2.4	1.4-3.8	1.6	2.2	0.9-4.6	2.0	2.5	1.2-4.6
Non-Hodgkin lymphomas	25.4	19.9	16.5-23.8	11.0	20.0	14.7-26.6	14.4	20.3	15.8-25.7
Myeloma	12.4	11.2	8.5-14.5	7.0	14.4	9.8-20.4	5.4	8.6	5.6-12.4
Leukemias	14.8	10.8	8.4-13.6	7.6	11.9	8.2-16.7	7.2	9.8	6.8-13.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Castle Hill, Clason Point & Parkchester**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	811.2	448.7	434.6-463.0	374.4	499.6	476.1-524.0	436.8	418.8	401.2-437.0
Oral cavity and pharynx	16.2	8.9	7.0-11.1	12.0	15.8	11.9-20.5	4.2	3.9	2.4-6.0
Esophagus	6.0	3.5	2.4-5.1	4.4	6.3	3.9-9.7	1.6	1.6	0.7-3.2
Stomach	19.6	10.8	8.7-13.2	10.4	13.5	9.9-18.0	9.2	8.9	6.5-11.9
Colorectal	72.4	41.5	37.2-46.1	34.0	47.4	40.1-55.4	38.4	37.4	32.2-43.2
Colon excluding rectum	48.8	28.4	24.9-32.3	21.6	30.5	24.7-37.1	27.2	26.8	22.4-31.8
Rectum & rectosigmoid	23.6	13.1	10.8-15.7	12.4	16.9	12.7-21.9	11.2	10.6	8.0-13.8
Liver / intrahepatic bile duct	32.6	16.8	14.3-19.7	21.6	25.8	20.9-31.3	11.0	10.2	7.6-13.4
Pancreas	26.0	14.7	12.2-17.5	12.2	16.5	12.4-21.5	13.8	13.3	10.3-16.9
Larynx	8.2	4.3	3.1-5.9	6.2	7.7	5.2-11.1	2.0	1.9	0.9-3.6
Lung and bronchus	78.0	45.5	41.0-50.4	41.2	58.5	50.4-67.5	36.8	36.7	31.5-42.5
Melanoma of the skin	4.6	2.5	1.6-3.8	2.6	3.7	1.9-6.5	2.0	1.8	0.9-3.4
Female breast							122.0	114.9	105.9-124.6
Cervix uteri							9.0	9.0	6.5-12.0
Corpus uterus and NOS							41.8	38.5	33.4-44.2
Ovary							11.0	10.4	7.8-13.7
Prostate				111.4	141.9	129.8-154.8			
Testis				1.8	1.9	0.9-3.8			
Urinary bladder (incl. in situ)	20.4	12.0	9.7-14.7	14.4	23.0	17.7-29.3	6.0	5.7	3.8-8.2
Kidney and renal pelvis	32.4	17.9	15.2-20.9	18.4	23.8	19.0-29.4	14.0	13.5	10.5-17.1
Brain and other central nervous system	8.8	4.7	3.4-6.3	3.8	4.8	2.8-7.7	5.0	4.7	3.1-7.1
Thyroid	32.8	18.0	15.3-21.0	6.4	8.0	5.4-11.4	26.4	25.9	21.6-30.8
Hodgkin lymphoma	4.4	2.3	1.4-3.5	2.0	2.4	1.1-4.5	2.4	2.2	1.1-3.8
Non-Hodgkin lymphomas	33.4	19.2	16.3-22.4	17.6	24.8	19.7-30.8	15.8	15.6	12.3-19.5
Myeloma	19.8	10.8	8.7-13.2	9.0	11.9	8.5-16.0	10.8	10.1	7.5-13.2
Leukemias	18.4	10.0	8.0-12.3	8.0	11.0	7.7-15.1	10.4	9.9	7.4-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Bronx County
Hunts Point, Longwood & Melrose**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	580.0	451.1	434.4-468.3	300.2	547.0	517.9-577.2	279.8	388.0	367.7-409.1
Oral cavity and pharynx	16.2	12.1	9.5-15.1	11.8	19.4	14.6-25.3	4.4	6.3	3.9-9.6
Esophagus	5.8	4.9	3.3-7.1	3.8	7.8	4.5-12.4	2.0	3.0	1.4-5.6
Stomach	15.8	13.9	10.9-17.4	8.0	16.8	11.7-23.2	7.8	11.7	8.3-16.0
Colorectal	48.8	38.3	33.5-43.5	24.6	44.2	36.2-53.3	24.2	33.7	27.9-40.3
Colon excluding rectum	36.4	28.8	24.7-33.4	18.8	34.7	27.6-43.0	17.6	24.5	19.6-30.3
Rectum & rectosigmoid	12.4	9.5	7.2-12.2	5.8	9.5	6.2-13.8	6.6	9.2	6.3-12.9
Liver / intrahepatic bile duct	30.8	22.8	19.3-26.8	23.4	40.7	33.3-49.2	7.4	9.8	6.8-13.5
Pancreas	18.0	15.1	12.1-18.6	9.0	16.6	11.8-22.4	9.0	13.5	9.8-18.0
Larynx	5.6	4.4	2.9-6.4	5.0	9.7	6.0-14.5	0.6	0.8	0.2-2.4
Lung and bronchus	56.8	45.3	40.1-51.1	28.2	55.2	46.0-65.5	28.6	39.4	33.1-46.5
Melanoma of the skin	1.8	1.4	0.6-2.7	0.2	0.3	0.0-1.9	1.6	2.3	1.0-4.5
Female breast							71.6	98.1	88.1-108.9
Cervix uteri							9.8	13.3	9.8-17.6
Corpus uterus and NOS							18.2	24.9	20.0-30.6
Ovary							8.8	12.6	9.1-17.0
Prostate				86.4	163.9	148.0-180.9			
Testis				4.0	5.0	3.0-8.0			
Urinary bladder (incl. in situ)	16.8	14.1	11.2-17.6	10.8	20.0	14.8-26.4	6.0	9.3	6.2-13.2
Kidney and renal pelvis	22.2	17.4	14.2-21.0	13.6	25.4	19.3-32.6	8.6	11.7	8.5-15.9
Brain and other central nervous system	7.2	5.5	3.8-7.7	3.8	6.1	3.6-9.8	3.4	4.9	2.8-7.8
Thyroid	22.6	15.9	13.1-19.2	2.4	3.3	1.6-6.0	20.2	26.6	21.6-32.4
Hodgkin lymphoma	6.6	4.4	3.0-6.3	4.2	6.1	3.6-9.5	2.4	3.0	1.6-5.4
Non-Hodgkin lymphomas	24.6	18.4	15.2-22.1	15.6	26.2	20.3-33.2	9.0	12.5	9.1-16.8
Myeloma	12.8	10.6	8.1-13.6	8.4	17.3	12.2-23.7	4.4	6.2	3.9-9.4
Leukemias	15.6	11.9	9.3-14.9	8.6	14.4	10.1-19.9	7.0	9.7	6.7-13.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

Kings (Brooklyn) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11861.6	442.0	438.4-445.7	5641.0	491.4	485.5-497.3	6220.6	412.6	408.0-417.3
Oral cavity and pharynx	246.4	9.2	8.6-9.7	160.2	13.6	12.6-14.6	86.2	5.7	5.2-6.3
Esophagus	95.8	3.6	3.2-3.9	67.0	5.9	5.3-6.6	28.8	1.8	1.5-2.2
Stomach	317.2	12.0	11.4-12.6	184.2	16.7	15.6-17.9	133.0	8.6	7.9-9.3
Colorectal	1080.4	40.4	39.3-41.5	545.0	48.4	46.6-50.3	535.4	34.8	33.5-36.2
Colon excluding rectum	765.2	28.7	27.8-29.6	370.6	33.3	31.7-34.8	394.6	25.6	24.4-26.8
Rectum & rectosigmoid	315.2	11.7	11.2-12.4	174.4	15.1	14.1-16.2	140.8	9.2	8.5-9.9
Liver / intrahepatic bile duct	292.2	10.6	10.0-11.1	202.4	16.7	15.7-17.8	89.8	5.8	5.2-6.3
Pancreas	366.0	13.7	13.1-14.3	171.2	15.2	14.2-16.3	194.8	12.5	11.7-13.3
Larynx	77.8	2.8	2.6-3.1	64.4	5.6	5.0-6.3	13.4	0.8	0.6-1.1
Lung and bronchus	1241.6	46.7	45.5-47.9	668.4	60.6	58.5-62.7	573.2	37.3	35.9-38.7
Melanoma of the skin	226.6	8.5	8.0-9.0	115.8	10.4	9.5-11.3	110.8	7.3	6.7-8.0
Female breast							1727.8	117.1	114.6-119.6
Cervix uteri							144.4	10.0	9.3-10.8
Corpus uterus and NOS							511.2	33.0	31.7-34.3
Ovary							171.2	11.3	10.5-12.1
Prostate				1503.0	126.4	123.4-129.3			
Testis				59.6	4.4	3.9-5.0			
Urinary bladder (incl. in situ)	420.4	15.8	15.2-16.5	314.6	29.4	27.9-30.9	105.8	6.7	6.1-7.3
Kidney and renal pelvis	377.2	14.0	13.4-14.6	233.2	19.8	18.7-21.0	144.0	9.5	8.8-10.3
Brain and other central nervous system	161.8	6.1	5.7-6.5	89.2	7.4	6.7-8.1	72.6	5.0	4.5-5.6
Thyroid	587.6	22.0	21.2-22.9	131.0	10.8	10.0-11.7	456.6	31.8	30.5-33.2
Hodgkin lymphoma	84.4	3.2	2.9-3.5	41.2	3.3	2.9-3.8	43.2	3.0	2.6-3.5
Non-Hodgkin lymphomas	501.0	18.7	18.0-19.5	262.2	22.6	21.4-23.9	238.8	15.7	14.8-16.6
Myeloma	249.8	9.3	8.8-9.8	127.4	11.4	10.5-12.4	122.4	7.9	7.2-8.5
Leukemias	359.0	13.5	12.9-14.2	195.8	17.2	16.2-18.4	163.2	10.8	10.1-11.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Greenpoint & Williamsburg**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	501.4	392.1	376.4-408.3	240.0	430.6	405.4-456.9	261.4	372.2	351.6-393.6
Oral cavity and pharynx	12.2	9.8	7.4-12.6	8.0	14.7	10.3-20.2	4.2	6.0	3.7-9.2
Esophagus	2.0	1.6	0.8-3.0	1.8	3.0	1.4-5.8	0.2	0.3	0.0-1.8
Stomach	14.6	12.2	9.5-15.4	8.8	17.5	12.6-23.6	5.8	8.4	5.6-12.2
Colorectal	46.4	36.7	32.0-41.9	25.2	44.0	36.3-52.7	21.2	30.3	24.7-36.9
Colon excluding rectum	31.8	25.4	21.5-29.7	14.8	26.2	20.4-33.2	17.0	24.1	19.2-30.0
Rectum & rectosigmoid	14.6	11.4	8.8-14.4	10.4	17.8	13.1-23.5	4.2	6.2	3.8-9.6
Liver / intrahepatic bile duct	11.2	9.1	6.8-11.8	7.8	13.9	9.8-19.2	3.4	5.0	2.9-8.0
Pancreas	15.6	12.2	9.6-15.3	7.6	14.2	9.9-19.6	8.0	11.0	7.8-15.1
Larynx	3.6	2.8	1.6-4.5	2.4	4.4	2.2-7.7	1.2	1.6	0.6-3.5
Lung and bronchus	47.4	39.5	34.5-44.9	23.8	47.5	39.1-57.1	23.6	34.0	28.0-40.8
Melanoma of the skin	14.8	10.3	8.0-13.2	7.0	11.0	7.4-15.8	7.8	10.2	7.1-14.4
Female breast							65.6	97.7	87.0-109.2
Cervix uteri							5.2	7.0	4.5-10.5
Corpus uterus and NOS							19.2	28.0	22.6-34.3
Ovary							8.2	11.6	8.2-15.8
Prostate				49.0	93.0	81.3-105.8			
Testis				7.2	6.6	4.4-9.6			
Urinary bladder (incl. in situ)	20.2	16.4	13.3-20.0	15.2	29.0	22.6-36.6	5.0	7.4	4.7-11.0
Kidney and renal pelvis	16.4	13.1	10.3-16.3	11.2	19.5	14.6-25.5	5.2	7.6	4.9-11.2
Brain and other central nervous system	7.8	5.3	3.7-7.4	3.8	5.2	3.0-8.4	4.0	5.2	3.1-8.2
Thyroid	26.4	17.9	14.8-21.4	6.8	9.5	6.4-13.6	19.6	26.5	21.2-32.8
Hodgkin lymphoma	6.2	3.5	2.3-5.2	3.6	4.7	2.5-7.8	2.6	2.5	1.2-4.7
Non-Hodgkin lymphomas	26.2	20.7	17.2-24.7	13.0	23.3	17.8-30.0	13.2	19.2	14.7-24.6
Myeloma	8.2	6.7	4.8-9.1	4.4	8.7	5.3-13.3	3.8	5.1	3.0-8.1
Leukemias	16.4	12.4	9.8-15.5	9.0	15.7	11.2-21.3	7.4	9.7	6.7-13.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Bushwick**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	423.0	413.0	394.8-431.8	203.0	464.8	434.1-496.9	220.0	383.0	360.2-406.8
Oral cavity and pharynx	9.4	9.6	7.0-12.8	6.8	15.1	10.2-21.4	2.6	5.1	2.7-8.7
Esophagus	4.6	4.9	3.0-7.4	2.8	7.4	3.8-12.6	1.8	3.4	1.5-6.4
Stomach	13.6	14.3	11.0-18.2	7.2	17.9	12.1-25.3	6.4	11.9	8.1-16.8
Colorectal	35.2	36.8	31.4-42.8	21.4	51.7	41.6-63.4	13.8	26.2	20.3-33.2
Colon excluding rectum	23.2	24.5	20.0-29.5	12.6	30.9	23.0-40.3	10.6	20.2	15.1-26.4
Rectum & rectosigmoid	12.0	12.3	9.3-15.9	8.8	20.8	14.8-28.3	3.2	6.0	3.4-9.7
Liver / intrahepatic bile duct	13.0	13.5	10.3-17.3	7.6	18.1	12.4-25.4	5.4	10.3	6.7-14.9
Pancreas	11.2	11.7	8.7-15.3	4.8	10.6	6.5-16.1	6.4	12.0	8.2-17.0
Larynx	1.4	1.5	0.6-3.0	1.4	3.6	1.4-7.6	0.0	0.0	0.0-1.2
Lung and bronchus	48.8	51.3	44.8-58.4	26.6	69.6	57.2-83.6	22.2	40.4	33.1-48.8
Melanoma of the skin	2.6	2.0	1.0-3.6	1.4	1.8	0.6-4.1	1.2	2.0	0.7-4.5
Female breast							60.0	104.5	92.8-117.3
Cervix uteri							8.0	13.2	9.3-18.1
Corpus uterus and NOS							22.8	38.0	31.2-45.7
Ovary							5.2	8.7	5.6-12.8
Prostate				52.4	117.1	102.6-133.1			
Testis				4.2	4.6	2.8-7.6			
Urinary bladder (incl. in situ)	11.4	11.8	8.9-15.4	8.6	22.1	15.6-30.3	2.8	4.9	2.6-8.2
Kidney and renal pelvis	12.8	12.5	9.5-16.1	7.4	16.8	11.3-23.7	5.4	9.6	6.3-14.0
Brain and other central nervous system	4.6	4.2	2.6-6.4	3.2	6.0	3.1-10.2	1.4	2.5	1.0-5.2
Thyroid	13.4	11.0	8.4-14.1	3.0	5.9	3.2-9.9	10.4	15.9	11.8-21.0
Hodgkin lymphoma	4.4	3.2	1.9-5.0	2.6	4.8	2.4-8.6	1.8	2.0	0.9-4.1
Non-Hodgkin lymphomas	20.8	17.6	14.3-21.5	11.8	21.6	16.0-28.4	9.0	14.2	10.3-19.2
Myeloma	9.4	10.6	7.7-14.1	4.0	9.8	5.8-15.3	5.4	10.6	7.0-15.5
Leukemias	13.6	12.8	9.8-16.4	6.2	13.0	8.6-18.9	7.4	12.4	8.6-17.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Bedford-Stuyvesant**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	496.0	433.2	415.8-451.2	235.2	501.4	471.3-532.7	260.8	391.7	370.3-413.9
Oral cavity and pharynx	8.6	7.3	5.2-9.9	5.4	11.0	7.0-16.2	3.2	4.7	2.6-7.6
Esophagus	5.6	5.0	3.2-7.3	2.6	5.4	2.7-9.5	3.0	4.6	2.5-7.7
Stomach	9.2	9.0	6.5-12.0	5.4	12.5	8.0-18.5	3.8	6.4	3.8-9.9
Colorectal	44.8	40.9	35.6-46.8	22.0	51.5	41.8-62.7	22.8	34.6	28.4-41.6
Colon excluding rectum	33.2	30.5	25.9-35.7	15.8	37.6	29.3-47.4	17.4	26.4	21.0-32.6
Rectum & rectosigmoid	11.6	10.4	7.8-13.5	6.2	13.9	9.2-20.0	5.4	8.2	5.4-11.9
Liver / intrahepatic bile duct	17.0	14.6	11.6-18.1	12.0	23.3	17.5-30.3	5.0	8.1	5.2-12.0
Pancreas	13.2	12.3	9.4-15.7	5.6	12.8	8.3-18.7	7.6	11.9	8.3-16.3
Larynx	4.6	3.9	2.4-5.8	3.4	6.9	3.9-11.2	1.2	1.7	0.6-3.8
Lung and bronchus	53.8	49.4	43.5-55.8	28.0	64.6	53.8-76.9	25.8	39.9	33.2-47.6
Melanoma of the skin	2.2	2.1	1.0-3.8	0.8	2.2	0.5-5.6	1.4	2.1	0.8-4.4
Female breast							77.2	114.7	103.4-126.9
Cervix uteri							8.0	11.7	8.3-16.0
Corpus uterus and NOS							21.8	32.3	26.4-39.0
Ovary							7.4	10.9	7.6-15.0
Prostate				77.2	162.7	146.1-180.6			
Testis				2.4	3.4	1.7-6.1			
Urinary bladder (incl. in situ)	10.8	10.5	7.8-13.8	7.0	16.3	11.0-23.0	3.8	6.7	4.0-10.4
Kidney and renal pelvis	14.4	12.3	9.6-15.6	9.0	18.2	13.1-24.7	5.4	8.0	5.2-11.7
Brain and other central nervous system	5.4	4.3	2.8-6.4	2.6	5.0	2.6-8.7	2.8	4.0	2.2-6.8
Thyroid	16.0	11.9	9.4-14.9	2.4	4.3	2.2-7.5	13.6	18.1	14.0-23.1
Hodgkin lymphoma	4.2	3.0	1.8-4.7	2.4	3.5	1.8-6.4	1.8	2.5	1.1-4.8
Non-Hodgkin lymphomas	17.6	14.6	11.6-18.1	8.6	17.2	12.2-23.6	9.0	12.7	9.2-17.1
Myeloma	13.6	12.7	9.8-16.2	7.8	19.4	13.4-26.9	5.8	9.0	6.0-13.0
Leukemias	14.8	12.6	9.8-16.0	8.2	15.7	11.0-21.8	6.6	10.2	6.9-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Brooklyn Heights & Fort Greene**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	559.2	488.2	469.8-507.2	266.8	549.4	519.2-580.8	292.4	451.6	428.1-476.1
Oral cavity and pharynx	12.8	10.9	8.3-14.0	8.4	16.6	11.8-22.8	4.4	6.6	4.1-10.2
Esophagus	4.8	4.3	2.7-6.4	3.2	6.7	3.8-11.0	1.6	2.5	1.0-5.0
Stomach	10.0	9.5	7.0-12.6	4.8	11.4	7.2-17.0	5.2	8.4	5.4-12.4
Colorectal	47.4	43.2	37.7-49.2	27.8	57.9	48.4-68.8	19.6	31.5	25.5-38.6
Colon excluding rectum	31.2	28.6	24.2-33.5	17.6	37.0	29.5-45.9	13.6	21.8	16.8-27.8
Rectum & rectosigmoid	16.2	14.6	11.5-18.3	10.2	20.9	15.3-27.7	6.0	9.7	6.5-14.0
Liver / intrahepatic bile duct	13.6	11.8	9.1-15.0	10.8	21.7	16.1-28.5	2.8	4.3	2.3-7.3
Pancreas	17.0	15.5	12.3-19.3	8.0	16.8	11.8-23.0	9.0	14.2	10.3-19.1
Larynx	4.4	3.9	2.4-6.0	3.4	7.0	4.0-11.3	1.0	1.6	0.5-3.9
Lung and bronchus	49.4	45.0	39.4-51.1	22.6	49.1	40.3-59.3	26.8	41.9	34.9-49.8
Melanoma of the skin	16.6	13.3	10.5-16.6	9.2	17.9	12.9-24.3	7.4	10.0	7.0-14.1
Female breast							93.4	146.7	133.4-161.0
Cervix uteri							6.4	9.6	6.5-13.8
Corpus uterus and NOS							22.0	33.4	27.3-40.4
Ovary							8.6	13.5	9.7-18.4
Prostate				75.2	158.6	142.6-176.0			
Testis				6.0	8.1	5.3-12.0			
Urinary bladder (incl. in situ)	16.0	14.9	11.8-18.6	10.8	25.6	19.1-33.6	5.2	7.6	4.9-11.3
Kidney and renal pelvis	16.6	14.1	11.1-17.6	10.8	20.8	15.5-27.4	5.8	8.6	5.7-12.5
Brain and other central nervous system	6.0	4.8	3.2-7.0	2.8	5.5	2.9-9.5	3.2	4.2	2.4-7.1
Thyroid	26.6	20.1	16.7-24.0	6.6	10.3	6.9-14.8	20.0	28.7	23.1-35.2
Hodgkin lymphoma	4.8	4.1	2.6-6.3	2.0	3.9	1.8-7.4	2.8	4.4	2.2-7.6
Non-Hodgkin lymphomas	23.2	19.8	16.3-23.9	11.0	20.8	15.4-27.4	12.2	19.1	14.5-24.7
Myeloma	10.8	9.9	7.4-13.0	5.8	12.3	8.1-17.8	5.0	8.0	5.1-11.9
Leukemias	18.0	15.6	12.5-19.3	11.4	23.0	17.2-30.0	6.6	9.9	6.8-14.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Park Slope, Carroll Gardens & Red Hook**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	452.2	458.2	438.6-478.5	208.2	495.1	463.5-528.2	244.0	442.6	417.1-469.4
Oral cavity and pharynx	12.0	11.7	8.8-15.2	8.2	18.1	12.8-25.0	3.8	6.6	3.8-10.6
Esophagus	4.2	4.5	2.7-6.9	2.4	6.3	3.1-11.1	1.8	3.3	1.4-6.4
Stomach	7.4	8.5	5.9-11.8	3.8	10.3	5.9-16.3	3.6	7.6	4.4-12.1
Colorectal	32.4	34.7	29.4-40.7	16.4	41.3	32.4-51.9	16.0	29.6	23.2-37.2
Colon excluding rectum	21.2	23.8	19.3-29.0	10.8	29.2	21.5-38.6	10.4	19.8	14.6-26.3
Rectum & rectosigmoid	11.2	11.0	8.2-14.4	5.6	12.1	7.9-17.7	5.6	9.8	6.4-14.4
Liver / intrahepatic bile duct	8.2	8.4	6.0-11.6	6.4	15.0	10.0-21.6	1.8	3.3	1.4-6.5
Pancreas	12.0	13.0	9.8-16.9	6.8	16.3	11.0-23.2	5.2	10.4	6.7-15.4
Larynx	2.4	2.5	1.2-4.5	2.0	5.0	2.3-9.5	0.4	0.6	0.1-2.5
Lung and bronchus	41.6	47.1	40.7-54.3	17.4	46.0	36.4-57.3	24.2	48.6	40.0-58.4
Melanoma of the skin	17.0	15.6	12.3-19.6	9.2	20.7	14.8-28.2	7.8	12.1	8.4-17.0
Female breast							72.4	132.1	118.4-146.9
Cervix uteri							3.2	5.2	2.9-8.8
Corpus uterus and NOS							17.0	32.0	25.4-39.9
Ovary							5.8	10.5	7.0-15.3
Prostate				52.4	119.0	104.2-135.2			
Testis				3.4	4.6	2.6-7.8			
Urinary bladder (incl. in situ)	19.4	22.3	17.9-27.4	15.2	42.5	33.0-53.8	4.2	8.3	5.0-12.8
Kidney and renal pelvis	15.2	15.7	12.3-19.8	9.4	21.3	15.3-28.8	5.8	11.2	7.4-16.2
Brain and other central nervous system	8.8	8.6	6.1-11.9	4.4	9.9	6.0-15.4	4.4	7.3	4.4-11.6
Thyroid	27.0	21.7	18.0-25.9	5.0	8.8	5.5-13.4	22.0	33.7	27.4-41.1
Hodgkin lymphoma	5.4	4.0	2.5-6.2	1.6	2.6	1.0-5.8	3.8	5.3	2.9-9.1
Non-Hodgkin lymphomas	20.2	20.0	16.1-24.6	9.6	21.9	15.7-29.6	10.6	18.9	14.0-25.1
Myeloma	7.0	7.6	5.2-10.7	4.6	12.8	7.9-19.4	2.4	4.2	2.1-7.5
Leukemias	17.2	17.1	13.5-21.3	10.4	22.7	16.5-30.3	6.8	13.2	9.0-18.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Crown Heights North & Prospect Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	541.0	460.8	443.2-479.0	241.4	519.8	489.2-551.7	299.6	429.7	407.9-452.5
Oral cavity and pharynx	11.0	9.1	6.8-11.9	7.0	13.5	9.3-18.9	4.0	6.0	3.6-9.3
Esophagus	6.8	6.2	4.2-8.7	4.6	11.6	7.2-17.6	2.2	3.0	1.5-5.5
Stomach	13.4	12.7	9.8-16.2	6.8	18.0	12.2-25.3	6.6	9.7	6.6-13.7
Colorectal	50.0	42.9	37.6-48.7	23.8	52.3	42.8-63.2	26.2	37.7	31.4-44.9
Colon excluding rectum	36.2	31.6	27.1-36.7	17.0	39.3	31.0-49.2	19.2	27.7	22.3-33.9
Rectum & rectosigmoid	13.8	11.3	8.7-14.3	6.8	13.0	8.9-18.3	7.0	10.0	7.0-14.1
Liver / intrahepatic bile duct	14.0	11.5	8.9-14.6	9.2	19.1	13.7-25.8	4.8	6.8	4.3-10.2
Pancreas	16.4	13.8	10.9-17.2	6.8	13.8	9.3-19.6	9.6	13.6	9.9-18.1
Larynx	4.4	4.0	2.5-6.1	3.8	9.3	5.4-14.6	0.6	0.8	0.2-2.3
Lung and bronchus	47.4	41.9	36.6-47.8	19.0	42.1	33.6-52.0	28.4	42.2	35.4-49.9
Melanoma of the skin	5.4	4.0	2.6-5.9	2.4	4.1	2.0-7.5	3.0	3.9	2.2-6.6
Female breast							90.8	130.8	118.8-143.6
Cervix uteri							8.8	12.7	9.2-17.1
Corpus uterus and NOS							29.4	41.5	34.9-48.9
Ovary							6.6	9.4	6.4-13.3
Prostate				78.4	168.6	151.4-187.0			
Testis				3.4	4.6	2.6-7.7			
Urinary bladder (incl. in situ)	15.6	14.7	11.6-18.4	10.4	25.9	19.0-34.3	5.2	8.2	5.3-12.0
Kidney and renal pelvis	13.0	10.9	8.4-14.0	7.8	16.0	11.1-22.2	5.2	7.3	4.7-10.7
Brain and other central nervous system	7.0	5.8	4.0-8.1	3.6	7.1	4.2-11.4	3.4	4.8	2.8-7.7
Thyroid	17.0	12.8	10.2-16.0	2.4	4.6	2.3-8.2	14.6	19.4	15.1-24.5
Hodgkin lymphoma	5.0	3.7	2.4-5.5	1.8	3.0	1.4-5.9	3.2	4.2	2.4-7.0
Non-Hodgkin lymphomas	21.8	17.7	14.4-21.4	12.2	25.1	18.8-32.8	9.6	12.8	9.4-17.1
Myeloma	16.6	14.5	11.5-18.1	8.4	18.5	13.0-25.4	8.2	11.9	8.5-16.2
Leukemias	10.8	10.0	7.5-13.1	6.8	16.7	11.3-23.6	4.0	6.1	3.7-9.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Brownsville & Ocean Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	531.6	495.5	476.2-515.4	249.8	602.1	566.5-639.2	281.8	432.6	409.9-456.3
Oral cavity and pharynx	8.0	6.9	4.9-9.5	5.4	11.4	7.4-16.7	2.6	3.9	2.0-6.7
Esophagus	5.6	5.1	3.4-7.5	4.4	12.0	7.0-18.7	1.2	1.6	0.6-3.5
Stomach	11.4	11.1	8.3-14.4	6.8	17.3	11.6-24.6	4.6	7.4	4.7-11.2
Colorectal	47.4	45.0	39.2-51.3	22.6	55.7	45.1-68.0	24.8	38.8	32.2-46.4
Colon excluding rectum	34.0	32.5	27.6-38.0	15.4	37.8	29.2-48.0	18.6	29.4	23.7-36.2
Rectum & rectosigmoid	13.4	12.5	9.6-16.0	7.2	17.9	12.1-25.5	6.2	9.4	6.3-13.4
Liver / intrahepatic bile duct	17.2	15.6	12.4-19.4	11.2	24.8	18.4-32.7	6.0	9.4	6.3-13.5
Pancreas	16.4	16.6	13.1-20.7	8.0	20.5	14.3-28.3	8.4	14.0	10.0-19.0
Larynx	5.6	5.0	3.3-7.3	4.0	9.0	5.4-14.3	1.6	2.4	1.0-4.8
Lung and bronchus	55.0	53.6	47.2-60.6	27.4	71.4	58.9-85.7	27.6	43.7	36.6-51.8
Melanoma of the skin	2.0	1.9	0.9-3.6	1.2	2.5	0.9-5.6	0.8	1.3	0.3-3.4
Female breast							83.0	124.9	113.0-137.8
Cervix uteri							9.6	14.7	10.8-19.5
Corpus uterus and NOS							25.6	37.8	31.4-45.1
Ovary							7.0	10.3	7.1-14.5
Prostate				85.0	199.4	179.7-220.6			
Testis				1.4	2.4	1.0-5.3			
Urinary bladder (incl. in situ)	10.0	10.7	7.8-14.2	6.6	20.3	13.3-29.3	3.4	6.0	3.4-9.6
Kidney and renal pelvis	18.2	16.2	13.0-20.0	9.4	20.5	14.8-27.7	8.8	13.3	9.6-17.9
Brain and other central nervous system	6.4	5.5	3.7-7.9	3.2	6.3	3.5-10.6	3.2	4.8	2.7-7.8
Thyroid	10.0	9.0	6.7-11.9	1.4	3.2	1.3-6.7	8.6	12.9	9.3-17.4
Hodgkin lymphoma	5.6	4.7	3.1-6.8	3.4	6.6	3.8-10.8	2.2	3.2	1.6-5.8
Non-Hodgkin lymphomas	24.0	22.8	18.8-27.4	11.4	28.1	20.8-36.9	12.6	19.5	14.9-25.0
Myeloma	12.6	12.0	9.2-15.5	5.0	14.4	8.9-21.8	7.6	11.2	7.9-15.5
Leukemias	11.4	10.2	7.7-13.3	6.6	15.2	10.0-22.0	4.8	7.4	4.7-11.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
East New York & Starrett City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	662.8	447.5	432.1-463.4	321.2	532.8	505.8-560.8	341.6	394.9	376.1-414.4
Oral cavity and pharynx	14.0	8.9	6.9-11.3	7.8	11.6	8.2-16.0	6.2	6.9	4.6-9.8
Esophagus	5.6	3.8	2.5-5.6	3.4	5.9	3.4-9.6	2.2	2.4	1.2-4.4
Stomach	18.0	12.4	9.9-15.3	10.4	18.1	13.3-24.0	7.6	8.8	6.2-12.1
Colorectal	61.2	43.1	38.3-48.4	30.6	53.3	44.8-62.9	30.6	36.5	30.9-42.9
Colon excluding rectum	42.4	30.5	26.4-35.0	20.8	36.9	29.8-45.1	21.6	26.5	21.7-32.0
Rectum & rectosigmoid	18.8	12.6	10.2-15.5	9.8	16.5	12.0-21.9	9.0	10.1	7.3-13.5
Liver / intrahepatic bile duct	20.0	12.6	10.2-15.5	13.6	20.0	15.4-25.5	6.4	7.1	4.8-10.1
Pancreas	25.4	18.6	15.4-22.2	12.6	22.6	17.2-29.2	12.8	15.7	12.1-20.2
Larynx	3.6	2.2	1.3-3.5	2.8	4.0	2.1-6.8	0.8	0.9	0.2-2.3
Lung and bronchus	69.6	48.8	43.7-54.4	39.6	68.8	59.1-79.6	30.0	35.8	30.2-42.1
Melanoma of the skin	4.6	3.4	2.1-5.1	2.6	5.0	2.6-8.6	2.0	2.4	1.1-4.4
Female breast							89.4	101.2	91.9-111.1
Cervix uteri							10.8	12.8	9.6-16.7
Corpus uterus and NOS							32.8	36.3	30.9-42.4
Ovary							9.4	10.7	7.8-14.2
Prostate				105.6	168.9	154.2-184.6			
Testis				1.2	1.5	0.5-3.5			
Urinary bladder (incl. in situ)	15.0	11.0	8.6-13.8	10.6	20.5	15.1-27.0	4.4	5.2	3.2-7.9
Kidney and renal pelvis	22.2	14.7	12.0-17.7	12.0	19.2	14.4-24.9	10.2	11.7	8.6-15.4
Brain and other central nervous system	6.2	4.0	2.7-5.7	2.6	3.5	1.9-6.2	3.6	4.3	2.5-6.8
Thyroid	25.0	16.7	13.8-19.9	3.6	5.6	3.3-8.9	21.4	24.9	20.4-30.2
Hodgkin lymphoma	4.0	2.5	1.5-3.9	1.8	2.6	1.1-5.1	2.2	2.4	1.2-4.4
Non-Hodgkin lymphomas	23.0	15.5	12.8-18.7	13.6	22.4	17.2-28.6	9.4	10.9	8.0-14.5
Myeloma	18.2	12.7	10.1-15.6	8.2	14.3	10.0-19.6	10.0	11.8	8.7-15.6
Leukemias	17.8	12.6	10.1-15.6	9.4	16.2	11.7-21.8	8.4	10.2	7.3-13.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Canarsie & Flatlands**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	987.6	450.0	437.2-463.2	474.8	525.4	503.5-548.1	512.8	402.1	386.3-418.4
Oral cavity and pharynx	14.4	6.3	4.9-8.1	8.8	9.3	6.6-12.7	5.6	4.3	2.8-6.3
Esophagus	7.4	3.6	2.5-5.0	5.6	6.8	4.4-9.9	1.8	1.4	0.6-2.7
Stomach	23.6	11.1	9.1-13.4	13.4	16.0	12.2-20.5	10.2	7.9	5.9-10.5
Colorectal	90.8	42.3	38.4-46.5	42.2	50.2	43.4-57.8	48.6	37.5	32.8-42.7
Colon excluding rectum	63.6	29.8	26.5-33.4	27.4	32.9	27.4-39.2	36.2	28.2	24.1-32.8
Rectum & rectosigmoid	27.2	12.5	10.4-14.9	14.8	17.3	13.5-21.9	12.4	9.3	7.1-12.0
Liver / intrahepatic bile duct	15.0	6.7	5.2-8.4	10.2	10.7	7.9-14.3	4.8	3.8	2.4-5.8
Pancreas	29.4	13.7	11.5-16.2	13.6	15.3	11.7-19.6	15.8	12.6	9.9-15.8
Larynx	7.4	3.5	2.4-4.9	6.2	7.7	5.1-11.0	1.2	0.8	0.3-1.8
Lung and bronchus	91.4	42.9	39.0-47.2	51.8	60.7	53.2-68.9	39.6	31.4	27.0-36.2
Melanoma of the skin	16.6	7.7	6.0-9.6	7.4	9.0	6.2-12.5	9.2	7.1	5.1-9.5
Female breast							154.4	120.3	111.7-129.3
Cervix uteri							13.8	11.4	8.8-14.5
Corpus uterus and NOS							49.2	36.1	31.6-41.1
Ovary							14.2	10.8	8.4-13.8
Prostate				168.8	170.0	158.2-182.5			
Testis				2.0	2.3	1.1-4.3			
Urinary bladder (incl. in situ)	30.2	14.3	12.1-16.9	23.4	28.2	23.1-34.0	6.8	5.4	3.7-7.6
Kidney and renal pelvis	29.6	13.7	11.5-16.1	19.8	21.1	17.0-25.9	9.8	8.4	6.1-11.1
Brain and other central nervous system	13.2	6.3	4.8-8.1	8.2	8.8	6.2-12.1	5.0	4.6	2.9-6.8
Thyroid	36.2	17.0	14.5-19.7	8.2	9.1	6.5-12.4	28.0	23.2	19.4-27.5
Hodgkin lymphoma	4.0	1.9	1.1-3.0	1.6	1.6	0.7-3.2	2.4	2.1	1.1-3.7
Non-Hodgkin lymphomas	39.6	17.9	15.4-20.7	21.2	23.1	18.7-28.1	18.4	14.0	11.3-17.3
Myeloma	28.4	12.9	10.8-15.3	14.0	15.4	11.8-19.7	14.4	11.3	8.7-14.3
Leukemias	26.6	12.9	10.7-15.3	13.6	17.3	13.3-22.0	13.0	10.3	7.9-13.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
East Flatbush, Farragut & Rugby**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	665.8	431.3	416.3-446.8	317.6	499.2	473.5-525.9	348.2	388.5	370.0-407.7
Oral cavity and pharynx	10.6	6.6	4.9-8.7	6.8	9.9	6.8-14.0	3.8	4.1	2.5-6.6
Esophagus	4.2	2.7	1.6-4.2	2.8	4.5	2.4-7.8	1.4	1.4	0.6-3.1
Stomach	19.2	13.8	11.1-16.9	9.2	16.6	12.0-22.4	10.0	12.1	8.9-16.0
Colorectal	62.2	42.1	37.4-47.3	28.2	48.4	40.3-57.6	34.0	37.9	32.3-44.3
Colon excluding rectum	46.8	32.4	28.3-37.0	20.4	35.7	28.7-43.8	26.4	30.1	25.1-35.9
Rectum & rectosigmoid	15.4	9.7	7.6-12.2	7.8	12.7	8.9-17.6	7.6	7.8	5.5-10.8
Liver / intrahepatic bile duct	13.2	7.9	6.1-10.2	9.8	14.2	10.4-19.0	3.4	3.4	2.0-5.7
Pancreas	20.8	14.3	11.6-17.4	8.6	13.6	9.7-18.6	12.2	14.3	10.8-18.5
Larynx	3.2	1.8	1.0-3.1	2.8	4.2	2.1-7.3	0.4	0.3	0.0-1.5
Lung and bronchus	45.0	30.6	26.6-35.0	26.0	43.6	36.0-52.2	19.0	22.2	17.9-27.4
Melanoma of the skin	1.8	1.0	0.5-2.0	0.6	0.7	0.1-2.3	1.2	1.3	0.5-2.9
Female breast							111.4	122.4	112.2-133.4
Cervix uteri							11.8	13.2	10.0-17.2
Corpus uterus and NOS							36.4	38.0	32.5-44.1
Ovary							10.0	11.3	8.4-15.1
Prostate				144.2	210.9	194.9-227.9			
Testis				1.0	1.7	0.5-4.0			
Urinary bladder (incl. in situ)	12.8	9.0	6.8-11.5	9.0	15.9	11.4-21.6	3.8	4.5	2.6-7.1
Kidney and renal pelvis	12.4	8.1	6.1-10.4	7.4	11.9	8.2-16.8	5.0	5.6	3.6-8.4
Brain and other central nervous system	7.0	4.5	3.1-6.3	4.0	5.9	3.6-9.3	3.0	3.4	1.8-5.7
Thyroid	14.6	9.8	7.6-12.3	1.2	1.9	0.7-4.3	13.4	15.3	11.7-19.5
Hodgkin lymphoma	3.8	2.8	1.6-4.3	1.8	3.3	1.4-6.4	2.0	2.5	1.2-4.7
Non-Hodgkin lymphomas	25.2	16.3	13.5-19.5	11.2	16.6	12.4-21.8	14.0	15.5	12.0-19.8
Myeloma	23.4	15.5	12.8-18.7	10.4	18.6	13.6-24.8	13.0	13.9	10.6-17.8
Leukemias	15.8	11.0	8.6-13.7	8.4	14.4	10.2-19.6	7.4	8.7	6.0-12.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Crown Heights So., Prospect Lefferts & Wingate**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	513.6	430.7	413.8-448.1	243.0	504.0	475.0-534.4	270.6	386.6	365.8-408.3
Oral cavity and pharynx	7.6	6.5	4.5-8.9	4.8	10.6	6.7-16.0	2.8	3.8	2.1-6.6
Esophagus	4.2	3.4	2.1-5.3	3.2	6.5	3.6-10.7	1.0	1.3	0.4-3.3
Stomach	12.0	10.5	7.9-13.6	6.4	14.1	9.4-20.1	5.6	8.1	5.3-11.8
Colorectal	47.0	39.2	34.3-44.7	20.0	43.1	34.7-52.9	27.0	37.4	31.2-44.5
Colon excluding rectum	33.4	28.0	23.8-32.7	12.8	28.1	21.4-36.2	20.6	28.6	23.2-34.8
Rectum & rectosigmoid	13.6	11.3	8.7-14.4	7.2	15.0	10.3-21.1	6.4	8.8	6.0-12.6
Liver / intrahepatic bile duct	9.6	7.8	5.7-10.4	6.6	12.9	8.7-18.4	3.0	4.1	2.3-7.0
Pancreas	17.0	15.0	11.9-18.6	7.6	17.1	11.9-23.8	9.4	13.7	10.0-18.4
Larynx	3.0	2.4	1.3-4.1	2.4	5.1	2.6-9.0	0.6	0.7	0.1-2.3
Lung and bronchus	42.2	36.1	31.3-41.4	21.2	46.6	37.8-56.7	21.0	29.5	24.1-35.9
Melanoma of the skin	2.6	2.2	1.1-3.8	1.4	3.2	1.2-6.7	1.2	1.6	0.6-3.7
Female breast							77.8	111.6	100.5-123.5
Cervix uteri							8.4	12.6	9.0-17.2
Corpus uterus and NOS							30.4	40.7	34.4-47.9
Ovary							8.6	11.9	8.5-16.1
Prostate				101.8	200.2	182.5-219.2			
Testis				2.2	3.8	1.9-7.0			
Urinary bladder (incl. in situ)	11.2	9.8	7.4-12.8	7.8	18.7	13.1-25.8	3.4	4.5	2.6-7.3
Kidney and renal pelvis	13.6	11.2	8.7-14.3	7.8	15.5	10.9-21.4	5.8	8.3	5.5-12.1
Brain and other central nervous system	6.6	5.6	3.8-8.0	4.2	8.2	5.0-12.7	2.4	3.5	1.8-6.3
Thyroid	17.0	15.2	12.1-18.9	3.4	7.1	4.0-11.5	13.6	21.7	16.7-27.6
Hodgkin lymphoma	4.6	3.8	2.4-5.7	2.0	3.6	1.7-6.7	2.6	4.0	2.1-7.0
Non-Hodgkin lymphomas	16.8	14.4	11.5-18.0	7.8	16.5	11.6-22.8	9.0	12.9	9.3-17.4
Myeloma	17.2	14.9	11.9-18.5	8.6	18.7	13.4-25.4	8.6	12.2	8.8-16.6
Leukemias	13.0	12.0	9.2-15.3	7.2	16.7	11.6-23.3	5.8	8.5	5.7-12.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Sunset Park & Windsor Terrace**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	602.4	459.6	442.8-476.8	294.0	508.4	481.1-536.8	308.4	438.1	416.1-460.9
Oral cavity and pharynx	22.6	16.6	13.6-20.0	15.4	23.2	18.1-29.3	7.2	10.3	7.1-14.2
Esophagus	6.0	5.0	3.4-7.2	5.0	9.6	6.0-14.3	1.0	1.7	0.5-3.8
Stomach	33.4	26.4	22.5-30.9	23.8	41.2	33.7-49.7	9.6	14.0	10.3-18.7
Colorectal	53.8	43.0	37.9-48.6	26.4	47.0	38.9-56.2	27.4	40.2	33.7-47.7
Colon excluding rectum	35.8	29.3	25.1-34.1	17.2	31.6	25.0-39.4	18.6	27.9	22.4-34.2
Rectum & rectosigmoid	18.0	13.7	10.9-16.9	9.2	15.4	11.0-20.8	8.8	12.4	8.9-16.7
Liver / intrahepatic bile duct	26.0	20.1	16.7-24.0	19.0	30.7	24.4-37.9	7.0	11.0	7.6-15.3
Pancreas	15.4	13.5	10.6-16.9	7.8	15.7	10.9-21.7	7.6	12.2	8.6-16.7
Larynx	3.6	2.8	1.6-4.4	3.6	6.4	3.7-10.3	0.0	0.0	0.0-1.1
Lung and bronchus	63.2	51.7	46.0-57.8	36.2	67.6	57.6-78.7	27.0	40.6	34.0-48.1
Melanoma of the skin	7.4	6.0	4.2-8.3	4.8	8.9	5.5-13.5	2.6	3.9	2.0-6.6
Female breast							74.4	105.7	95.1-117.2
Cervix uteri							9.2	12.8	9.4-17.1
Corpus uterus and NOS							20.4	28.8	23.4-35.0
Ovary							7.6	10.8	7.6-14.9
Prostate				48.8	85.4	74.5-97.3			
Testis				3.6	4.5	2.5-7.3			
Urinary bladder (incl. in situ)	17.2	14.3	11.4-17.7	14.0	28.9	22.2-36.9	3.2	4.7	2.7-7.6
Kidney and renal pelvis	16.4	12.4	9.8-15.4	9.6	15.9	11.5-21.4	6.8	9.8	6.7-13.7
Brain and other central nervous system	9.2	6.0	4.4-8.1	4.2	5.7	3.4-8.9	5.0	6.5	4.2-9.7
Thyroid	54.0	34.3	30.2-38.8	11.6	15.2	11.4-19.9	42.4	54.3	47.1-62.4
Hodgkin lymphoma	4.2	2.9	1.8-4.5	1.8	2.5	1.0-5.0	2.4	3.2	1.6-5.8
Non-Hodgkin lymphomas	23.8	17.6	14.5-21.2	14.2	22.8	17.4-29.2	9.6	13.6	10.0-18.2
Myeloma	9.2	7.3	5.3-9.8	6.0	11.1	7.3-16.1	3.2	4.6	2.6-7.5
Leukemias	21.4	15.0	12.2-18.3	10.6	15.7	11.5-21.0	10.8	14.5	10.8-19.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Bay Ridge & Dyker Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	717.0	478.5	462.7-494.7	332.6	502.8	478.5-528.0	384.4	472.4	450.9-494.8
Oral cavity and pharynx	13.0	8.3	6.4-10.7	9.2	13.5	9.8-18.1	3.8	4.6	2.7-7.3
Esophagus	5.6	3.4	2.2-5.0	4.4	5.9	3.6-9.0	1.2	1.4	0.5-3.3
Stomach	18.4	11.9	9.6-14.7	10.6	16.1	12.0-21.1	7.8	8.6	6.0-11.9
Colorectal	67.0	43.0	38.5-48.0	36.4	54.3	46.6-62.9	30.6	34.1	28.8-40.3
Colon excluding rectum	46.6	29.8	26.0-33.9	24.0	36.7	30.3-44.0	22.6	24.3	19.9-29.5
Rectum & rectosigmoid	20.4	13.3	10.8-16.2	12.4	17.6	13.4-22.7	8.0	9.8	6.9-13.6
Liver / intrahepatic bile duct	16.6	11.0	8.8-13.8	13.8	20.2	15.6-25.6	2.8	3.3	1.8-5.8
Pancreas	19.6	12.7	10.2-15.5	8.8	13.4	9.7-18.1	10.8	12.1	9.0-16.0
Larynx	5.8	3.8	2.5-5.5	5.2	7.9	5.1-11.7	0.6	0.6	0.1-2.1
Lung and bronchus	88.0	57.1	51.8-62.8	43.6	68.1	59.2-77.9	44.4	50.6	44.0-57.9
Melanoma of the skin	18.4	12.7	10.2-15.7	9.0	14.1	10.2-18.9	9.4	12.0	8.7-16.2
Female breast							107.8	139.2	127.4-151.9
Cervix uteri							5.8	7.8	5.2-11.3
Corpus uterus and NOS							24.6	29.2	24.2-35.0
Ovary							9.8	12.2	8.9-16.3
Prostate				63.2	91.1	81.1-101.9			
Testis				5.4	8.2	5.4-12.1			
Urinary bladder (incl. in situ)	30.6	19.5	16.5-22.9	22.0	33.8	27.7-40.8	8.6	9.3	6.7-12.8
Kidney and renal pelvis	25.6	17.4	14.5-20.7	16.6	25.1	19.9-31.3	9.0	11.2	8.1-15.1
Brain and other central nervous system	10.4	8.0	5.9-10.5	6.0	9.8	6.5-14.1	4.4	6.0	3.7-9.3
Thyroid	53.4	38.1	33.6-43.1	14.8	21.7	17.0-27.4	38.6	54.0	46.5-62.4
Hodgkin lymphoma	3.6	2.8	1.6-4.5	2.0	3.0	1.4-5.7	1.6	2.6	1.1-5.3
Non-Hodgkin lymphomas	30.4	20.9	17.6-24.6	16.0	25.8	20.3-32.2	14.4	16.4	12.7-20.9
Myeloma	9.4	6.4	4.7-8.6	5.0	8.0	5.1-11.8	4.4	5.6	3.5-8.7
Leukemias	24.6	16.8	13.9-20.1	13.2	20.1	15.4-25.7	11.4	14.0	10.4-18.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Borough Park, Kensington & Ocean Parkway**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	638.6	433.6	418.1-449.6	307.6	451.6	428.5-475.7	331.0	429.1	407.5-451.4
Oral cavity and pharynx	14.4	10.0	7.7-12.7	8.4	13.0	9.3-17.7	6.0	7.1	4.7-10.3
Esophagus	5.4	3.8	2.4-5.6	3.8	6.3	3.7-9.8	1.6	1.6	0.6-3.4
Stomach	17.8	12.3	9.8-15.3	12.0	18.8	14.2-24.3	5.8	7.0	4.6-10.3
Colorectal	61.8	41.3	36.6-46.4	32.4	48.2	40.8-56.5	29.4	35.6	29.7-42.3
Colon excluding rectum	42.4	27.5	23.8-31.7	21.8	32.1	26.2-39.0	20.6	23.7	19.1-29.1
Rectum & rectosigmoid	19.4	13.7	11.0-16.9	10.6	16.1	11.9-21.2	8.8	11.9	8.5-16.2
Liver / intrahepatic bile duct	13.8	9.3	7.2-11.9	9.8	14.4	10.5-19.2	4.0	4.8	2.8-7.5
Pancreas	21.8	14.3	11.6-17.4	10.4	15.3	11.3-20.2	11.4	13.6	10.1-17.9
Larynx	4.2	2.6	1.6-4.1	3.4	4.6	2.6-7.5	0.8	0.9	0.2-2.5
Lung and bronchus	61.4	41.9	37.2-47.1	35.6	54.1	46.1-62.9	25.8	31.5	26.1-37.7
Melanoma of the skin	13.0	9.1	7.0-11.7	6.4	9.1	6.1-12.9	6.6	9.5	6.4-13.5
Female breast							82.4	115.1	103.8-127.3
Cervix uteri							4.8	6.7	4.2-10.1
Corpus uterus and NOS							23.6	31.1	25.5-37.4
Ovary							8.2	11.0	7.8-15.1
Prostate				54.4	81.5	71.7-92.1			
Testis				3.0	4.1	2.3-6.9			
Urinary bladder (incl. in situ)	29.4	19.1	16.0-22.6	21.4	32.6	26.5-39.6	8.0	8.6	5.9-12.0
Kidney and renal pelvis	22.4	15.7	12.8-19.0	13.4	19.8	15.2-25.3	9.0	12.0	8.7-16.3
Brain and other central nervous system	14.6	8.7	6.8-11.1	8.0	9.7	6.8-13.4	6.6	8.0	5.5-11.4
Thyroid	45.2	33.5	29.1-38.3	11.8	17.5	13.2-22.8	33.4	50.1	42.5-58.5
Hodgkin lymphoma	6.2	4.0	2.7-5.7	2.4	3.1	1.5-5.5	3.8	5.0	3.0-7.9
Non-Hodgkin lymphomas	36.4	24.1	20.6-28.0	19.4	26.6	21.4-32.7	17.0	21.6	17.0-27.0
Myeloma	10.8	7.2	5.4-9.5	6.2	9.3	6.2-13.2	4.6	5.8	3.6-8.9
Leukemias	23.6	15.2	12.5-18.4	13.8	19.8	15.2-25.3	9.8	11.1	8.0-15.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Flatbush & Midwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	737.8	430.8	416.6-445.2	344.6	468.4	445.8-491.8	393.2	408.1	389.8-427.0
Oral cavity and pharynx	13.6	7.8	6.0-9.9	9.0	11.5	8.3-15.6	4.6	4.8	3.0-7.4
Esophagus	5.2	3.0	1.9-4.5	4.0	5.4	3.2-8.4	1.2	1.3	0.5-2.9
Stomach	18.4	11.1	8.9-13.6	11.6	16.4	12.4-21.4	6.8	6.8	4.7-9.6
Colorectal	70.0	40.8	36.5-45.4	31.8	43.9	37.2-51.6	38.2	39.0	33.5-45.1
Colon excluding rectum	48.0	28.0	24.5-31.9	21.4	29.8	24.3-36.3	26.6	27.2	22.7-32.4
Rectum & rectosigmoid	22.0	12.8	10.5-15.5	10.4	14.1	10.4-18.6	11.6	11.8	8.9-15.3
Liver / intrahepatic bile duct	14.0	7.7	6.0-9.8	9.8	11.6	8.5-15.5	4.2	4.5	2.8-7.0
Pancreas	19.6	11.2	9.0-13.6	8.8	11.6	8.3-15.8	10.8	10.8	8.0-14.1
Larynx	4.4	2.4	1.5-3.7	3.6	4.7	2.7-7.5	0.8	0.7	0.2-2.0
Lung and bronchus	63.8	37.9	33.8-42.4	33.0	48.2	40.9-56.3	30.8	31.2	26.4-36.7
Melanoma of the skin	18.0	10.8	8.7-13.4	9.6	13.7	10.0-18.3	8.4	8.7	6.2-11.9
Female breast							111.8	118.0	108.2-128.5
Cervix uteri							9.8	10.9	8.0-14.4
Corpus uterus and NOS							35.6	35.2	30.1-40.9
Ovary							11.0	11.3	8.4-14.8
Prostate				98.6	126.9	115.6-139.0			
Testis				3.2	3.9	2.2-6.4			
Urinary bladder (incl. in situ)	25.4	15.2	12.6-18.2	19.4	28.8	23.2-35.3	6.0	6.0	4.0-8.7
Kidney and renal pelvis	24.0	13.9	11.5-16.7	16.0	21.4	16.8-26.8	8.0	8.2	5.8-11.2
Brain and other central nervous system	10.0	6.0	4.5-8.0	6.0	7.8	5.2-11.2	4.0	4.5	2.7-6.9
Thyroid	34.6	20.6	17.6-24.0	8.0	11.1	7.9-15.2	26.6	28.7	23.9-34.1
Hodgkin lymphoma	4.8	3.0	1.9-4.5	2.6	3.5	1.9-6.1	2.2	2.5	1.2-4.5
Non-Hodgkin lymphomas	31.2	18.3	15.5-21.4	15.6	21.3	16.7-26.7	15.6	16.1	12.6-20.2
Myeloma	19.2	10.9	8.8-13.4	9.6	13.3	9.7-17.8	9.6	9.3	6.8-12.4
Leukemias	26.0	15.8	13.2-18.8	14.2	20.0	15.5-25.3	11.8	12.3	9.3-16.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Sheepshead Bay, Gerritsen Beach & Homecrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	964.0	482.9	468.9-497.3	457.0	506.1	485.1-527.9	507.0	473.7	454.4-493.6
Oral cavity and pharynx	18.4	9.7	7.7-12.0	11.4	12.9	9.6-16.9	7.0	6.6	4.5-9.5
Esophagus	5.6	2.6	1.7-3.8	3.4	3.9	2.2-6.3	2.2	1.3	0.6-2.7
Stomach	24.6	12.4	10.2-15.0	11.2	12.7	9.5-16.6	13.4	12.3	9.4-16.0
Colorectal	84.8	40.6	36.6-44.8	46.6	50.8	44.3-58.0	38.2	32.6	27.9-38.0
Colon excluding rectum	63.8	30.1	26.8-33.8	34.0	36.9	31.4-43.1	29.8	25.0	20.9-29.7
Rectum & rectosigmoid	21.0	10.4	8.5-12.7	12.6	13.9	10.6-18.0	8.4	7.6	5.4-10.5
Liver / intrahepatic bile duct	16.8	7.9	6.2-9.9	11.0	11.5	8.6-15.1	5.8	4.9	3.2-7.2
Pancreas	32.2	14.9	12.6-17.5	14.6	16.1	12.6-20.4	17.6	13.8	10.9-17.2
Larynx	5.6	2.6	1.7-3.9	5.0	5.2	3.4-7.9	0.6	0.6	0.1-1.8
Lung and bronchus	118.6	56.6	52.1-61.5	64.0	70.6	62.9-78.9	54.6	47.0	41.5-53.2
Melanoma of the skin	32.6	16.7	14.2-19.6	18.0	20.8	16.6-25.7	14.6	13.7	10.6-17.5
Female breast							131.2	125.9	116.0-136.4
Cervix uteri							4.4	4.7	2.9-7.4
Corpus uterus and NOS							36.0	33.3	28.4-38.8
Ovary							15.6	15.1	11.8-19.1
Prostate				90.6	94.8	86.1-104.2			
Testis				4.2	5.7	3.5-8.7			
Urinary bladder (incl. in situ)	51.4	24.3	21.3-27.5	39.0	42.7	36.8-49.3	12.4	10.3	7.9-13.4
Kidney and renal pelvis	35.6	18.5	15.8-21.6	21.6	23.9	19.5-29.1	14.0	14.1	10.9-18.0
Brain and other central nervous system	15.0	8.3	6.5-10.6	8.8	10.4	7.5-14.2	6.2	6.5	4.3-9.4
Thyroid	58.4	34.5	30.5-38.9	13.6	16.8	12.9-21.4	44.8	51.2	44.4-58.7
Hodgkin lymphoma	5.0	3.5	2.3-5.2	2.6	3.9	2.1-6.7	2.4	3.1	1.5-5.4
Non-Hodgkin lymphomas	42.0	21.5	18.5-24.7	24.2	27.3	22.5-32.9	17.8	16.6	13.1-20.7
Myeloma	13.0	6.2	4.8-8.0	8.0	8.6	6.1-11.8	5.0	4.4	2.8-6.7
Leukemias	29.6	15.4	12.9-18.2	15.0	17.6	13.7-22.1	14.6	13.9	10.7-17.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Bensonhurst & Bath Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	991.2	436.4	424.1-448.9	482.0	471.8	452.9-491.2	509.2	416.9	400.3-433.9
Oral cavity and pharynx	27.0	12.0	10.0-14.3	16.4	15.7	12.5-19.6	10.6	8.7	6.4-11.5
Esophagus	7.0	2.9	2.0-4.1	5.4	5.1	3.4-7.6	1.6	1.0	0.4-2.2
Stomach	26.2	11.2	9.3-13.4	16.2	16.2	12.8-20.2	10.0	7.2	5.3-9.7
Colorectal	89.8	38.5	34.9-42.3	48.2	47.0	41.2-53.4	41.6	31.5	27.3-36.3
Colon excluding rectum	65.4	27.9	24.9-31.2	33.6	32.9	28.0-38.3	31.8	24.0	20.3-28.3
Rectum & rectosigmoid	24.4	10.6	8.7-12.7	14.6	14.2	11.1-17.9	9.8	7.5	5.5-10.0
Liver / intrahepatic bile duct	30.2	13.2	11.1-15.5	20.2	19.4	15.8-23.7	10.0	7.7	5.6-10.2
Pancreas	31.4	13.1	11.1-15.4	16.4	16.1	12.7-20.0	15.0	10.8	8.4-13.7
Larynx	5.4	2.2	1.5-3.3	4.8	4.6	2.9-6.9	0.6	0.4	0.1-1.4
Lung and bronchus	148.0	63.0	58.4-67.7	87.2	84.8	77.0-93.3	60.8	46.1	40.9-51.7
Melanoma of the skin	21.2	9.2	7.5-11.1	9.6	9.3	6.8-12.4	11.6	9.1	6.8-11.9
Female breast							136.2	116.5	107.7-125.8
Cervix uteri							8.8	8.0	5.8-10.8
Corpus uterus and NOS							31.0	25.7	21.8-30.3
Ovary							12.0	9.8	7.4-12.7
Prostate				78.6	74.9	67.6-82.9			
Testis				4.2	4.4	2.7-6.8			
Urinary bladder (incl. in situ)	42.8	18.0	15.6-20.6	34.6	34.6	29.6-40.2	8.2	5.8	4.1-8.0
Kidney and renal pelvis	33.8	15.1	12.9-17.6	22.0	21.5	17.6-26.0	11.8	9.6	7.3-12.5
Brain and other central nervous system	13.8	6.8	5.2-8.6	7.6	8.0	5.6-11.1	6.2	5.6	3.7-8.1
Thyroid	69.6	33.7	30.2-37.5	18.0	17.4	14.0-21.5	51.6	49.6	43.6-56.2
Hodgkin lymphoma	4.4	2.4	1.5-3.6	3.0	3.3	1.8-5.4	1.4	1.6	0.6-3.3
Non-Hodgkin lymphomas	38.8	17.0	14.6-19.6	21.2	20.6	16.9-25.1	17.6	14.0	11.2-17.4
Myeloma	10.6	4.5	3.4-6.0	5.0	4.8	3.1-7.1	5.6	4.2	2.8-6.2
Leukemias	32.2	14.5	12.3-16.9	18.0	18.3	14.6-22.5	14.2	11.7	9.0-14.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Kings (Brooklyn) County
Brighton Beach & Coney Island**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	873.0	485.6	470.4-501.2	420.0	537.0	513.5-561.4	453.0	456.0	435.8-477.0
Oral cavity and pharynx	16.8	9.5	7.4-11.9	13.0	17.4	13.3-22.4	3.8	3.5	2.0-5.9
Esophagus	5.8	3.2	2.1-4.8	4.2	5.4	3.3-8.5	1.6	1.7	0.6-3.8
Stomach	26.0	13.8	11.4-16.6	15.8	19.6	15.4-24.8	10.2	9.9	7.2-13.5
Colorectal	88.4	47.6	43.0-52.6	43.0	55.2	47.8-63.5	45.4	42.5	36.8-49.1
Colon excluding rectum	66.2	35.0	31.1-39.2	33.2	41.7	35.4-48.8	33.0	30.7	25.8-36.3
Rectum & rectosigmoid	22.2	12.6	10.2-15.5	9.8	13.6	9.9-18.3	12.4	11.9	8.9-15.7
Liver / intrahepatic bile duct	22.6	12.0	9.8-14.7	13.4	16.9	12.9-21.8	9.2	8.3	5.9-11.4
Pancreas	31.6	16.1	13.6-19.0	14.4	18.1	14.0-23.1	17.2	14.7	11.6-18.6
Larynx	5.2	2.9	1.8-4.4	4.2	5.6	3.4-8.7	1.0	0.9	0.3-2.5
Lung and bronchus	107.0	53.3	48.8-58.3	65.4	78.8	70.3-88.1	41.6	35.6	30.7-41.3
Melanoma of the skin	29.6	16.4	13.7-19.5	15.0	19.6	15.3-24.9	14.6	14.1	10.8-18.2
Female breast							108.4	118.5	107.9-129.9
Cervix uteri							7.6	9.3	6.4-13.2
Corpus uterus and NOS							33.2	33.2	28.0-39.2
Ovary							16.0	16.1	12.5-20.5
Prostate				78.0	97.4	87.8-107.9			
Testis				1.6	3.2	1.3-6.3			
Urinary bladder (incl. in situ)	51.0	25.0	21.9-28.5	39.6	47.6	41.1-55.0	11.4	9.4	7.1-12.6
Kidney and renal pelvis	35.0	19.5	16.5-22.8	22.0	29.1	23.7-35.5	13.0	12.0	9.1-15.6
Brain and other central nervous system	9.8	6.9	5.0-9.3	6.0	9.9	6.5-14.4	3.8	4.4	2.5-7.1
Thyroid	43.0	30.4	26.2-35.0	9.2	13.6	9.8-18.4	33.8	44.9	38.0-52.8
Hodgkin lymphoma	4.2	3.8	2.3-5.8	2.2	4.8	2.4-8.6	2.0	2.6	1.2-5.2
Non-Hodgkin lymphomas	39.8	21.9	18.8-25.5	20.0	25.9	20.9-31.9	19.8	19.1	15.2-23.9
Myeloma	12.2	6.1	4.6-8.1	6.4	7.5	5.1-10.8	5.8	5.4	3.5-8.2
Leukemias	25.6	14.2	11.7-17.1	13.4	17.8	13.6-22.9	12.2	11.4	8.5-15.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

New York (Manhattan) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8448.0	449.1	444.8-453.5	4052.4	493.0	486.2-500.0	4395.6	425.2	419.5-431.1
Oral cavity and pharynx	207.4	11.0	10.3-11.7	139.2	16.7	15.5-18.0	68.2	6.4	5.7-7.1
Esophagus	70.0	3.6	3.3-4.1	47.6	5.8	5.1-6.6	22.4	2.0	1.6-2.4
Stomach	156.2	8.2	7.6-8.8	92.6	11.3	10.3-12.4	63.6	5.9	5.2-6.6
Colorectal	648.4	34.5	33.3-35.8	330.8	40.9	38.9-42.9	317.6	29.7	28.2-31.2
Colon excluding rectum	452.2	24.0	23.0-25.0	220.2	27.5	25.9-29.2	232.0	21.4	20.2-22.7
Rectum & rectosigmoid	196.2	10.6	9.9-11.3	110.6	13.4	12.3-14.6	85.6	8.3	7.5-9.1
Liver / intrahepatic bile duct	215.2	11.0	10.4-11.7	145.6	17.0	15.8-18.3	69.6	6.2	5.5-6.9
Pancreas	248.8	13.0	12.3-13.7	126.0	15.6	14.4-16.9	122.8	11.0	10.1-11.9
Larynx	56.0	2.9	2.6-3.3	45.4	5.4	4.7-6.2	10.6	1.0	0.7-1.3
Lung and bronchus	902.8	47.2	45.8-48.6	404.2	50.4	48.2-52.6	498.6	45.3	43.5-47.1
Melanoma of the skin	328.6	17.3	16.5-18.2	189.4	23.2	21.8-24.8	139.2	13.1	12.1-14.2
Female breast							1355.8	136.8	133.4-140.2
Cervix uteri							65.8	6.7	6.0-7.5
Corpus uterus and NOS							307.8	29.3	27.8-30.8
Ovary							119.2	11.9	11.0-13.0
Prostate				1046.0	122.8	119.4-126.2			
Testis				60.0	6.5	5.7-7.3			
Urinary bladder (incl. in situ)	325.8	17.0	16.2-17.9	241.8	30.8	29.1-32.6	84.0	7.4	6.7-8.2
Kidney and renal pelvis	228.8	12.3	11.6-13.1	146.2	17.7	16.4-19.0	82.6	8.1	7.3-8.9
Brain and other central nervous system	116.4	6.8	6.3-7.5	66.2	8.6	7.7-9.6	50.2	5.4	4.7-6.2
Thyroid	353.8	19.5	18.6-20.4	100.8	11.8	10.7-12.9	253.0	26.8	25.3-28.3
Hodgkin lymphoma	57.4	3.2	2.8-3.6	27.6	3.3	2.8-4.0	29.8	3.0	2.5-3.6
Non-Hodgkin lymphomas	415.2	22.3	21.3-23.3	222.8	27.5	25.9-29.2	192.4	18.1	17.0-19.4
Myeloma	146.8	7.7	7.1-8.3	80.6	9.9	9.0-10.9	66.2	6.0	5.4-6.7
Leukemias	269.0	14.7	13.9-15.6	156.2	20.0	18.6-21.5	112.8	10.9	10.0-11.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Washington Heights, Inwood & Marble Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	905.8	416.4	404.2-428.9	450.6	510.3	488.7-532.5	455.2	364.3	349.2-379.9
Oral cavity and pharynx	18.0	8.2	6.6-10.1	12.0	12.9	9.7-16.8	6.0	4.6	3.1-6.6
Esophagus	7.8	3.7	2.6-5.0	5.6	7.0	4.6-10.1	2.2	1.6	0.8-2.9
Stomach	17.8	8.2	6.6-10.2	9.8	11.5	8.5-15.3	8.0	6.2	4.4-8.6
Colorectal	83.0	38.5	34.8-42.4	43.0	50.2	43.5-57.6	40.0	31.3	27.0-36.1
Colon excluding rectum	58.2	27.2	24.1-30.6	28.6	34.4	28.8-40.6	29.6	23.2	19.5-27.3
Rectum & rectosigmoid	24.8	11.3	9.4-13.5	14.4	15.8	12.3-20.1	10.4	8.1	6.0-10.8
Liver / intrahepatic bile duct	25.8	11.6	9.7-13.8	16.4	17.9	14.1-22.3	9.4	7.0	5.1-9.4
Pancreas	25.8	12.0	10.0-14.2	16.0	18.5	14.6-23.2	9.8	7.6	5.6-10.2
Larynx	8.4	3.8	2.7-5.2	6.2	6.7	4.5-9.7	2.2	1.7	0.8-3.2
Lung and bronchus	72.0	33.8	30.3-37.5	33.0	41.0	34.8-47.9	39.0	29.8	25.7-34.4
Melanoma of the skin	10.8	5.0	3.7-6.5	5.6	6.6	4.3-9.6	5.2	4.2	2.7-6.3
Female breast							139.8	114.4	105.9-123.4
Cervix uteri							9.2	7.7	5.6-10.4
Corpus uterus and NOS							34.8	26.9	23.0-31.3
Ovary							13.4	11.2	8.7-14.4
Prostate				159.0	172.5	160.4-185.3			
Testis				3.4	2.6	1.5-4.3			
Urinary bladder (incl. in situ)	26.2	12.7	10.6-15.1	19.4	25.4	20.4-31.0	6.8	5.2	3.5-7.3
Kidney and renal pelvis	27.2	12.4	10.4-14.7	18.4	19.7	15.8-24.3	8.8	7.0	5.0-9.4
Brain and other central nervous system	12.6	6.1	4.7-7.9	6.4	6.9	4.7-9.9	6.2	5.6	3.7-8.0
Thyroid	39.2	17.8	15.4-20.6	8.4	8.9	6.3-12.1	30.8	26.2	22.1-30.8
Hodgkin lymphoma	7.6	3.5	2.5-4.9	3.6	3.6	2.1-5.8	4.0	3.4	2.1-5.4
Non-Hodgkin lymphomas	37.8	17.8	15.3-20.5	20.8	24.5	19.9-29.9	17.0	13.5	10.7-16.8
Myeloma	17.2	8.2	6.5-10.1	8.4	10.3	7.4-14.0	8.8	6.8	4.9-9.2
Leukemias	27.8	13.1	11.0-15.6	14.8	17.5	13.7-22.1	13.0	10.6	8.1-13.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Hamilton Heights, Manhattanville & West Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	541.2	431.8	415.5-448.7	264.6	515.7	487.5-545.1	276.6	383.6	363.3-404.9
Oral cavity and pharynx	13.0	10.1	7.8-12.9	7.4	14.7	10.3-20.4	5.6	7.0	4.6-10.2
Esophagus	4.0	3.2	1.9-5.0	3.4	7.1	4.0-11.4	0.6	0.8	0.1-2.4
Stomach	13.6	10.8	8.4-13.8	7.2	13.8	9.6-19.3	6.4	8.6	5.8-12.3
Colorectal	44.0	35.5	30.9-40.6	19.2	37.7	30.4-46.3	24.8	34.3	28.4-41.1
Colon excluding rectum	30.4	24.8	20.9-29.1	13.0	26.7	20.5-34.2	17.4	24.0	19.2-29.8
Rectum & rectosigmoid	13.6	10.8	8.3-13.7	6.2	11.0	7.4-15.8	7.4	10.3	7.2-14.3
Liver / intrahepatic bile duct	17.8	14.0	11.2-17.2	11.4	21.6	16.2-28.2	6.4	8.5	5.8-12.1
Pancreas	17.4	13.8	11.0-17.1	7.6	15.7	11.0-21.7	9.8	12.6	9.3-16.8
Larynx	4.0	3.1	1.9-4.9	3.4	6.7	3.8-10.7	0.6	0.7	0.2-2.3
Lung and bronchus	56.2	45.2	40.0-50.9	26.6	54.9	45.7-65.2	29.6	39.7	33.5-46.7
Melanoma of the skin	8.6	6.5	4.7-8.8	5.0	9.8	6.3-14.6	3.6	4.7	2.7-7.6
Female breast							80.0	115.4	104.1-127.5
Cervix uteri							4.2	6.1	3.7-9.5
Corpus uterus and NOS							22.4	30.9	25.4-37.4
Ovary							8.6	11.7	8.4-15.9
Prostate				89.2	169.0	153.3-185.9			
Testis				2.6	3.8	2.0-6.7			
Urinary bladder (incl. in situ)	13.6	11.0	8.5-14.0	9.6	20.2	14.7-26.9	4.0	5.3	3.2-8.3
Kidney and renal pelvis	13.2	10.4	8.0-13.3	7.8	14.6	10.3-20.1	5.4	7.1	4.6-10.5
Brain and other central nervous system	7.0	6.0	4.2-8.4	4.4	8.9	5.5-13.6	2.6	4.0	2.1-7.0
Thyroid	18.6	14.3	11.4-17.6	4.8	8.1	5.1-12.4	13.8	19.8	15.2-25.3
Hodgkin lymphoma	3.6	2.7	1.6-4.4	2.4	4.0	2.0-7.2	1.2	1.4	0.5-3.3
Non-Hodgkin lymphomas	25.8	21.4	17.8-25.4	13.6	25.8	19.9-32.9	12.2	18.2	13.8-23.5
Myeloma	11.2	9.0	6.8-11.7	5.6	10.7	7.0-15.6	5.6	7.5	4.9-10.9
Leukemias	17.2	14.7	11.7-18.2	9.2	19.5	14.1-26.1	8.0	11.3	8.0-15.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016
New York (Manhattan) County
Central Harlem

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	597.0	509.3	491.0-528.2	279.8	582.8	551.3-615.5	317.2	469.1	446.1-493.0
Oral cavity and pharynx	11.8	10.3	7.8-13.4	7.2	16.0	11.0-22.4	4.6	6.8	4.3-10.2
Esophagus	5.6	4.9	3.3-7.2	3.0	7.4	4.0-12.2	2.6	3.8	2.0-6.5
Stomach	11.8	10.5	8.0-13.6	6.2	13.8	9.2-19.7	5.6	8.4	5.6-12.2
Colorectal	59.2	50.8	45.1-57.0	31.0	66.0	55.6-77.7	28.2	41.3	34.7-48.8
Colon excluding rectum	42.2	36.5	31.7-41.9	21.8	48.1	39.1-58.4	20.4	29.7	24.1-36.1
Rectum & rectosigmoid	17.0	14.2	11.3-17.7	9.2	17.9	13.0-24.2	7.8	11.6	8.3-16.0
Liver / intrahepatic bile duct	20.8	17.0	13.8-20.6	14.2	26.8	20.8-34.1	6.6	9.7	6.6-13.6
Pancreas	19.0	16.7	13.4-20.4	8.2	16.8	11.9-23.0	10.8	16.2	12.1-21.2
Larynx	4.6	3.8	2.4-5.8	3.2	6.6	3.7-10.8	1.4	2.0	0.8-4.3
Lung and bronchus	71.2	63.7	57.1-70.8	34.0	78.5	66.7-91.7	37.2	55.4	47.6-64.0
Melanoma of the skin	3.6	3.0	1.7-4.7	1.4	2.6	1.0-5.6	2.2	3.2	1.6-5.8
Female breast							100.4	148.2	135.4-161.9
Cervix uteri							6.6	9.6	6.6-13.5
Corpus uterus and NOS							28.4	41.4	34.8-48.9
Ovary							5.8	9.1	6.1-13.1
Prostate				89.2	183.1	165.9-201.6			
Testis				3.0	5.5	3.0-9.3			
Urinary bladder (incl. in situ)	16.0	13.9	11.0-17.4	11.2	25.5	19.0-33.4	4.8	6.8	4.3-10.2
Kidney and renal pelvis	16.4	14.0	11.1-17.4	10.4	20.8	15.3-27.6	6.0	9.1	6.1-13.1
Brain and other central nervous system	4.0	3.3	2.0-5.1	2.4	4.3	2.2-7.7	1.6	2.7	1.1-5.3
Thyroid	16.6	12.9	10.3-16.1	4.0	6.6	4.0-10.4	12.6	18.0	13.8-23.1
Hodgkin lymphoma	4.4	3.4	2.1-5.2	2.2	3.5	1.8-6.5	2.2	3.1	1.5-5.7
Non-Hodgkin lymphomas	23.6	20.0	16.5-24.0	12.4	24.2	18.3-31.4	11.2	17.0	12.8-22.1
Myeloma	9.6	8.5	6.2-11.3	3.6	7.1	4.1-11.3	6.0	9.1	6.1-13.1
Leukemias	14.4	12.5	9.8-15.8	7.6	15.8	11.0-22.0	6.8	10.2	7.1-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016
New York (Manhattan) County
East Harlem

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	590.4	473.1	456.1-490.6	262.2	528.3	499.7-558.1	328.2	446.4	424.8-468.9
Oral cavity and pharynx	16.0	12.8	10.1-15.9	11.2	22.2	16.7-28.8	4.8	6.5	4.1-9.7
Esophagus	4.4	3.5	2.2-5.3	2.8	6.0	3.3-10.0	1.6	2.0	0.9-4.0
Stomach	12.4	10.2	7.8-13.1	6.8	14.8	10.2-20.7	5.6	7.2	4.8-10.6
Colorectal	54.6	43.9	38.8-49.4	28.2	59.0	49.5-69.7	26.4	34.5	28.8-41.1
Colon excluding rectum	37.6	30.1	25.9-34.8	18.2	38.4	30.8-47.2	19.4	25.4	20.5-31.1
Rectum & rectosigmoid	17.0	13.7	11.0-17.0	10.0	20.6	15.2-27.2	7.0	9.1	6.3-12.8
Liver / intrahepatic bile duct	25.0	20.0	16.6-23.8	16.4	33.5	26.6-41.7	8.6	11.2	8.1-15.2
Pancreas	18.6	15.1	12.2-18.5	9.2	19.8	14.4-26.4	9.4	12.0	8.8-16.1
Larynx	4.6	3.8	2.4-5.7	3.6	7.6	4.5-11.9	1.0	1.5	0.5-3.5
Lung and bronchus	74.0	58.9	53.0-65.3	36.8	75.0	64.4-86.7	37.2	49.2	42.4-57.0
Melanoma of the skin	5.2	4.2	2.8-6.2	3.0	6.2	3.4-10.3	2.2	2.9	1.4-5.3
Female breast							94.0	130.3	118.7-142.8
Cervix uteri							7.8	11.6	8.2-16.0
Corpus uterus and NOS							24.4	33.2	27.5-39.8
Ovary							9.4	12.9	9.4-17.2
Prostate				64.4	129.0	115.2-144.1			
Testis				1.8	3.0	1.4-5.9			
Urinary bladder (incl. in situ)	15.2	12.1	9.5-15.1	9.4	19.8	14.5-26.4	5.8	7.3	4.9-10.6
Kidney and renal pelvis	21.6	17.3	14.2-20.9	10.6	20.8	15.5-27.2	11.0	14.8	11.1-19.4
Brain and other central nervous system	7.2	5.8	4.1-8.1	4.4	7.7	4.8-11.8	2.8	4.3	2.3-7.2
Thyroid	18.0	14.7	11.8-18.1	2.2	4.3	2.1-7.7	15.8	23.6	18.6-29.4
Hodgkin lymphoma	5.2	4.0	2.6-5.9	2.8	5.0	2.7-8.6	2.4	3.2	1.6-5.7
Non-Hodgkin lymphomas	24.4	19.8	16.4-23.6	11.6	22.6	17.1-29.4	12.8	17.5	13.4-22.5
Myeloma	13.6	10.9	8.5-13.9	6.2	12.9	8.7-18.4	7.4	9.6	6.7-13.4
Leukemias	15.2	12.3	9.6-15.4	8.0	15.0	10.7-20.6	7.2	10.2	7.1-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Upper East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1427.8	484.5	472.9-496.4	649.2	504.8	487.1-523.1	778.6	473.9	458.3-489.9
Oral cavity and pharynx	35.0	11.7	10.0-13.6	21.4	16.4	13.4-19.9	13.6	8.0	6.2-10.4
Esophagus	8.4	2.7	1.9-3.7	5.0	3.9	2.5-5.9	3.4	1.7	1.0-2.9
Stomach	14.0	4.6	3.6-5.9	9.4	7.2	5.3-9.7	4.6	2.7	1.7-4.3
Colorectal	91.6	30.6	27.8-33.7	41.0	32.7	28.4-37.7	50.6	28.5	25.0-32.5
Colon excluding rectum	64.4	21.1	18.8-23.6	28.0	22.1	18.5-26.2	36.4	20.0	17.1-23.3
Rectum & rectosigmoid	27.2	9.6	8.0-11.4	13.0	10.7	8.2-13.7	14.2	8.6	6.6-11.0
Liver / intrahepatic bile duct	18.2	5.7	4.6-7.1	12.2	8.9	6.8-11.6	6.0	3.2	2.1-4.8
Pancreas	38.8	12.5	10.7-14.5	20.6	15.6	12.7-19.0	18.2	10.3	8.1-12.9
Larynx	7.4	2.3	1.6-3.3	5.8	4.3	2.9-6.3	1.6	0.9	0.4-2.0
Lung and bronchus	149.6	47.5	44.1-51.1	50.8	38.1	33.5-43.2	98.8	54.9	50.0-60.1
Melanoma of the skin	90.2	30.7	27.8-33.9	52.6	41.8	36.7-47.4	37.6	22.7	19.4-26.4
Female breast							243.2	154.5	145.5-163.9
Cervix uteri							7.4	4.9	3.4-6.9
Corpus uterus and NOS							48.4	28.1	24.5-32.1
Ovary							20.6	13.3	10.7-16.5
Prostate				163.4	119.5	111.4-128.2			
Testis				8.2	7.1	5.0-9.8			
Urinary bladder (incl. in situ)	70.4	22.1	19.8-24.6	52.6	39.4	34.8-44.6	17.8	9.5	7.6-11.9
Kidney and renal pelvis	36.0	11.9	10.2-13.8	25.0	19.1	15.8-22.9	11.0	6.3	4.7-8.4
Brain and other central nervous system	19.6	8.4	6.6-10.5	11.6	11.7	8.6-15.5	8.0	5.6	3.8-7.8
Thyroid	68.0	26.3	23.4-29.4	21.2	17.9	14.5-21.8	46.8	33.1	28.8-38.0
Hodgkin lymphoma	9.6	4.3	3.0-6.0	3.0	2.5	1.4-4.3	6.6	5.8	3.7-8.6
Non-Hodgkin lymphomas	75.2	25.7	23.0-28.6	38.2	31.0	26.6-36.0	37.0	21.6	18.4-25.2
Myeloma	25.4	8.3	6.9-9.9	14.6	11.4	8.9-14.5	10.8	5.9	4.4-7.9
Leukemias	57.0	20.5	17.9-23.3	35.8	30.5	25.8-35.9	21.2	12.6	10.2-15.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Upper West Side & West Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1198.4	449.6	438.0-461.5	552.4	470.7	452.9-489.0	646.0	442.4	426.7-458.6
Oral cavity and pharynx	28.0	10.1	8.5-12.1	18.0	14.8	11.8-18.3	10.0	6.5	4.8-8.8
Esophagus	9.6	3.6	2.6-4.8	5.2	4.5	2.9-6.7	4.4	2.8	1.8-4.5
Stomach	17.0	6.2	5.0-7.8	10.4	8.6	6.4-11.4	6.6	4.4	3.0-6.4
Colorectal	76.6	28.3	25.5-31.4	39.0	33.5	28.9-38.7	37.6	24.2	20.8-28.2
Colon excluding rectum	55.4	20.3	18.0-23.0	26.8	23.1	19.3-27.5	28.6	18.3	15.3-21.8
Rectum & rectosigmoid	21.2	7.9	6.5-9.7	12.2	10.4	7.9-13.5	9.0	6.0	4.3-8.2
Liver / intrahepatic bile duct	19.0	6.7	5.4-8.3	12.4	9.9	7.5-12.8	6.6	4.1	2.8-5.9
Pancreas	35.4	12.7	10.9-14.8	16.4	13.7	10.9-17.2	19.0	12.0	9.6-14.8
Larynx	5.4	2.0	1.3-2.9	5.0	4.2	2.7-6.4	0.4	0.2	0.0-1.0
Lung and bronchus	117.4	42.5	39.1-46.2	46.0	39.2	34.3-44.8	71.4	45.2	40.5-50.4
Melanoma of the skin	62.0	23.9	21.2-26.8	35.6	31.1	26.6-36.1	26.4	18.2	15.1-21.8
Female breast							218.2	155.4	146.0-165.3
Cervix uteri							7.0	5.0	3.5-7.2
Corpus uterus and NOS							44.6	29.9	26.0-34.3
Ovary							15.6	11.0	8.6-13.9
Prostate				147.4	118.8	110.2-127.9			
Testis				8.8	8.8	6.3-12.1			
Urinary bladder (incl. in situ)	48.4	17.7	15.5-20.1	34.0	30.2	25.8-35.2	14.4	8.7	6.8-11.2
Kidney and renal pelvis	35.4	13.1	11.2-15.2	22.8	19.0	15.6-23.0	12.6	8.8	6.7-11.5
Brain and other central nervous system	20.6	8.3	6.7-10.2	11.0	10.1	7.5-13.4	9.6	6.8	4.9-9.2
Thyroid	45.6	19.4	16.8-22.2	11.8	10.6	8.0-13.8	33.8	27.1	23.0-31.8
Hodgkin lymphoma	5.4	2.5	1.6-3.7	3.4	3.7	2.0-6.1	2.0	1.4	0.7-2.8
Non-Hodgkin lymphomas	66.6	24.9	22.3-27.9	35.6	31.2	26.6-36.3	31.0	20.1	17.0-23.8
Myeloma	19.8	7.3	5.9-8.9	11.4	9.7	7.3-12.8	8.4	5.5	3.9-7.6
Leukemias	40.4	15.7	13.5-18.1	23.8	21.7	17.8-26.3	16.6	11.2	8.8-14.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Chelsea, Clinton & Midtown Business District**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	771.2	495.2	479.2-511.8	407.0	543.9	519.2-569.7	364.2	470.0	447.9-493.0
Oral cavity and pharynx	20.0	12.9	10.5-15.9	14.6	18.8	14.6-24.1	5.4	6.8	4.5-10.3
Esophagus	6.0	3.9	2.6-5.7	4.8	6.3	4.0-9.8	1.2	1.5	0.5-3.7
Stomach	13.2	8.4	6.4-10.8	9.0	11.4	8.2-15.6	4.2	5.1	3.1-8.2
Colorectal	57.0	38.0	33.6-42.8	34.6	46.9	39.9-54.9	22.4	29.6	24.2-35.9
Colon excluding rectum	38.4	26.1	22.5-30.2	22.4	31.7	25.8-38.5	16.0	21.0	16.5-26.4
Rectum & rectosigmoid	18.6	11.9	9.6-14.7	12.2	15.3	11.5-20.0	6.4	8.6	5.8-12.4
Liver / intrahepatic bile duct	17.8	11.1	8.8-13.8	12.2	15.3	11.6-20.0	5.6	6.7	4.4-10.0
Pancreas	22.8	15.1	12.4-18.3	11.4	16.0	12.0-21.2	11.4	14.3	10.7-18.8
Larynx	6.6	4.1	2.8-5.9	5.6	6.9	4.5-10.4	1.0	1.2	0.4-3.3
Lung and bronchus	79.8	54.0	48.7-59.7	42.4	62.4	54.0-71.8	37.4	48.2	41.4-55.9
Melanoma of the skin	34.2	21.0	17.9-24.6	21.2	26.6	21.6-32.6	13.0	15.6	11.9-20.4
Female breast							115.6	154.8	142.1-168.4
Cervix uteri							4.6	5.3	3.3-8.4
Corpus uterus and NOS							27.6	35.9	30.1-42.8
Ovary							12.8	17.2	13.1-22.3
Prostate				94.2	123.9	112.6-136.2			
Testis				8.0	7.8	5.0-11.8			
Urinary bladder (incl. in situ)	30.8	21.7	18.3-25.5	24.8	39.1	32.4-47.0	6.0	7.5	5.0-11.0
Kidney and renal pelvis	18.6	12.1	9.7-14.9	11.6	15.1	11.4-19.9	7.0	8.7	6.0-12.4
Brain and other central nervous system	10.2	7.0	4.9-9.6	6.2	9.0	5.5-13.9	4.0	4.5	2.7-7.4
Thyroid	31.2	17.2	14.5-20.4	9.6	10.3	7.5-14.2	21.6	26.5	21.5-32.5
Hodgkin lymphoma	5.8	3.1	2.1-4.7	3.2	3.1	1.7-5.6	2.6	2.7	1.4-5.2
Non-Hodgkin lymphomas	40.8	25.6	22.1-29.6	24.8	33.7	27.7-40.9	16.0	18.9	14.9-23.8
Myeloma	12.4	8.0	6.1-10.4	8.2	10.4	7.3-14.4	4.2	5.4	3.3-8.6
Leukemias	24.6	17.4	14.1-21.3	14.8	21.4	16.4-27.6	9.8	14.6	10.3-20.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Murray Hill, Gramercy & Stuyvesant Town**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	894.4	482.8	468.0-498.0	408.8	501.8	479.3-525.3	485.6	478.9	458.8-499.8
Oral cavity and pharynx	21.8	11.5	9.4-14.1	15.6	18.7	14.8-23.7	6.2	5.9	3.9-8.8
Esophagus	9.0	4.9	3.5-6.7	6.0	7.4	4.9-10.8	3.0	3.1	1.7-5.6
Stomach	10.4	5.5	4.1-7.4	6.2	7.5	5.1-11.0	4.2	4.0	2.4-6.6
Colorectal	59.6	32.0	28.3-36.0	30.4	37.4	31.6-44.1	29.2	27.9	23.3-33.2
Colon excluding rectum	41.0	21.5	18.6-24.8	18.4	22.6	18.2-28.1	22.6	20.9	17.1-25.6
Rectum & rectosigmoid	18.6	10.5	8.4-13.0	12.0	14.7	11.2-19.3	6.6	7.0	4.7-10.2
Liver / intrahepatic bile duct	16.8	8.9	7.1-11.2	11.4	13.4	10.1-17.8	5.4	5.2	3.4-8.0
Pancreas	27.8	14.3	12.0-17.1	12.4	15.4	11.7-20.0	15.4	13.5	10.5-17.3
Larynx	4.0	2.1	1.2-3.4	3.2	4.0	2.2-6.8	0.8	0.6	0.2-2.2
Lung and bronchus	105.6	54.4	49.8-59.5	43.6	53.1	46.2-61.0	62.0	56.0	49.8-62.9
Melanoma of the skin	57.4	30.3	26.7-34.3	31.0	38.0	32.1-44.8	26.4	24.7	20.4-29.9
Female breast							154.8	162.1	150.3-174.8
Cervix uteri							5.0	5.5	3.5-8.6
Corpus uterus and NOS							29.4	28.2	23.7-33.6
Ovary							13.0	13.5	10.2-17.8
Prostate				86.4	99.9	90.6-110.1			
Testis				7.4	9.2	5.9-13.8			
Urinary bladder (incl. in situ)	44.8	23.3	20.3-26.8	32.6	40.0	34.0-46.9	12.2	11.4	8.6-15.0
Kidney and renal pelvis	17.2	9.6	7.5-12.0	10.8	13.5	10.1-17.9	6.4	6.5	4.2-9.8
Brain and other central nervous system	15.8	10.3	7.6-13.5	9.0	12.4	8.2-18.0	6.8	8.8	5.6-13.3
Thyroid	33.0	18.2	15.3-21.6	11.2	13.7	10.1-18.4	21.8	22.6	18.2-28.0
Hodgkin lymphoma	4.4	2.8	1.5-4.8	1.8	2.8	1.0-6.1	2.6	2.9	1.3-5.7
Non-Hodgkin lymphomas	51.0	27.7	24.3-31.5	25.0	31.6	26.2-38.0	26.0	24.4	20.2-29.4
Myeloma	14.2	7.5	5.8-9.6	7.8	9.4	6.7-13.2	6.4	6.0	4.0-9.0
Leukemias	27.6	14.6	12.1-17.5	15.4	19.0	15.0-24.1	12.2	11.5	8.4-15.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Chinatown & Lower East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	829.0	421.3	408.4-434.6	423.8	483.9	463.3-505.2	405.2	382.0	364.9-399.7
Oral cavity and pharynx	26.4	13.6	11.3-16.2	18.0	20.1	16.1-24.8	8.4	7.8	5.6-10.8
Esophagus	9.2	4.5	3.3-6.0	7.6	8.5	6.0-11.8	1.6	1.4	0.6-2.9
Stomach	34.8	17.0	14.5-19.8	21.2	23.9	19.6-29.0	13.6	11.7	9.0-15.1
Colorectal	73.0	36.7	33.0-40.8	37.8	43.5	37.5-50.3	35.2	30.7	26.2-35.8
Colon excluding rectum	48.8	24.3	21.3-27.6	24.6	28.5	23.6-34.1	24.2	20.5	16.9-24.7
Rectum & rectosigmoid	24.2	12.4	10.3-14.9	13.2	15.0	11.6-19.2	11.0	10.2	7.6-13.5
Liver / intrahepatic bile duct	43.4	21.4	18.6-24.5	32.0	35.8	30.4-41.9	11.4	9.4	7.1-12.3
Pancreas	25.4	12.7	10.5-15.2	13.8	16.2	12.6-20.6	11.6	9.6	7.2-12.6
Larynx	8.0	3.9	2.8-5.4	6.8	7.4	5.1-10.4	1.2	1.1	0.4-2.5
Lung and bronchus	106.8	52.6	48.1-57.3	59.6	69.2	61.5-77.6	47.2	40.6	35.4-46.4
Melanoma of the skin	18.2	9.2	7.4-11.4	11.0	12.6	9.4-16.5	7.2	6.5	4.5-9.2
Female breast							98.6	98.9	90.1-108.4
Cervix uteri							9.4	9.5	6.9-12.8
Corpus uterus and NOS							24.8	23.9	19.8-28.7
Ovary							11.2	10.6	7.9-14.0
Prostate				77.4	87.2	78.6-96.4			
Testis				5.6	5.3	3.5-7.9			
Urinary bladder (incl. in situ)	26.6	12.7	10.6-15.2	20.4	23.5	19.1-28.6	6.2	5.1	3.5-7.5
Kidney and renal pelvis	24.8	13.5	11.1-16.1	15.2	17.6	13.8-22.1	9.6	10.0	7.3-13.5
Brain and other central nervous system	9.2	5.5	4.0-7.5	5.0	6.5	4.1-9.7	4.2	4.7	2.8-7.4
Thyroid	48.6	26.6	23.2-30.3	14.6	16.2	12.6-20.5	34.0	36.8	31.3-43.1
Hodgkin lymphoma	6.6	3.4	2.3-4.9	2.8	2.8	1.5-4.9	3.8	4.0	2.3-6.5
Non-Hodgkin lymphomas	33.2	16.7	14.2-19.6	17.8	20.4	16.4-25.3	15.4	13.9	10.9-17.5
Myeloma	13.0	6.5	5.0-8.3	7.4	8.7	6.1-12.0	5.6	4.7	3.1-7.0
Leukemias	22.6	11.5	9.4-13.9	12.2	14.2	10.8-18.4	10.4	9.6	7.0-12.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**New York (Manhattan) County
Battery Park City, Greenwich Village & Soho**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	687.2	473.6	457.4-490.2	350.2	510.8	486.2-536.4	337.0	451.0	429.0-473.9
Oral cavity and pharynx	17.2	11.7	9.3-14.5	13.8	19.4	15.0-24.8	3.4	4.5	2.6-7.4
Esophagus	6.0	3.9	2.6-5.6	4.2	5.7	3.5-8.9	1.8	2.4	1.1-4.7
Stomach	10.8	7.7	5.8-10.2	6.0	9.4	6.2-13.5	4.8	6.3	4.0-9.6
Colorectal	49.4	34.8	30.5-39.6	26.4	39.1	32.5-46.6	23.0	31.1	25.6-37.6
Colon excluding rectum	35.4	25.2	21.5-29.3	18.2	27.2	21.7-33.6	17.2	23.4	18.6-29.2
Rectum & rectosigmoid	14.0	9.7	7.5-12.3	8.2	11.9	8.4-16.4	5.8	7.7	5.1-11.3
Liver / intrahepatic bile duct	10.4	7.1	5.3-9.4	6.8	9.9	6.8-14.0	3.6	4.3	2.5-7.0
Pancreas	17.8	12.5	9.9-15.4	10.4	15.8	11.7-21.0	7.4	9.6	6.7-13.5
Larynx	3.0	2.2	1.2-3.7	2.6	4.0	2.1-7.0	0.4	0.6	0.1-2.3
Lung and bronchus	70.0	51.1	45.8-56.9	31.4	50.8	43.0-59.7	38.6	52.0	44.8-60.2
Melanoma of the skin	38.0	24.8	21.3-28.7	22.6	31.2	25.5-37.9	15.4	18.9	14.7-24.0
Female breast							110.4	151.0	138.3-164.5
Cervix uteri							4.6	6.4	4.0-9.8
Corpus uterus and NOS							23.0	31.7	26.0-38.2
Ovary							8.8	12.7	9.2-17.3
Prostate				74.0	105.7	94.9-117.5			
Testis				11.2	10.8	8.0-14.5			
Urinary bladder (incl. in situ)	33.8	24.8	21.1-29.0	27.8	45.4	38.0-53.9	6.0	7.8	5.2-11.4
Kidney and renal pelvis	18.4	13.0	10.4-16.1	13.6	19.0	14.6-24.4	4.8	7.0	4.4-10.7
Brain and other central nervous system	10.2	7.4	5.2-10.2	5.8	9.5	5.8-14.6	4.4	5.4	3.2-8.7
Thyroid	35.0	21.8	18.6-25.5	13.0	16.7	12.7-21.6	22.0	27.7	22.5-33.8
Hodgkin lymphoma	4.8	2.3	1.4-3.6	2.4	2.5	1.2-4.8	2.4	2.0	1.0-3.9
Non-Hodgkin lymphomas	36.4	25.5	21.8-29.7	22.6	32.3	26.4-39.3	13.8	18.6	14.4-23.8
Myeloma	10.4	7.0	5.2-9.3	7.4	10.6	7.4-14.9	3.0	3.7	2.0-6.3
Leukemias	21.8	15.7	12.7-19.1	14.4	21.8	16.9-27.8	7.4	10.4	7.0-14.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

Queens County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11065.0	420.6	417.1-424.2	5354.2	461.7	456.1-467.4	5710.8	397.4	392.7-402.2
Oral cavity and pharynx	239.2	9.0	8.5-9.6	151.8	12.7	11.8-13.6	87.4	6.1	5.5-6.7
Esophagus	86.6	3.2	2.9-3.5	63.6	5.4	4.8-6.1	23.0	1.5	1.2-1.8
Stomach	323.4	12.3	11.7-12.9	190.2	16.7	15.6-17.8	133.2	9.0	8.3-9.7
Colorectal	1030.8	39.3	38.2-40.4	529.2	46.5	44.7-48.4	501.6	33.8	32.5-35.2
Colon excluding rectum	729.2	27.8	26.9-28.8	358.2	31.9	30.4-33.5	371.0	24.9	23.7-26.1
Rectum & rectosigmoid	301.6	11.4	10.9-12.0	171.0	14.6	13.6-15.6	130.6	9.0	8.3-9.7
Liver / intrahepatic bile duct	270.0	9.9	9.4-10.5	191.8	15.7	14.7-16.7	78.2	5.2	4.7-5.8
Pancreas	339.0	12.7	12.1-13.4	160.6	14.2	13.2-15.3	178.4	11.6	10.8-12.4
Larynx	70.6	2.6	2.4-2.9	58.8	5.1	4.5-5.7	11.8	0.8	0.6-1.0
Lung and bronchus	1152.4	43.6	42.5-44.7	597.2	53.0	51.1-55.0	555.2	37.0	35.6-38.4
Melanoma of the skin	214.2	8.2	7.7-8.8	114.0	10.4	9.5-11.3	100.2	6.9	6.3-7.6
Female breast							1608.0	113.8	111.3-116.4
Cervix uteri							125.2	9.6	8.8-10.4
Corpus uterus and NOS							425.6	28.7	27.5-30.0
Ovary							169.0	12.0	11.2-12.9
Prostate				1441.0	118.2	115.4-121.0			
Testis				47.8	4.0	3.5-4.5			
Urinary bladder (incl. in situ)	436.4	16.7	16.0-17.4	315.2	29.0	27.6-30.5	121.2	8.0	7.3-8.6
Kidney and renal pelvis	347.4	13.1	12.5-13.8	228.2	19.2	18.0-20.3	119.2	8.2	7.6-8.9
Brain and other central nervous system	126.4	5.1	4.7-5.5	68.8	6.0	5.4-6.7	57.6	4.3	3.8-4.9
Thyroid	509.0	20.3	19.5-21.1	113.0	9.4	8.6-10.2	396.0	30.6	29.2-32.0
Hodgkin lymphoma	64.8	2.7	2.4-3.0	37.6	3.2	2.8-3.7	27.2	2.3	1.9-2.7
Non-Hodgkin lymphomas	484.2	18.7	18.0-19.5	261.4	23.1	21.8-24.4	222.8	15.3	14.4-16.3
Myeloma	207.2	7.8	7.4-8.4	104.0	9.0	8.2-9.8	103.2	7.0	6.4-7.7
Leukemias	346.0	13.5	12.9-14.2	188.4	16.8	15.7-17.9	157.6	11.1	10.3-11.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Astoria & Long Island City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	751.8	412.7	399.4-426.3	371.0	467.9	446.3-490.1	380.8	381.5	364.2-399.5
Oral cavity and pharynx	15.0	8.3	6.5-10.4	9.6	11.9	8.7-15.8	5.4	5.7	3.7-8.3
Esophagus	5.2	2.9	1.9-4.3	3.4	4.2	2.5-6.8	1.8	1.7	0.8-3.4
Stomach	20.2	11.4	9.3-13.9	11.6	15.8	12.0-20.5	8.6	8.4	6.1-11.4
Colorectal	65.2	36.4	32.5-40.6	35.0	45.5	38.9-52.9	30.2	29.5	24.9-34.7
Colon excluding rectum	44.4	24.9	21.7-28.5	21.6	28.8	23.5-34.9	22.8	22.4	18.4-27.1
Rectum & rectosigmoid	20.8	11.5	9.4-14.0	13.4	16.7	12.9-21.3	7.4	7.1	5.0-9.8
Liver / intrahepatic bile duct	17.6	9.5	7.6-11.7	12.2	15.0	11.4-19.3	5.4	5.3	3.4-7.8
Pancreas	23.8	13.2	10.9-15.9	13.2	17.0	13.1-21.7	10.6	10.4	7.7-13.6
Larynx	5.6	3.1	2.0-4.5	4.6	6.0	3.7-9.0	1.0	0.9	0.3-2.2
Lung and bronchus	86.2	47.3	42.9-52.1	45.8	59.6	52.0-68.0	40.4	38.6	33.4-44.4
Melanoma of the skin	17.4	9.0	7.2-11.2	7.6	8.6	6.0-11.9	9.8	9.1	6.7-12.2
Female breast							102.0	105.9	96.7-115.7
Cervix uteri							7.8	8.4	5.9-11.6
Corpus uterus and NOS							24.6	24.9	20.7-29.8
Ovary							11.2	10.9	8.2-14.2
Prostate				85.8	107.4	97.3-118.2			
Testis				6.2	5.2	3.4-7.6			
Urinary bladder (incl. in situ)	36.4	20.4	17.5-23.6	26.6	36.0	30.0-42.7	9.8	9.6	7.0-12.8
Kidney and renal pelvis	22.0	12.4	10.2-15.0	15.2	19.0	14.9-23.8	6.8	6.8	4.7-9.6
Brain and other central nervous system	7.0	4.3	3.0-6.0	4.4	5.6	3.5-8.6	2.6	3.3	1.7-5.7
Thyroid	40.2	20.9	18.0-24.2	8.6	9.6	6.9-13.0	31.6	32.2	27.2-37.9
Hodgkin lymphoma	6.8	3.7	2.5-5.2	4.4	4.8	2.9-7.4	2.4	2.6	1.3-4.7
Non-Hodgkin lymphomas	36.8	20.3	17.4-23.5	21.4	26.4	21.5-32.1	15.4	15.5	12.1-19.4
Myeloma	10.8	5.7	4.3-7.5	6.2	7.6	5.1-10.9	4.6	4.1	2.6-6.3
Leukemias	23.8	12.9	10.7-15.6	13.4	17.0	13.1-21.7	10.4	9.8	7.3-13.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Jackson Heights & North Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	677.6	385.3	372.2-398.7	336.0	428.4	407.2-450.4	341.6	364.1	346.8-382.0
Oral cavity and pharynx	14.2	7.8	6.0-9.9	9.2	10.8	7.8-14.6	5.0	5.2	3.4-7.8
Esophagus	4.8	2.9	1.8-4.3	2.4	3.4	1.7-6.0	2.4	2.5	1.3-4.3
Stomach	23.8	13.6	11.3-16.4	14.2	18.0	13.9-22.9	9.6	10.2	7.5-13.6
Colorectal	61.8	35.8	31.8-40.1	31.8	40.1	33.8-47.1	30.0	31.8	26.9-37.5
Colon excluding rectum	40.8	24.0	20.7-27.5	19.8	25.5	20.5-31.4	21.0	22.3	18.2-27.1
Rectum & rectosigmoid	21.0	11.8	9.6-14.3	12.0	14.5	11.0-18.9	9.0	9.5	6.9-12.8
Liver / intrahepatic bile duct	19.4	11.1	9.0-13.6	15.6	19.6	15.4-24.7	3.8	3.9	2.4-6.2
Pancreas	17.8	10.8	8.6-13.3	7.6	10.3	7.2-14.3	10.2	10.7	8.0-14.2
Larynx	4.0	2.5	1.5-3.9	3.0	4.0	2.2-6.8	1.0	1.2	0.4-2.8
Lung and bronchus	58.6	35.2	31.2-39.5	30.0	42.9	36.1-50.6	28.6	30.7	25.8-36.2
Melanoma of the skin	11.6	7.0	5.3-9.1	6.6	9.8	6.6-13.9	5.0	5.5	3.5-8.1
Female breast							89.4	95.5	86.8-104.9
Cervix uteri							11.0	12.0	9.0-15.7
Corpus uterus and NOS							22.0	23.0	18.9-27.8
Ovary							9.6	10.5	7.7-13.9
Prostate				98.0	121.7	110.7-133.4			
Testis				4.2	3.9	2.4-6.1			
Urinary bladder (incl. in situ)	20.0	12.6	10.2-15.3	13.2	20.7	15.9-26.4	6.8	7.5	5.2-10.5
Kidney and renal pelvis	23.6	13.1	10.8-15.8	15.0	17.1	13.3-21.6	8.6	9.1	6.6-12.3
Brain and other central nervous system	7.6	4.2	2.9-5.8	4.2	4.9	3.0-7.5	3.4	3.5	2.0-5.7
Thyroid	35.0	17.9	15.3-20.8	7.0	7.4	5.1-10.4	28.0	29.6	24.9-35.1
Hodgkin lymphoma	3.4	1.7	1.0-2.8	2.0	1.9	0.9-3.6	1.4	1.5	0.6-3.2
Non-Hodgkin lymphomas	34.6	20.1	17.1-23.4	18.0	23.1	18.4-28.7	16.6	17.9	14.2-22.2
Myeloma	11.8	6.9	5.2-8.9	5.8	7.7	5.0-11.1	6.0	6.2	4.2-9.0
Leukemias	24.4	13.6	11.3-16.3	13.8	17.2	13.2-22.0	10.6	10.9	8.2-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Flushing, Murray Hill & Whitestone**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1537.0	449.5	439.2-459.9	741.8	481.2	465.5-497.2	795.2	431.6	417.8-445.8
Oral cavity and pharynx	38.4	11.6	10.0-13.4	26.4	17.2	14.4-20.5	12.0	6.8	5.1-8.8
Esophagus	14.4	4.0	3.1-5.0	11.4	7.0	5.3-9.1	3.0	1.5	0.8-2.6
Stomach	60.4	17.2	15.3-19.3	36.8	23.9	20.5-27.7	23.6	11.7	9.7-14.2
Colorectal	159.0	45.7	42.5-49.1	89.6	58.3	52.9-64.1	69.4	35.7	31.9-39.8
Colon excluding rectum	112.4	31.8	29.1-34.6	62.0	40.3	35.9-45.1	50.4	25.2	22.1-28.7
Rectum & rectosigmoid	46.6	13.9	12.2-15.9	27.6	18.0	15.1-21.4	19.0	10.5	8.4-13.0
Liver / intrahepatic bile duct	52.2	14.7	13.0-16.7	38.6	24.0	20.7-27.8	13.6	6.7	5.2-8.7
Pancreas	51.0	13.9	12.2-15.7	22.8	14.5	11.9-17.5	28.2	13.4	11.2-15.9
Larynx	9.8	2.7	2.0-3.7	8.0	5.0	3.6-6.9	1.8	0.9	0.4-1.8
Lung and bronchus	178.8	50.2	46.9-53.7	90.8	59.0	53.6-64.8	88.0	43.8	39.7-48.2
Melanoma of the skin	30.6	8.8	7.4-10.4	17.4	11.5	9.2-14.2	13.2	6.9	5.3-9.0
Female breast							229.8	128.8	121.2-136.7
Cervix uteri							18.2	11.5	9.2-14.2
Corpus uterus and NOS							48.2	26.0	22.7-29.6
Ovary							23.0	12.7	10.4-15.4
Prostate				146.6	90.3	83.8-97.2			
Testis				4.2	3.5	2.1-5.3			
Urinary bladder (incl. in situ)	63.8	17.8	15.9-19.9	46.6	30.4	26.6-34.7	17.2	8.3	6.6-10.4
Kidney and renal pelvis	43.0	12.6	11.0-14.5	29.4	18.9	15.9-22.4	13.6	7.2	5.6-9.3
Brain and other central nervous system	17.8	6.1	4.8-7.6	8.4	6.0	4.3-8.2	9.4	6.2	4.4-8.4
Thyroid	83.0	28.5	25.8-31.5	19.6	13.9	11.2-17.0	63.4	42.1	37.4-47.2
Hodgkin lymphoma	8.0	2.9	2.0-4.0	4.2	3.1	1.9-4.9	3.8	2.7	1.6-4.3
Non-Hodgkin lymphomas	63.0	18.1	16.1-20.3	35.8	23.6	20.2-27.4	27.2	13.9	11.6-16.6
Myeloma	21.2	6.1	5.0-7.4	13.0	8.4	6.4-10.7	8.2	4.3	3.0-5.9
Leukemias	45.0	13.3	11.6-15.3	26.6	18.2	15.2-21.7	18.4	9.4	7.5-11.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Bayside, Douglaston & Little Neck**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	724.6	434.0	419.5-448.9	360.0	476.6	454.3-499.9	364.6	407.1	387.8-427.2
Oral cavity and pharynx	15.4	9.5	7.4-12.0	10.4	14.8	10.9-19.7	5.0	5.1	3.3-7.9
Esophagus	6.0	3.2	2.1-4.7	4.4	5.2	3.2-8.1	1.6	1.5	0.6-3.2
Stomach	20.2	11.9	9.6-14.6	13.0	17.6	13.5-22.7	7.2	7.6	5.2-10.8
Colorectal	61.4	35.9	31.9-40.3	31.2	42.0	35.5-49.4	30.2	31.5	26.5-37.3
Colon excluding rectum	42.8	24.8	21.5-28.5	21.6	29.1	23.7-35.3	21.2	21.7	17.6-26.7
Rectum & rectosigmoid	18.6	11.1	8.9-13.7	9.6	12.9	9.4-17.4	9.0	9.7	7.0-13.3
Liver / intrahepatic bile duct	14.4	8.3	6.4-10.5	10.6	13.7	10.2-18.1	3.8	3.8	2.2-6.2
Pancreas	24.8	14.2	11.7-17.1	13.2	17.5	13.4-22.4	11.6	11.6	8.7-15.3
Larynx	3.0	1.7	0.9-2.9	2.4	3.0	1.5-5.5	0.6	0.6	0.1-2.1
Lung and bronchus	85.6	49.8	45.1-54.9	46.6	61.0	53.3-69.7	39.0	40.9	35.3-47.4
Melanoma of the skin	23.2	14.1	11.5-17.1	13.0	17.2	13.2-22.1	10.2	12.3	9.0-16.6
Female breast							110.8	128.2	117.3-139.8
Cervix uteri							5.4	7.2	4.6-10.7
Corpus uterus and NOS							27.2	29.5	24.6-35.2
Ovary							9.4	10.5	7.6-14.3
Prostate				82.0	101.7	91.9-112.4			
Testis				3.0	5.6	3.1-9.2			
Urinary bladder (incl. in situ)	40.4	23.3	20.1-26.8	29.6	40.0	33.7-47.2	10.8	11.3	8.4-15.0
Kidney and renal pelvis	20.8	12.2	9.9-15.0	13.0	16.6	12.7-21.3	7.8	8.8	6.1-12.3
Brain and other central nervous system	8.8	5.8	4.1-8.0	5.0	7.1	4.5-10.8	3.8	4.5	2.7-7.3
Thyroid	32.2	22.4	19.0-26.4	10.2	14.3	10.5-19.0	22.0	30.1	24.5-36.6
Hodgkin lymphoma	2.8	2.1	1.1-3.6	1.8	2.7	1.2-5.2	1.0	1.6	0.5-3.8
Non-Hodgkin lymphomas	31.2	19.1	16.1-22.5	17.0	23.2	18.4-28.9	14.2	15.5	11.9-19.9
Myeloma	10.8	6.2	4.6-8.3	5.8	8.1	5.3-11.8	5.0	4.9	3.1-7.5
Leukemias	22.2	13.7	11.1-16.7	12.2	17.5	13.2-22.7	10.0	10.7	7.7-14.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Queens Village, Cambria Heights & Rosedale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1057.0	440.7	428.6-453.0	526.4	515.8	495.7-536.6	530.6	391.9	376.7-407.6
Oral cavity and pharynx	16.2	6.8	5.4-8.6	9.8	9.3	6.8-12.4	6.4	4.9	3.3-7.0
Esophagus	5.8	2.3	1.5-3.3	4.4	4.1	2.5-6.4	1.4	1.0	0.4-2.2
Stomach	28.6	11.7	9.9-13.9	16.6	16.3	12.9-20.4	12.0	8.5	6.4-11.0
Colorectal	99.0	41.7	38.0-45.6	46.4	46.5	40.6-53.1	52.6	38.7	34.0-43.9
Colon excluding rectum	72.4	30.6	27.4-34.0	34.2	34.6	29.5-40.4	38.2	27.9	24.0-32.4
Rectum & rectosigmoid	26.6	11.1	9.2-13.2	12.2	11.9	9.0-15.4	14.4	10.8	8.4-13.7
Liver / intrahepatic bile duct	14.8	6.1	4.8-7.7	10.0	9.0	6.6-12.0	4.8	3.8	2.4-5.7
Pancreas	34.4	14.2	12.1-16.6	15.8	15.9	12.5-19.9	18.6	13.3	10.7-16.4
Larynx	5.8	2.4	1.6-3.5	4.8	5.1	3.2-7.6	1.0	0.6	0.2-1.6
Lung and bronchus	89.8	37.3	33.8-41.0	44.6	46.6	40.5-53.3	45.2	31.6	27.5-36.2
Melanoma of the skin	14.0	6.0	4.7-7.7	6.6	7.0	4.8-9.9	7.4	5.6	3.9-7.8
Female breast							160.6	120.7	112.3-129.6
Cervix uteri							8.8	7.2	5.2-9.8
Corpus uterus and NOS							46.8	33.4	29.1-38.1
Ovary							13.0	9.5	7.3-12.3
Prostate				205.6	187.6	176.0-199.9			
Testis				2.8	2.9	1.6-5.0			
Urinary bladder (incl. in situ)	38.0	15.9	13.7-18.4	25.8	27.6	22.9-32.9	12.2	8.3	6.3-10.8
Kidney and renal pelvis	32.2	13.7	11.6-16.1	19.4	19.7	15.9-24.3	12.8	9.3	7.1-12.1
Brain and other central nervous system	10.0	4.4	3.2-5.8	6.0	5.9	3.9-8.6	4.0	3.2	1.9-5.0
Thyroid	31.4	14.5	12.2-17.0	6.8	7.0	4.8-9.9	24.6	20.5	16.9-24.6
Hodgkin lymphoma	5.8	2.9	1.9-4.2	3.2	3.5	1.9-5.7	2.6	2.4	1.3-4.2
Non-Hodgkin lymphomas	42.6	18.1	15.7-20.8	22.4	22.9	18.7-27.8	20.2	14.4	11.6-17.6
Myeloma	30.0	12.4	10.5-14.7	13.2	12.9	9.8-16.5	16.8	12.3	9.8-15.3
Leukemias	29.0	12.6	10.6-14.9	14.6	14.6	11.3-18.5	14.4	11.3	8.8-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Briarwood, Fresh Meadows & Hillcrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	771.2	413.4	400.1-427.1	379.0	454.0	433.3-475.6	392.2	386.8	369.3-405.0
Oral cavity and pharynx	14.8	7.7	6.0-9.8	8.6	10.2	7.3-13.8	6.2	5.7	3.9-8.3
Esophagus	4.2	2.2	1.3-3.4	2.8	3.4	1.8-5.7	1.4	1.3	0.5-2.8
Stomach	20.4	11.0	8.9-13.4	11.2	13.2	9.9-17.3	9.2	9.3	6.7-12.5
Colorectal	68.6	37.0	33.0-41.2	35.4	43.0	36.7-50.0	33.2	32.0	27.2-37.5
Colon excluding rectum	51.4	27.9	24.5-31.6	25.4	31.3	26.0-37.5	26.0	24.9	20.7-29.8
Rectum & rectosigmoid	17.2	9.1	7.2-11.3	10.0	11.7	8.6-15.5	7.2	7.1	4.9-10.0
Liver / intrahepatic bile duct	18.8	9.2	7.4-11.3	12.6	13.6	10.3-17.6	6.2	5.5	3.7-8.0
Pancreas	20.2	10.9	8.8-13.3	10.0	13.3	9.8-17.6	10.2	9.3	6.8-12.4
Larynx	5.6	2.9	1.9-4.2	5.0	5.7	3.7-8.6	0.6	0.7	0.1-2.0
Lung and bronchus	81.8	42.8	38.6-47.2	46.0	55.3	48.2-63.1	35.8	33.4	28.6-38.9
Melanoma of the skin	13.8	7.3	5.7-9.3	8.4	10.5	7.5-14.3	5.4	5.1	3.3-7.6
Female breast							112.8	113.2	103.7-123.3
Cervix uteri							6.8	7.8	5.3-11.0
Corpus uterus and NOS							31.2	30.0	25.3-35.3
Ovary							12.4	12.5	9.5-16.2
Prostate				92.8	105.1	95.5-115.4			
Testis				3.4	4.2	2.4-6.8			
Urinary bladder (incl. in situ)	29.8	15.8	13.3-18.7	22.2	28.2	23.1-34.1	7.6	6.6	4.7-9.3
Kidney and renal pelvis	29.2	15.8	13.3-18.7	21.0	25.5	20.7-31.0	8.2	8.1	5.7-11.1
Brain and other central nervous system	10.4	6.1	4.5-8.1	6.2	7.7	5.2-11.1	4.2	4.6	2.8-7.2
Thyroid	36.0	20.7	17.7-24.1	10.0	12.4	9.1-16.4	26.0	28.7	23.8-34.2
Hodgkin lymphoma	4.8	2.9	1.9-4.4	3.4	4.5	2.6-7.2	1.4	1.4	0.6-3.1
Non-Hodgkin lymphomas	39.2	21.5	18.5-24.8	21.0	26.4	21.4-32.1	18.2	17.8	14.2-22.1
Myeloma	14.4	7.8	6.0-9.8	7.4	8.6	6.0-12.0	7.0	7.1	4.9-10.0
Leukemias	29.6	16.4	13.8-19.4	18.0	22.3	17.8-27.5	11.6	11.5	8.6-15.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Elmhurst & South Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	574.8	410.3	395.0-426.0	276.4	444.2	419.9-469.6	298.4	394.4	374.3-415.3
Oral cavity and pharynx	16.4	11.0	8.7-13.7	9.4	13.5	9.7-18.2	7.0	8.8	6.1-12.3
Esophagus	4.6	3.4	2.1-5.1	3.8	6.6	3.8-10.4	0.8	1.1	0.3-2.8
Stomach	22.0	16.0	13.1-19.4	12.4	20.2	15.2-26.2	9.6	12.8	9.4-17.1
Colorectal	52.4	38.5	33.9-43.6	25.8	41.5	34.3-49.7	26.6	35.6	29.7-42.4
Colon excluding rectum	37.8	27.7	23.8-32.1	17.0	27.5	21.7-34.3	20.8	28.1	22.9-34.2
Rectum & rectosigmoid	14.6	10.8	8.4-13.6	8.8	14.1	10.1-19.1	5.8	7.5	5.0-10.9
Liver / intrahepatic bile duct	17.6	12.0	9.6-14.9	13.0	18.5	14.1-23.8	4.6	6.1	3.9-9.3
Pancreas	15.2	11.5	9.0-14.5	7.8	13.2	9.2-18.3	7.4	9.9	6.9-13.7
Larynx	2.4	1.6	0.8-2.9	2.0	3.0	1.4-5.7	0.4	0.4	0.1-1.8
Lung and bronchus	55.2	42.1	37.2-47.5	30.2	52.1	43.7-61.4	25.0	34.6	28.7-41.4
Melanoma of the skin	5.8	4.7	3.1-6.7	3.0	5.9	3.2-9.8	2.8	3.9	2.1-6.6
Female breast							75.4	97.7	87.9-108.3
Cervix uteri							7.0	8.9	6.1-12.4
Corpus uterus and NOS							23.4	29.9	24.7-36.0
Ovary							8.8	11.6	8.3-15.6
Prostate				75.6	116.8	104.9-129.7			
Testis				4.2	4.6	2.7-7.3			
Urinary bladder (incl. in situ)	19.6	15.4	12.5-18.9	14.8	28.7	22.2-36.3	4.8	6.5	4.1-9.8
Kidney and renal pelvis	16.6	11.6	9.2-14.4	10.8	16.7	12.3-22.0	5.8	7.3	4.9-10.6
Brain and other central nervous system	6.6	4.6	3.2-6.6	4.2	6.3	3.7-9.8	2.4	3.2	1.7-5.7
Thyroid	41.0	26.4	22.8-30.3	8.0	9.8	7.0-13.5	33.0	42.9	36.5-50.2
Hodgkin lymphoma	2.2	1.4	0.7-2.5	1.0	1.3	0.4-3.1	1.2	1.6	0.6-3.5
Non-Hodgkin lymphomas	24.0	17.6	14.5-21.1	12.2	20.2	15.2-26.2	11.8	15.7	11.9-20.4
Myeloma	9.6	7.0	5.1-9.3	4.8	7.6	4.7-11.5	4.8	6.5	4.1-9.7
Leukemias	14.8	11.3	8.8-14.2	7.4	12.1	8.4-17.0	7.4	10.6	7.4-14.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Forest Hills & Rego Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	697.8	423.5	409.0-438.5	323.4	455.0	432.5-478.4	374.4	406.3	387.0-426.4
Oral cavity and pharynx	12.8	7.8	5.9-10.2	7.8	10.6	7.5-14.7	5.0	5.6	3.5-8.8
Esophagus	5.4	3.1	2.0-4.7	4.2	5.9	3.6-9.2	1.2	1.2	0.4-3.0
Stomach	15.4	9.0	7.1-11.4	10.8	14.7	11.0-19.4	4.6	4.9	3.0-7.7
Colorectal	62.6	36.5	32.5-41.1	30.6	43.9	37.1-51.6	32.0	31.1	26.2-36.8
Colon excluding rectum	43.4	24.9	21.6-28.6	19.6	28.3	22.9-34.7	23.8	22.3	18.3-27.2
Rectum & rectosigmoid	19.2	11.7	9.4-14.4	11.0	15.6	11.7-20.5	8.2	8.7	6.1-12.2
Liver / intrahepatic bile duct	14.0	8.2	6.3-10.6	8.2	11.1	7.9-15.3	5.8	6.1	4.0-9.2
Pancreas	25.2	14.3	11.8-17.1	10.6	15.0	11.2-19.8	14.6	13.5	10.5-17.4
Larynx	4.0	2.3	1.4-3.6	3.4	4.8	2.8-7.8	0.6	0.5	0.1-2.0
Lung and bronchus	68.4	39.5	35.3-44.1	33.8	46.1	39.3-53.9	34.6	34.8	29.7-40.8
Melanoma of the skin	18.8	11.2	9.0-13.8	10.2	14.1	10.4-18.7	8.6	9.4	6.7-13.0
Female breast							109.0	126.0	115.2-137.8
Cervix uteri							4.6	5.7	3.5-8.9
Corpus uterus and NOS							22.0	22.5	18.4-27.5
Ovary							8.8	9.5	6.8-13.2
Prostate				71.0	94.4	84.7-105.0			
Testis				3.2	5.8	3.2-9.6			
Urinary bladder (incl. in situ)	33.2	18.4	15.6-21.5	23.8	32.0	26.4-38.5	9.4	9.0	6.5-12.3
Kidney and renal pelvis	22.2	13.0	10.6-15.8	13.8	18.9	14.7-24.2	8.4	8.5	6.0-11.8
Brain and other central nervous system	8.4	5.7	4.0-7.9	3.2	5.9	3.3-9.7	5.2	5.0	3.2-7.8
Thyroid	35.2	25.8	22.0-30.2	9.0	13.6	9.8-18.4	26.2	37.0	30.6-44.4
Hodgkin lymphoma	4.6	4.6	2.8-7.2	2.6	5.8	2.9-10.1	2.0	3.6	1.6-6.8
Non-Hodgkin lymphomas	41.2	25.6	22.1-29.6	22.6	33.8	27.7-40.9	18.6	19.5	15.5-24.4
Myeloma	11.6	6.9	5.2-9.0	5.4	7.7	5.0-11.4	6.2	6.1	4.1-9.0
Leukemias	22.6	13.8	11.2-16.8	12.4	18.0	13.6-23.4	10.2	10.4	7.7-14.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Sunnyside & Woodside**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	563.8	408.6	393.3-424.3	268.0	440.2	415.8-465.6	295.8	401.6	381.0-423.0
Oral cavity and pharynx	14.6	10.1	7.9-12.8	9.0	13.1	9.4-17.8	5.6	7.5	4.9-10.9
Esophagus	4.4	3.4	2.1-5.2	3.0	5.2	2.8-8.7	1.4	2.0	0.8-4.1
Stomach	20.2	14.6	11.9-17.9	13.2	21.6	16.5-27.8	7.0	9.4	6.5-13.3
Colorectal	53.0	39.4	34.7-44.6	27.0	46.1	38.3-55.0	26.0	35.2	29.3-41.9
Colon excluding rectum	37.0	27.7	23.8-32.1	17.4	30.3	23.9-37.7	19.6	26.7	21.6-32.7
Rectum & rectosigmoid	16.0	11.8	9.3-14.7	9.6	15.8	11.5-21.2	6.4	8.5	5.7-12.1
Liver / intrahepatic bile duct	16.8	12.0	9.5-15.0	10.8	16.9	12.5-22.3	6.0	7.9	5.3-11.4
Pancreas	15.6	11.8	9.3-14.8	8.6	15.1	10.7-20.6	7.0	9.3	6.4-13.0
Larynx	2.2	1.8	0.9-3.3	1.8	3.4	1.5-6.6	0.4	0.6	0.1-2.2
Lung and bronchus	58.0	43.4	38.4-48.8	30.4	53.4	44.9-63.1	27.6	37.2	31.2-44.2
Melanoma of the skin	13.2	10.0	7.7-12.8	7.6	14.3	9.9-19.8	5.6	7.3	4.8-10.7
Female breast							80.0	109.5	98.8-121.0
Cervix uteri							5.4	6.8	4.4-10.0
Corpus uterus and NOS							23.2	30.2	24.8-36.4
Ovary							9.6	13.8	10.1-18.4
Prostate				61.6	95.7	84.9-107.5			
Testis				3.2	3.3	1.9-5.7			
Urinary bladder (incl. in situ)	18.8	14.6	11.7-17.9	13.0	24.5	18.7-31.5	5.8	7.8	5.2-11.3
Kidney and renal pelvis	17.8	12.7	10.1-15.7	11.2	17.7	13.2-23.2	6.6	8.8	6.0-12.5
Brain and other central nervous system	7.6	5.5	3.8-7.6	4.8	7.3	4.6-11.1	2.8	3.8	2.0-6.6
Thyroid	31.8	21.1	17.9-24.8	5.0	6.6	4.2-9.9	26.8	36.3	30.3-43.2
Hodgkin lymphoma	3.8	2.8	1.6-4.5	2.6	3.7	1.9-6.7	1.2	1.9	0.6-4.2
Non-Hodgkin lymphomas	29.4	21.1	17.7-24.9	16.6	25.6	20.1-32.0	12.8	16.6	12.7-21.4
Myeloma	8.8	6.6	4.8-8.9	5.4	9.0	5.8-13.3	3.4	4.6	2.7-7.5
Leukemias	16.0	12.4	9.8-15.6	8.2	14.1	9.9-19.3	7.8	11.7	8.3-16.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Ridgewood, Glendale & Middle Village**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	844.0	438.5	425.2-452.1	395.6	462.6	442.0-484.0	448.4	429.4	411.6-447.9
Oral cavity and pharynx	23.2	12.0	9.8-14.4	15.4	17.8	14.0-22.4	7.8	7.2	5.1-10.0
Esophagus	7.0	3.7	2.6-5.1	5.6	6.8	4.5-9.9	1.4	1.3	0.5-2.7
Stomach	21.6	11.3	9.2-13.7	11.2	13.4	10.1-17.5	10.4	9.6	7.1-12.7
Colorectal	77.6	39.8	35.9-44.0	37.4	43.9	37.6-50.8	40.2	36.9	31.9-42.5
Colon excluding rectum	53.4	27.5	24.2-31.0	24.2	28.9	23.9-34.6	29.2	26.4	22.2-31.1
Rectum & rectosigmoid	24.2	12.3	10.2-14.8	13.2	15.0	11.5-19.2	11.0	10.5	7.9-13.7
Liver / intrahepatic bile duct	20.8	10.4	8.4-12.6	14.2	15.3	11.9-19.5	6.6	6.3	4.3-8.9
Pancreas	28.8	14.7	12.4-17.4	15.2	17.5	13.7-22.0	13.6	12.5	9.7-16.0
Larynx	8.4	4.2	3.0-5.7	6.6	7.1	4.8-10.1	1.8	1.7	0.8-3.3
Lung and bronchus	100.8	52.6	48.0-57.4	47.4	57.6	50.3-65.6	53.4	49.5	43.7-55.9
Melanoma of the skin	22.8	11.9	9.8-14.4	10.6	13.2	9.8-17.3	12.2	11.7	8.9-15.1
Female breast							112.2	109.9	100.9-119.5
Cervix uteri							11.2	11.7	8.8-15.2
Corpus uterus and NOS							34.6	31.8	27.2-37.1
Ovary							15.4	15.4	12.1-19.3
Prostate				81.8	90.7	81.9-100.2			
Testis				4.4	4.7	2.9-7.1			
Urinary bladder (incl. in situ)	42.4	22.4	19.5-25.7	32.6	40.8	34.7-47.8	9.8	9.0	6.7-12.1
Kidney and renal pelvis	28.8	14.7	12.4-17.4	18.8	20.4	16.4-25.1	10.0	10.0	7.4-13.2
Brain and other central nervous system	10.0	5.3	3.9-7.0	4.4	4.8	3.0-7.3	5.6	5.8	3.8-8.4
Thyroid	34.6	18.4	15.7-21.4	8.2	9.3	6.7-12.7	26.4	27.2	22.7-32.3
Hodgkin lymphoma	4.4	2.5	1.6-3.9	2.2	2.5	1.3-4.6	2.2	2.6	1.3-4.6
Non-Hodgkin lymphomas	38.8	20.9	18.0-24.1	22.6	26.8	22.0-32.3	16.2	16.1	12.8-20.1
Myeloma	11.0	5.5	4.1-7.2	6.6	7.8	5.3-11.1	4.4	3.9	2.4-6.0
Leukemias	29.4	15.7	13.2-18.5	17.2	20.8	16.6-25.8	12.2	11.7	8.9-15.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Richmond Hill & Woodhaven**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	562.0	405.7	390.3-421.6	273.2	447.4	422.4-473.4	288.8	383.8	363.8-404.7
Oral cavity and pharynx	11.6	8.1	6.1-10.5	6.6	9.7	6.5-13.9	5.0	6.8	4.4-10.1
Esophagus	5.8	4.0	2.7-5.9	5.0	7.3	4.6-10.9	0.8	1.3	0.3-3.3
Stomach	13.2	10.0	7.7-12.9	8.2	14.7	10.3-20.2	5.0	6.4	4.1-9.6
Colorectal	47.6	35.1	30.6-40.0	26.2	43.9	36.3-52.5	21.4	28.6	23.3-34.7
Colon excluding rectum	31.6	23.9	20.2-28.1	16.4	29.0	22.8-36.3	15.2	20.3	15.9-25.6
Rectum & rectosigmoid	16.0	11.2	8.8-14.0	9.8	14.9	10.8-20.0	6.2	8.2	5.5-11.8
Liver / intrahepatic bile duct	15.0	10.5	8.1-13.2	11.4	17.7	13.1-23.4	3.6	4.5	2.6-7.3
Pancreas	16.8	12.4	9.8-15.5	7.4	12.4	8.5-17.5	9.4	12.2	8.9-16.4
Larynx	4.2	2.9	1.8-4.6	3.6	5.5	3.1-8.9	0.6	0.8	0.2-2.5
Lung and bronchus	60.2	45.8	40.5-51.5	34.4	60.8	51.5-71.2	25.8	34.8	28.9-41.6
Melanoma of the skin	8.6	6.6	4.7-9.0	4.2	7.4	4.5-11.4	4.4	6.4	3.9-9.8
Female breast							83.2	108.5	98.1-119.8
Cervix uteri							8.0	10.3	7.3-14.1
Corpus uterus and NOS							23.2	30.4	25.0-36.6
Ovary							10.0	13.4	9.9-17.8
Prostate				71.2	112.8	100.6-126.0			
Testis				3.6	4.6	2.7-7.4			
Urinary bladder (incl. in situ)	17.8	14.5	11.5-18.0	13.0	26.1	19.9-33.5	4.8	6.2	3.9-9.3
Kidney and renal pelvis	19.8	12.8	10.3-15.7	15.6	20.7	16.1-26.2	4.2	5.7	3.5-8.8
Brain and other central nervous system	7.4	5.6	3.9-7.8	4.2	6.5	3.9-10.2	3.2	4.8	2.7-7.8
Thyroid	30.4	20.2	17.1-23.8	4.8	7.0	4.4-10.6	25.6	33.3	27.7-39.7
Hodgkin lymphoma	3.2	2.1	1.2-3.4	1.8	2.1	1.0-4.2	1.4	2.0	0.8-4.1
Non-Hodgkin lymphomas	22.8	17.0	13.9-20.5	12.2	18.9	14.2-24.7	10.6	15.0	11.2-19.8
Myeloma	10.0	7.0	5.1-9.3	4.6	6.5	4.0-10.0	5.4	7.2	4.7-10.6
Leukemias	21.0	15.5	12.6-18.9	11.4	19.7	14.7-25.9	9.6	12.8	9.4-17.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Jamaica, Hollis & St. Albans**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1061.4	438.9	427.0-451.1	503.6	505.8	485.5-526.7	557.8	400.4	385.5-415.8
Oral cavity and pharynx	19.0	7.7	6.2-9.4	11.2	11.1	8.3-14.5	7.8	5.5	3.9-7.6
Esophagus	8.4	3.6	2.6-4.9	5.0	5.4	3.4-8.0	3.4	2.3	1.4-3.8
Stomach	31.0	13.4	11.3-15.7	17.4	19.1	15.2-23.7	13.6	9.9	7.7-12.6
Colorectal	107.4	45.3	41.5-49.4	52.8	55.7	48.9-63.1	54.6	38.7	34.2-43.7
Colon excluding rectum	80.4	34.2	30.9-37.8	37.0	39.7	34.0-46.1	43.4	30.9	26.9-35.4
Rectum & rectosigmoid	27.0	11.0	9.2-13.1	15.8	16.0	12.5-20.1	11.2	7.8	5.9-10.2
Liver / intrahepatic bile duct	23.4	9.5	7.9-11.5	15.8	15.3	12.0-19.3	7.6	5.4	3.8-7.5
Pancreas	30.6	12.9	10.9-15.1	12.0	13.2	10.0-17.1	18.6	12.8	10.3-15.7
Larynx	5.4	2.2	1.5-3.3	5.0	5.5	3.5-8.2	0.4	0.2	0.0-1.0
Lung and bronchus	92.4	38.7	35.2-42.5	44.2	46.8	40.6-53.6	48.2	33.9	29.7-38.5
Melanoma of the skin	2.2	1.0	0.5-1.8	1.2	1.3	0.5-2.9	1.0	0.8	0.2-1.8
Female breast							168.8	121.2	113.0-129.8
Cervix uteri							17.0	13.2	10.5-16.4
Corpus uterus and NOS							48.0	32.7	28.6-37.2
Ovary							14.8	10.3	8.1-13.0
Prostate				204.0	197.4	185.0-210.4			
Testis				2.2	2.2	1.1-3.9			
Urinary bladder (incl. in situ)	24.6	10.5	8.7-12.6	16.8	18.3	14.4-22.7	7.8	5.5	3.9-7.5
Kidney and renal pelvis	34.6	14.0	12.0-16.4	21.8	21.2	17.2-25.7	12.8	9.0	6.9-11.6
Brain and other central nervous system	8.6	3.7	2.7-5.0	5.2	5.2	3.3-7.6	3.4	2.6	1.5-4.3
Thyroid	31.6	13.5	11.5-15.8	6.4	6.1	4.2-8.7	25.2	19.6	16.3-23.4
Hodgkin lymphoma	6.6	2.8	1.9-4.0	3.6	3.4	2.0-5.4	3.0	2.4	1.3-4.0
Non-Hodgkin lymphomas	32.4	13.5	11.5-15.8	15.8	15.1	11.8-18.9	16.6	12.2	9.6-15.1
Myeloma	33.2	14.0	11.9-16.4	13.8	14.3	11.0-18.2	19.4	14.0	11.3-17.1
Leukemias	28.6	12.2	10.2-14.4	13.4	13.3	10.2-17.0	15.2	11.4	8.9-14.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Howard Beach & Ozone Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	592.2	422.6	407.2-438.4	288.0	466.7	442.0-492.3	304.2	396.1	376.1-416.9
Oral cavity and pharynx	11.6	8.5	6.4-11.0	8.0	12.4	8.7-17.0	3.6	5.0	2.9-8.0
Esophagus	4.6	3.3	2.1-5.0	3.4	5.7	3.2-9.2	1.2	1.4	0.5-3.2
Stomach	14.2	10.1	7.8-12.8	7.2	11.3	7.8-15.9	7.0	9.0	6.3-12.6
Colorectal	52.6	38.3	33.8-43.4	29.6	49.4	41.5-58.3	23.0	30.0	24.7-36.1
Colon excluding rectum	37.0	27.4	23.5-31.7	19.8	34.5	27.9-42.3	17.2	22.2	17.7-27.6
Rectum & rectosigmoid	15.6	11.0	8.6-13.8	9.8	14.9	10.9-19.9	5.8	7.7	5.1-11.2
Liver / intrahepatic bile duct	10.4	7.3	5.4-9.7	8.2	12.4	8.8-17.1	2.2	3.0	1.5-5.5
Pancreas	13.4	10.0	7.7-12.8	6.2	10.7	7.2-15.3	7.2	9.7	6.7-13.5
Larynx	4.2	3.0	1.8-4.6	4.2	6.7	4.1-10.4	0.0	0.0	0.0-1.1
Lung and bronchus	66.0	47.8	42.7-53.4	34.8	59.1	50.4-68.9	31.2	40.0	33.9-47.0
Melanoma of the skin	8.6	6.7	4.8-9.1	4.8	8.9	5.6-13.2	3.8	5.1	3.0-8.0
Female breast							87.8	112.3	101.9-123.6
Cervix uteri							7.8	11.0	7.8-15.2
Corpus uterus and NOS							24.4	29.9	24.8-35.9
Ovary							12.4	16.2	12.4-20.9
Prostate				77.2	114.8	103.2-127.3			
Testis				1.6	2.5	1.1-5.0			
Urinary bladder (incl. in situ)	27.0	20.1	16.8-23.9	20.4	35.6	28.9-43.5	6.6	8.5	5.8-12.1
Kidney and renal pelvis	17.8	12.6	10.0-15.5	12.0	19.0	14.3-24.7	5.8	7.3	4.8-10.6
Brain and other central nervous system	8.4	6.2	4.4-8.4	4.4	6.8	4.2-10.5	4.0	5.6	3.4-8.7
Thyroid	25.4	18.4	15.3-22.0	5.2	8.1	5.2-12.0	20.2	28.3	22.9-34.5
Hodgkin lymphoma	3.2	2.6	1.5-4.2	2.0	3.2	1.5-6.0	1.2	2.0	0.7-4.2
Non-Hodgkin lymphomas	24.0	17.4	14.4-20.9	13.0	21.7	16.6-27.9	11.0	14.5	10.9-19.0
Myeloma	11.0	7.9	5.9-10.4	6.8	10.5	7.2-14.9	4.2	5.7	3.5-8.8
Leukemias	20.4	15.4	12.6-18.8	10.2	17.9	13.2-23.7	10.2	14.0	10.4-18.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Queens County
Far Rockaway, Breezy Point & Broad Channel**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	632.0	471.7	455.1-488.8	301.4	503.6	477.9-530.3	330.6	450.1	428.2-472.8
Oral cavity and pharynx	16.0	11.9	9.4-14.9	10.4	17.2	12.8-22.7	5.6	7.7	5.1-11.3
Esophagus	6.0	4.2	2.8-6.1	4.8	7.7	4.9-11.6	1.2	1.5	0.5-3.3
Stomach	11.6	8.8	6.7-11.5	6.0	10.7	7.2-15.4	5.6	7.6	5.0-11.0
Colorectal	61.6	46.0	41.0-51.6	29.6	50.1	42.2-59.1	32.0	42.5	36.0-49.8
Colon excluding rectum	43.6	32.8	28.6-37.6	21.4	36.6	29.9-44.5	22.2	29.6	24.2-35.8
Rectum & rectosigmoid	18.0	13.2	10.6-16.3	8.2	13.5	9.6-18.4	9.8	12.9	9.5-17.1
Liver / intrahepatic bile duct	14.2	9.8	7.7-12.5	10.2	15.9	11.7-21.1	4.0	4.9	3.0-7.6
Pancreas	20.6	15.1	12.3-18.4	9.8	16.4	12.0-21.8	10.8	13.8	10.3-18.1
Larynx	6.0	4.2	2.8-6.1	4.4	6.9	4.2-10.6	1.6	2.1	0.9-4.2
Lung and bronchus	69.0	50.7	45.4-56.5	37.4	62.7	53.8-72.6	31.6	41.6	35.3-48.7
Melanoma of the skin	23.2	17.3	14.3-20.8	12.6	22.0	16.8-28.2	10.6	14.3	10.7-18.8
Female breast							84.2	116.5	105.4-128.4
Cervix uteri							6.2	9.2	6.2-13.2
Corpus uterus and NOS							26.6	34.7	29.0-41.3
Ovary							10.2	14.2	10.5-18.8
Prostate				83.0	131.5	118.9-145.2			
Testis				1.6	3.3	1.4-6.5			
Urinary bladder (incl. in situ)	24.2	18.2	15.1-21.8	16.4	28.6	22.7-35.7	7.8	10.6	7.5-14.6
Kidney and renal pelvis	18.6	14.1	11.3-17.3	10.8	18.1	13.5-23.7	7.8	10.8	7.6-14.8
Brain and other central nervous system	7.8	5.9	4.2-8.2	4.2	7.3	4.5-11.2	3.6	4.8	2.8-7.7
Thyroid	20.8	17.3	14.1-21.1	4.2	7.7	4.7-11.9	16.6	25.4	20.1-31.6
Hodgkin lymphoma	5.0	4.3	2.7-6.3	2.8	4.7	2.6-8.0	2.2	3.9	1.9-6.9
Non-Hodgkin lymphomas	23.6	17.8	14.6-21.3	10.2	17.6	13.0-23.2	13.4	18.0	13.9-23.0
Myeloma	12.0	8.9	6.8-11.5	5.0	8.4	5.4-12.5	7.0	9.5	6.6-13.3
Leukemias	17.8	13.6	10.9-16.8	9.0	16.0	11.6-21.5	8.8	11.7	8.4-15.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

Richmond (Staten Island) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	2892.8	521.8	513.1-530.6	1409.8	564.2	550.7-578.0	1483.0	496.1	484.5-507.8
Oral cavity and pharynx	56.2	9.8	8.7-11.1	38.4	14.7	12.6-17.0	17.8	5.8	4.7-7.2
Esophagus	21.6	3.7	3.0-4.5	16.6	6.4	5.0-8.0	5.0	1.6	1.0-2.4
Stomach	47.4	8.6	7.5-9.7	28.8	11.7	9.8-13.8	18.6	6.1	4.9-7.5
Colorectal	228.2	41.3	38.9-43.8	117.4	48.1	44.1-52.2	110.8	35.4	32.5-38.6
Colon excluding rectum	164.6	29.9	27.9-32.1	81.0	33.7	30.4-37.3	83.6	26.6	24.0-29.3
Rectum & rectosigmoid	63.6	11.4	10.1-12.7	36.4	14.3	12.3-16.6	27.2	8.9	7.4-10.6
Liver / intrahepatic bile duct	61.6	10.4	9.3-11.7	45.6	16.9	14.7-19.4	16.0	5.1	4.0-6.4
Pancreas	77.2	13.6	12.2-15.0	38.4	15.3	13.1-17.7	38.8	12.2	10.5-14.1
Larynx	22.6	3.8	3.1-4.6	17.4	6.6	5.2-8.2	5.2	1.7	1.1-2.5
Lung and bronchus	362.0	64.7	61.6-67.8	180.4	74.1	69.2-79.3	181.6	57.9	54.1-61.9
Melanoma of the skin	95.6	17.3	15.7-18.9	53.4	21.8	19.2-24.7	42.2	14.3	12.4-16.4
Female breast							402.4	134.9	128.9-141.2
Cervix uteri							22.2	8.4	6.8-10.1
Corpus uterus and NOS							109.8	35.2	32.3-38.4
Ovary							39.8	13.3	11.4-15.3
Prostate				326.4	121.9	115.9-128.2			
Testis				13.2	6.0	4.6-7.7			
Urinary bladder (incl. in situ)	142.6	25.7	23.8-27.7	111.0	46.5	42.6-50.7	31.6	10.1	8.6-11.9
Kidney and renal pelvis	107.0	19.0	17.4-20.7	69.6	26.5	23.7-29.6	37.4	12.6	10.8-14.6
Brain and other central nervous system	36.4	6.9	5.9-8.0	18.2	7.5	6.0-9.3	18.2	6.4	5.1-7.9
Thyroid	178.8	34.8	32.5-37.2	46.8	18.8	16.4-21.4	132.0	49.7	45.9-53.8
Hodgkin lymphoma	20.0	4.2	3.4-5.1	11.0	4.7	3.5-6.1	9.0	3.7	2.7-5.0
Non-Hodgkin lymphomas	130.2	23.9	22.0-25.8	66.8	27.7	24.8-31.0	63.4	21.0	18.7-23.5
Myeloma	49.8	8.8	7.7-10.0	31.6	12.9	10.9-15.1	18.2	5.6	4.5-7.0
Leukemias	99.2	18.5	16.9-20.3	56.6	23.7	20.9-26.7	42.6	15.0	13.0-17.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Richmond (Staten Island) County
Tottenville, Great Kills & Annadale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1064.6	549.5	534.5-565.0	520.4	590.8	567.4-614.9	544.2	525.6	505.5-546.3
Oral cavity and pharynx	23.2	11.6	9.6-14.0	15.8	16.9	13.2-21.3	7.4	7.2	5.0-10.1
Esophagus	7.4	3.6	2.5-5.0	6.0	6.5	4.3-9.4	1.4	1.3	0.5-2.8
Stomach	16.6	8.6	6.8-10.7	10.8	12.5	9.2-16.5	5.8	5.7	3.8-8.3
Colorectal	81.8	42.7	38.6-47.2	42.2	49.2	42.6-56.7	39.6	37.7	32.5-43.5
Colon excluding rectum	59.6	31.5	27.9-35.4	30.6	36.7	30.9-43.2	29.0	27.6	23.2-32.6
Rectum & rectosigmoid	22.2	11.2	9.2-13.6	11.6	12.6	9.4-16.4	10.6	10.2	7.5-13.4
Liver / intrahepatic bile duct	22.8	11.2	9.2-13.6	17.8	18.7	14.8-23.2	5.0	5.1	3.2-7.6
Pancreas	30.0	15.2	12.8-17.9	15.6	17.5	13.7-22.1	14.4	13.1	10.2-16.6
Larynx	6.2	3.0	2.0-4.3	4.6	5.2	3.2-8.0	1.6	1.3	0.6-2.8
Lung and bronchus	126.4	65.1	60.0-70.5	62.2	74.1	65.7-83.1	64.2	59.0	52.6-66.1
Melanoma of the skin	41.2	21.3	18.4-24.5	21.0	23.7	19.2-28.9	20.2	19.9	16.1-24.4
Female breast							147.4	142.2	131.8-153.2
Cervix uteri							7.4	8.0	5.6-11.2
Corpus uterus and NOS							38.4	33.8	29.1-39.2
Ovary							15.4	14.2	11.1-17.9
Prostate				112.4	116.6	106.8-127.1			
Testis				5.2	6.9	4.5-10.2			
Urinary bladder (incl. in situ)	57.4	29.6	26.2-33.4	46.0	54.1	47.1-61.9	11.4	10.5	7.9-13.7
Kidney and renal pelvis	41.8	21.0	18.2-24.2	26.8	28.7	23.9-34.2	15.0	14.3	11.2-18.1
Brain and other central nervous system	14.2	7.9	6.1-10.0	6.4	7.7	5.2-11.0	7.8	8.0	5.6-11.2
Thyroid	74.8	41.3	37.1-45.8	21.4	24.2	19.8-29.5	53.4	57.3	50.4-64.9
Hodgkin lymphoma	7.0	4.6	3.2-6.4	4.0	5.4	3.2-8.3	3.0	3.8	2.1-6.3
Non-Hodgkin lymphomas	48.2	25.1	21.9-28.6	23.4	26.8	22.0-32.4	24.8	23.7	19.6-28.4
Myeloma	16.0	8.3	6.5-10.4	10.6	12.5	9.3-16.6	5.4	4.9	3.2-7.3
Leukemias	39.4	21.4	18.5-24.7	22.6	27.4	22.4-33.3	16.8	17.3	13.7-21.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Richmond (Staten Island) County
New Springville & South Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	872.2	502.6	487.3-518.3	415.4	535.4	512.0-559.6	456.8	484.9	464.3-506.2
Oral cavity and pharynx	13.2	7.3	5.6-9.4	9.0	11.2	8.1-15.1	4.2	4.5	2.8-7.1
Esophagus	6.2	3.4	2.3-4.8	4.8	6.0	3.8-9.1	1.4	1.3	0.5-2.9
Stomach	14.6	8.4	6.5-10.7	8.4	11.0	7.8-15.0	6.2	6.3	4.2-9.3
Colorectal	73.4	41.3	37.1-45.9	37.2	49.3	42.3-57.2	36.2	34.1	29.2-39.8
Colon excluding rectum	52.2	29.2	25.7-33.1	23.4	31.6	26.0-38.1	28.8	26.6	22.3-31.6
Rectum & rectosigmoid	21.2	12.1	9.8-14.7	13.8	17.7	13.7-22.6	7.4	7.5	5.2-10.6
Liver / intrahepatic bile duct	14.4	7.8	6.1-10.0	11.0	13.4	10.0-17.6	3.4	3.3	1.9-5.6
Pancreas	21.2	11.7	9.6-14.3	11.0	14.2	10.6-18.7	10.2	9.8	7.2-13.0
Larynx	8.6	4.7	3.3-6.4	6.4	7.6	5.2-11.0	2.2	2.3	1.1-4.3
Lung and bronchus	123.8	68.9	63.5-74.8	63.6	82.7	73.6-92.6	60.2	58.0	51.5-65.3
Melanoma of the skin	28.4	16.5	13.8-19.5	15.4	20.3	16.0-25.6	13.0	14.2	10.8-18.4
Female breast							129.0	138.6	127.6-150.3
Cervix uteri							7.2	9.6	6.6-13.5
Corpus uterus and NOS							31.2	33.1	27.9-39.0
Ovary							10.2	11.3	8.3-15.2
Prostate				89.6	107.4	97.4-118.1			
Testis				3.6	5.6	3.3-9.0			
Urinary bladder (incl. in situ)	45.8	25.7	22.4-29.4	34.8	45.8	39.1-53.4	11.0	11.2	8.4-14.8
Kidney and renal pelvis	27.6	15.8	13.2-18.8	17.8	22.1	17.6-27.5	9.8	10.6	7.8-14.2
Brain and other central nervous system	9.0	5.4	3.8-7.3	4.6	6.2	3.8-9.4	4.4	4.8	2.9-7.5
Thyroid	53.4	34.9	30.7-39.6	13.4	18.1	13.9-23.2	40.0	50.5	43.4-58.3
Hodgkin lymphoma	7.6	5.6	3.9-7.7	3.8	5.8	3.4-9.1	3.8	5.4	3.2-8.6
Non-Hodgkin lymphomas	39.0	23.0	19.8-26.6	20.8	28.1	22.8-34.3	18.2	19.0	15.2-23.7
Myeloma	14.4	7.9	6.1-10.0	8.4	10.6	7.6-14.6	6.0	5.9	3.9-8.6
Leukemias	27.0	15.8	13.1-18.8	15.6	19.8	15.6-24.9	11.4	13.5	10.0-17.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2012-2016**

**Richmond (Staten Island) County
Port Richmond, Stapleton & Mariner's Harbor**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	955.6	523.5	508.4-539.0	473.8	578.9	554.9-603.7	481.8	486.6	466.9-506.8
Oral cavity and pharynx	19.8	10.4	8.4-12.8	13.6	15.6	11.9-19.9	6.2	5.9	4.0-8.5
Esophagus	8.0	4.4	3.1-6.0	5.8	7.0	4.6-10.2	2.2	2.3	1.1-4.2
Stomach	16.2	8.9	7.0-11.1	9.6	11.8	8.6-15.8	6.6	6.4	4.3-9.0
Colorectal	73.0	41.2	37.0-45.8	38.0	47.8	41.0-55.4	35.0	35.1	29.9-40.8
Colon excluding rectum	52.8	30.1	26.5-34.1	27.0	34.8	29.0-41.5	25.8	25.7	21.4-30.7
Rectum & rectosigmoid	20.2	11.1	9.0-13.6	11.0	13.0	9.7-17.1	9.2	9.3	6.8-12.5
Liver / intrahepatic bile duct	24.4	12.3	10.2-14.7	16.8	18.5	14.7-23.1	7.6	7.2	5.1-10.0
Pancreas	26.0	14.2	11.8-17.0	11.8	14.6	11.0-19.0	14.2	14.0	10.9-17.8
Larynx	7.8	4.0	2.8-5.5	6.4	7.4	5.0-10.6	1.4	1.4	0.5-2.9
Lung and bronchus	111.6	62.0	56.9-67.6	54.6	69.4	61.1-78.6	57.0	57.3	50.7-64.5
Melanoma of the skin	26.0	14.1	11.7-16.8	17.0	21.6	17.1-26.9	9.0	8.9	6.4-12.0
Female breast							126.0	125.7	115.9-136.1
Cervix uteri							7.6	8.2	5.8-11.4
Corpus uterus and NOS							40.2	39.9	34.5-46.0
Ovary							14.2	14.0	10.8-17.7
Prostate				124.4	145.5	133.8-157.9			
Testis				4.4	5.3	3.3-8.1			
Urinary bladder (incl. in situ)	39.4	22.2	19.1-25.6	30.2	40.1	33.7-47.3	9.2	9.1	6.6-12.2
Kidney and renal pelvis	37.6	20.4	17.5-23.6	25.0	29.2	24.1-35.0	12.6	12.9	9.8-16.6
Brain and other central nervous system	13.2	7.4	5.7-9.4	7.2	8.4	5.8-11.7	6.0	6.4	4.3-9.1
Thyroid	50.6	28.6	25.1-32.5	12.0	14.2	10.7-18.4	38.6	41.8	36.0-48.3
Hodgkin lymphoma	5.4	2.9	1.9-4.3	3.2	3.4	1.9-5.6	2.2	2.4	1.2-4.4
Non-Hodgkin lymphomas	43.0	23.9	20.7-27.4	22.6	28.7	23.4-34.7	20.4	20.6	16.7-25.1
Myeloma	19.4	10.7	8.7-13.1	12.6	15.9	12.1-20.5	6.8	6.6	4.5-9.4
Leukemias	32.6	18.4	15.7-21.6	18.2	23.1	18.4-28.5	14.4	14.8	11.5-18.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2018.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.