



**New York State - County Opioid Quarterly Report
Published July, 2018**

New York State Department of Health

(This page is intentionally left blank)

Table of Contents

| | |
|--------------------------|----|
| Introduction | 5 |
| Albany County | 8 |
| Allegany County | 10 |
| Broome County | 12 |
| Cattaraugus County | 14 |
| Cayuga County | 16 |
| Chautauqua County | 18 |
| Chemung County | 20 |
| Chenango County | 22 |
| Clinton County | 24 |
| Columbia County | 26 |
| Cortland County | 28 |
| Delaware County | 30 |
| Dutchess County | 32 |
| Erie County | 34 |
| Essex County | 36 |
| Franklin County | 38 |
| Fulton County | 40 |
| Genesee County | 42 |
| Greene County | 44 |
| Hamilton County | 46 |
| Herkimer County | 48 |
| Jefferson County | 50 |
| Lewis County | 52 |
| Livingston County | 54 |
| Madison County | 56 |
| Monroe County | 58 |
| Montgomery County | 60 |
| Nassau County | 62 |
| Niagara County | 64 |
| Oneida County | 66 |
| Onondaga County | 68 |

| | |
|---------------------------|-----|
| Ontario County | 70 |
| Orange County | 72 |
| Orleans County | 74 |
| Oswego County | 76 |
| Otsego County | 78 |
| Putnam County | 80 |
| Rensselaer County | 82 |
| Rockland County | 84 |
| St. Lawrence County | 86 |
| Saratoga County | 88 |
| Schenectady County | 90 |
| Schoharie County | 92 |
| Schuyler County | 94 |
| Seneca County | 96 |
| Steuben County | 98 |
| Suffolk County | 100 |
| Sullivan County | 102 |
| Tioga County | 104 |
| Tompkins County | 106 |
| Ulster County | 108 |
| Warren County | 110 |
| Washington County | 112 |
| Wayne County | 114 |
| Westchester County | 116 |
| Wyoming County | 118 |
| Yates County | 120 |
| Bronx County | 122 |
| Kings County | 124 |
| New York County | 126 |
| Queens County | 128 |
| Richmond County | 130 |
| Methods | 132 |
| Acknowledgments | 138 |

Introduction

In response to the growing opioid public health crisis, Governor Andrew M. Cuomo convened a Heroin and Opioid Task Force in May 2016. This group was charged with developing a comprehensive plan to fight against this epidemic in New York State.¹ The Task Force gathered perspectives and information from communities across the state to produce a comprehensive report with actionable recommendations to target heroin and opioid abuse.² One recommendation highlighted the need to improve the reporting and use of heroin and opioid data collected to help spot trends and respond to local needs. This recommendation was included in a comprehensive package of bills signed by Governor Cuomo, intended to combat opioid and heroin issues within the state by focusing on prevention, education, treatment, and recovery.³

Prevention efforts include improving timely opioid overdose reporting to key stakeholders. This information is a valuable tool for planning and can help identify where communities are struggling, help tailor interventions, and show improvements.

In accordance with the recommendations and legislation, the New York State Department of Health (NYSDOH) is providing **opioid overdose information (deaths, emergency department (ED) visits, and hospitalizations) by county in this quarterly report**. The reported cases are based on the **county of residence**. Opioids include both prescription opioid pain relievers, such as hydrocodone, oxycodone, and morphine, as well as heroin and opium. This report does not fully capture the burden of opioid abuse and dependence in New York State.

The New York State Office of Alcoholism and Substance Abuse Services (OASAS) is providing data on unique clients admitted for heroin and unique clients admitted for any opioid. This information comes from the OASAS Client Data System (CDS). The CDS collects data on every person admitted to an OASAS-certified chemical dependence treatment program. The reported cases are based on the county of residence at the time of admission. County residents admitted more than once per quarter or year are counted only once. The data are presented as two indicators:

- People admitted for heroin use (i.e., unique people by county of residence where heroin was the primary, secondary or tertiary substance of abuse at admission), and
- People admitted for the use of any opioid, including heroin (i.e., heroin or another opioid was the primary, secondary or tertiary substance of abuse at admission).

The CDS includes data for individuals served in the OASAS-certified treatment system. It does not have data for individuals who do not enter treatment, get treated by the U.S. Department of Veterans Affairs, go outside New York State for treatment, are admitted to hospitals but not to chemical dependence treatment, or receive an addictions medication from a physician outside the OASAS system of care.

This report also provides information on administrations of naloxone reported by Community Opioid Overdose Prevention (COOP) programs registered with the NYSDOH, by law enforcement agencies, and by Emergency Medical Services (EMS) agencies. Naloxone data in the report reflect the county in which the overdose response occurred and in which the naloxone was administered—not necessarily the county of the overdosed person's residence.

¹ <https://www.governor.ny.gov/news/governor-cuomo-announces-statewide-task-force-combat-heroin-and-prescription-opioid-crisis>

² https://www.governor.ny.gov/sites/governor.ny.gov/files/atoms/files/HeroinTaskForceReport_3.pdf

³ <https://www.governor.ny.gov/news/governor-cuomo-signs-legislation-combat-heroin-and-opioid-crisis>

Since 2006, overdose programs registered with NYSDOH—to date, numbering more than 600 statewide—have trained community responders to recognize and respond to opioid overdoses pending the arrival of EMS personnel. That response includes the administration of naloxone. These efforts were broadened in 2014 to include law enforcement personnel who are frequently on the scene of an overdose before EMS arrives.

The data in this report have some limitations. Significant time lag in confirming and reporting the causes of death and patient information to the NYSDOH impact data completeness. For example, overdose mortalities take time to be confirmed because of factors such as toxicology tests. As a result, the mortality numbers in this report may not reflect all deaths that have occurred within a given quarter or year. Therefore, data in this report are **not considered complete by the NYSDOH and should be used and interpreted with caution**. Mortality, hospitalization, and ED **data may change as deaths, hospitalizations, and ED visits are confirmed and reported**. Subsequent quarterly reports may contain figures which differ from a previous report due to additional confirmations, updates and timing of data received. For example, there is a substantial increase in the 2016 figures for New York State excluding New York City in the reports published from October 2017 and later compared to reports published in July 2017 and prior. These differences were due largely to individuals with an undetermined cause of death having subsequently been determined to have died from opioid poisoning since the publication of the earlier reports.

The current 2016 figures also show a substantial increase in the number of opioid deaths as compared to figures for 2015 (not included in this report). While it seems likely that the actual number of opioid deaths have increased, it is possible that factors such as greater efficiency in collecting death records with the implementation of the Electronic Death Reporting System, improved reporting of drug and opioid involvement on the death certificate, and more frequent toxicological testing in light of greater awareness of the opioid epidemic, could have also contributed to the observed increase. Furthermore, due to the small frequencies, **rates should be interpreted with caution**. When rates are based on only a few cases, small changes in frequencies can produce large changes in the rates, making it difficult to discern true changes from chance fluctuation.⁴

Significant time lag in the electronic reporting of admissions to OASAS-certified treatment programs affect data completeness. Generally, admissions are not considered substantially complete until three months after the end of the clinical admission month. Therefore, data in this report are **not considered complete by OASAS and should be used and interpreted with caution**. **Quarterly and yearly data may be updated as additional admissions are reported to OASAS by certified treatment programs**. Subsequent reports may contain numbers for a quarter that differ from the previous report because they include additional reported admissions. **The number of unique individuals admitted per year does not equal the sum of the people admitted each quarter. This is because an individual could be admitted to treatment in more than one quarter during the year.**

Most EMS naloxone administration results in this report were generated from electronically submitted pre-hospital care reports (e-PCR), except for Suffolk County where results were obtained from Regional EMS Medical Control data. Starting in the third quarter of 2017, Nassau County naloxone data are provided from a combination of e-PCRs and additional reports of EMS services collected by the Nassau County Police Department. Nassau County counts of naloxone administrations for all quarters have been updated using this method and may differ from those published in previous reports. Approximately 90% of EMS care provided throughout New York State is reported through e-PCR; however, that should not be interpreted as 90% of care provided and documented in each county. Use of e-PCR is not uniformly distributed across the State. Please note that, as of the July

⁴ <https://www.health.ny.gov/diseases/chronic/ratesmall.htm>

2017 report, additional data validation steps were taken to de-duplicate 2016 administrations by multiple agencies for the same encounter. Therefore, reductions in the counts for selected counties are observed, as compared to previous reports. New York State EMS agencies are beginning to transition to a more advanced documentation standard, which will affect the volume of data collected throughout the transition period. This report reflects the data available at the time of publication.

Law enforcement agencies and COOP programs are mandated by regulation to report naloxone administrations. All naloxone administration data are based on self-report. There are instances in which not all data fields are completed by the responder. There is often a lag in data reporting. Increases may represent program expansions, and may or may not indicate increases in overdose events. All data should be interpreted with caution. The law enforcement data in this report do not yet comprehensively include reports from law enforcement agencies in New York City and Nassau County. These agencies use distinct reporting mechanisms.

People with questions or requests for additional information should contact opioidprevention@health.ny.gov.

**Albany County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Albany | 28 | 9.1 | 11 | 3.6 | 9 | 2.9 | 9 | 2.9 | 8 | 2.6 | 37 | 12.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Albany | 17 | 5.5 | 5 | 1.6 | 4 | 1.3 | 5 | 1.6 | 2 | 0.6 | 16 | 5.2 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Albany | 16 | 5.2 | 9 | 2.9 | 8 | 2.6 | 6 | 1.9 | 8 | 2.6 | 31 | 10.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Albany | 115 | 37.2 | 31 | 10.0 | 27 | 8.7 | 22 | 7.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Albany | 95 | 30.7 | 23 | 7.4 | 23 | 7.4 | 19 | 6.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Albany | 20 | 6.5 | 8 | 2.6 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Albany | 24 | 7.8 | 7 | 2.3 | 10 | 3.2 | 6 | 1.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Albany | 14 | 4.5 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Albany | 10 | 3.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Albany County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 296 | 308 | 334 | 305 | 972 | 311 | 350 | 330 | 363 | 1,094 |
| Unique clients admitted for any opioid (incl. heroin) | 362 | 387 | 398 | 363 | 1,196 | 373 | 435 | 400 | 442 | 1,366 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Albany County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Albany | 57 | 64 | 52 | 216 | 62 | 80 | 86 | 77 | 305 | 76 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Albany | 4 | 1 | 1 | 8 | 2 | 1 | 0 | 1 | 4 | 4 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Albany | 5 | 7 | 9 | 29 | 5 | 9 | 2 | 2 | 18 | 10 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Allegany County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Allegany | 2 | 4.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Allegany | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Allegany | 1 | 2.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Allegany | 32 | 67.4 | 6 | 12.6 | 8 | 16.9 | 8 | 16.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Allegany | 22 | 46.4 | s | s | 6 | 12.6 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Allegany | 10 | 21.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Allegany | 6 | 12.6 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Allegany | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Allegany | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Allegany County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 40 | 30 | 29 | 35 | 109 | 33 | 38 | 34 | 34 | 109 |
| Unique clients admitted for any opioid (incl. heroin) | 65 | 51 | 52 | 59 | 182 | 52 | 68 | 56 | 58 | 190 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Allegany County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Allegany | 8 | 4 | 12 | 43 | 15 | 10 | 11 | 10 | 46 | 6 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Allegany | 0 | 1 | 0 | 2 | 2 | 1 | 1 | 0 | 4 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Allegany | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Broome County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Broome | 57 | 29.0 | 17 | 8.6 | 12 | 6.1 | 15 | 7.6 | 2 | 1.0 | 46 | 23.4 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Broome | 27 | 13.7 | 8 | 4.1 | 8 | 4.1 | 7 | 3.6 | 1 | 0.5 | 24 | 12.2 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Broome | 33 | 16.8 | 13 | 6.6 | 4 | 2.0 | 6 | 3.1 | 1 | 0.5 | 24 | 12.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Broome | 193 | 98.2 | 78 | 39.7 | 56 | 28.5 | 32 | 16.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Broome | 162 | 82.4 | 68 | 34.6 | 52 | 26.5 | 30 | 15.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Broome | 31 | 15.8 | 10 | 5.1 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Broome | 49 | 24.9 | 16 | 8.1 | 18 | 9.2 | 14 | 7.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Broome | 24 | 12.2 | 11 | 5.6 | 12 | 6.1 | 7 | 3.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Broome | 25 | 12.7 | s | s | 6 | 3.1 | 7 | 3.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Broome County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 288 | 317 | 347 | 333 | 923 | 340 | 345 | 337 | 341 | 970 |
| Unique clients admitted for any opioid (incl. heroin) | 350 | 364 | 404 | 385 | 1,093 | 377 | 383 | 374 | 376 | 1,086 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Broome County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Broome | 58 | 106 | 54 | 288 | 124 | 96 | 70 | 63 | 353 | 33 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Broome | 13 | 15 | 15 | 50 | 11 | 11 | 9 | 10 | 41 | 6 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Broome | 55 | 49 | 3 | 135 | 10 | 5 | 7 | 13 | 35 | 41 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Cattaraugus County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cattaraugus | 7 | 9.0 | 0 | 0.0 | 6 | 7.7 | 2 | 2.6 | 0 | 0.0 | 8 | 10.3 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Cattaraugus | 2 | 2.6 | 0 | 0.0 | 3 | 3.9 | 2 | 2.6 | 0 | 0.0 | 5 | 6.4 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Cattaraugus | 6 | 7.7 | 0 | 0.0 | 5 | 6.4 | 1 | 1.3 | 0 | 0.0 | 6 | 7.7 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cattaraugus | 56 | 71.9 | 9 | 11.6 | 16 | 20.5 | 12 | 15.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Cattaraugus | 44 | 56.5 | 7 | 9.0 | 10 | 12.8 | 8 | 10.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Cattaraugus | 12 | 15.4 | s | s | 6 | 7.7 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cattaraugus | 10 | 12.8 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Cattaraugus | s | s | s | s | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Cattaraugus | s | s | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Cattaraugus County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 65 | 67 | 82 | 68 | 236 | 75 | 71 | 53 | 52 | 217 |
| Unique clients admitted for any opioid (incl. heroin) | 108 | 110 | 161 | 134 | 432 | 130 | 145 | 120 | 130 | 446 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Cattaraugus County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Cattaraugus | 20 | 16 | 23 | 85 | 15 | 25 | 11 | 10 | 61 | 10 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Cattaraugus | 2 | 0 | 1 | 10 | 3 | 3 | 1 | 1 | 8 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Cattaraugus | 0 | 0 | 2 | 3 | 0 | 1 | 1 | 1 | 3 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Cayuga County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cayuga | 16 | 20.4 | 5 | 6.4 | 4 | 5.1 | 4 | 5.1 | 5 | 6.4 | 18 | 23.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Cayuga | 6 | 7.7 | 0 | 0.0 | 2 | 2.6 | 0 | 0.0 | 3 | 3.8 | 5 | 6.4 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Cayuga | 15 | 19.2 | 5 | 6.4 | 3 | 3.8 | 4 | 5.1 | 4 | 5.1 | 16 | 20.4 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cayuga | 77 | 98.4 | 20 | 25.5 | 8 | 10.2 | 8 | 10.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Cayuga | 51 | 65.1 | 13 | 16.6 | 6 | 7.7 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Cayuga | 26 | 33.2 | 7 | 8.9 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cayuga | 14 | 17.9 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Cayuga | 8 | 10.2 | s | s | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Cayuga | 6 | 7.7 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Cayuga County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 85 | 88 | 95 | 93 | 290 | 80 | 101 | 74 | 85 | 266 |
| Unique clients admitted for any opioid (incl. heroin) | 114 | 111 | 118 | 110 | 361 | 103 | 136 | 98 | 109 | 347 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Cayuga County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Cayuga | 11 | 16 | 15 | 53 | 12 | 8 | 5 | 10 | 35 | 4 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Cayuga | 2 | 3 | 2 | 10 | 2 | 2 | 2 | 4 | 10 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Cayuga | 1 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Chautauqua County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chautauqua | 24 | 18.4 | 8 | 6.1 | 11 | 8.4 | 10 | 7.6 | 2 | 1.5 | 31 | 23.7 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Chautauqua | 11 | 8.4 | 5 | 3.8 | 4 | 3.1 | 6 | 4.6 | 0 | 0.0 | 15 | 11.5 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Chautauqua | 16 | 12.2 | 6 | 4.6 | 9 | 6.9 | 7 | 5.4 | 2 | 1.5 | 24 | 18.4 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chautauqua | 63 | 48.2 | 6 | 4.6 | 22 | 16.8 | 23 | 17.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Chautauqua | 52 | 39.8 | s | s | 15 | 11.5 | 17 | 13.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Chautauqua | 11 | 8.4 | s | s | 7 | 5.4 | 6 | 4.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chautauqua | 22 | 16.8 | 6 | 4.6 | 8 | 6.1 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Chautauqua | s | s | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Chautauqua | 18 | 13.8 | s | s | 7 | 5.4 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Chautauqua County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 115 | 130 | 111 | 125 | 381 | 129 | 131 | 151 | 148 | 434 |
| Unique clients admitted for any opioid (incl. heroin) | 167 | 193 | 169 | 173 | 576 | 188 | 186 | 202 | 199 | 613 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Chautauqua County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Chautauqua | 19 | 26 | 26 | 94 | 19 | 39 | 31 | 37 | 126 | 35 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Chautauqua | 4 | 3 | 4 | 17 | 3 | 12 | 7 | 6 | 28 | 6 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Chautauqua | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 3 | 3 | 2 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Chemung County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chemung | 5 | 5.7 | 1 | 1.1 | 9 | 10.3 | 0 | 0.0 | 1 | 1.1 | 11 | 12.6 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Chemung | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Chemung | 5 | 5.7 | 1 | 1.1 | 9 | 10.3 | 0 | 0.0 | 1 | 1.1 | 11 | 12.6 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chemung | 48 | 55.1 | 16 | 18.4 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Chemung | 29 | 33.3 | 13 | 14.9 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Chemung | 19 | 21.8 | s | s | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chemung | 16 | 18.4 | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Chemung | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Chemung | 11 | 12.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Chemung County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 76 | 90 | 90 | 56 | 260 | 78 | 80 | 72 | 65 | 246 |
| Unique clients admitted for any opioid (incl. heroin) | 124 | 130 | 131 | 98 | 406 | 114 | 132 | 112 | 103 | 384 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Chemung County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Chemung | 33 | 48 | 26 | 130 | 25 | 58 | 32 | 31 | 146 | 28 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Chemung | 5 | 7 | 1 | 15 | 3 | 7 | 3 | 1 | 14 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Chemung | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Chenango County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chenango | 5 | 10.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Chenango | 2 | 4.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Chenango | 3 | 6.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chenango | 29 | 59.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Chenango | 24 | 49.1 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Chenango | s | s | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Chenango | 10 | 20.5 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Chenango | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Chenango | 8 | 16.4 | s | s | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Chenango County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 54 | 46 | 50 | 36 | 152 | 34 | 33 | 36 | 39 | 111 |
| Unique clients admitted for any opioid (incl. heroin) | 78 | 64 | 66 | 62 | 227 | 47 | 63 | 54 | 52 | 179 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Chenango County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Chenango | 10 | 22 | 12 | 54 | 12 | 5 | 5 | 8 | 30 | 2 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Chenango | 2 | 1 | 1 | 5 | 0 | 2 | 0 | 0 | 2 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Chenango | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Clinton County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Clinton | 8 | 9.8 | 2 | 2.5 | 3 | 3.7 | 3 | 3.7 | 2 | 2.5 | 10 | 12.3 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Clinton | 2 | 2.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.2 | 1 | 1.2 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Clinton | 7 | 8.6 | 2 | 2.5 | 2 | 2.5 | 1 | 1.2 | 1 | 1.2 | 6 | 7.4 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Clinton | 24 | 29.5 | 6 | 7.4 | s | s | 6 | 7.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Clinton | 14 | 17.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Clinton | 10 | 12.3 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Clinton | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Clinton | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Clinton | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Clinton County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 88 | 95 | 84 | 77 | 278 | 73 | 74 | 69 | 62 | 242 |
| Unique clients admitted for any opioid (incl. heroin) | 157 | 159 | 133 | 141 | 479 | 138 | 135 | 125 | 124 | 446 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Clinton County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Clinton | 5 | 3 | 8 | 22 | 7 | 0 | 3 | 4 | 14 | 7 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Clinton | 4 | 7 | 1 | 14 | 2 | 1 | 2 | 0 | 5 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Clinton | 6 | 25 | 22 | 67 | 22 | 15 | 5 | 2 | 44 | 4 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Columbia County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Columbia | 13 | 21.1 | 3 | 4.9 | 5 | 8.1 | 4 | 6.5 | 4 | 6.5 | 16 | 26.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Columbia | 4 | 6.5 | 2 | 3.3 | 3 | 4.9 | 1 | 1.6 | 4 | 6.5 | 10 | 16.3 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Columbia | 10 | 16.3 | 2 | 3.3 | 3 | 4.9 | 4 | 6.5 | 3 | 4.9 | 12 | 19.5 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Columbia | 29 | 47.1 | 7 | 11.4 | 16 | 26.0 | 14 | 22.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Columbia | 21 | 34.1 | s | s | 15 | 24.4 | 12 | 19.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Columbia | 8 | 13.0 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Columbia | 9 | 14.6 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Columbia | s | s | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Columbia | 6 | 9.8 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Columbia County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 82 | 75 | 76 | 109 | 244 | 91 | 108 | 66 | 73 | 255 |
| Unique clients admitted for any opioid (incl. heroin) | 109 | 98 | 96 | 126 | 311 | 114 | 126 | 88 | 99 | 322 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.

s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Columbia County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Columbia | 13 | 18 | 19 | 63 | 12 | 16 | 15 | 16 | 59 | 18 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Columbia | 3 | 1 | 2 | 10 | 3 | 3 | 5 | 1 | 12 | 4 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Columbia | 0 | 0 | 0 | 2 | 0 | 3 | 0 | 0 | 3 | 3 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Cortland County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cortland | 8 | 16.5 | 2 | 4.1 | 6 | 12.4 | 4 | 8.2 | 1 | 2.1 | 13 | 26.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Cortland | 3 | 6.2 | 1 | 2.1 | 3 | 6.2 | 1 | 2.1 | 1 | 2.1 | 6 | 12.4 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Cortland | 6 | 12.4 | 1 | 2.1 | 5 | 10.3 | 3 | 6.2 | 1 | 2.1 | 10 | 20.6 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cortland | 43 | 88.7 | 11 | 22.7 | s | s | 17 | 35.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Cortland | 31 | 63.9 | s | s | s | s | 13 | 26.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Cortland | 12 | 24.7 | 6 | 12.4 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Cortland | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Cortland | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Cortland | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Cortland County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 80 | 107 | 83 | 88 | 261 | 100 | 97 | 91 | 96 | 273 |
| Unique clients admitted for any opioid (incl. heroin) | 104 | 138 | 102 | 103 | 326 | 115 | 121 | 116 | 119 | 341 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Cortland County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Cortland | 14 | 14 | 14 | 54 | 13 | 10 | 12 | 4 | 39 | 3 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Cortland | 7 | 5 | 2 | 16 | 2 | 1 | 1 | 0 | 4 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Cortland | 2 | 6 | 2 | 10 | 0 | 3 | 1 | 1 | 5 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Delaware County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Delaware | 10 | 21.7 | 1 | 2.2 | 1 | 2.2 | 4 | 8.7 | 1 | 2.2 | 7 | 15.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Delaware | 5 | 10.9 | 0 | 0.0 | 1 | 2.2 | 3 | 6.5 | 0 | 0.0 | 4 | 8.7 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Delaware | 6 | 13.0 | 1 | 2.2 | 1 | 2.2 | 2 | 4.3 | 1 | 2.2 | 5 | 10.9 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Delaware | 24 | 52.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Delaware | 14 | 30.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Delaware | 10 | 21.7 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Delaware | 10 | 21.7 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Delaware | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Delaware | 7 | 15.2 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Delaware County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 50 | 43 | 38 | 43 | 152 | 40 | 45 | 30 | 40 | 138 |
| Unique clients admitted for any opioid (incl. heroin) | 64 | 59 | 52 | 51 | 195 | 54 | 64 | 44 | 50 | 191 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Delaware County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Delaware | 10 | 7 | 7 | 28 | 2 | 10 | 4 | 4 | 20 | 4 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Delaware | 2 | 2 | 1 | 5 | 0 | 1 | 0 | 3 | 4 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Delaware | 1 | 3 | 1 | 6 | 0 | 1 | 0 | 0 | 1 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Dutchess County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Dutchess | 51 | 17.2 | 15 | 5.1 | 16 | 5.4 | 22 | 7.4 | 21 | 7.1 | 74 | 25.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Dutchess | 28 | 9.5 | 10 | 3.4 | 8 | 2.7 | 9 | 3.0 | 14 | 4.7 | 41 | 13.9 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Dutchess | 33 | 11.2 | 10 | 3.4 | 11 | 3.7 | 19 | 6.4 | 18 | 6.1 | 58 | 19.6 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Dutchess | 103 | 34.8 | 52 | 17.6 | 89 | 30.1 | 85 | 28.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Dutchess | 68 | 23.0 | 39 | 13.2 | 71 | 24.0 | 73 | 24.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Dutchess | 35 | 11.8 | 13 | 4.4 | 18 | 6.1 | 12 | 4.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Dutchess | 40 | 13.5 | 17 | 5.7 | 10 | 3.4 | 17 | 5.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Dutchess | 16 | 5.4 | 6 | 2.0 | s | s | 6 | 2.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Dutchess | 24 | 8.1 | 11 | 3.7 | s | s | 11 | 3.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Dutchess County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 399 | 402 | 447 | 394 | 1,178 | 388 | 424 | 442 | 440 | 1,222 |
| Unique clients admitted for any opioid (incl. heroin) | 465 | 477 | 521 | 461 | 1,410 | 459 | 511 | 505 | 507 | 1,452 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Dutchess County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Dutchess | 79 | 91 | 86 | 337 | 70 | 85 | 101 | 55 | 311 | 59 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Dutchess | 16 | 17 | 10 | 58 | 16 | 18 | 21 | 14 | 69 | 16 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Dutchess | 3 | 3 | 1 | 10 | 0 | 5 | 1 | 0 | 6 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Erie County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Erie | 274 | 29.7 | 85 | 9.2 | 85 | 9.2 | 39 | 4.2 | 23 | 2.5 | 232 | 25.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Erie | 74 | 8.0 | 27 | 2.9 | 17 | 1.8 | 14 | 1.5 | 7 | 0.8 | 65 | 7.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Erie | 250 | 27.1 | 80 | 8.7 | 79 | 8.6 | 38 | 4.1 | 21 | 2.3 | 218 | 23.6 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Erie | 1,105 | 119.8 | 242 | 26.2 | 279 | 30.2 | 137 | 14.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Erie | 878 | 95.2 | 186 | 20.2 | 220 | 23.8 | 94 | 10.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Erie | 227 | 24.6 | 56 | 6.1 | 59 | 6.4 | 43 | 4.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Erie | 191 | 20.7 | 53 | 5.7 | 48 | 5.2 | 45 | 4.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Erie | 83 | 9.0 | 25 | 2.7 | 21 | 2.3 | 19 | 2.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Erie | 108 | 11.7 | 28 | 3.0 | 27 | 2.9 | 26 | 2.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Erie County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 859 | 954 | 939 | 863 | 2,696 | 900 | 891 | 829 | 813 | 2,580 |
| Unique clients admitted for any opioid (incl. heroin) | 1,270 | 1,400 | 1,388 | 1,263 | 4,037 | 1,310 | 1,317 | 1,293 | 1,226 | 3,945 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Erie County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Erie | 35 | 32 | 18 | 159 | 18 | 32 | 33 | 24 | 107 | 29 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Erie | 74 | 47 | 49 | 309 | 75 | 84 | 43 | 29 | 231 | 33 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Erie | 55 | 25 | 40 | 237 | 47 | 79 | 29 | 31 | 186 | 6 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Essex County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Essex | 4 | 10.4 | 0 | 0.0 | 1 | 2.6 | 1 | 2.6 | 0 | 0.0 | 2 | 5.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Essex | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Essex | 4 | 10.4 | 0 | 0.0 | 1 | 2.6 | 1 | 2.6 | 0 | 0.0 | 2 | 5.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Essex | 10 | 26.0 | 0 | 0.0 | s | s | 6 | 15.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Essex | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Essex | 8 | 20.8 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Essex | s | s | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Essex | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Essex | s | s | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Essex County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 24 | 20 | 15 | 21 | 71 | 16 | 24 | 12 | 14 | 60 |
| Unique clients admitted for any opioid (incl. heroin) | 49 | 55 | 41 | 43 | 161 | 56 | 68 | 43 | 52 | 183 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Essex County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Essex | 2 | 2 | 0 | 10 | 2 | 3 | 3 | 1 | 9 | 1 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Essex | 1 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 2 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Essex | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Franklin County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Franklin | 2 | 3.9 | 1 | 2.0 | 2 | 3.9 | 1 | 2.0 | 0 | 0.0 | 4 | 7.9 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Franklin | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Franklin | 2 | 3.9 | 1 | 2.0 | 2 | 3.9 | 1 | 2.0 | 0 | 0.0 | 4 | 7.9 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Franklin | 10 | 19.7 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Franklin | s | s | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Franklin | 7 | 13.8 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Franklin | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Franklin | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Franklin | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Franklin County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 25 | 23 | 32 | 23 | 93 | 22 | 19 | 15 | 21 | 73 |
| Unique clients admitted for any opioid (incl. heroin) | 85 | 86 | 93 | 87 | 301 | 87 | 79 | 76 | 83 | 280 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Franklin County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Franklin | 4 | 5 | 7 | 17 | 2 | 5 | 6 | 4 | 17 | 4 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Franklin | 0 | 1 | 3 | 4 | 2 | 1 | 1 | 0 | 4 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Franklin | 1 | 0 | 0 | 1 | 0 | 4 | 2 | 0 | 6 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Fulton County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Fulton | 4 | 7.4 | 0 | 0.0 | 2 | 3.7 | 2 | 3.7 | 1 | 1.9 | 5 | 9.3 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Fulton | 2 | 3.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Fulton | 2 | 3.7 | 0 | 0.0 | 2 | 3.7 | 2 | 3.7 | 0 | 0.0 | 4 | 7.4 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Fulton | 21 | 38.9 | s | s | 7 | 13.0 | 8 | 14.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Fulton | 15 | 27.8 | s | s | 6 | 11.1 | 7 | 13.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Fulton | 6 | 11.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Fulton | 7 | 13.0 | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Fulton | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Fulton | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Fulton County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 43 | 54 | 40 | 43 | 147 | 36 | 47 | 33 | 44 | 133 |
| Unique clients admitted for any opioid (incl. heroin) | 61 | 75 | 53 | 56 | 204 | 57 | 74 | 59 | 71 | 228 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.

s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Fulton County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Fulton | 0 | 1 | 1 | 2 | 7 | 7 | 8 | 9 | 31 | 2 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Fulton | 1 | 0 | 1 | 3 | 2 | 1 | 0 | 1 | 4 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Fulton | 1 | 2 | 2 | 5 | 1 | 1 | 1 | 0 | 3 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Genesee County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Genesee | 14 | 23.8 | 3 | 5.1 | 2 | 3.4 | 1 | 1.7 | 0 | 0.0 | 6 | 10.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Genesee | 5 | 8.5 | 0 | 0.0 | 1 | 1.7 | 1 | 1.7 | 0 | 0.0 | 2 | 3.4 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Genesee | 13 | 22.1 | 3 | 5.1 | 1 | 1.7 | 0 | 0.0 | 0 | 0.0 | 4 | 6.8 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Genesee | 47 | 79.7 | 17 | 28.8 | 11 | 18.7 | 21 | 35.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Genesee | 31 | 52.6 | 14 | 23.8 | 7 | 11.9 | 16 | 27.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Genesee | 16 | 27.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Genesee | 10 | 17.0 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Genesee | s | s | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Genesee | 9 | 15.3 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Genesee County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 74 | 86 | 63 | 63 | 222 | 86 | 73 | 85 | 82 | 262 |
| Unique clients admitted for any opioid (incl. heroin) | 102 | 129 | 114 | 107 | 351 | 142 | 119 | 120 | 124 | 404 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Genesee County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Genesee | 13 | 8 | 9 | 42 | 10 | 14 | 20 | 10 | 54 | 11 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Genesee | 1 | 4 | 1 | 8 | 4 | 2 | 4 | 2 | 12 | 5 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Genesee | 2 | 2 | 2 | 7 | 0 | 1 | 0 | 0 | 1 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Greene County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Greene | 12 | 25.2 | 2 | 4.2 | 1 | 2.1 | 4 | 8.4 | 4 | 8.4 | 11 | 23.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Greene | 7 | 14.7 | 1 | 2.1 | 1 | 2.1 | 3 | 6.3 | 1 | 2.1 | 6 | 12.6 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Greene | 9 | 18.9 | 1 | 2.1 | 1 | 2.1 | 3 | 6.3 | 4 | 8.4 | 9 | 18.9 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Greene | 47 | 98.7 | 7 | 14.7 | 13 | 27.3 | 10 | 21.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Greene | 33 | 69.3 | s | s | 11 | 23.1 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Greene | 14 | 29.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Greene | 8 | 16.8 | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Greene | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Greene | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Greene County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 65 | 69 | 63 | 74 | 214 | 71 | 60 | 80 | 73 | 226 |
| Unique clients admitted for any opioid (incl. heroin) | 94 | 89 | 79 | 104 | 290 | 88 | 86 | 105 | 89 | 297 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Greene County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Greene | 19 | 6 | 20 | 60 | 18 | 15 | 22 | 8 | 63 | 11 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Greene | 3 | 3 | 4 | 12 | 3 | 8 | 6 | 3 | 20 | 3 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Greene | 0 | 1 | 1 | 3 | 1 | 0 | 0 | 0 | 1 | 6 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Hamilton County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Hamilton | 1 | 21.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Hamilton | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Hamilton | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Hamilton | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Hamilton | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Hamilton | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Hamilton | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Hamilton | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Hamilton | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Hamilton County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 0 | s | s | s | s | 0 | s | s | s | 7 |
| Unique clients admitted for any opioid (incl. heroin) | s | s | s | s | s | 0 | s | s | s | 10 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Hamilton County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Hamilton | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 0 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Hamilton | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Hamilton | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Herkimer County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Herkimer | 8 | 12.7 | 4 | 6.3 | 0 | 0.0 | 2 | 3.2 | 0 | 0.0 | 6 | 9.5 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Herkimer | 2 | 3.2 | 3 | 4.8 | 0 | 0.0 | 1 | 1.6 | 0 | 0.0 | 4 | 6.3 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Herkimer | 6 | 9.5 | 3 | 4.8 | 0 | 0.0 | 2 | 3.2 | 0 | 0.0 | 5 | 7.9 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Herkimer | 53 | 84.0 | 8 | 12.7 | 7 | 11.1 | 6 | 9.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Herkimer | 31 | 49.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Herkimer | 22 | 34.9 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Herkimer | 11 | 17.4 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Herkimer | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Herkimer | 7 | 11.1 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Herkimer County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 69 | 75 | 75 | 79 | 229 | 84 | 81 | 59 | 78 | 250 |
| Unique clients admitted for any opioid (incl. heroin) | 88 | 98 | 91 | 105 | 297 | 101 | 100 | 78 | 99 | 311 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Herkimer County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Herkimer | 24 | 17 | 15 | 74 | 16 | 10 | 13 | 13 | 52 | 11 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Herkimer | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Herkimer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Jefferson County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Jefferson | 18 | 15.3 | 7 | 6.0 | 4 | 3.4 | 3 | 2.6 | 0 | 0.0 | 14 | 11.9 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Jefferson | 7 | 6.0 | 0 | 0.0 | 1 | 0.9 | 0 | 0.0 | 0 | 0.0 | 1 | 0.9 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Jefferson | 13 | 11.1 | 7 | 6.0 | 3 | 2.6 | 3 | 2.6 | 0 | 0.0 | 13 | 11.1 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Jefferson | 43 | 36.6 | 13 | 11.1 | 6 | 5.1 | 11 | 9.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Jefferson | 31 | 26.4 | 8 | 6.8 | s | s | 6 | 5.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Jefferson | 12 | 10.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Jefferson | 18 | 15.3 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Jefferson | s | s | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Jefferson | 15 | 12.8 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Jefferson County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 128 | 142 | 157 | 135 | 419 | 146 | 146 | 128 | 136 | 419 |
| Unique clients admitted for any opioid (incl. heroin) | 172 | 193 | 207 | 182 | 562 | 196 | 195 | 169 | 186 | 568 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Jefferson County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Jefferson | 13 | 7 | 10 | 39 | 27 | 24 | 19 | 10 | 80 | 15 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Jefferson | 9 | 13 | 9 | 39 | 15 | 7 | 6 | 6 | 34 | 2 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Jefferson | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Lewis County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Lewis | 4 | 14.8 | 7 | 26.0 | 2 | 7.4 | 0 | 0.0 | 2 | 7.4 | 11 | 40.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Lewis | 2 | 7.4 | 1 | 3.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.7 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Lewis | 2 | 7.4 | 7 | 26.0 | 2 | 7.4 | 0 | 0.0 | 2 | 7.4 | 11 | 40.8 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Lewis | 10 | 37.1 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Lewis | 7 | 26.0 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Lewis | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Lewis | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Lewis | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Lewis | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Lewis County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 15 | 18 | 30 | 26 | 73 | 28 | 31 | 26 | 15 | 84 |
| Unique clients admitted for any opioid (incl. heroin) | 21 | 24 | 39 | 31 | 95 | 36 | 36 | 31 | 22 | 107 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Lewis County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Lewis | 1 | 2 | 1 | 7 | 5 | 4 | 5 | 5 | 19 | 1 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Lewis | 1 | 1 | 0 | 2 | 0 | 1 | 1 | 1 | 3 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Lewis | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Livingston County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Livingston | 11 | 17.0 | 4 | 6.2 | 2 | 3.1 | 0 | 0.0 | 0 | 0.0 | 6 | 9.3 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Livingston | 2 | 3.1 | 1 | 1.5 | 2 | 3.1 | 0 | 0.0 | 0 | 0.0 | 3 | 4.6 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Livingston | 9 | 13.9 | 4 | 6.2 | 2 | 3.1 | 0 | 0.0 | 0 | 0.0 | 6 | 9.3 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Livingston | 35 | 54.1 | 10 | 15.5 | 7 | 10.8 | 10 | 15.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Livingston | 21 | 32.4 | 7 | 10.8 | s | s | 10 | 15.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Livingston | 14 | 21.6 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Livingston | 13 | 20.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Livingston | 6 | 9.3 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Livingston | 7 | 10.8 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Livingston County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 53 | 69 | 52 | 72 | 203 | 61 | 54 | 69 | 71 | 206 |
| Unique clients admitted for any opioid (incl. heroin) | 88 | 97 | 76 | 93 | 288 | 88 | 85 | 96 | 97 | 298 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Livingston County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Livingston | 13 | 5 | 8 | 31 | 9 | 8 | 11 | 11 | 39 | 12 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Livingston | 4 | 1 | 3 | 10 | 1 | 2 | 3 | 3 | 9 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Livingston | 0 | 0 | 1 | 1 | 0 | 4 | 1 | 2 | 7 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Madison County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Madison | 14 | 19.5 | 0 | 0.0 | 0 | 0.0 | 2 | 2.8 | 0 | 0.0 | 2 | 2.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Madison | 9 | 12.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Madison | 11 | 15.3 | 0 | 0.0 | 0 | 0.0 | 2 | 2.8 | 0 | 0.0 | 2 | 2.8 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Madison | 53 | 73.8 | 8 | 11.1 | s | s | 9 | 12.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Madison | 36 | 50.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Madison | 17 | 23.7 | s | s | s | s | 6 | 8.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Madison | 16 | 22.3 | 6 | 8.4 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Madison | 7 | 9.7 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Madison | 9 | 12.5 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Madison County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 81 | 68 | 76 | 76 | 241 | 79 | 53 | 66 | 86 | 225 |
| Unique clients admitted for any opioid (incl. heroin) | 108 | 91 | 98 | 98 | 320 | 97 | 80 | 83 | 105 | 295 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Madison County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Madison | 20 | 16 | 11 | 66 | 10 | 7 | 14 | 7 | 38 | 5 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Madison | 4 | 2 | 3 | 10 | 2 | 0 | 0 | 1 | 3 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Madison | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Monroe County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Monroe | 159 | 21.2 | 50 | 6.7 | 46 | 6.1 | 29 | 3.9 | 1 | 0.1 | 126 | 16.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Monroe | 69 | 9.2 | 16 | 2.1 | 16 | 2.1 | 7 | 0.9 | 0 | 0.0 | 39 | 5.2 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Monroe | 136 | 18.1 | 47 | 6.3 | 40 | 5.3 | 26 | 3.5 | 1 | 0.1 | 114 | 15.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Monroe | 467 | 62.3 | 150 | 20.0 | 176 | 23.5 | 213 | 28.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Monroe | 354 | 47.2 | 118 | 15.7 | 144 | 19.2 | 165 | 22.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Monroe | 113 | 15.1 | 32 | 4.3 | 32 | 4.3 | 48 | 6.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Monroe | 127 | 16.9 | 40 | 5.3 | 56 | 7.5 | 53 | 7.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Monroe | 52 | 6.9 | 17 | 2.3 | 30 | 4.0 | 28 | 3.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Monroe | 75 | 10.0 | 23 | 3.1 | 26 | 3.5 | 25 | 3.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Monroe County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 758 | 860 | 835 | 862 | 2,361 | 913 | 919 | 966 | 979 | 2,597 |
| Unique clients admitted for any opioid (incl. heroin) | 966 | 1,064 | 1,010 | 1,054 | 2,978 | 1,108 | 1,108 | 1,160 | 1,167 | 3,214 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Monroe County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Monroe | 285 | 114 | 91 | 602 | 69 | 83 | 115 | 87 | 354 | 69 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Monroe | 13 | 6 | 8 | 32 | 6 | 13 | 11 | 10 | 40 | 6 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Monroe | 13 | 15 | 25 | 63 | 41 | 44 | 52 | 3 | 140 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting for this county has been affected by a change in documentation systems used by a large EMS agency serving the area. Counts will likely show a sharp decrease until updates to the data are available later in 2018. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Montgomery County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Montgomery | 3 | 6.0 | 2 | 4.0 | 1 | 2.0 | 1 | 2.0 | 1 | 2.0 | 5 | 10.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Montgomery | 0 | 0.0 | 0 | 0.0 | 1 | 2.0 | 1 | 2.0 | 0 | 0.0 | 2 | 4.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Montgomery | 1 | 2.0 | 1 | 2.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Montgomery | 27 | 54.4 | 8 | 16.1 | 17 | 34.2 | 11 | 22.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Montgomery | 24 | 48.3 | 6 | 12.1 | 11 | 22.2 | 10 | 20.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Montgomery | s | s | s | s | 6 | 12.1 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Montgomery | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Montgomery | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Montgomery | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Montgomery County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 65 | 83 | 81 | 65 | 224 | 66 | 79 | 78 | 48 | 229 |
| Unique clients admitted for any opioid (incl. heroin) | 87 | 94 | 98 | 79 | 277 | 85 | 102 | 90 | 63 | 292 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Montgomery County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Montgomery | 14 | 28 | 14 | 62 | 10 | 25 | 26 | 14 | 75 | 2 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Montgomery | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 4 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Montgomery | 0 | 3 | 0 | 3 | 1 | 2 | 0 | 1 | 4 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Nassau County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Nassau | 191 | 14.0 | 53 | 3.9 | 41 | 3.0 | 37 | 2.7 | 7 | 0.5 | 138 | 10.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Nassau | 58 | 4.3 | 15 | 1.1 | 10 | 0.7 | 16 | 1.2 | 4 | 0.3 | 45 | 3.3 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Nassau | 146 | 10.7 | 41 | 3.0 | 34 | 2.5 | 31 | 2.3 | 5 | 0.4 | 111 | 8.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Nassau | 353 | 25.9 | 90 | 6.6 | 138 | 10.1 | 109 | 8.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Nassau | 230 | 16.9 | 49 | 3.6 | 84 | 6.2 | 73 | 5.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Nassau | 123 | 9.0 | 41 | 3.0 | 54 | 4.0 | 36 | 2.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Nassau | 190 | 14.0 | 64 | 4.7 | 44 | 3.2 | 45 | 3.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Nassau | 79 | 5.8 | 18 | 1.3 | 12 | 0.9 | 15 | 1.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Nassau | 111 | 8.2 | 46 | 3.4 | 32 | 2.4 | 30 | 2.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Nassau County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 803 | 852 | 769 | 740 | 2,341 | 824 | 762 | 707 | 655 | 2,153 |
| Unique clients admitted for any opioid (incl. heroin) | 1,051 | 1,088 | 1,005 | 984 | 3,156 | 1,041 | 1,005 | 932 | 876 | 2,913 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Nassau County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ¹ | | | | | | | | | | | |
| Naloxone administration report by EMS | Nassau | 148 | 138 | 177 | 601 | 151 | 186 | 168 | 144 | 649 | 109 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ^{2,3} | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Nassau | 5 | 10 | 9 | 28 | 2 | 5 | 7 | 3 | 17 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Nassau | 0 | 1 | 3 | 5 | 2 | 4 | 12 | 6 | 24 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ The counts for naloxone administration reports by EMS in Nassau County are a combination of data from e-PCRs and additional reports of EMS services collected by the Nassau County Police Department. Counts for all quarters have been updated using this method and may differ from those published in previous reports.

² Law enforcement naloxone administration reports for Nassau County are not yet comprehensively included in this report.

³ Numbers displayed in the table represent only naloxone administration reports submitted by law enforcement and registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Niagara County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Niagara | 46 | 21.6 | 15 | 7.1 | 14 | 6.6 | 3 | 1.4 | 5 | 2.4 | 37 | 17.4 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Niagara | 12 | 5.6 | 4 | 1.9 | 4 | 1.9 | 2 | 0.9 | 4 | 1.9 | 14 | 6.6 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Niagara | 42 | 19.8 | 15 | 7.1 | 14 | 6.6 | 3 | 1.4 | 5 | 2.4 | 37 | 17.4 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Niagara | 227 | 106.7 | 61 | 28.7 | 47 | 22.1 | 34 | 16.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Niagara | 146 | 68.7 | 39 | 18.3 | 34 | 16.0 | 27 | 12.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Niagara | 81 | 38.1 | 22 | 10.3 | 13 | 6.1 | 7 | 3.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Niagara | 54 | 25.4 | 10 | 4.7 | 12 | 5.6 | 10 | 4.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Niagara | 12 | 5.6 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Niagara | 42 | 19.8 | 8 | 3.8 | 9 | 4.2 | 8 | 3.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Niagara County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 203 | 222 | 238 | 249 | 706 | 249 | 287 | 242 | 266 | 806 |
| Unique clients admitted for any opioid (incl. heroin) | 399 | 394 | 434 | 436 | 1,282 | 426 | 477 | 407 | 428 | 1,362 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Niagara County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Niagara | 3 | 6 | 5 | 18 | 5 | 6 | 9 | 7 | 27 | 3 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Niagara | 6 | 6 | 2 | 20 | 8 | 8 | 2 | 2 | 20 | 4 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Niagara | 5 | 2 | 2 | 19 | 14 | 14 | 3 | 6 | 37 | 2 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Oneida County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Oneida | 50 | 21.5 | 10 | 4.3 | 11 | 4.7 | 17 | 7.3 | 7 | 3.0 | 45 | 19.4 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Oneida | 34 | 14.6 | 5 | 2.2 | 6 | 2.6 | 9 | 3.9 | 1 | 0.4 | 21 | 9.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Oneida | 34 | 14.6 | 9 | 3.9 | 11 | 4.7 | 15 | 6.5 | 7 | 3.0 | 42 | 18.1 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Oneida | 185 | 79.6 | 44 | 18.9 | 46 | 19.8 | 67 | 28.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Oneida | 137 | 58.9 | 27 | 11.6 | 30 | 12.9 | 45 | 19.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Oneida | 48 | 20.6 | 17 | 7.3 | 16 | 6.9 | 22 | 9.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Oneida | 67 | 28.8 | 7 | 3.0 | 10 | 4.3 | 13 | 5.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Oneida | 39 | 16.8 | 6 | 2.6 | s | s | 7 | 3.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Oneida | 28 | 12.0 | s | s | 6 | 2.6 | 6 | 2.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Oneida County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 356 | 366 | 374 | 397 | 1,074 | 358 | 368 | 393 | 347 | 1,089 |
| Unique clients admitted for any opioid (incl. heroin) | 437 | 434 | 443 | 488 | 1,314 | 428 | 461 | 457 | 429 | 1,332 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Oneida County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Oneida | 103 | 103 | 95 | 397 | 63 | 57 | 110 | 78 | 308 | 40 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Oneida | 10 | 7 | 15 | 39 | 5 | 4 | 14 | 3 | 26 | 2 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Oneida | 0 | 5 | 13 | 18 | 22 | 29 | 30 | 18 | 99 | 4 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Onondaga County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Onondaga | 129 | 27.5 | 24 | 5.1 | 20 | 4.3 | 16 | 3.4 | 13 | 2.8 | 73 | 15.6 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Onondaga | 63 | 13.4 | 11 | 2.3 | 10 | 2.1 | 9 | 1.9 | 9 | 1.9 | 39 | 8.3 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Onondaga | 106 | 22.6 | 20 | 4.3 | 12 | 2.6 | 12 | 2.6 | 11 | 2.3 | 55 | 11.7 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Onondaga | 484 | 103.3 | 72 | 15.4 | 64 | 13.7 | 84 | 17.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Onondaga | 390 | 83.3 | 45 | 9.6 | 44 | 9.4 | 63 | 13.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Onondaga | 94 | 20.1 | 27 | 5.8 | 20 | 4.3 | 21 | 4.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Onondaga | 101 | 21.6 | 31 | 6.6 | 16 | 3.4 | 19 | 4.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Onondaga | 54 | 11.5 | 10 | 2.1 | 7 | 1.5 | 7 | 1.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Onondaga | 47 | 10.0 | 21 | 4.5 | 9 | 1.9 | 12 | 2.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Onondaga County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 682 | 715 | 726 | 667 | 1,927 | 659 | 692 | 644 | 678 | 1,878 |
| Unique clients admitted for any opioid (incl. heroin) | 777 | 818 | 846 | 774 | 2,267 | 754 | 811 | 774 | 784 | 2,227 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Onondaga County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Onondaga | 215 | 102 | 41 | 568 | 51 | 46 | 48 | 35 | 180 | 40 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Onondaga | 23 | 20 | 17 | 83 | 11 | 9 | 10 | 7 | 37 | 7 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Onondaga | 1 | 3 | 4 | 14 | 9 | 11 | 9 | 2 | 31 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting for this county has been affected by a change in documentation systems used by a large EMS agency serving the area. Counts will likely show a sharp decrease until updates to the data are available later in 2018. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Ontario County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Ontario | 11 | 10.0 | 1 | 0.9 | 3 | 2.7 | 4 | 3.7 | 4 | 3.7 | 12 | 11.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Ontario | 5 | 4.6 | 0 | 0.0 | 3 | 2.7 | 1 | 0.9 | 1 | 0.9 | 5 | 4.6 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Ontario | 9 | 8.2 | 1 | 0.9 | 2 | 1.8 | 3 | 2.7 | 4 | 3.7 | 10 | 9.1 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Ontario | 65 | 59.3 | 24 | 21.9 | 28 | 25.6 | 32 | 29.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Ontario | 46 | 42.0 | 18 | 16.4 | 22 | 20.1 | 28 | 25.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Ontario | 19 | 17.3 | 6 | 5.5 | 6 | 5.5 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Ontario | 16 | 14.6 | 6 | 5.5 | 6 | 5.5 | 7 | 6.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Ontario | 6 | 5.5 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Ontario | 10 | 9.1 | 6 | 5.5 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Ontario County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 119 | 148 | 157 | 134 | 442 | 145 | 146 | 173 | 156 | 510 |
| Unique clients admitted for any opioid (incl. heroin) | 161 | 195 | 201 | 179 | 575 | 191 | 196 | 202 | 191 | 649 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Ontario County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Ontario | 21 | 15 | 28 | 76 | 10 | 14 | 19 | 23 | 66 | 20 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Ontario | 6 | 6 | 11 | 26 | 6 | 9 | 6 | 6 | 27 | 5 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Ontario | 0 | 0 | 2 | 2 | 1 | 1 | 7 | 1 | 10 | 2 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Orange County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Orange | 68 | 18.0 | 15 | 4.0 | 23 | 6.1 | 19 | 5.0 | 19 | 5.0 | 76 | 20.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Orange | 45 | 11.9 | 4 | 1.1 | 11 | 2.9 | 10 | 2.6 | 7 | 1.9 | 32 | 8.5 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Orange | 46 | 12.2 | 13 | 3.4 | 22 | 5.8 | 17 | 4.5 | 18 | 4.8 | 70 | 18.5 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Orange | 251 | 66.5 | 34 | 9.0 | 53 | 14.0 | 46 | 12.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Orange | 180 | 47.7 | 25 | 6.6 | 44 | 11.7 | 32 | 8.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Orange | 71 | 18.8 | 9 | 2.4 | 9 | 2.4 | 14 | 3.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Orange | 84 | 22.2 | 18 | 4.8 | 25 | 6.6 | 13 | 3.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Orange | 38 | 10.1 | s | s | 6 | 1.6 | 7 | 1.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Orange | 46 | 12.2 | 14 | 3.7 | 19 | 5.0 | 6 | 1.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Orange County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 501 | 536 | 473 | 496 | 1,517 | 504 | 485 | 427 | 435 | 1,382 |
| Unique clients admitted for any opioid (incl. heroin) | 582 | 628 | 572 | 600 | 1,828 | 611 | 587 | 513 | 517 | 1,696 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Orange County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Orange | 135 | 104 | 80 | 416 | 53 | 90 | 81 | 53 | 277 | 42 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Orange | 24 | 25 | 20 | 85 | 20 | 21 | 19 | 32 | 92 | 32 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Orange | 13 | 18 | 10 | 50 | 3 | 12 | 11 | 18 | 44 | 5 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Orleans County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Orleans | 6 | 14.4 | 0 | 0.0 | 1 | 2.4 | 0 | 0.0 | 0 | 0.0 | 1 | 2.4 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Orleans | 4 | 9.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Orleans | 6 | 14.4 | 0 | 0.0 | 1 | 2.4 | 0 | 0.0 | 0 | 0.0 | 1 | 2.4 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Orleans | 35 | 84.2 | s | s | 10 | 24.0 | 10 | 24.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Orleans | 27 | 64.9 | s | s | 8 | 19.2 | 9 | 21.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Orleans | 8 | 19.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Orleans | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Orleans | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Orleans | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Orleans County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 32 | 36 | 51 | 44 | 137 | 47 | 48 | 53 | 54 | 163 |
| Unique clients admitted for any opioid (incl. heroin) | 53 | 68 | 73 | 64 | 218 | 73 | 61 | 67 | 75 | 224 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Orleans County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Orleans | 7 | 5 | 10 | 35 | 11 | 13 | 12 | 11 | 47 | 7 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Orleans | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Orleans | 2 | 0 | 0 | 3 | 0 | 1 | 0 | 1 | 2 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Oswego County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Oswego | 23 | 19.1 | 6 | 5.0 | 7 | 5.8 | 2 | 1.7 | 2 | 1.7 | 17 | 14.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Oswego | 10 | 8.3 | 1 | 0.8 | 3 | 2.5 | 0 | 0.0 | 1 | 0.8 | 5 | 4.2 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Oswego | 20 | 16.6 | 5 | 4.2 | 6 | 5.0 | 2 | 1.7 | 2 | 1.7 | 15 | 12.5 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Oswego | 78 | 64.9 | 22 | 18.3 | 25 | 20.8 | 20 | 16.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Oswego | 62 | 51.6 | 15 | 12.5 | 17 | 14.1 | 15 | 12.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Oswego | 16 | 13.3 | 7 | 5.8 | 8 | 6.7 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Oswego | 18 | 15.0 | 8 | 6.7 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Oswego | 7 | 5.8 | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Oswego | 11 | 9.2 | 8 | 6.7 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Oswego County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 183 | 193 | 194 | 168 | 549 | 169 | 177 | 174 | 212 | 563 |
| Unique clients admitted for any opioid (incl. heroin) | 234 | 249 | 244 | 220 | 703 | 230 | 222 | 245 | 265 | 732 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Oswego County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Oswego | 22 | 23 | 36 | 110 | 25 | 39 | 25 | 23 | 112 | 34 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Oswego | 3 | 0 | 3 | 8 | 1 | 5 | 1 | 1 | 8 | 2 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Oswego | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Otsego County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Otsego | 11 | 18.1 | 1 | 1.6 | 1 | 1.6 | 5 | 8.2 | 2 | 3.3 | 9 | 14.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Otsego | 1 | 1.6 | 0 | 0.0 | 1 | 1.6 | 0 | 0.0 | 0 | 0.0 | 1 | 1.6 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Otsego | 10 | 16.5 | 1 | 1.6 | 1 | 1.6 | 5 | 8.2 | 2 | 3.3 | 9 | 14.8 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Otsego | 36 | 59.4 | s | s | 6 | 9.9 | 7 | 11.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Otsego | 23 | 37.9 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Otsego | 13 | 21.4 | s | s | s | s | 6 | 9.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Otsego | 17 | 28.0 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Otsego | 9 | 14.8 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Otsego | 8 | 13.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Otsego County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 53 | 49 | 50 | 66 | 177 | 72 | 57 | 53 | 46 | 177 |
| Unique clients admitted for any opioid (incl. heroin) | 66 | 61 | 63 | 76 | 217 | 91 | 69 | 62 | 55 | 214 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Otsego County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Otsego | 15 | 16 | 14 | 50 | 7 | 6 | 6 | 6 | 25 | 5 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Otsego | 3 | 0 | 2 | 7 | 2 | 3 | 2 | 4 | 11 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Otsego | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Putnam County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Putnam | 21 | 21.2 | 2 | 2.0 | 7 | 7.1 | 7 | 7.1 | 4 | 4.0 | 20 | 20.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Putnam | 11 | 11.1 | 1 | 1.0 | 4 | 4.0 | 5 | 5.0 | 2 | 2.0 | 12 | 12.1 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Putnam | 16 | 16.2 | 1 | 1.0 | 7 | 7.1 | 6 | 6.1 | 4 | 4.0 | 18 | 18.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Putnam | 39 | 39.4 | 9 | 9.1 | 20 | 20.2 | 12 | 12.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Putnam | 29 | 29.3 | s | s | 16 | 16.2 | 9 | 9.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Putnam | 10 | 10.1 | 6 | 6.1 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Putnam | 14 | 14.1 | s | s | 6 | 6.1 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Putnam | 6 | 6.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Putnam | 8 | 8.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Putnam County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 104 | 108 | 85 | 80 | 300 | 69 | 80 | 69 | 82 | 246 |
| Unique clients admitted for any opioid (incl. heroin) | 125 | 127 | 102 | 104 | 368 | 93 | 99 | 88 | 104 | 323 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Putnam County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Putnam | 10 | 10 | 11 | 33 | 11 | 15 | 16 | 15 | 57 | 10 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Putnam | 1 | 0 | 0 | 2 | 0 | 2 | 2 | 2 | 6 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Putnam | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Rensselaer County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Rensselaer | 13 | 8.1 | 3 | 1.9 | 1 | 0.6 | 5 | 3.1 | 2 | 1.2 | 11 | 6.9 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Rensselaer | 8 | 5.0 | 1 | 0.6 | 0 | 0.0 | 1 | 0.6 | 1 | 0.6 | 3 | 1.9 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Rensselaer | 10 | 6.2 | 2 | 1.2 | 1 | 0.6 | 5 | 3.1 | 2 | 1.2 | 10 | 6.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Rensselaer | 93 | 58.0 | 28 | 17.5 | 16 | 10.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Rensselaer | 79 | 49.3 | 24 | 15.0 | 14 | 8.7 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Rensselaer | 14 | 8.7 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Rensselaer | 17 | 10.6 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Rensselaer | 8 | 5.0 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Rensselaer | 9 | 5.6 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Rensselaer County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 170 | 157 | 193 | 175 | 548 | 214 | 176 | 190 | 172 | 589 |
| Unique clients admitted for any opioid (incl. heroin) | 214 | 201 | 236 | 209 | 685 | 251 | 221 | 230 | 209 | 726 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Rensselaer County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Rensselaer | 33 | 57 | 42 | 166 | 40 | 53 | 50 | 34 | 177 | 39 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Rensselaer | 1 | 5 | 8 | 17 | 3 | 3 | 5 | 4 | 15 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Rensselaer | 7 | 6 | 10 | 28 | 8 | 5 | 1 | 1 | 15 | 8 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Rockland County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Rockland | 37 | 11.3 | 9 | 2.8 | 9 | 2.8 | 9 | 2.8 | 5 | 1.5 | 32 | 9.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Rockland | 16 | 4.9 | 5 | 1.5 | 4 | 1.2 | 5 | 1.5 | 4 | 1.2 | 18 | 5.5 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Rockland | 29 | 8.9 | 4 | 1.2 | 8 | 2.5 | 7 | 2.1 | 2 | 0.6 | 21 | 6.4 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Rockland | 36 | 11.0 | 15 | 4.6 | 17 | 5.2 | 19 | 5.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Rockland | 21 | 6.4 | 7 | 2.1 | 8 | 2.5 | 13 | 4.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Rockland | 15 | 4.6 | 8 | 2.5 | 9 | 2.8 | 6 | 1.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Rockland | 37 | 11.3 | 13 | 4.0 | 6 | 1.8 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Rockland | 13 | 4.0 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Rockland | 24 | 7.4 | 8 | 2.5 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Rockland County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 130 | 141 | 138 | 139 | 426 | 161 | 153 | 157 | 178 | 488 |
| Unique clients admitted for any opioid (incl. heroin) | 185 | 198 | 201 | 195 | 603 | 207 | 210 | 207 | 231 | 649 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Rockland County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Rockland | 7 | 5 | 6 | 24 | 10 | 5 | 8 | 10 | 33 | 5 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Rockland | 13 | 13 | 16 | 54 | 20 | 17 | 6 | 11 | 54 | 11 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Rockland | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**St. Lawrence County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | St. Lawrence | 14 | 12.6 | 3 | 2.7 | 1 | 0.9 | 3 | 2.7 | 2 | 1.8 | 9 | 8.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | St. Lawrence | 4 | 3.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | St. Lawrence | 12 | 10.8 | 3 | 2.7 | 1 | 0.9 | 3 | 2.7 | 2 | 1.8 | 9 | 8.1 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | St. Lawrence | 48 | 43.2 | 11 | 9.9 | 7 | 6.3 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | St. Lawrence | 27 | 24.3 | 6 | 5.4 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | St. Lawrence | 21 | 18.9 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | St. Lawrence | 18 | 16.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | St. Lawrence | s | s | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | St. Lawrence | 13 | 11.7 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**St. Lawrence County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 101 | 106 | 90 | 82 | 303 | 90 | 89 | 95 | 72 | 290 |
| Unique clients admitted for any opioid (incl. heroin) | 216 | 199 | 210 | 196 | 643 | 195 | 194 | 193 | 163 | 598 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

St. Lawrence County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | St. Lawrence | 9 | 15 | 23 | 52 | 23 | 8 | 14 | 11 | 56 | 7 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | St. Lawrence | 3 | 1 | 3 | 8 | 7 | 4 | 2 | 4 | 17 | 3 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | St. Lawrence | 1 | 0 | 0 | 1 | 1 | 3 | 3 | 2 | 9 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Saratoga County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Saratoga | 13 | 5.7 | 4 | 1.8 | 2 | 0.9 | 0 | 0.0 | 0 | 0.0 | 6 | 2.7 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Saratoga | 5 | 2.2 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Saratoga | 11 | 4.9 | 4 | 1.8 | 2 | 0.9 | 0 | 0.0 | 0 | 0.0 | 6 | 2.7 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Saratoga | 112 | 49.5 | 27 | 11.9 | 22 | 9.7 | 27 | 11.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Saratoga | 87 | 38.5 | 20 | 8.8 | 15 | 6.6 | 12 | 5.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Saratoga | 25 | 11.0 | 7 | 3.1 | 7 | 3.1 | 15 | 6.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Saratoga | 27 | 11.9 | 7 | 3.1 | 6 | 2.7 | 6 | 2.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Saratoga | 7 | 3.1 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Saratoga | 20 | 8.8 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Saratoga County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 135 | 97 | 143 | 101 | 372 | 104 | 104 | 105 | 93 | 346 |
| Unique clients admitted for any opioid (incl. heroin) | 193 | 148 | 184 | 144 | 536 | 156 | 158 | 149 | 136 | 512 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Saratoga County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Saratoga | 49 | 44 | 31 | 159 | 42 | 52 | 34 | 31 | 159 | 28 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Saratoga | 5 | 3 | 1 | 16 | 1 | 4 | 3 | 9 | 17 | 3 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Saratoga | 4 | 0 | 0 | 7 | 0 | 0 | 2 | 0 | 2 | 1 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Schenectady County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schenectady | 29 | 18.8 | 8 | 5.2 | 7 | 4.5 | 8 | 5.2 | 6 | 3.9 | 29 | 18.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Schenectady | 17 | 11.0 | 4 | 2.6 | 0 | 0.0 | 3 | 1.9 | 2 | 1.3 | 9 | 5.8 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Schenectady | 10 | 6.5 | 8 | 5.2 | 7 | 4.5 | 8 | 5.2 | 5 | 3.2 | 28 | 18.1 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schenectady | 120 | 77.6 | 20 | 12.9 | 25 | 16.2 | 40 | 25.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Schenectady | 90 | 58.2 | 18 | 11.6 | 19 | 12.3 | 26 | 16.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Schenectady | 30 | 19.4 | s | s | 6 | 3.9 | 14 | 9.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schenectady | 25 | 16.2 | s | s | 9 | 5.8 | 11 | 7.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Schenectady | 16 | 10.3 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Schenectady | 9 | 5.8 | s | s | 6 | 3.9 | 7 | 4.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Schenectady County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 220 | 218 | 246 | 194 | 641 | 200 | 222 | 201 | 226 | 672 |
| Unique clients admitted for any opioid (incl. heroin) | 256 | 256 | 272 | 219 | 749 | 242 | 272 | 238 | 269 | 818 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Schenectady County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Schenectady | 74 | 79 | 42 | 242 | 41 | 63 | 73 | 62 | 239 | 30 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Schenectady | 2 | 0 | 2 | 6 | 2 | 0 | 0 | 1 | 3 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Schenectady | 10 | 7 | 6 | 33 | 13 | 4 | 8 | 1 | 26 | 8 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Schoharie County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schoharie | 4 | 12.8 | 0 | 0.0 | 1 | 3.2 | 0 | 0.0 | 0 | 0.0 | 1 | 3.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Schoharie | 2 | 6.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Schoharie | 3 | 9.6 | 0 | 0.0 | 1 | 3.2 | 0 | 0.0 | 0 | 0.0 | 1 | 3.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schoharie | 17 | 54.3 | s | s | s | s | 8 | 25.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Schoharie | 10 | 31.9 | s | s | s | s | 6 | 19.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Schoharie | 7 | 22.3 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schoharie | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Schoharie | s | s | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Schoharie | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Schoharie County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 25 | 38 | 29 | 23 | 93 | 27 | 20 | 25 | 19 | 79 |
| Unique clients admitted for any opioid (incl. heroin) | 34 | 50 | 33 | 30 | 122 | 33 | 30 | 30 | 21 | 98 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Schoharie County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Schoharie | 5 | 8 | 1 | 14 | 2 | 3 | 1 | 0 | 6 | 0 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Schoharie | 1 | 4 | 1 | 6 | 0 | 1 | 1 | 0 | 2 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Schoharie | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Schuyler County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schuyler | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Schuyler | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Schuyler | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schuyler | 7 | 38.5 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Schuyler | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Schuyler | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Schuyler | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Schuyler | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Schuyler | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Schuyler County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 16 | 13 | 8 | 11 | 39 | 15 | 12 | 9 | 11 | 40 |
| Unique clients admitted for any opioid (incl. heroin) | 22 | 17 | 17 | 21 | 68 | 17 | 20 | 15 | 17 | 61 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Schuyler County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Schuyler | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Schuyler | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Schuyler | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Seneca County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Seneca | 3 | 8.6 | 0 | 0.0 | 0 | 0.0 | 1 | 2.9 | 0 | 0.0 | 1 | 2.9 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Seneca | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.9 | 0 | 0.0 | 1 | 2.9 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Seneca | 3 | 8.6 | 0 | 0.0 | 0 | 0.0 | 1 | 2.9 | 0 | 0.0 | 1 | 2.9 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Seneca | 23 | 66.0 | 7 | 20.1 | 6 | 17.2 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Seneca | 17 | 48.8 | s | s | 6 | 17.2 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Seneca | 6 | 17.2 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Seneca | 6 | 17.2 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Seneca | s | s | 0 | 0.0 | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Seneca | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Seneca County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 42 | 34 | 38 | 46 | 130 | 55 | 57 | 41 | 33 | 146 |
| Unique clients admitted for any opioid (incl. heroin) | 56 | 50 | 55 | 68 | 186 | 65 | 68 | 51 | 52 | 188 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Seneca County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Seneca | 3 | 11 | 8 | 27 | 10 | 6 | 8 | 5 | 29 | 8 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Seneca | 0 | 4 | 1 | 5 | 1 | 4 | 4 | 8 | 17 | 5 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Seneca | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 0 | 2 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Steuben County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Steuben | 17 | 17.4 | 1 | 1.0 | 4 | 4.1 | 3 | 3.1 | 1 | 1.0 | 9 | 9.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Steuben | 5 | 5.1 | 0 | 0.0 | 1 | 1.0 | 1 | 1.0 | 0 | 0.0 | 2 | 2.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Steuben | 17 | 17.4 | 1 | 1.0 | 3 | 3.1 | 3 | 3.1 | 1 | 1.0 | 8 | 8.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Steuben | 25 | 25.6 | 9 | 9.2 | 12 | 12.3 | 12 | 12.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Steuben | 9 | 9.2 | s | s | 7 | 7.2 | 10 | 10.2 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Steuben | 16 | 16.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Steuben | 9 | 9.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Steuben | s | s | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Steuben | 7 | 7.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Steuben County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 62 | 57 | 58 | 52 | 197 | 59 | 61 | 78 | 58 | 221 |
| Unique clients admitted for any opioid (incl. heroin) | 134 | 132 | 125 | 109 | 418 | 140 | 138 | 157 | 132 | 478 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Steuben County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Steuben | 10 | 13 | 6 | 47 | 8 | 8 | 6 | 2 | 24 | 6 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Steuben | 0 | 1 | 3 | 5 | 4 | 3 | 9 | 4 | 20 | 4 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Steuben | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Suffolk County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Suffolk | 344 | 22.9 | 111 | 7.4 | 125 | 8.3 | 101 | 6.7 | 41 | 2.7 | 378 | 25.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Suffolk | 129 | 8.6 | 52 | 3.5 | 33 | 2.2 | 31 | 2.1 | 15 | 1.0 | 131 | 8.7 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Suffolk | 286 | 19.0 | 96 | 6.4 | 117 | 7.8 | 97 | 6.5 | 32 | 2.1 | 342 | 22.8 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Suffolk | 1,089 | 72.5 | 385 | 25.6 | 483 | 32.2 | 381 | 25.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Suffolk | 675 | 45.0 | 260 | 17.3 | 361 | 24.0 | 275 | 18.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Suffolk | 414 | 27.6 | 125 | 8.3 | 122 | 8.1 | 106 | 7.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Suffolk | 338 | 22.5 | 84 | 5.6 | 116 | 7.7 | 105 | 7.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Suffolk | 142 | 9.5 | 32 | 2.1 | 59 | 3.9 | 59 | 3.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Suffolk | 196 | 13.1 | 52 | 3.5 | 57 | 3.8 | 46 | 3.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Suffolk County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 1,866 | 1,795 | 1,692 | 1,648 | 5,089 | 1,763 | 1,739 | 1,631 | 1,523 | 4,819 |
| Unique clients admitted for any opioid (incl. heroin) | 2,330 | 2,203 | 2,107 | 2,038 | 6,465 | 2,136 | 2,129 | 2,064 | 1,929 | 6,139 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission. s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Suffolk County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ¹ | | | | | | | | | | | |
| Naloxone administration report by EMS | Suffolk | 98 | 106 | 130 | 482 | 150 | 185 | 123 | 121 | 579 | 117 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ² | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Suffolk | 64 | 58 | 62 | 250 | 41 | 98 | 61 | 35 | 235 | 13 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ² | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Suffolk | 7 | 7 | 19 | 38 | 21 | 47 | 24 | 32 | 124 | 4 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ Data for naloxone administration reports by EMS in Suffolk County reflect Regional Medical Control Data.

² Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Sullivan County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Sullivan | 16 | 21.4 | 8 | 10.7 | 6 | 8.0 | 9 | 12.0 | 3 | 4.0 | 26 | 34.7 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Sullivan | 4 | 5.3 | 3 | 4.0 | 3 | 4.0 | 5 | 6.7 | 2 | 2.7 | 13 | 17.4 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Sullivan | 13 | 17.4 | 6 | 8.0 | 6 | 8.0 | 8 | 10.7 | 3 | 4.0 | 23 | 30.7 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Sullivan | 76 | 101.5 | 14 | 18.7 | 15 | 20.0 | 23 | 30.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Sullivan | 54 | 72.1 | 11 | 14.7 | 11 | 14.7 | 17 | 22.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Sullivan | 22 | 29.4 | s | s | s | s | 6 | 8.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Sullivan | 23 | 30.7 | 6 | 8.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Sullivan | 7 | 9.3 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Sullivan | 16 | 21.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Sullivan County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 122 | 120 | 125 | 106 | 391 | 111 | 118 | 108 | 140 | 393 |
| Unique clients admitted for any opioid (incl. heroin) | 179 | 157 | 172 | 149 | 539 | 143 | 159 | 151 | 185 | 513 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Sullivan County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Sullivan | 3 | 5 | 1 | 14 | 3 | 2 | 1 | 0 | 6 | 19 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Sullivan | 6 | 7 | 2 | 21 | 4 | 11 | 12 | 17 | 44 | 10 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Sullivan | 3 | 2 | 3 | 8 | 1 | 3 | 3 | 0 | 7 | 2 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Tioga County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Tioga | 5 | 10.1 | 1 | 2.0 | 2 | 4.0 | 3 | 6.1 | 2 | 4.0 | 8 | 16.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Tioga | 1 | 2.0 | 1 | 2.0 | 0 | 0.0 | 1 | 2.0 | 0 | 0.0 | 2 | 4.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Tioga | 4 | 8.1 | 1 | 2.0 | 2 | 4.0 | 3 | 6.1 | 2 | 4.0 | 8 | 16.2 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Tioga | 19 | 38.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Tioga | 16 | 32.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Tioga | s | s | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Tioga | 7 | 14.2 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Tioga | s | s | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Tioga | s | s | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Tioga County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 24 | 46 | 41 | 36 | 127 | 32 | 33 | 28 | 34 | 106 |
| Unique clients admitted for any opioid (incl. heroin) | 37 | 64 | 52 | 44 | 168 | 45 | 45 | 37 | 51 | 154 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Tioga County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Tioga | 7 | 4 | 5 | 24 | 9 | 5 | 5 | 3 | 22 | 7 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Tioga | 2 | 3 | 2 | 7 | 3 | 4 | 4 | 1 | 12 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Tioga | 11 | 9 | 1 | 26 | 3 | 1 | 0 | 2 | 6 | 12 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Tompkins County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Tompkins | 17 | 16.2 | 5 | 4.8 | 7 | 6.7 | 1 | 1.0 | 4 | 3.8 | 17 | 16.2 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Tompkins | 2 | 1.9 | 2 | 1.9 | 3 | 2.9 | 0 | 0.0 | 0 | 0.0 | 5 | 4.8 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Tompkins | 10 | 9.5 | 4 | 3.8 | 5 | 4.8 | 1 | 1.0 | 4 | 3.8 | 14 | 13.3 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Tompkins | 58 | 55.3 | 10 | 9.5 | 7 | 6.7 | 12 | 11.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Tompkins | 45 | 42.9 | 6 | 5.7 | s | s | 12 | 11.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Tompkins | 13 | 12.4 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Tompkins | 16 | 15.2 | 8 | 7.6 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Tompkins | 8 | 7.6 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Tompkins | 8 | 7.6 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Tompkins County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 108 | 133 | 107 | 90 | 321 | 100 | 86 | 100 | 79 | 281 |
| Unique clients admitted for any opioid (incl. heroin) | 141 | 159 | 140 | 123 | 416 | 127 | 114 | 128 | 110 | 367 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Tompkins County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Tompkins | 24 | 15 | 18 | 81 | 28 | 28 | 20 | 22 | 98 | 16 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Tompkins | 1 | 3 | 3 | 11 | 5 | 2 | 5 | 7 | 19 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Tompkins | 32 | 15 | 1 | 56 | 0 | 0 | 1 | 6 | 7 | 10 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Ulster County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Ulster | 54 | 30.0 | 10 | 5.6 | 11 | 6.1 | 14 | 7.8 | 8 | 4.4 | 43 | 23.9 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Ulster | 24 | 13.3 | 3 | 1.7 | 4 | 2.2 | 6 | 3.3 | 1 | 0.6 | 14 | 7.8 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Ulster | 40 | 22.2 | 8 | 4.4 | 10 | 5.6 | 11 | 6.1 | 8 | 4.4 | 37 | 20.5 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Ulster | 107 | 59.4 | 33 | 18.3 | 33 | 18.3 | 59 | 32.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Ulster | 68 | 37.7 | 22 | 12.2 | 26 | 14.4 | 38 | 21.1 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Ulster | 39 | 21.6 | 11 | 6.1 | 7 | 3.9 | 21 | 11.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Ulster | 36 | 20.0 | 8 | 4.4 | 10 | 5.6 | 15 | 8.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Ulster | 10 | 5.6 | 0 | 0.0 | s | s | 9 | 5.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Ulster | 26 | 14.4 | 8 | 4.4 | 8 | 4.4 | 6 | 3.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Ulster County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 227 | 252 | 257 | 232 | 732 | 215 | 214 | 228 | 193 | 669 |
| Unique clients admitted for any opioid (incl. heroin) | 300 | 328 | 323 | 290 | 947 | 281 | 284 | 291 | 237 | 870 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Ulster County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Ulster | 49 | 32 | 32 | 147 | 36 | 49 | 77 | 39 | 201 | 24 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Ulster | 5 | 24 | 9 | 40 | 8 | 5 | 29 | 18 | 60 | 9 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Ulster | 0 | 2 | 0 | 2 | 2 | 1 | 0 | 0 | 3 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Warren County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Warren | 5 | 7.7 | 3 | 4.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 4.6 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Warren | 3 | 4.6 | 1 | 1.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.5 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Warren | 2 | 3.1 | 3 | 4.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 4.6 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Warren | 27 | 41.7 | 9 | 13.9 | 8 | 12.4 | 9 | 13.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Warren | 19 | 29.4 | 6 | 9.3 | s | s | 6 | 9.3 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Warren | 8 | 12.4 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Warren | 18 | 27.8 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Warren | s | s | s | s | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Warren | 15 | 23.2 | s | s | 0 | 0.0 | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Warren County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 54 | 56 | 57 | 56 | 176 | 53 | 39 | 51 | 45 | 164 |
| Unique clients admitted for any opioid (incl. heroin) | 82 | 82 | 82 | 83 | 266 | 81 | 72 | 92 | 74 | 271 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Warren County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Warren | 13 | 21 | 10 | 57 | 11 | 7 | 14 | 14 | 46 | 10 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Warren | 1 | 6 | 2 | 9 | 1 | 1 | 0 | 0 | 2 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Warren | 0 | 2 | 1 | 4 | 7 | 0 | 3 | 0 | 10 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Washington County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Washington | 4 | 6.4 | 0 | 0.0 | 1 | 1.6 | 0 | 0.0 | 4 | 6.4 | 5 | 8.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Washington | 3 | 4.8 | 0 | 0.0 | 1 | 1.6 | 0 | 0.0 | 0 | 0.0 | 1 | 1.6 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Washington | 2 | 3.2 | 0 | 0.0 | 1 | 1.6 | 0 | 0.0 | 4 | 6.4 | 5 | 8.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Washington | 19 | 30.5 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Washington | 11 | 17.7 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Washington | 8 | 12.9 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Washington | 9 | 14.5 | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Washington | s | s | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Washington | s | s | 0 | 0.0 | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Washington County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 55 | 54 | 64 | 48 | 181 | 55 | 45 | 39 | 48 | 162 |
| Unique clients admitted for any opioid (incl. heroin) | 84 | 72 | 88 | 66 | 262 | 80 | 69 | 67 | 74 | 247 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Washington County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Washington | 10 | 8 | 9 | 37 | 11 | 3 | 6 | 9 | 29 | 6 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Washington | 3 | 1 | 0 | 5 | 4 | 0 | 3 | 1 | 8 | 0 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Washington | 2 | 0 | 1 | 3 | 4 | 0 | 0 | 0 | 4 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Wayne County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Wayne | 7 | 7.7 | 2 | 2.2 | 1 | 1.1 | 2 | 2.2 | 0 | 0.0 | 5 | 5.5 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Wayne | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.1 | 0 | 0.0 | 1 | 1.1 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Wayne | 7 | 7.7 | 2 | 2.2 | 1 | 1.1 | 2 | 2.2 | 0 | 0.0 | 5 | 5.5 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Wayne | 58 | 63.4 | 10 | 10.9 | 10 | 10.9 | 18 | 19.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Wayne | 42 | 45.9 | 8 | 8.7 | 8 | 8.7 | 16 | 17.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Wayne | 16 | 17.5 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Wayne | 19 | 20.8 | s | s | s | s | 7 | 7.7 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Wayne | 6 | 6.6 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Wayne | 13 | 14.2 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Wayne County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 100 | 118 | 105 | 95 | 318 | 131 | 115 | 98 | 108 | 344 |
| Unique clients admitted for any opioid (incl. heroin) | 136 | 157 | 142 | 132 | 435 | 162 | 143 | 128 | 137 | 441 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Wayne County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Wayne | 21 | 12 | 11 | 64 | 12 | 14 | 21 | 11 | 58 | 12 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Wayne | 6 | 6 | 2 | 16 | 5 | 5 | 5 | 5 | 20 | 4 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Wayne | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Westchester County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Westchester | 126 | 12.9 | 28 | 2.9 | 32 | 3.3 | 22 | 2.3 | 17 | 1.7 | 99 | 10.1 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Westchester | 66 | 6.8 | 12 | 1.2 | 15 | 1.5 | 10 | 1.0 | 4 | 0.4 | 41 | 4.2 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Westchester | 90 | 9.2 | 24 | 2.5 | 29 | 3.0 | 18 | 1.8 | 17 | 1.7 | 88 | 9.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Westchester | 180 | 18.4 | 48 | 4.9 | 61 | 6.2 | 54 | 5.5 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Westchester | 114 | 11.7 | 32 | 3.3 | 36 | 3.7 | 38 | 3.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Westchester | 66 | 6.8 | 16 | 1.6 | 25 | 2.6 | 16 | 1.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Westchester | 80 | 8.2 | 15 | 1.5 | 32 | 3.3 | 27 | 2.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Westchester | 31 | 3.2 | s | s | 11 | 1.1 | 9 | 0.9 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Westchester | 49 | 5.0 | 11 | 1.1 | 21 | 2.2 | 18 | 1.8 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Westchester County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 634 | 609 | 565 | 554 | 1,744 | 601 | 611 | 585 | 595 | 1,748 |
| Unique clients admitted for any opioid (incl. heroin) | 763 | 741 | 698 | 657 | 2,161 | 732 | 716 | 702 | 722 | 2,130 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Westchester County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Westchester | 122 | 101 | 102 | 406 | 96 | 58 | 49 | 47 | 250 | 36 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Westchester | 31 | 34 | 26 | 109 | 11 | 26 | 16 | 31 | 84 | 22 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Westchester | 1 | 2 | 1 | 4 | 0 | 1 | 3 | 1 | 5 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Wyoming County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Wyoming | 7 | 17.1 | 3 | 7.3 | 0 | 0.0 | 1 | 2.4 | 0 | 0.0 | 4 | 9.8 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Wyoming | 2 | 4.9 | 1 | 2.4 | 0 | 0.0 | 1 | 2.4 | 0 | 0.0 | 2 | 4.9 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Wyoming | 6 | 14.6 | 3 | 7.3 | 0 | 0.0 | 1 | 2.4 | 0 | 0.0 | 4 | 9.8 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Wyoming | 23 | 56.1 | 7 | 17.1 | s | s | 10 | 24.4 | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Wyoming | 18 | 43.9 | s | s | s | s | 6 | 14.6 | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Wyoming | s | s | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Wyoming | 11 | 26.8 | s | s | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Wyoming | 8 | 19.5 | s | s | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Wyoming | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Wyoming County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 21 | 31 | 33 | 35 | 99 | 36 | 30 | 28 | 26 | 97 |
| Unique clients admitted for any opioid (incl. heroin) | 45 | 44 | 42 | 50 | 149 | 52 | 45 | 39 | 37 | 142 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Wyoming County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Wyoming | 5 | 7 | 5 | 23 | 7 | 3 | 4 | 2 | 16 | 3 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Wyoming | 2 | 2 | 2 | 6 | 2 | 1 | 4 | 3 | 10 | 1 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Wyoming | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Yates County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Deaths¹ (Data as of May 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Yates | 3 | 12.0 | 0 | 0.0 | 2 | 8.0 | 2 | 8.0 | 0 | 0.0 | 4 | 16.0 |
| | NYS excl. NYC | 2,036 | 18.1 | 556 | 4.9 | 570 | 5.1 | 456 | 4.1 | 237 | 2.1 | 1,819 | 16.2 |
| Heroin overdoses | Yates | 0 | 0.0 | 0 | 0.0 | 1 | 4.0 | 0 | 0.0 | 0 | 0.0 | 1 | 4.0 |
| | NYS excl. NYC | 820 | 7.3 | 207 | 1.8 | 192 | 1.7 | 179 | 1.6 | 92 | 0.8 | 670 | 6.0 |
| Overdoses involving opioid pain relievers ² | Yates | 3 | 12.0 | 0 | 0.0 | 1 | 4.0 | 2 | 8.0 | 0 | 0.0 | 3 | 12.0 |
| | NYS excl. NYC | 1,608 | 14.3 | 479 | 4.3 | 498 | 4.4 | 395 | 3.5 | 208 | 1.8 | 1,580 | 14.1 |
| Outpatient emergency department visits³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Yates | 22 | 87.8 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 6,676 | 59.4 | 1,730 | 15.4 | 1,979 | 17.6 | 1,800 | 16.0 | NA | NA | NA | NA |
| Heroin overdoses | Yates | 16 | 63.9 | s | s | s | s | s | s | NA | NA | NA | NA |
| | NYS excl. NYC | 4,784 | 42.5 | 1,215 | 10.8 | 1,465 | 13.0 | 1,303 | 11.6 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Yates | 6 | 24.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,892 | 16.8 | 515 | 4.6 | 514 | 4.6 | 497 | 4.4 | NA | NA | NA | NA |
| Hospitalizations³ (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Yates | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,898 | 16.9 | 487 | 4.3 | 518 | 4.6 | 490 | 4.4 | NA | NA | NA | NA |
| Heroin overdoses | Yates | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 781 | 6.9 | 180 | 1.6 | 210 | 1.9 | 216 | 1.9 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ² | Yates | s | s | 0 | 0.0 | s | s | 0 | 0.0 | NA | NA | NA | NA |
| | NYS excl. NYC | 1,117 | 9.9 | 307 | 2.7 | 308 | 2.7 | 274 | 2.4 | NA | NA | NA | NA |

¹ Indicators are not mutually exclusive. Decedents and patients may have multiple substances in their system. Thus, overdoses involving heroin and overdoses involving opioid pain relievers will not add up to the overdoses involving all opioids.

² This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

³ Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Yates County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 34 | 26 | 31 | 25 | 92 | 23 | 24 | 27 | 29 | 85 |
| Unique clients admitted for any opioid (incl. heroin) | 41 | 37 | 41 | 35 | 126 | 35 | 35 | 37 | 40 | 126 |

OASAS: Office of Alcoholism and Substance Abuse Services

- ¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.
- ² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.
- s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Yates County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Yates | 8 | 4 | 4 | 18 | 1 | 5 | 3 | 3 | 12 | 2 |
| | NYS excl. NYC | 2,009 | 1,747 | 1,542 | 7,028 | 1,518 | 1,710 | 1,692 | 1,353 | 6,273 | 1,143 |
| Law enforcement naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by law enforcement | Yates | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 1 | 2 |
| | NYS excl. NYC | 402 | 392 | 346 | 1,544 | 336 | 443 | 362 | 316 | 1,457 | 238 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Yates | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| | NYS excl. NYC | 251 | 227 | 192 | 927 | 239 | 318 | 225 | 157 | 939 | 141 |

- ¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.
- ² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.
- ³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Bronx County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Outpatient emergency department visits² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Bronx | 451 | 31.0 | 100 | 6.9 | 140 | 9.6 | 157 | 10.8 | NA | NA | NA | NA |
| | New York City | 1,779 | 20.8 | 419 | 4.9 | 568 | 6.6 | 608 | 7.1 | NA | NA | NA | NA |
| Heroin overdoses | Bronx | 270 | 18.6 | 65 | 4.5 | 83 | 5.7 | 105 | 7.2 | NA | NA | NA | NA |
| | New York City | 1,052 | 12.3 | 253 | 3.0 | 339 | 4.0 | 363 | 4.2 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Bronx | 181 | 12.4 | 35 | 2.4 | 57 | 3.9 | 52 | 3.6 | NA | NA | NA | NA |
| | New York City | 727 | 8.5 | 166 | 1.9 | 229 | 2.7 | 245 | 2.9 | NA | NA | NA | NA |
| Hospitalizations² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Bronx | 368 | 25.3 | 104 | 7.1 | 122 | 8.4 | 118 | 8.1 | NA | NA | NA | NA |
| | New York City | 1,160 | 13.6 | 287 | 3.4 | 327 | 3.8 | 321 | 3.8 | NA | NA | NA | NA |
| Heroin overdoses | Bronx | 130 | 8.9 | 39 | 2.7 | 50 | 3.4 | 51 | 3.5 | NA | NA | NA | NA |
| | New York City | 401 | 4.7 | 95 | 1.1 | 125 | 1.5 | 116 | 1.4 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Bronx | 238 | 16.4 | 65 | 4.5 | 72 | 4.9 | 67 | 4.6 | NA | NA | NA | NA |
| | New York City | 759 | 8.9 | 192 | 2.2 | 202 | 2.4 | 205 | 2.4 | NA | NA | NA | NA |

¹ This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

² Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

Bronx County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 2,173 | 2,176 | 2,232 | 2,154 | 6,764 | 2,120 | 2,201 | 2,117 | 2,132 | 6,564 |
| Unique clients admitted for any opioid (incl. heroin) | 2,321 | 2,330 | 2,374 | 2,290 | 7,273 | 2,264 | 2,371 | 2,271 | 2,289 | 7,094 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission. s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Bronx County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Bronx | 503 | 725 | 510 | 2,089 | 411 | 464 | 601 | 450 | 1,926 | 384 |
| | New York City | 1,943 | 2,383 | 1,908 | 7,667 | 1,767 | 1,919 | 1,982 | 1,620 | 7,288 | 1,410 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Bronx | 10 | 5 | 9 | 29 | 17 | 22 | 23 | 44 | 106 | 27 |
| | New York City | 53 | 85 | 65 | 243 | 82 | 121 | 78 | 123 | 404 | 74 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Kings County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Outpatient emergency department visits² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Kings | 522 | 19.8 | 126 | 4.8 | 159 | 6.0 | 153 | 5.8 | NA | NA | NA | NA |
| | New York City | 1,779 | 20.8 | 419 | 4.9 | 568 | 6.6 | 608 | 7.1 | NA | NA | NA | NA |
| Heroin overdoses | Kings | 313 | 11.9 | 77 | 2.9 | 99 | 3.8 | 84 | 3.2 | NA | NA | NA | NA |
| | New York City | 1,052 | 12.3 | 253 | 3.0 | 339 | 4.0 | 363 | 4.2 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Kings | 209 | 7.9 | 49 | 1.9 | 60 | 2.3 | 69 | 2.6 | NA | NA | NA | NA |
| | New York City | 727 | 8.5 | 166 | 1.9 | 229 | 2.7 | 245 | 2.9 | NA | NA | NA | NA |
| Hospitalizations² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Kings | 293 | 11.1 | 74 | 2.8 | 70 | 2.7 | 63 | 2.4 | NA | NA | NA | NA |
| | New York City | 1,160 | 13.6 | 287 | 3.4 | 327 | 3.8 | 321 | 3.8 | NA | NA | NA | NA |
| Heroin overdoses | Kings | 102 | 3.9 | 23 | 0.9 | 25 | 0.9 | 21 | 0.8 | NA | NA | NA | NA |
| | New York City | 401 | 4.7 | 95 | 1.1 | 125 | 1.5 | 116 | 1.4 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Kings | 191 | 7.2 | 51 | 1.9 | 45 | 1.7 | 42 | 1.6 | NA | NA | NA | NA |
| | New York City | 759 | 8.9 | 192 | 2.2 | 202 | 2.4 | 205 | 2.4 | NA | NA | NA | NA |

¹ This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

² Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Kings County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 2,032 | 2,124 | 2,029 | 1,963 | 6,382 | 1,949 | 1,994 | 1,868 | 1,787 | 5,961 |
| Unique clients admitted for any opioid (incl. heroin) | 2,223 | 2,334 | 2,213 | 2,145 | 7,004 | 2,122 | 2,177 | 2,033 | 1,979 | 6,559 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission. s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Kings County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Kings | 546 | 641 | 521 | 2,077 | 452 | 529 | 460 | 374 | 1,815 | 322 |
| | New York City | 1,943 | 2,383 | 1,908 | 7,667 | 1,767 | 1,919 | 1,982 | 1,620 | 7,288 | 1,410 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Kings | 14 | 32 | 24 | 86 | 18 | 22 | 24 | 30 | 94 | 10 |
| | New York City | 53 | 85 | 65 | 243 | 82 | 121 | 78 | 123 | 404 | 74 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**New York County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Outpatient emergency department visits² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | New York | 235 | 14.3 | 67 | 4.1 | 103 | 6.3 | 106 | 6.4 | NA | NA | NA | NA |
| | New York City | 1,779 | 20.8 | 419 | 4.9 | 568 | 6.6 | 608 | 7.1 | NA | NA | NA | NA |
| Heroin overdoses | New York | 127 | 7.7 | 32 | 1.9 | 60 | 3.6 | 56 | 3.4 | NA | NA | NA | NA |
| | New York City | 1,052 | 12.3 | 253 | 3.0 | 339 | 4.0 | 363 | 4.2 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | New York | 108 | 6.6 | 35 | 2.1 | 43 | 2.6 | 50 | 3.0 | NA | NA | NA | NA |
| | New York City | 727 | 8.5 | 166 | 1.9 | 229 | 2.7 | 245 | 2.9 | NA | NA | NA | NA |
| Hospitalizations² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | New York | 222 | 13.5 | 59 | 3.6 | 70 | 4.3 | 77 | 4.7 | NA | NA | NA | NA |
| | New York City | 1,160 | 13.6 | 287 | 3.4 | 327 | 3.8 | 321 | 3.8 | NA | NA | NA | NA |
| Heroin overdoses | New York | 73 | 4.4 | 19 | 1.2 | 29 | 1.8 | 22 | 1.3 | NA | NA | NA | NA |
| | New York City | 401 | 4.7 | 95 | 1.1 | 125 | 1.5 | 116 | 1.4 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | New York | 149 | 9.1 | 40 | 2.4 | 41 | 2.5 | 55 | 3.3 | NA | NA | NA | NA |
| | New York City | 759 | 8.9 | 192 | 2.2 | 202 | 2.4 | 205 | 2.4 | NA | NA | NA | NA |

¹ This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

² Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**New York County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 2,219 | 2,209 | 2,208 | 2,145 | 6,882 | 2,123 | 2,070 | 2,143 | 1,916 | 6,471 |
| Unique clients admitted for any opioid (incl. heroin) | 2,358 | 2,355 | 2,371 | 2,297 | 7,374 | 2,294 | 2,234 | 2,309 | 2,027 | 6,988 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission. s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

New York County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | New York | 498 | 599 | 469 | 1,929 | 513 | 534 | 484 | 411 | 1,942 | 414 |
| | New York City | 1,943 | 2,383 | 1,908 | 7,667 | 1,767 | 1,919 | 1,982 | 1,620 | 7,288 | 1,410 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | New York | 12 | 31 | 24 | 75 | 29 | 57 | 25 | 43 | 154 | 32 |
| | New York City | 53 | 85 | 65 | 243 | 82 | 121 | 78 | 123 | 404 | 74 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Queens County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Outpatient emergency department visits² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Queens | 318 | 13.6 | 83 | 3.5 | 98 | 4.2 | 123 | 5.3 | NA | NA | NA | NA |
| | New York City | 1,779 | 20.8 | 419 | 4.9 | 568 | 6.6 | 608 | 7.1 | NA | NA | NA | NA |
| Heroin overdoses | Queens | 185 | 7.9 | 49 | 2.1 | 55 | 2.4 | 82 | 3.5 | NA | NA | NA | NA |
| | New York City | 1,052 | 12.3 | 253 | 3.0 | 339 | 4.0 | 363 | 4.2 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Queens | 133 | 5.7 | 34 | 1.5 | 43 | 1.8 | 41 | 1.8 | NA | NA | NA | NA |
| | New York City | 727 | 8.5 | 166 | 1.9 | 229 | 2.7 | 245 | 2.9 | NA | NA | NA | NA |
| Hospitalizations² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Queens | 189 | 8.1 | 27 | 1.2 | 51 | 2.2 | 47 | 2.0 | NA | NA | NA | NA |
| | New York City | 1,160 | 13.6 | 287 | 3.4 | 327 | 3.8 | 321 | 3.8 | NA | NA | NA | NA |
| Heroin overdoses | Queens | 70 | 3.0 | 11 | 0.5 | 18 | 0.8 | 20 | 0.9 | NA | NA | NA | NA |
| | New York City | 401 | 4.7 | 95 | 1.1 | 125 | 1.5 | 116 | 1.4 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Queens | 119 | 5.1 | 16 | 0.7 | 33 | 1.4 | 27 | 1.2 | NA | NA | NA | NA |
| | New York City | 759 | 8.9 | 192 | 2.2 | 202 | 2.4 | 205 | 2.4 | NA | NA | NA | NA |

¹ This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

² Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Queens County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 956 | 1,023 | 960 | 939 | 3,005 | 971 | 972 | 947 | 873 | 2,927 |
| Unique clients admitted for any opioid (incl. heroin) | 1,112 | 1,162 | 1,088 | 1,076 | 3,487 | 1,114 | 1,115 | 1,083 | 1,007 | 3,407 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission. s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Queens County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Queens | 319 | 304 | 319 | 1,204 | 277 | 282 | 345 | 259 | 1,163 | 195 |
| | New York City | 1,943 | 2,383 | 1,908 | 7,667 | 1,767 | 1,919 | 1,982 | 1,620 | 7,288 | 1,410 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Queens | 7 | 4 | 3 | 19 | 3 | 7 | 4 | 4 | 18 | 4 |
| | New York City | 53 | 85 | 65 | 243 | 82 | 121 | 78 | 123 | 404 | 74 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting may have been affected by a change in documentation systems used by EMS agency/ies serving the area. Counts may be updated as additional data become available later in 2018, if applicable. Please see the Methodology for more detail about this change.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

**Richmond County: Opioid overdoses and rates per 100,000 population
Preliminary data (subject to change)**

| | | 2016 Total | | Jan-Mar, 2017 | | Apr-Jun, 2017 | | Jul-Sep, 2017 | | Oct-Dec, 2017 | | 2017 Total | |
|--|---------------|------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|------------|------------|
| Indicator | Location | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate | Number | Crude Rate |
| Outpatient emergency department visits² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Richmond | 253 | 53.3 | 43 | 9.1 | 68 | 14.3 | 69 | 14.5 | NA | NA | NA | NA |
| | New York City | 1,779 | 20.8 | 419 | 4.9 | 568 | 6.6 | 608 | 7.1 | NA | NA | NA | NA |
| Heroin overdoses | Richmond | 157 | 33.1 | 30 | 6.3 | 42 | 8.9 | 36 | 7.6 | NA | NA | NA | NA |
| | New York City | 1,052 | 12.3 | 253 | 3.0 | 339 | 4.0 | 363 | 4.2 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Richmond | 96 | 20.2 | 13 | 2.7 | 26 | 5.5 | 33 | 7.0 | NA | NA | NA | NA |
| | New York City | 727 | 8.5 | 166 | 1.9 | 229 | 2.7 | 245 | 2.9 | NA | NA | NA | NA |
| Hospitalizations² (Data as of February 2018) | | | | | | | | | | | | | |
| All opioid overdoses | Richmond | 88 | 18.5 | 23 | 4.8 | 14 | 3.0 | 16 | 3.4 | NA | NA | NA | NA |
| | New York City | 1,160 | 13.6 | 287 | 3.4 | 327 | 3.8 | 321 | 3.8 | NA | NA | NA | NA |
| Heroin overdoses | Richmond | 26 | 5.5 | s | s | s | s | s | s | NA | NA | NA | NA |
| | New York City | 401 | 4.7 | 95 | 1.1 | 125 | 1.5 | 116 | 1.4 | NA | NA | NA | NA |
| Opioid overdoses excluding heroin ¹ | Richmond | 62 | 13.1 | 20 | 4.2 | 11 | 2.3 | 14 | 3.0 | NA | NA | NA | NA |
| | New York City | 759 | 8.9 | 192 | 2.2 | 202 | 2.4 | 205 | 2.4 | NA | NA | NA | NA |

¹ This indicator includes pharmaceutically and illicitly produced opioids such as fentanyl.

² Indicators generated for hospitalizations and emergency department visits are based on ICD-10-CM codes.

NA: Data are not yet available due to a transition in the Statewide Planning and Research Cooperative System (SPARCS) data collection process.

s: Data for indicators related to hospitalizations and emergency departments are suppressed for confidentiality purposes if there are fewer than 6 discharges.

**Richmond County: Unique clients admitted to OASAS-certified chemical dependence treatment programs ^{1,2}
(Preliminary data as of April, 2018 - subject to change)**

| Indicator | 2016 | | | | | 2017 | | | | |
|---|---------|---------|---------|---------|-------|---------|---------|---------|---------|-------|
| | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total |
| Unique clients admitted for heroin | 610 | 586 | 598 | 574 | 1,792 | 613 | 612 | 588 | 557 | 1,763 |
| Unique clients admitted for any opioid (incl. heroin) | 767 | 743 | 746 | 698 | 2,251 | 758 | 748 | 744 | 688 | 2,225 |

OASAS: Office of Alcoholism and Substance Abuse Services

¹ The number of unique clients admitted per year does not equal the sum of the unique clients admitted each quarter. This is because an individual client can be admitted to treatment in more than one quarter during the year.

² Clients may have heroin, other opioids, or any other substance simultaneously recorded as the primary, secondary and tertiary substance of abuse at admission.

s: Data for indicators are suppressed for confidentiality purposes if there are fewer than 6 clients.

Richmond County: Naloxone administration reports (Preliminary data as of May, 2018 - subject to change)

| Indicator | Location | 2016 | | | | 2017 | | | | | 2018 |
|--|---------------|---------|---------|---------|-------|---------|---------|---------|---------|-------|---------|
| | | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar | Apr-Jun | Jul-Sep | Oct-Dec | Total | Jan-Mar |
| Emergency Medical Services (EMS) naloxone administration reports ^{1,2} | | | | | | | | | | | |
| Naloxone administration report by EMS | Richmond | 77 | 114 | 89 | 368 | 114 | 110 | 92 | 126 | 442 | 95 |
| | New York City | 1,943 | 2,383 | 1,908 | 7,667 | 1,767 | 1,919 | 1,982 | 1,620 | 7,288 | 1,410 |
| Registered Community Opioid Overdose Prevention (COOP) program naloxone administration reports ³ | | | | | | | | | | | |
| Naloxone administration report by registered COOP program | Richmond | 10 | 13 | 5 | 34 | 15 | 13 | 2 | 2 | 32 | 1 |
| | New York City | 53 | 85 | 65 | 243 | 82 | 121 | 78 | 123 | 404 | 74 |

¹ County numbers displayed in the table represent only naloxone administration events reported electronically; therefore, actual numbers of events may be higher.

² EMS reporting for this county was previously affected by reports not being captured from an EMS agency serving the area. Counts have been updated for all quarters in 2017 and 2018 to reflect the additional reports captured.

³ Numbers displayed in the table represent only naloxone administration reports submitted by registered COOP programs to the NYSDOH AIDS Institute. The actual numbers of naloxone administration events may be higher.

Methods

Measures

| Indicator | Definition | ICD Codes/Detailed Explanation | Data Source |
|--|---|--|------------------|
| All overdose deaths involving opioids | All poisoning deaths involving opioids, all manners, using all causes of death | Underlying cause of death, determined from the field designated as such, or, where missing or unknown, from the first-listed multiple cause of death field: X40-X44, X60-X64, X85, Y10-Y14 AND Any opioid in all other causes of death: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6 | Vital Statistics |
| Overdose deaths involving heroin | Poisoning deaths involving heroin, all manners, using all causes of death | Underlying cause of death, determined from the field designated as such, or, where missing or unknown, from the first-listed multiple cause of death field: X40-X44, X60-X64, X85, Y10-Y14 AND Heroin in all other causes of death: T40.1 | Vital Statistics |
| Overdose deaths involving opioid pain relievers | Poisoning deaths involving opioid pain relievers, all manners, using all causes of death | Underlying cause of death, determined from the field designated as such, or, where missing or unknown, from the first-listed multiple cause of death field: X40-X44, X60-X64, X85, Y10-Y14 AND Any opioid pain relievers in all other causes of death: T40.2, T40.3, T40.4 | Vital Statistics |
| All emergency department visits involving opioid overdose | All outpatient (not being admitted) emergency department visits involving opioid poisonings, all manners, principal diagnosis or first-listed cause of injury | ICD-10-CM: Principal Diagnosis: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6 (Excludes 'adverse effect' or 'underdosing' as indicated by the values of 5 and 6 in the 6th character; and 'sequela' as indicated by the value of 'S' in the 7th character; e.g. T400X5S, T400X6S) | SPARCS |
| Emergency department visits involving heroin overdose | Outpatient (not being admitted) emergency department visits involving heroin poisoning, all manners, principal diagnosis or first-listed cause of injury | ICD-10-CM: Principal Diagnosis: T40.1 (Excludes 'adverse effect' or 'underdosing' as indicated by the values of 5 and 6 in the 6th character; and 'sequela' as indicated by the value of 'S' in the 7th character; e.g. T401X5S, T401X6S) | SPARCS |
| Emergency department visits involving opioid overdose excluding heroin | Outpatient (not being admitted) emergency department visits involving opioid poisonings except heroin, all manners, principal diagnosis or first-listed cause of injury | ICD-10-CM: Principal Diagnosis: T40.0, T40.2, T40.3, T40.4, T40.6 (Excludes 'adverse effect' or 'underdosing' as indicated by the values of 5 and 6 in the 6th character; and 'sequela' as indicated by the value of 'S' in the 7th character; e.g. T400X5S, T400X6S) | SPARCS |

| Indicator | Definition | ICD Codes/Detailed Explanation | Data Source |
|--|---|--|--|
| All hospitalizations involving opioid overdose | All hospitalizations involving opioid poisonings, all manners, principal diagnosis or first-listed cause of injury | ICD-10-CM: Principal Diagnosis: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6 (Excludes 'adverse effect' or 'underdosing' as indicated by the values of 5 and 6 in the 6th character; and 'sequela' as indicated by the value of 'S' in the 7th character; e.g. T400X5S, T400X6S) | SPARCS |
| Hospitalizations involving heroin overdose | Hospitalizations involving heroin poisonings, all manners, principal diagnosis or first-listed cause of injury | ICD-10-CM: Principal Diagnosis: T40.1 (Excludes 'adverse effect' or 'underdosing' as indicated by the values of 5 and 6 in the 6th character; and 'sequela' as indicated by the value of 'S' in the 7th character; e.g. T401X5S, T401X6S) | SPARCS |
| Hospitalizations involving opioid overdose excluding heroin | Hospitalizations involving opioid poisonings except heroin, all manners, principal diagnosis or first-listed cause of injury | ICD-10-CM: Principal Diagnosis: T40.0, T40.2, T40.3, T40.4, T40.6 (Excludes 'adverse effect' or 'underdosing' as indicated by the values of 5 and 6 in the 6th character; and 'sequela' as indicated by the value of 'S' in the 7th character; e.g. T400X5S, T400X6S) | SPARCS |
| Unique clients admitted for heroin | Unique clients admitted to OASAS-certified chemical dependence treatment programs with heroin reported as the primary, secondary, or tertiary substance of abuse at admission, aggregated by client county of residence. | Clients may also have another opioid or any other substance as the primary, secondary, or tertiary substance of abuse at admission. A unique client is identified by the client's date of birth, last four digits of Social Security number, gender, and the first two letters of last name. | OASAS Client Data System |
| Unique clients admitted for any opioid (including heroin) | Unique clients admitted to OASAS-certified chemical dependence treatment programs with heroin or any other synthetic or semi-synthetic opioid reported as the primary, secondary, or tertiary substance of abuse at admission, aggregated by client county of residence. | Other opioid includes synthetic and semi-synthetic opioids. The OASAS Client Data System (CDS) collects specific data on methadone, buprenorphine, oxycodone, as well as "other synthetic opioids." Other synthetic opioids also include drugs such as hydrocodone, pharmaceutical and/or non-pharmaceutical fentanyl. Clients may also have heroin or any other substance as the primary, secondary or tertiary substance of abuse at admission. A unique client is identified by the client's date of birth, last four digits of Social Security number, gender, and the first two letters of last name. | OASAS Client Data System |
| Naloxone administration report by Emergency Medical Services (EMS) | Each naloxone administration report represents an EMS encounter when the administration of naloxone was given during the course of patient care. Often, administrations of naloxone were given for patients presenting with similar signs and symptoms of a potential opioid overdose; final diagnosis of an opioid overdose is completed during definitive care or final evaluation. | Medication administered is equal to naloxone. | NYS e-PCR data, and other regional EMS Program data collection methods |

| Indicator | Definition | ICD Codes/Detailed Explanation | Data Source |
|---|---|--------------------------------|---|
| Naloxone administration report by law enforcement | Each naloxone administration report represents a naloxone administration instance in which a trained law enforcement officer administered one or more doses of naloxone to a person suspected of an opioid overdose. | Not applicable | NYS Law Enforcement Naloxone Administration Database |
| Naloxone administration report by registered COOP program | Each naloxone administration report represents a naloxone administration instance in which a trained responder administered one or more doses of naloxone to a person suspected of an opioid overdose. Naloxone administration instances that are not reported to the AIDS Institute by the registered COOP programs are excluded from the county report. | Not applicable | NYS Community Opioid Overdose Prevention Naloxone Administration Database |

Data Sources

Vital Records (Vital Statistics) Vital Event Registration:

New York State consists of two registration areas, New York City (NYC) and New York State Exclusive of New York City (also referred to as Rest of State). NYC includes the five counties of Bronx, Kings (Brooklyn), New York (Manhattan), Queens and Richmond (Staten Island); the remaining 57 counties comprise New York State Exclusive of NYC. The NYSDOH's Bureau of Vital Records processes data from live birth, death, fetal death and marriage certificates recorded in New York State Exclusive of NYC. Through a cooperative agreement, the NYSDOH receives data on live births, deaths, and fetal deaths recorded in NYC from the New York City Department of Health and Mental Hygiene (NYCDOHMH), and on live births and deaths recorded outside of New York State to residents of New York State from other states and Canada.

In general, vital event indicators for NYC geographical areas reported by the NYSDOH and the NYCDOHMH may be different because the former includes possibly all NYC residents' events, regardless of where they took place, and the latter reports events to NYC residents that took place in NYC.

Vital statistics mortality data include up to 20 causes of death. Frequencies are based on decedents' county of residence, not the county where death occurred. This report's mortality indicators reflect all manners and all causes of death. Data are frequently updated as additional confirmations on the causes of death and new records for all NYS resident deaths are received. Therefore, the frequencies published in subsequent reports may also differ due to timing and/or completeness of data.

Statewide Planning and Research Cooperative System (SPARCS):

SPARCS collects information about hospitalizations and ED visits through the patient discharge data system. Outpatient ED visits are events that did not result in admission to the hospital. Each hospitalization and outpatient ED visit receives an ICD-10-CM code at discharge that indicates the primary reason for the occurrence. There is also a first-listed cause, external cause of injury, and up to 24 other diagnosis codes recorded to further describe the hospitalization or ED visits.

Statistics in these tables are based on the primary diagnosis and first-listed cause of injury unless otherwise noted. An individual can have more than one hospitalization or ED visit. Numbers and rates are based on the number of discharges and not on the number of individuals seen. The frequencies are based on patients' county of residence, not the county where the incident occurred. County of residence was assigned based on ZIP code for cases in which patient county of residence was listed as unknown or missing, but a valid NY ZIP code was present. For indicators related to the ED data, the numbers represent ED visits for opioid overdose patients who were not subsequently admitted into the hospital.

New York State Office of Alcoholism and Substance Abuse Services (OASAS) Client Data System (CDS):

NYS OASAS collects data on people treated in all OASAS-certified chemical dependence treatment programs. Data are collected through the OASAS CDS. Data are collected at admission and discharge from a level of care within a provider. Levels of care include crisis, residential, inpatient, outpatient, and opioid treatment. An individual admitted to more than one level of care during a quarter or a year would count as one unique admission. The primary, secondary and tertiary substance of abuse is collected for all clients admitted. Not all clients have a secondary or tertiary substance of abuse.

Numbers are based on the number of unique people admitted during the quarter or year, and not on the number of individuals treated. A person admitted in a previous quarter or year could still be receiving treatment in subsequent quarters or years, but would not be shown as an admission for the new quarter or year.

New York State Emergency Medical Services (EMS) Data:

New York State maintains an EMS patient care data repository, in which all e-PCR data are captured from across the State. Data for Suffolk County come from Regional EMS Medical Control to which all medication administrations by EMS—including naloxone—are required to be reported. Data from Nassau County are provided by the Nassau County Police Department based on reports submitted by Nassau County first response agencies and most ambulance transport agencies. The EMS data from Nassau County Police Department are combined with e-PCR data submitted by other agencies not included in the Nassau County Police Department reporting. As of the January 2018 report, EMS naloxone administrations for Nassau County have been updated with the Nassau County Police Department data for all quarters and years shown, and are likely to show increases compared to previously-issued data.

New York State Law Enforcement Naloxone Administration Dataset:

The NYS Law Enforcement Naloxone Administration dataset provides information on naloxone administrations by law enforcement officers in the case of a suspected opioid overdose. The form collects the age and gender of the individual receiving naloxone, the county and ZIP code where the suspected opioid overdose occurred, aided status before and after naloxone administration, the suspected drug used, the number of naloxone vials administered by the officer and whether the person lived. Initial trainings of law enforcement began in 2014 and are ongoing. The data do not yet comprehensively include the New York City Police Department and the Nassau County Police Department, which use a distinct reporting mechanism.

New York State Community Opioid Overdose Prevention (COOP) Program Dataset:

The NYS COOP program dataset provides information on naloxone administrations by lay persons trained by registered NYS COOP programs in the case of a suspected opioid overdose. Naloxone administration reports are submitted by registered COOP programs, not individual lay persons. The form collects information including age and gender of the individual receiving naloxone, the county and ZIP code where the suspected opioid overdose occurred, aided status before naloxone

administration, the number of naloxone doses administered by the responder, and whether the person lived.

Data Suppression Rules for Confidentiality

In many instances, results are not shown (i.e., suppressed) to protect individuals' confidentiality. Suppression rules vary, depending on the data source. An 's' notation indicates that the data did not meet reporting criteria.

| Data Source | Suppression Criteria |
|---|----------------------------|
| Vital Statistics - Death Records | Denominator population <50 |
| Statewide Planning and Research Cooperative System (SPARCS) - ED and hospital records | Numerator 1-5 cases |
| OASAS Client Data System (CDS) - Admissions | Numerator 1-5 admissions |
| Prehospital Care Reports | None |
| NYS Law Enforcement Naloxone Administration Dataset | None |
| NYS Community Opioid Overdose Prevention Program (COOP) Dataset | None |

Data Limitations

| Data Source | Limitations |
|---------------|---|
| Vital Records | <p>The accuracy of indicators based on codes found in vital statistics data is limited by the completeness and quality of reporting and coding. Death investigations may require weeks or months to complete; while investigations are being conducted, deaths may be assigned a pending status on the death certificate (ICD-10-CM underlying cause code of R99, "other ill-defined and unspecified causes of mortality"). Analysis of the percentage of death certificates with an underlying cause of death of R99 by age, over time, and by jurisdiction should be conducted to determine potential impact of incomplete underlying causes of death on drug overdose death indicators.</p> <p>The percentage of death certificates with information on the specific drug(s) involved in drug overdose deaths varies substantially by state and local jurisdiction and may vary over time. The substances tested for, the circumstances under which the tests are performed, and how information is reported on death certificates may also vary. Drug overdose deaths that lack information about the specific drugs may have involved opioids.</p> <p>Even after a death is ruled as caused by a drug overdose, information on the specific drug might not be subsequently added to the certificate. Therefore, estimates of fatal drug overdoses involving opioids may be underestimated from lack of drug specificity. Additionally, deaths involving heroin might be misclassified as involving morphine (a natural opioid), because morphine is a metabolite of heroin.</p> <p>The indicator "Overdose deaths involving opioid pain relievers" includes overdose deaths due to pharmaceutically and illicitly produced opioids such as fentanyl.</p> <p>Data for New York City on opioid overdose deaths are not included in this report.</p> |
| SPARCS | <p>The recent data may be incomplete and should be interpreted with caution. Health Care Facilities licensed in New York State, under Article 28 of the Public Health Law, are required to submit their inpatient and/or outpatient data to SPARCS. SPARCS is a comprehensive all-payer data reporting system established in 1979 as a result of cooperation between the healthcare industry and government. Created to collect information on discharges from hospitals, SPARCS now collects patient level detail on patient characteristics, diagnoses and treatments, services, and charges for hospitals, ambulatory surgical centers, and clinics, both hospital extension and diagnosis and treatment centers.</p> <p>Per NYS Rules and Regulations, Section 400.18 of Title 10, data are required to be submitted: (1) monthly, (2) 95% within 60 days following the end of the month of patient's discharge/visit, and (3) 100% are due 180 days following the end of the month of the patient discharge/visit. Failure to comply may result in the issuance of Statement of Deficiencies (SODs) and facilities may be subject to a reimbursement rate penalty.</p> <p>The accuracy of indicators, which are based on diagnosis codes (ICD-9-CM codes before Oct. 1, 2015 and ICD-10-CM on or after Oct. 1, 2015) reported by the facilities, is limited by the completeness and quality of reporting and coding by the facilities. The indicators are defined based on the principal diagnosis code or first-listed valid external cause code only. The sensitivity and specificity of these indicators may vary by year, hospital location, and drug type. Changes should be interpreted with caution due to the change in codes used for the definition.</p> <p>The SPARCS data do not include discharges by people who sought care from hospitals outside of New York State, which may lower numbers and rates for some counties, especially those which border other states.</p> |

| Data Source | Limitations |
|---|---|
| OASAS Client Data System (CDS) | <p>The recent data may be incomplete and should be interpreted with caution. The CDS includes data for individuals served in the OASAS-certified treatment system. It does not have data for individuals who do not enter treatment, get treated by the U.S. Department of Veterans Affairs, go outside New York State for treatment, are admitted to hospitals but not to substance use disorder (SUD) treatment, get diverted to other systems, or receive an addictions medication from a physician outside the OASAS system of care. OASAS-certified chemical dependence treatment programs are required to submit their admissions data to the CDS not later than the fifth of the month following the clinical admission transaction. Data are considered to be substantially complete three months after the due date, but are able to be updated indefinitely.</p> <p>The accuracy of measures, which are based on data reported by the programs, is limited by the completeness, consistency and quality of reporting and coding by the programs. The sensitivity and specificity of these indicators may vary by provider, program, and possible substances reported.</p> <p>Opioid admissions data are not direct measures of the prevalence of opioid use.</p> <p>The availability of chemical dependence treatment services within a county may affect the number of admissions of county residents to programs offering those services.</p> <p>Counties will not sum to the State. Clients are unique within a county.</p> |
| EMS Patient Care Reports | <p>Documentation data entry errors can occur, and may result in 'naloxone administered' being recorded when a different medication had actually been administered.</p> <p>Patients who present as unresponsive or with an altered mental status with unknown etiology may be administered naloxone, as part of the treatment protocol, while attempts are being made to determine the cause of the patient's current unresponsive state or altered mental status.</p> <p>Electronic PCR data currently capture 85%-90% of all EMS data statewide, from 45%-50% of all certified EMS agencies. The remaining data are reported via paper PCR, from which extracting narcotic/heroin overdoses and naloxone administrations is impractical.</p> <p>The Suffolk County results in this report do not include patients recorded as 'unresponsive/unknown' who received a treatment protocol that includes naloxone; the Suffolk County results in this report only include patients who received naloxone alone for suspected opioid overdose.</p> <p>The National Emergency Medical Services Information System (NEMSIS) is a universal standard for how EMS patient care data are collected. Most EMS agencies in New York State adhere to the NEMSIS version 2 standard that was released in 2005. However, many are beginning to transition to the recently released NEMSIS version 3 standard, which will improve the quality of EMS data. In upcoming quarters, the quarterly opioid data reports will capture electronic PCR data from both NEMSIS version 2 and NEMSIS version 3 agencies. However, at present, this report only captures data from NEMSIS version 2 agencies. As a result, naloxone administrations by EMS agencies reporting via NEMSIS version 3 are not included in this report, but they will be included retroactively in future reports.</p> |
| NYS Law Enforcement Naloxone Administration Dataset | <p>All data are self-reported by the responding officer at the scene. Not all data fields are completed by the responding officer. There is often a lag in data reporting. All data should be interpreted with caution.</p> <p>It is possible that not all naloxone administrations reported are for an opioid overdose. There are not toxicology reports to confirm suspected substances used.</p> <p>Increase may represent expansion of program and may or may not indicate an increase in overdose events.</p> <p>Data for New York City on naloxone administration reports by law enforcement are not included in this report. Data displayed for Nassau County on naloxone administration reports by law enforcement are not complete due to the use of an alternate reporting system.</p> |
| NYS Community Opioid Overdose Prevention (COOP) Program Dataset | <p>All data are self-reported by the responder on the scene. Not all data fields are completed by the responder. There is often a lag in data reporting. All data should be interpreted with caution.</p> <p>Increase may represent expansion of program and may or may not indicate an increase in overdose events.</p> <p>Reporting administrations of naloxone to the NYSDOH is one of the mandated responsibilities of registered COOP program directors. The actual number of incidents of naloxone administrations in the community may be higher than the number reported to the NYSDOH due to the delay in reporting.</p> <p>The actual number of naloxone administrations is likely to substantially exceed the number reported to the NYSDOH.</p> |

Acknowledgments:

New York State Department of Health

Office of Public Health:

Office of Public Health Practice

AIDS Institute

Center for Environmental Health

Office of Quality and Patient Safety

Bureau of Emergency Medical Services and Trauma Systems

Bureau of Narcotic Enforcement

Bureau of Vital Records

Office of Governmental Affairs

New York State Office of Alcoholism and Substance Abuse Services