

# Incidence of All Injuries

## Deaths, Hospitalizations and Emergency Department<sup>†</sup> (ED) Visits

### New York State Residents, 1995-2008

	<b>Deaths***</b>		<b>Hospitalizations</b>		<b>ED<sup>†</sup> Visits</b>	
Year of Discharge / Death	Annual Frequency	Rate per 100,000 Residents	Annual Frequency	Rate per 100,000 Residents	Annual Frequency	Rate per 100,000 Residents
1995	7,471	40.3	147,821	798.0	n/a	n/a
1996	7,030	37.8	140,924	758.1	n/a	n/a
1997	6,808	36.5	136,982	734.2	n/a	n/a
1998	6,339	33.8	132,075	704.2	n/a	n/a
1999	6,631	35.1	129,155	684.0	n/a	n/a
2000	6,416	33.8	135,376	712.5	n/a	n/a
2001	6,928	36.3	135,017	707.5	n/a	n/a
2002	6,915	36.1	137,507	717.8	n/a	n/a
2003	6,884	35.9	146,620	765.3	n/a	n/a
2004	6,531	34.0	150,771	784.2	n/a	n/a
2005	7,018	36.4	154,276	801.2	1,424,091	7,396.1
2006	7,029	36.4	156,656	811.4	1,449,853	7,509.8
2007	7,523	39.0	158,841	823.1	1,438,776	7,455.7
2008	7,512	38.5	159,772	819.8	1,507,314	7,733.7

<sup>†</sup>The incidence of ED visits does not include patients who were subsequently admitted into the hospital

Rate = Frequency/Population \*100,000

\*Data based on frequencies of less than six are not reported

\*\*Caution: Rates calculated using frequencies of less than 20 are unstable

\*\*\*In 1999 the United States began using the World Health Organization's revised International Classification of Diseases coding book (ICD 10) for mortality data. Differences seen between data coded using the 9th revision (ICD 9) and ICD 10 may be due to coding changes and not actual differences in injury causes.