

Table 21C
2008 Pediatric Nutrition Surveillance (1)
New York
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 5 / 1 / 09

| Summary of Trends in Anemia by Age (3) | | | | | | |
|--|------|--------------------------|------|----------------|------|-------------|
| Age and Year | | Anemia Low Hb/Hct (4) | | | | |
| | | Number | % | | | |
| 6 - 11 Months | | | | 18 - 23 Months | | |
| | 2008 | 38,464 | 15.4 | | 2008 | 48,049 11.8 |
| | 2007 | 35,633 | 14.4 | | 2007 | 44,498 11.8 |
| | 2006 | 39,236 | 14.1 | | 2006 | 44,258 10.8 |
| | 2005 | 38,696 | 13.1 | | 2005 | 45,145 11.0 |
| | 2004 | 37,492 | 14.2 | | 2004 | 44,636 12.3 |
| | 2003 | 37,666 | 15.2 | | 2003 | 42,078 12.6 |
| | 2002 | 38,727 | 16.7 | | 2002 | 39,116 13.6 |
| | 2001 | 28,890 | 19.5 | | 2001 | 39,228 14.9 |
| | 2000 | 33,174 | 20.1 | | 2000 | 39,203 14.2 |
| | 1999 | 36,847 | 21.6 | | 1999 | 38,553 14.2 |
| 12 - 17 Months | | | | 24 - 35 Months | | |
| | 2008 | 89,692 | 14.2 | | 2008 | 77,712 12.2 |
| | 2007 | 82,686 | 13.8 | | 2007 | 72,527 11.9 |
| | 2006 | 81,084 | 12.4 | | 2006 | 73,066 11.4 |
| | 2005 | 80,876 | 12.3 | | 2005 | 73,749 11.8 |
| | 2004 | 79,106 | 13.7 | | 2004 | 73,125 13.2 |
| | 2003 | 72,544 | 15.1 | | 2003 | 68,904 13.9 |
| | 2002 | 68,160 | 15.6 | | 2002 | 65,942 14.8 |
| | 2001 | 61,007 | 16.9 | | 2001 | 72,029 16.3 |
| | 2000 | 60,639 | 17.3 | | 2000 | 72,364 15.2 |
| | 1999 | 50,977 | 18.0 | | 1999 | 69,198 15.7 |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2008 Pediatric Nutrition Surveillance (1)
New York
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 2
Run Date: 5 / 1 / 09

| Summary of Trends in Anemia by Age (3) | | | | | | |
|--|------|--------------------------|------|----------------------|------|--------------|
| Age and Year | | Anemia Low Hb/Hct (4) | | | | |
| | | Number | % | | | |
| 36 - 59 Months | | | | Total All Age Groups | | |
| | 2008 | 101,402 | 9.3 | | 2008 | 355,319 12.2 |
| | 2007 | 96,165 | 9.2 | | 2007 | 331,509 11.9 |
| | 2006 | 96,234 | 8.7 | | 2006 | 333,878 11.1 |
| | 2005 | 97,519 | 9.0 | | 2005 | 335,985 11.2 |
| | 2004 | 97,232 | 9.8 | | 2004 | 331,591 12.3 |
| | 2003 | 95,818 | 10.0 | | 2003 | 317,010 13.0 |
| | 2002 | 97,905 | 10.6 | | 2002 | 309,850 13.7 |
| | 2001 | 112,141 | 11.4 | | 2001 | 313,295 14.8 |
| | 2000 | 115,075 | 10.7 | | 2000 | 320,455 14.4 |
| | 1999 | 111,850 | 11.3 | | 1999 | 307,425 15.0 |
| All Other/Unknown | | | | | | |
| | 2008 | 0 | * | | | |
| | 2007 | 0 | * | | | |
| | 2006 | 0 | * | | | |
| | 2005 | 0 | * | | | |
| | 2004 | 0 | * | | | |
| | 2003 | 0 | * | | | |
| | 2002 | 0 | * | | | |
| | 2001 | 0 | * | | | |
| | 2000 | 0 | * | | | |
| | 1999 | 0 | * | | | |

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

