**Table 5B**
**2008 Pediatric Nutrition Surveillance** (1)
**New York**
**Comparison of Age Distribution by County**
**Children Aged < 5 Years** (2)

| Comparison of Age Distribution by County | | | | |
|---|---|---|---|---|
| **County** | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Albany | 5,024 | 29.2 | 26.9 | 43.9 |
| Allegany | 1,257 | 28.0 | 22.2 | 49.8 |
| Bronx | 65,307 | 28.4 | 26.3 | 45.3 |
| Broome | 4,758 | 28.0 | 25.9 | 46.1 |
| Cattaraugus | 2,152 | 27.3 | 27.1 | 45.5 |
| Cayuga | 1,769 | 28.7 | 25.5 | 45.8 |
| Chautauqua | 4,127 | 27.7 | 26.7 | 45.7 |
| Chemung | 2,847 | 25.9 | 26.8 | 47.3 |
| Chenango | 2,567 | 28.3 | 25.0 | 46.7 |
| Clinton | 1,804 | 27.8 | 27.3 | 44.8 |
| Columbia | 1,258 | 27.2 | 26.6 | 46.3 |
| Cortland | 1,386 | 27.1 | 25.0 | 47.8 |
| Delaware | 1,144 | 25.7 | 23.8 | 50.5 |
| Dutchess | 3,596 | 31.6 | 28.2 | 40.2 |
| Erie | 18,167 | 29.8 | 27.0 | 43.3 |
| Essex | 826 | 28.7 | 24.7 | 46.6 |
| Franklin | 1,341 | 27.7 | 26.4 | 45.9 |
| Fulton | 1,215 | 29.9 | 25.4 | 44.7 |

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
 *  Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**
**2008 Pediatric Nutrition Surveillance** [1]
**New York**
**Comparison of Age Distribution by County**
**Children Aged < 5 Years** [2]

| Comparison of Age Distribution by County | | | | |
|---|---|---|---|---|
| **County** | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Genesee | 2,032 | 28.7 | 25.0 | 46.3 |
| Greene | 700 | 28.7 | 25.9 | 45.4 |
| Hamilton | 79 | * | * | * |
| Herkimer | 1,550 | 26.6 | 25.2 | 48.2 |
| Jefferson | 4,812 | 34.1 | 22.8 | 43.0 |
| Kings | 102,882 | 29.1 | 25.5 | 45.4 |
| Lewis | 1,426 | 30.9 | 23.7 | 45.4 |
| Livingston | 1,059 | 31.5 | 22.3 | 46.2 |
| Madison | 1,865 | 28.2 | 25.8 | 46.0 |
| Monroe | 14,055 | 29.1 | 26.5 | 44.3 |
| Montgomery | 1,567 | 28.4 | 27.2 | 44.4 |
| Nassau | 12,193 | 36.0 | 27.9 | 36.1 |
| New York | 49,425 | 29.1 | 25.8 | 45.2 |
| Niagara | 4,447 | 27.3 | 27.2 | 45.5 |
| Oneida | 5,622 | 37.2 | 18.5 | 44.3 |
| Onondaga | 10,707 | 30.3 | 25.6 | 44.1 |
| Ontario | 1,821 | 31.7 | 24.5 | 43.8 |
| Orange | 8,713 | 29.9 | 25.4 | 44.7 |

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

**Table 5B**
**2008 Pediatric Nutrition Surveillance** (1)
**New York**
**Comparison of Age Distribution by County**
**Children Aged < 5 Years** (2)

Page: 3
Run Date: 5 / 1 / 09

| Comparison of Age Distribution by County | | | | |
|---|---|---|---|---|
| **County** | Number Included in Analysis (3,4) | 0 - 11 Months % | 12 - 23 Months % | 24 - 59 Months % |
| Orleans | 903 | 27.6 | 26.1 | 46.3 |
| Oswego | 3,674 | 30.3 | 22.0 | 47.7 |
| Otsego | 1,153 | 27.0 | 26.9 | 46.1 |
| Putnam | 929 | 29.2 | 25.8 | 45.0 |
| Queens | 57,948 | 31.3 | 27.5 | 41.3 |
| Rensselaer | 3,528 | 29.1 | 25.8 | 45.1 |
| Richmond | 7,438 | 30.4 | 25.2 | 44.4 |
| Rockland | 8,932 | 26.2 | 26.7 | 47.1 |
| Saratoga | 2,092 | 34.7 | 23.3 | 42.0 |
| Schenectady | 3,513 | 28.6 | 26.8 | 44.6 |
| Schoharie | 698 | 27.7 | 26.6 | 45.7 |
| Schuyler | 412 | 24.8 | 30.3 | 44.9 |
| Seneca | 454 | 32.4 | 22.9 | 44.7 |
| St. Lawrence | 1,545 | 28.9 | 24.7 | 46.4 |
| Steuben | 2,307 | 27.1 | 26.5 | 46.4 |
| Suffolk | 18,373 | 37.8 | 28.9 | 33.3 |
| Sullivan | 2,113 | 28.2 | 26.5 | 45.3 |
| Tioga | 1,410 | 27.6 | 25.0 | 47.4 |

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC

**Table 5B**
**2008 Pediatric Nutrition Surveillance** (1)
**New York**
**Comparison of Age Distribution by County**
**Children Aged < 5 Years** (2)

Page: 4
Run Date: 5 / 1 / 09

| Comparison of Age Distribution by County | | | | |
|---|---|---|---|---|
| **County** | Number Included in Analysis (3,4) | 0 - 11 Months %| 12 - 23 Months % | 24 - 59 Months % |
| Tompkins | 1,488 | 30.2 | 24.3 | 45.4 |
| Ulster | 2,004 | 36.8 | 25.2 | 38.0 |
| Warren | 1,495 | 31.1 | 22.5 | 46.4 |
| Washington | 1,707 | 28.5 | 23.8 | 47.7 |
| Wayne | 1,880 | 31.1 | 23.2 | 45.7 |
| Westchester | 20,094 | 26.5 | 26.6 | 46.9 |
| Wyoming | 581 | 30.3 | 21.3 | 48.4 |
| Yates | 340 | 30.0 | 23.5 | 46.5 |
| Unknown Counties | 99 | * | * | * |
| **New York** | **492,610** | **29.8** | **26.1** | **44.1** |
| **Nation (Prior Year)** | **7,995,600** | **37.6** | **22.1** | **40.3** |

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

CDC