

Run Date: May 24, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Albany	4,509	24.0	37.7	18.4	0.9	9.5	9.5	0.0
Allegany	925	94.5	0.4	2.2	0.3	0.2	2.3	0.1
Bronx	58,372	2.2	28.8	62.7	1.7	3.7	0.9	0.0
Broome	4,198	67.0	14.4	9.5	0.0	1.5	7.4	0.2
Cattaraugus	1,598	89.3	2.2	2.8	0.6	0.4	4.6	0.2
Cayuga	1,262	85.9	5.2	4.1	0.1	0.3	4.4	0.0
Chautauqua	3,240	71.3	3.1	23.3	0.2	0.7	1.2	0.1
Chemung	2,013	64.9	9.7	8.7	0.0	0.5	16.0	0.0
Chenango	1,306	95.4	0.9	1.5	0.0	0.2	2.1	0.0
Clinton	1,511	92.2	2.7	1.8	0.1	1.2	2.1	0.0
Columbia	1,008	58.3	10.9	17.9	0.8	1.2	10.9	0.0
Cortland	1,077	86.7	1.5	5.0	0.0	0.1	6.7	0.0
Delaware	828	88.6	1.9	8.1	0.0	0.0	1.3	0.0
Dutchess	3,264	28.5	23.7	37.1	3.1	2.9	4.7	0.1
Erie	16,183	39.5	32.8	16.2	0.5	7.3	3.6	0.1
Essex	609	98.5	0.2	0.8	0.0	0.0	0.5	0.0
Franklin	1,127	77.6	0.5	3.4	16.1	1.2	1.2	0.0
Fulton	805	89.2	2.4	7.5	0.0	0.0	1.0	0.0
Genesee	1,796	87.8	2.8	6.7	0.2	0.3	2.2	0.1
Greene	757	71.5	7.9	10.8	0.0	0.5	9.2	0.0
Hamilton	49
Herkimer	1,374	86.9	1.6	6.0	0.1	0.3	5.0	0.0
Jefferson	4,199	67.5	8.0	16.2	0.2	1.6	6.5	0.1
Kings	97,444	29.4	30.4	23.9	0.7	15.0	0.5	0.0
Lewis	820	89.8	1.1	5.6	0.0	0.4	3.2	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: May 24, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Livingston	855	83.0	1.2	13.1	0.1	0.4	2.2	0.0
Madison	1,352	89.3	1.1	3.3	0.9	0.4	5.0	0.0
Monroe	12,546	28.1	40.9	24.2	0.2	3.9	2.6	0.1
Montgomery	1,095	62.2	2.7	32.4	0.0	0.6	2.0	0.0
Nassau	12,198	6.6	22.1	65.9	1.8	3.1	0.5	0.0
New York	34,444	2.9	22.3	59.9	0.9	13.3	0.6	0.0
Niagara	3,799	68.6	18.5	6.2	0.8	0.7	5.2	0.0
Oneida	5,143	54.9	15.7	14.9	0.0	10.5	4.1	0.0
Onondaga	8,627	36.3	29.4	14.0	0.7	8.4	11.1	0.0
Ontario	1,593	68.0	5.1	19.8	0.1	1.2	5.8	0.1
Orange	9,140	52.2	9.9	33.9	0.4	0.8	2.8	0.0
Orleans	699	77.1	4.0	13.4	0.0	0.0	5.4	0.0
Oswego	2,587	91.0	0.7	5.0	0.1	0.2	2.9	0.0
Otsego	843	94.3	3.0	2.0	0.0	0.0	0.7	0.0
Putnam	1,032	35.4	1.8	61.2	0.4	0.7	0.5	0.0
Queens	59,647	7.3	18.8	45.8	2.2	25.2	0.6	0.0
Rensselaer	2,996	55.2	18.8	15.4	0.4	1.5	8.7	0.0
Richmond	6,640	24.8	26.1	42.0	1.4	4.6	1.0	0.0
Rockland	11,177	64.5	6.6	27.6	0.4	0.7	0.2	0.0
Saratoga	1,679	88.7	2.9	4.8	0.0	1.6	2.0	0.0
Schenectady	3,002	39.8	22.1	20.8	0.7	7.0	9.5	0.1
Schoharie	527	94.1	0.9	4.0	0.2	0.0	0.6	0.2
Schuyler	301	92.4	0.3	3.3	0.0	0.3	3.7	0.0
Seneca	592	79.4	1.7	11.0	0.3	0.8	6.8	0.0
St. Lawrence	2,112	93.2	0.8	2.1	0.2	0.4	3.2	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: May 24, 2016

Table 4B Comparison of Race/Ethnicity Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)						
		non-Hisp. White	non-Hisp. Black	Hispanic/Latino	Am. Indian/Alask. Native	Asian/Pacif. Islander	Multiple Races	Others/Unknown
Steuben	1,838	89.4	1.2	4.5	0.0	0.4	4.5	0.0
Suffolk	18,350	16.8	14.2	63.8	1.4	2.6	1.2	0.1
Sullivan	1,764	56.2	8.8	30.4	0.7	0.7	3.1	0.1
Tioga	1,036	97.7	0.1	1.2	0.0	0.1	0.9	0.1
Tompkins	1,266	60.7	9.1	9.7	0.0	10.2	10.3	0.0
Ulster	1,716	64.6	12.3	20.6	0.2	1.0	1.3	0.0
Warren	1,020	84.7	1.3	5.3	0.2	0.4	8.1	0.0
Washington	1,393	93.0	0.6	2.7	0.1	0.2	3.4	0.0
Wayne	1,496	69.2	6.6	13.8	0.3	0.5	9.6	0.0
Westchester	16,804	5.0	24.2	66.3	1.2	2.6	0.7	0.0
Wyoming	455	90.5	0.4	6.6	0.2	0.7	1.5	0.0
Yates	297	87.5	0.0	8.8	0.0	0.0	3.7	0.0
Total	442,335	27.7	22.4	37.3	1.1	9.6	1.9	0.0

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: May 24, 2016

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Albany	4,509	30.3	23.8	17.6	15.7	12.6
Allegany	925	28.6	24.4	16.3	18.1	12.5
Bronx	58,372	28.3	22.8	18.2	17.5	13.2
Broome	4,198	31.8	24.2	16.9	15.0	12.0
Cattaraugus	1,598	30.5	22.7	19.1	17.3	10.3
Cayuga	1,262	32.6	22.2	17.0	15.8	12.4
Chautauqua	3,240	30.8	23.7	18.1	15.8	11.6
Chemung	2,013	29.9	25.3	18.3	15.9	10.6
Chenango	1,306	34.0	22.1	17.2	16.8	9.9
Clinton	1,511	25.6	24.2	19.9	17.7	12.5
Columbia	1,008	31.5	24.8	17.6	15.0	11.1
Cortland	1,077	29.9	25.6	17.9	15.1	11.4
Delaware	828	29.3	24.2	16.5	17.1	12.8
Dutchess	3,264	31.1	24.1	17.2	15.6	12.1
Erie	16,183	31.9	24.3	17.2	15.5	11.1
Essex	609	30.0	22.2	20.4	15.9	11.5
Franklin	1,127	27.2	25.6	18.8	16.8	11.6
Fulton	805	34.9	20.0	17.1	17.4	10.6
Genesee	1,796	32.1	23.9	18.4	15.6	10.0
Greene	757	32.1	22.1	17.0	15.5	13.3
Hamilton	49
Herkimer	1,374	30.8	24.2	18.7	15.5	10.8
Jefferson	4,199	34.6	23.5	17.7	14.0	10.3
Kings	97,444	29.0	22.2	18.2	17.4	13.2
Lewis	820	33.2	22.0	18.7	16.1	10.1

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: May 24, 2016

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Livingston	855	33.1	23.0	19.2	13.9	10.8
Madison	1,352	30.0	26.1	18.1	16.0	9.8
Monroe	12,546	31.6	24.3	16.8	16.1	11.2
Montgomery	1,095	33.3	24.9	14.4	16.1	11.2
Nassau	12,198	33.1	23.6	17.2	14.9	11.3
New York	34,444	28.7	22.6	18.2	17.3	13.2
Niagara	3,799	31.0	25.2	16.8	15.9	11.1
Oneida	5,143	28.3	24.2	17.8	18.5	11.2
Onondaga	8,627	31.8	24.1	17.2	15.7	11.3
Ontario	1,593	32.6	24.4	16.1	15.1	11.8
Orange	9,140	30.1	21.8	18.2	16.9	12.9
Orleans	699	34.8	22.3	16.7	14.2	12.0
Oswego	2,587	33.9	22.8	17.7	15.5	10.1
Otsego	843	31.7	23.1	17.1	18.4	9.7
Putnam	1,032	28.6	20.4	17.2	19.6	14.2
Queens	59,647	29.4	22.5	18.3	17.0	12.9
Rensselaer	2,996	30.2	26.4	17.1	16.3	10.0
Richmond	6,640	31.5	21.3	17.6	17.2	12.4
Rockland	11,177	26.0	23.9	18.6	17.7	13.9
Saratoga	1,679	34.4	24.6	16.5	14.7	9.9
Schenectady	3,002	33.4	22.2	18.6	14.4	11.4
Schoharie	527	29.2	23.7	17.1	16.9	13.1
Schuyler	301	32.9	22.6	16.3	19.3	9.0
Seneca	592	33.8	27.7	14.2	14.2	10.1
St. Lawrence	2,112	34.5	22.5	17.2	14.6	11.2

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: May 24, 2016

Table 5B Comparison of Age Distribution by County for Children Aged < 5 Years (1,2,3)

County	Number	Composition (%)				
		0-11 Months	12-23 Months	24-35 Months	36-47 Months	48-59 Months
Steuben	1,838	32.8	24.0	17.5	15.3	10.4
Suffolk	18,350	35.1	23.5	17.0	14.7	9.7
Sullivan	1,764	30.4	25.5	18.7	14.1	11.4
Tioga	1,036	30.7	24.8	17.1	16.7	10.7
Tompkins	1,266	32.1	25.4	18.1	14.5	9.9
Ulster	1,716	34.3	24.9	16.1	15.2	9.4
Warren	1,020	30.3	23.3	18.9	15.6	11.9
Washington	1,393	30.2	23.2	18.4	16.4	11.8
Wayne	1,496	29.6	26.7	16.1	15.7	11.8
Westchester	16,804	27.4	22.8	18.1	17.8	14.0
Wyoming	455	31.4	23.5	15.8	18.7	10.5
Yates	297	23.9	27.6	20.5	13.1	14.8
Total	442,335	29.9	23.0	17.9	16.7	12.5

(1) Records are rejected if date of birth and/or date of visit unknown.
 (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
 (3) Percentages are not calculated if < 100 records are available for analysis.

Run Date: May 24, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)					Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Albany	1,213	9.9	48	7.3	22	4,481	4.6	12	4,439	3.1	48	12.6	35	2,124	15.0	6	13.5	14	3,226	30.6	61
Allegany	226	6.6	10	8.4	35	922	6.2	34	917	1.6	22	9.5	5	441	19.3	48	9.3	1	686	14.6	41
Bronx	15,155	9.6	46	5.9	7	57,813	4.1	7	57,293	3.6	53	11.9	26	28,348	15.5	10	14.0	24	41,976	16.3	46
Broome	1,151	8.3	28	8.0	28	4,166	6.3	39	4,147	1.2	10	11.7	24	1,908	17.5	31	13.4	13	2,961	11.9	21
Cattaraugus	421	10.0	49	6.9	16	1,582	8.7	61	1,574	2.5	40	11.9	27	767	17.5	30	14.5	28	1,138	7.6	6
Cayuga	361	7.8	24	11.1	54	1,256	6.4	40	1,249	1.4	14	13.9	51	583	17.2	26	15.4	44	827	14.5	39
Chautauqua	865	9.1	43	5.8	6	3,212	6.7	46	3,189	1.6	21	13.2	45	1,519	16.1	15	15.3	42	2,300	15.4	43
Chemung	524	10.1	53	10.7	51	2,010	8.4	58	1,992	1.5	17	12.1	29	954	18.9	44	14.9	39	1,468	12.8	28
Chenango	362	8.3	30	13.0	57	1,301	6.1	33	1,290	2.3	37	13.6	48	611	16.5	20	15.4	43	929	5.0	1
Clinton	363	8.3	29	5.2	3	1,507	6.7	47	1,501	2.5	41	12.3	31	772	15.8	13	13.6	18	1,143	8.3	9
Columbia	262	8.4	34	9.9	45	1,003	4.7	13	992	1.7	24	13.7	50	462	17.1	25	17.5	55	734	20.2	55
Cortland	290	6.9	16	11.0	53	1,077	5.1	19	1,076	0.9	4	8.6	3	515	20.0	56	11.7	6	753	11.6	18
Delaware	201	8.0	25	4.5	1	826	6.5	42	818	2.9	44	16.3	60	406	15.8	12	18.7	57	618	21.8	56
Dutchess	911	10.1	52	7.5	23	3,251	4.8	15	3,231	2.1	34	10.3	12	1,500	18.1	37	12.1	8	2,293	12.4	24
Erie	4,709	10.0	51	7.2	19	16,064	5.2	23	15,951	3.7	55	10.8	14	7,148	14.4	3	12.2	9	11,154	20.1	54
Essex	144	6.9	17	8.3	33	605	8.4	59	599	1.5	16	12.7	37	299	18.1	36	14.0	25	452	14.2	35
Franklin	267	7.1	19	8.6	40	1,123	5.9	30	1,117	2.4	39	10.3	11	545	19.4	51	13.6	17	826	13.9	34
Fulton	250	11.6	57	8.4	34	803	5.9	29	793	4.0	57	11.3	18	367	18.3	39	16.9	51	542	7.0	4
Genesee	503	5.4	1	11.1	55	1,787	5.1	18	1,773	2.2	36	12.9	39	798	18.0	35	13.9	22	1,219	17.0	48
Greene	194	6.7	11	7.2	20	752	3.3	3	748	1.2	9	13.0	41	359	14.8	4	14.8	34	549	11.8	20

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: May 24, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)				Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)					
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	9	49	.	.	48	23	39	.	.
Herkimer	367	10.6	56	7.9	26	1,365	8.6	60	1,358	1.7	23	12.9	40	638	19.7	54	14.7	32	989	11.9	22
Jefferson	1,141	7.5	23	10.3	48	4,169	5.2	22	4,157	1.5	18	9.8	8	1,825	17.4	29	12.9	11	2,985	12.3	23
Kings	24,924	8.4	31	6.3	9	96,789	4.8	14	96,079	4.2	58	9.7	6	47,755	14.9	5	11.4	5	70,815	13.7	32
Lewis	212	5.7	3	13.2	58	818	6.2	37	816	2.1	33	8.2	2	382	19.6	52	10.7	3	594	16.5	47
Livingston	233	6.9	15	5.2	2	852	5.5	26	851	0.4	2	15.3	58	394	19.3	50	12.7	10	604	10.3	14
Madison	337	7.4	22	9.8	44	1,349	7.7	56	1,341	1.0	5	12.6	36	634	22.2	61	14.8	37	1,000	20.0	53
Monroe	3,441	10.5	55	6.9	15	12,445	4.9	16	12,365	3.3	51	11.7	23	5,662	16.2	17	13.2	12	8,816	13.4	30
Montgomery	314	8.0	26	7.0	17	1,088	6.6	44	1,078	2.4	38	14.7	57	467	16.5	19	18.8	58	749	7.2	5
Nassau	3,655	8.9	40	6.8	12	12,068	4.6	11	11,942	4.4	61	14.1	54	5,177	16.2	18	18.9	59	8,237	17.7	49
New York	9,045	8.7	37	5.6	5	34,217	3.1	2	34,023	3.3	50	9.7	7	16,795	15.5	8	11.9	7	24,631	13.2	29
Niagara	1,077	8.4	32	6.7	11	3,784	5.2	20	3,752	3.4	52	12.6	34	1,681	18.6	41	16.7	49	2,664	8.9	11
Oneida	1,285	8.6	36	8.0	29	5,128	5.5	24	5,102	3.0	45	11.2	16	2,528	15.9	14	14.7	31	3,748	12.7	25
Onondaga	2,424	9.8	47	7.9	27	8,568	6.4	41	8,492	2.6	42	11.5	21	3,909	17.2	27	13.5	15	5,969	13.5	31
Ontario	456	8.8	38	8.1	32	1,588	5.2	21	1,578	1.1	8	13.2	44	714	21.0	59	16.1	47	1,100	19.9	51
Orange	2,114	7.2	21	7.8	24	9,086	6.6	43	9,032	2.9	43	9.0	4	4,575	17.8	33	11.2	4	6,824	20.0	52
Orleans	209	14.4	59	8.6	39	696	5.6	27	690	3.8	56	14.6	56	305	16.1	16	16.7	50	462	16.0	45
Oswego	680	6.6	8	9.3	41	2,579	7.2	53	2,567	1.1	6	13.1	43	1,171	18.6	40	15.6	46	1,868	13.8	33
Otsego	236	6.4	7	11.0	52	837	6.9	48	829	3.6	54	12.2	30	382	19.6	53	14.7	30	581	8.1	8
Putnam	262	8.8	39	5.3	4	1,030	2.4	1	1,021	2.1	32	10.6	13	535	19.1	46	14.8	35	754	7.8	7

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: May 24, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)					Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Queens	15,914	8.6	35	6.2	8	59,240	3.9	5	58,716	4.4	60	11.2	17	28,378	15.5	7	14.1	26	42,298	11.7	19
Rensselaer	786	10.2	54	9.3	42	2,984	6.2	36	2,966	3.1	47	13.0	42	1,349	16.5	21	15.3	41	2,158	19.0	50
Richmond	1,855	9.0	41	7.3	21	6,563	4.4	8	6,508	4.3	59	11.5	19	3,058	16.8	24	14.8	36	4,580	14.3	37
Rockland	2,520	5.7	4	8.4	36	11,142	7.1	50	11,109	3.0	46	7.8	1	5,678	16.7	23	10.0	2	8,307	12.7	26
Saratoga	498	6.6	9	11.2	56	1,672	4.5	9	1,661	2.0	31	11.0	15	721	19.3	49	13.9	21	1,142	12.8	27
Schenectady	878	9.5	45	8.5	37	2,986	7.4	55	2,934	2.1	35	13.9	52	1,378	16.6	22	13.9	23	2,072	27.7	60
Schoharie	140	12.9	58	7.1	18	526	5.7	28	520	1.7	25	12.1	28	251	20.3	58	15.5	45	383	14.4	38
Schuyler	83	301	7.3	54	299	0.7	3	12.4	32	135	14.1	2	17.8	56	214	9.3	12
Seneca	176	6.8	14	6.8	14	590	7.1	51	588	0.3	1	15.6	59	239	18.8	43	19.7	60	406	15.5	44
St. Lawrence	537	5.6	2	10.6	50	2,105	6.3	38	2,093	1.5	19	11.6	22	944	17.7	32	15.0	40	1,544	8.9	10
Steuben	514	6.2	6	8.6	38	1,833	6.7	45	1,823	1.3	11	11.8	25	826	19.9	55	14.2	27	1,280	9.9	13
Suffolk	5,673	8.4	33	6.8	13	18,220	6.0	31	18,033	3.2	49	16.3	61	7,573	18.7	42	21.5	61	11,968	14.5	40
Sullivan	459	10.0	50	8.1	30	1,749	7.9	57	1,729	1.6	20	11.5	20	819	18.9	45	13.8	20	1,264	10.6	16
Tioga	282	6.7	12	14.9	59	1,027	3.8	4	1,020	1.8	26	12.5	33	474	15.6	11	17.1	52	733	24.1	59
Tompkins	347	6.1	5	8.1	31	1,263	4.6	10	1,252	1.9	29	10.0	10	568	15.5	9	13.6	16	896	10.4	15
Ulster	528	9.3	44	10.4	49	1,710	5.0	17	1,696	1.8	27	10.0	9	696	20.1	57	14.7	29	1,156	14.3	36
Warren	272	7.0	18	9.9	46	1,017	7.2	52	1,011	1.9	28	13.6	47	477	19.1	47	13.6	19	730	6.0	3
Washington	323	8.0	27	9.6	43	1,390	6.2	35	1,386	1.4	15	14.1	53	683	18.2	38	17.1	54	1,030	11.1	17
Wayne	393	7.1	20	7.9	25	1,488	5.5	25	1,478	1.4	13	12.9	38	693	17.3	28	14.9	38	1,082	23.5	57
Westchester	4,161	9.0	42	6.4	10	16,710	3.9	6	16,608	2.0	30	13.2	46	8,486	17.8	34	16.3	48	12,418	14.7	42

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
(6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
(7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
(8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: May 24, 2016

Table 6B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)					Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Wyoming	118	6.8	13	10.2	47	454	7.0	49	451	1.1	7	14.2	55	217	13.8	1	14.7	33	328	5.8	2
Yates	62	294	6.1	32	292	1.4	12	13.7	49	146	21.2	60	17.1	53	232	23.7	58
Total	117,312	8.7	.	6.8	.	439,310	4.8	.	435,983	3.4	.	11.3	.	209,767	16.1	.	13.6	.	315,444	14.4	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: May 24, 2016

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	1,219	75.6	23	478	24.1	23	859	13.4	27	277	19.1	10	440	6.8	28	1,930	76.1	54	4,483	3.9	37
Allegany	226	68.1	47	107	28.0	15	193	13.5	26	67	.	.	104	17.3	3	434	83.6	31	919	7.4	59
Bronx	15,184	88.4	4	5,843	42.8	6	11,423	19.8	11	3,093	4.9	29	5,715	2.8	46	28,460	76.6	52	58,196	2.1	16
Broome	1,155	72.3	36	463	21.0	26	840	10.6	42	241	19.9	8	446	6.1	32	1,830	85.8	21	4,165	3.3	30
Cattaraugus	426	70.4	41	162	22.8	25	301	8.3	53	76	.	.	160	10.6	13	741	73.8	57	1,580	4.9	46
Cayuga	362	69.1	43	126	20.6	28	228	12.7	29	74	.	.	125	14.4	5	570	97.5	1	1,260	4.1	39
Chautauqua	879	65.1	55	338	18.3	41	594	9.6	46	177	16.4	14	314	8.6	19	1,454	81.2	39	3,201	7.7	60
Chemung	530	66.8	51	189	16.9	43	389	9.5	47	111	14.4	20	183	3.8	42	899	72.6	59	2,003	5.7	54
Chenango	362	76.5	18	129	20.2	33	196	9.2	49	67	.	.	128	15.6	4	575	96.7	4	1,305	8.7	61
Clinton	361	76.5	19	165	17.0	42	308	11.0	36	81	.	.	162	8.6	18	753	84.3	28	1,503	3.3	29
Columbia	260	75.8	22	113	32.7	12	189	19.6	12	54	.	.	112	11.6	9	441	77.8	48	1,005	2.9	24
Cortland	293	75.1	25	119	18.5	39	215	12.6	30	65	.	.	117	3.4	43	481	93.1	8	1,075	3.3	28
Delaware	201	72.6	35	87	.	.	152	11.2	34	43	.	.	81	.	.	379	84.2	29	824	3.6	34
Dutchess	915	75.8	21	316	29.4	14	653	21.7	8	190	14.7	19	301	8.0	21	1,459	77.3	51	3,249	4.2	40
Erie	4,717	66.0	52	1,667	19.6	34	3,330	10.9	38	843	15.3	16	1,566	8.4	20	7,033	85.0	24	16,070	2.4	20
Essex	144	75.0	26	48	.	.	100	11.0	37	29	.	.	45	.	.	290	85.9	20	606	3.5	32
Franklin	267	67.8	48	124	20.2	32	242	10.7	39	66	.	.	113	11.5	10	533	79.5	44	1,126	4.4	41
Fulton	251	63.7	57	81	.	.	128	8.6	51	50	.	.	81	.	.	363	77.7	50	801	7.1	58
Genesee	503	73.0	34	202	27.2	17	368	14.7	20	116	19.8	9	201	10.9	12	787	94.3	6	1,788	3.1	27
Greene	194	73.7	31	86	.	.	138	8.0	54	44	.	.	83	.	.	348	80.7	40	755	6.1	55

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: May 24, 2016

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	9	.	.	6	.	.	12	.	.	3	.	.	6	.	.	24	.	.	49	.	.
Herkimer	366	68.9	44	139	25.9	21	265	14.3	21	84	.	.	139	13.7	6	611	84.9	25	1,362	2.1	15
Jefferson	1,146	75.2	24	504	27.6	16	763	15.3	17	355	29.0	2	503	9.1	17	1,736	73.9	56	4,110	2.1	17
Kings	24,971	86.5	6	9,579	55.1	2	17,904	32.1	2	5,172	13.1	21	9,239	9.4	15	47,374	87.9	12	96,950	1.3	8
Lewis	211	66.8	50	92	.	.	139	12.9	28	54	.	.	92	.	.	367	86.1	18	817	4.4	42
Livingston	233	70.8	39	93	.	.	148	16.2	16	65	.	.	93	.	.	370	85.4	22	845	2.1	18
Madison	339	72.3	37	144	20.8	27	249	10.0	44	79	.	.	142	5.6	35	596	81.5	38	1,335	5.5	53
Monroe	3,449	71.5	38	1,303	20.2	31	2,478	11.4	32	755	17.0	12	1,227	6.8	27	5,486	84.4	27	12,430	2.5	21
Montgomery	314	70.7	40	106	18.9	36	208	8.7	50	54	.	.	105	4.8	39	457	72.2	61	1,090	4.7	44
Nassau	3,661	82.8	9	1,323	34.6	9	2,505	13.5	25	720	5.4	28	1,292	3.2	44	5,262	82.7	36	12,137	0.4	2
New York	9,060	86.3	7	3,373	40.0	7	6,636	22.0	7	1,809	7.6	26	3,268	4.7	40	16,729	79.7	43	34,371	1.6	11
Niagara	1,076	62.1	58	399	15.0	45	804	7.3	55	216	14.8	18	380	6.6	30	1,657	84.9	26	3,783	4.9	47
Oneida	1,287	70.0	42	513	18.5	38	1,021	9.6	45	269	15.2	17	478	5.0	38	2,426	90.1	10	5,128	2.3	19
Onondaga	2,433	67.1	49	882	23.6	24	1,690	13.7	23	528	16.7	13	867	7.7	25	3,745	83.5	32	8,508	2.7	23
Ontario	461	75.9	20	156	26.3	20	299	14.0	22	92	.	.	154	13.0	7	677	78.4	47	1,576	3.3	31
Orange	2,115	82.1	11	1,017	49.7	3	1,565	29.8	3	572	15.9	15	985	9.8	14	4,384	86.0	19	9,084	1.9	12
Orleans	212	60.4	59	72	.	.	123	7.3	57	38	.	.	67	.	.	300	79.3	45	699	5.0	50
Oswego	683	65.3	54	297	18.9	37	457	10.7	40	165	20.0	7	296	5.7	34	1,119	77.7	49	2,574	5.2	51
Otsego	238	77.7	15	93	.	.	166	8.4	52	58	.	.	91	.	.	381	75.1	55	842	2.6	22
Putnam	261	85.4	8	93	.	.	176	21.6	9	52	.	.	90	.	.	526	93.9	7	1,031	2.0	14

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	15,951	88.3	5	5,929	46.5	4	11,715	25.5	4	3,009	7.3	27	5,789	4.5	41	28,656	87.1	15	59,479	0.9	4
Rensselaer	788	68.4	46	348	14.9	46	629	10.7	41	177	11.9	22	334	6.0	33	1,296	72.3	60	2,985	5.3	52
Richmond	1,862	78.3	14	626	34.3	10	1,246	20.2	10	364	8.8	25	613	5.4	36	3,127	73.2	58	6,624	1.3	10
Rockland	2,531	95.1	1	1,084	70.9	1	2,129	50.3	1	608	44.1	1	1,057	33.9	1	5,586	97.4	2	11,141	0.2	1
Saratoga	499	73.7	30	174	19.5	35	325	12.0	31	104	24.0	5	168	7.7	23	690	96.1	5	1,674	1.1	6
Schenectady	879	73.9	28	307	20.2	30	526	9.5	48	189	20.1	6	304	9.2	16	1,331	78.4	46	2,991	3.1	26
Schoharie	141	68.8	45	62	.	.	100	15.0	19	39	.	.	60	.	.	247	93.1	9	525	5.0	48
Schuyler	83	.	.	27	.	.	57	.	.	14	.	.	25	.	.	133	82.7	35	300	5.0	49
Seneca	176	65.9	53	81	.	.	130	5.4	58	46	.	.	81	.	.	227	87.2	14	587	4.1	38
St. Lawrence	539	64.7	56	255	18.4	40	343	10.2	43	149	24.8	3	254	7.9	22	911	82.9	34	2,107	4.7	45
Steuben	517	73.3	32	171	20.5	29	350	11.1	35	110	24.5	4	168	7.7	24	790	86.7	17	1,823	3.8	36
Suffolk	5,672	82.7	10	1,950	31.9	13	3,749	16.5	15	1,056	9.2	24	1,814	5.2	37	7,501	80.1	42	18,237	1.2	7
Sullivan	463	77.1	16	168	33.9	11	324	18.2	13	88	.	.	160	11.3	11	772	80.4	41	1,742	3.0	25
Tioga	285	81.1	12	113	26.5	18	210	18.1	14	71	.	.	111	12.6	8	456	83.1	33	1,028	6.2	56
Tompkins	350	90.6	2	117	35.0	8	248	23.8	6	62	.	.	108	18.5	2	530	87.7	13	1,260	0.9	3
Ulster	530	74.9	27	174	26.4	19	372	15.1	18	127	18.1	11	174	6.3	31	697	85.4	23	1,714	1.3	9
Warren	274	77.0	17	97	.	.	199	13.6	24	62	.	.	94	.	.	472	83.9	30	1,019	3.7	35
Washington	325	73.2	33	139	15.8	44	246	7.3	56	82	.	.	132	3.0	45	649	96.8	3	1,388	2.0	13
Wayne	393	73.8	29	153	24.8	22	299	11.4	33	86	.	.	152	7.2	26	644	86.8	16	1,480	4.5	43
Westchester	4,167	88.9	3	1,711	44.9	5	3,255	25.5	5	837	11.4	23	1,637	6.6	29	8,197	81.8	37	16,729	1.0	5

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: May 24, 2016

Table 7B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	118	78.8	13	52	.	.	82	.	.	36	.	.	52	.	.	206	88.3	11	455	3.5	33
Yates	61	.	.	39	.	.	61	.	.	22	.	.	37	.	.	143	76.2	53	289	6.6	57
Total	117,578	82.4	.	44,804	39.9	.	85,049	22.1	.	24,242	13.0	.	43,315	7.3	.	207,248	83.8	.	440,212	1.9	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit are included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: May 24, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)					Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk		%	Rk
Albany	3,745	10.1	57	7.1	14	13,530	4.5	13	13,437	2.7	51	13.0	42	6,346	15.1	3	14.6	33	9,639	28.4	62
Allegany	711	7.7	19	7.5	19	2,843	5.9	38	2,826	1.3	14	11.3	17	1,392	18.6	48	12.1	5	2,099	11.2	22
Bronx	46,148	10.0	56	5.6	2	176,016	3.7	3	174,580	3.2	55	12.4	31	86,741	15.7	10	14.1	23	127,659	16.2	48
Broome	3,523	8.3	29	8.6	34	12,793	5.8	36	12,730	1.5	17	11.9	20	6,002	17.9	36	12.9	10	9,097	15.6	46
Cattaraugus	1,355	8.3	31	7.3	18	5,022	7.8	60	4,997	1.8	28	12.7	35	2,367	16.5	15	13.9	20	3,618	6.9	5
Cayuga	1,117	7.3	13	10.0	52	4,045	5.7	34	4,016	1.2	10	13.7	53	1,876	17.6	31	14.8	36	2,693	12.5	29
Chautauqua	2,590	9.0	47	6.3	7	9,710	6.5	50	9,631	1.6	22	12.9	40	4,574	17.7	32	14.3	25	6,984	13.9	41
Chemung	1,709	8.9	44	8.8	37	6,341	7.5	58	6,290	1.3	16	12.7	33	2,977	17.9	35	13.9	19	4,600	8.9	9
Chenango	1,025	7.0	9	11.2	59	3,861	5.2	28	3,836	2.5	49	11.9	22	1,814	15.2	5	13.3	14	2,812	9.8	17
Clinton	1,164	8.8	41	8.2	25	4,660	6.3	46	4,633	1.7	23	12.2	30	2,331	16.7	18	12.9	12	3,461	9.0	11
Columbia	813	8.4	34	10.3	54	3,158	4.6	15	3,132	1.6	20	13.6	51	1,523	18.7	49	17.1	56	2,317	19.4	56
Cortland	885	7.5	16	8.4	28	3,305	4.3	8	3,295	0.8	2	10.1	6	1,610	18.8	52	13.8	17	2,348	9.3	14
Delaware	615	8.6	37	8.5	30	2,530	6.3	47	2,518	2.0	37	16.1	61	1,261	16.5	14	18.7	58	1,889	19.3	55
Dutchess	2,798	8.5	36	7.9	22	10,077	4.5	12	10,021	1.9	34	10.9	12	4,691	17.1	22	12.1	4	7,148	15.4	45
Erie	14,320	9.7	53	6.8	11	47,850	5.0	21	47,574	3.2	56	11.1	13	21,356	15.0	2	12.2	6	32,989	17.3	50
Essex	479	10.0	55	9.4	42	1,983	8.5	62	1,963	2.1	40	14.2	54	988	18.7	50	15.4	46	1,469	11.1	21
Franklin	910	8.7	38	8.8	36	3,525	6.6	53	3,497	1.7	27	11.2	15	1,659	18.0	37	15.7	49	2,509	12.7	30
Fulton	735	10.3	58	8.4	29	2,565	6.0	42	2,540	3.6	59	11.5	18	1,182	17.4	29	14.9	40	1,787	6.2	2
Genesee	1,486	6.1	3	9.5	43	5,297	5.2	27	5,259	1.9	32	13.3	47	2,436	17.4	27	14.3	27	3,641	14.9	44
Greene	654	8.3	28	9.6	46	2,402	3.7	6	2,384	2.1	38	12.9	41	1,127	16.4	13	15.2	43	1,737	15.9	47

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: May 24, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)				Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)					
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk			
Hamilton	42	165	8.5	61	163	5.5	62	9.8	4	71	119	9.2	13
Herkimer	1,137	8.8	42	9.8	49	4,172	6.6	51	4,149	1.8	31	12.1	25	1,937	17.2	23	14.5	31	2,999	11.3	24
Jefferson	3,652	6.4	4	9.6	45	13,131	5.0	22	13,084	1.6	21	9.6	3	5,800	17.2	24	12.4	8	9,289	11.5	25
Kings	78,046	8.5	35	6.1	6	301,003	4.7	17	299,116	3.7	60	10.2	7	150,409	15.1	4	11.9	3	219,601	13.9	42
Lewis	694	7.1	10	9.9	51	2,607	5.8	37	2,598	2.0	36	10.0	5	1,210	18.1	39	12.9	11	1,880	12.9	31
Livingston	691	8.1	24	8.7	35	2,607	5.2	26	2,600	0.9	3	14.4	58	1,186	18.4	43	14.0	21	1,863	10.7	19
Madison	1,086	7.3	12	9.8	48	4,202	7.1	57	4,172	1.2	9	11.9	21	1,959	20.2	60	14.4	29	3,066	17.8	52
Monroe	10,468	10.7	59	7.2	16	37,644	4.7	18	37,425	2.7	52	12.0	23	17,448	15.6	6	13.1	13	26,584	13.3	34
Montgomery	917	8.2	26	8.0	24	3,354	6.0	41	3,321	2.3	43	15.4	59	1,613	15.9	12	18.7	59	2,360	6.4	3
Nassau	11,047	8.7	39	6.5	8	36,632	5.0	23	36,243	3.5	58	16.0	60	15,935	16.8	19	20.8	60	25,010	17.6	51
New York	27,843	8.7	40	5.7	3	105,628	3.1	2	104,982	2.9	54	10.4	9	52,163	15.8	11	12.6	9	76,183	13.0	33
Niagara	3,337	9.2	49	6.0	5	11,605	5.2	25	11,520	2.8	53	13.1	45	5,323	17.8	33	16.7	55	8,137	9.2	12
Oneida	4,151	9.2	50	8.6	33	15,940	5.5	32	15,855	2.3	44	11.2	16	7,627	16.8	21	14.3	26	11,499	13.8	38
Onondaga	7,408	8.9	45	8.5	32	26,042	5.2	29	25,886	2.1	39	12.1	26	11,892	16.8	20	13.8	16	18,108	12.4	28
Ontario	1,288	7.8	20	8.5	31	4,611	4.3	10	4,590	0.9	4	13.5	50	2,127	20.5	61	16.4	52	3,256	20.1	57
Orange	6,559	7.4	14	7.2	17	27,323	6.6	54	27,174	2.3	46	9.4	2	13,835	17.3	26	11.4	2	20,348	19.3	54
Orleans	610	9.8	54	6.6	9	2,159	5.5	31	2,141	2.3	45	12.8	39	1,015	17.5	30	14.8	37	1,494	13.9	39
Oswego	2,300	6.8	8	9.2	39	8,581	6.3	48	8,537	1.0	5	12.5	32	3,930	18.4	44	15.5	47	6,225	13.6	37
Otsego	709	6.8	6	10.9	58	2,562	6.6	52	2,542	2.2	41	13.0	43	1,199	20.1	59	15.8	50	1,803	6.5	4
Putnam	726	9.5	52	5.0	1	3,043	3.0	1	3,018	1.5	18	13.4	48	1,607	18.8	51	17.7	57	2,290	7.5	6

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: May 24, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)					Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk		%	Rk
Queens	47,971	8.4	32	5.9	4	177,911	3.7	4	176,570	4.0	61	11.9	19	85,520	15.7	9	14.9	38	126,701	12.0	26
Rensselaer	2,509	8.3	27	9.0	38	9,053	6.4	49	8,999	2.3	47	14.3	57	4,139	16.6	16	15.6	48	6,447	21.6	59
Richmond	5,629	9.1	48	6.8	12	19,927	4.2	7	19,778	3.4	57	12.1	24	9,233	17.2	25	14.9	39	13,817	13.5	35
Rockland	7,485	5.4	1	8.2	26	32,620	6.8	55	32,509	2.7	50	8.8	1	16,949	16.7	17	10.9	1	24,257	13.5	36
Saratoga	1,529	7.4	15	10.9	57	5,230	4.9	20	5,208	1.7	25	10.8	11	2,322	18.1	40	13.4	15	3,628	13.0	32
Schenectady	2,627	8.9	43	7.6	21	9,050	6.2	44	8,942	1.9	35	14.2	55	4,120	17.4	28	15.1	42	6,309	23.1	61
Schoharie	421	10.7	60	8.3	27	1,682	4.6	14	1,672	1.7	26	12.2	29	856	17.8	34	15.3	45	1,240	10.9	20
Schuyler	250	11.2	61	12.8	61	987	5.7	35	984	1.0	6	12.2	28	474	19.4	58	13.9	18	728	7.6	7
Seneca	513	9.0	46	9.9	50	1,709	7.7	59	1,699	0.5	1	14.2	56	729	18.2	41	16.3	51	1,170	16.8	49
St. Lawrence	1,764	7.5	17	9.3	41	6,708	5.6	33	6,668	1.7	24	11.1	14	3,022	18.5	46	14.7	35	4,856	8.6	8
Steuben	1,612	6.8	7	9.2	40	5,666	6.1	43	5,636	1.2	11	12.1	27	2,613	18.8	53	14.0	22	3,947	10.2	18
Suffolk	17,290	8.3	30	7.0	13	55,454	5.4	30	54,951	2.4	48	17.2	62	22,965	18.5	45	21.7	61	36,410	14.5	43
Sullivan	1,499	9.3	51	7.9	23	5,423	6.9	56	5,373	1.3	15	13.3	46	2,528	19.1	56	14.6	34	3,877	11.2	23
Tioga	845	5.9	2	12.8	60	3,161	4.3	11	3,143	1.9	33	12.8	38	1,511	15.6	7	16.5	54	2,256	21.2	58
Tompkins	1,131	7.8	21	7.5	20	3,931	4.3	9	3,916	1.5	19	10.3	8	1,749	15.7	8	14.4	28	2,744	9.0	10
Ulster	1,705	7.9	22	10.1	53	5,478	4.6	16	5,445	1.8	29	10.6	10	2,235	18.9	54	15.0	41	3,694	12.3	27
Warren	872	6.5	5	10.7	55	3,289	6.2	45	3,271	2.2	42	13.1	44	1,588	18.3	42	14.5	32	2,376	4.2	1
Washington	1,067	8.2	25	9.6	44	4,306	5.9	39	4,284	1.2	12	13.5	49	2,099	18.1	38	15.3	44	3,139	9.4	15
Wayne	1,208	8.4	33	9.7	47	4,679	5.1	24	4,644	1.3	13	12.8	37	2,269	19.0	55	14.5	30	3,408	21.7	60
Westchester	12,685	7.9	23	6.6	10	51,327	3.7	5	50,937	1.8	30	13.6	52	26,583	18.5	47	16.5	53	38,191	13.9	40

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Run Date: May 24, 2016

Table 26B Comparison of Growth and Anemia Indicators by County for Children Aged < 5 Years (1,2,3,4)

County	Birth Weight (4,5)					Stature (4,6,7)			Weight & Height (4,6,7)				BMI (2-4 Years) (4,7)				Hb/Hct (4,8)				
	N	Low Bwt		High Bwt		N	Short		N	Under Wt		Obese		N	Over Wt		Obese		N	Low	
		%	Rk	%	Rk		%	Rk		%	Rk	%	Rk		%	Rk	%	Rk		%	Rk
Wyoming	352	7.1	11	10.8	56	1,377	6.0	40	1,369	1.0	7	12.7	34	641	14.4	1	12.3	7	999	9.7	16
Yates	237	7.6	18	7.2	15	974	4.8	19	966	1.0	8	12.7	36	470	19.4	57	14.3	24	725	18.6	53
Total	360,694	8.7	.	6.7	.	1,344,466	4.6	.	1,335,239	3.0	.	11.8	.	647,154	16.2	.	13.9	.	963,529	14.2	.

- (1) Records are rejected if date of birth and/or date of visit unknown.
- (2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
- (3) Percentages are not calculated if < 100 records are available for analysis.
- (4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
- (5) Infants born during the reporting period are included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (6) 2006 WHO growth chart is used for children under 2 years of age. Short stature is defined as length-for-age <= 2.3rd percentile, Underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (i.e. Obese) is defined as >= 97.7th percentile.
- (7) 2000 CDC growth chart is used for children 2 years of age and older. Short stature is defined as height-for-age < 5th percentile, Underweight is defined as BMI-for-age < 5th percentile, Overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) 1998 CDC MMWR, Recommendations to Prevent and Control Iron Deficiency in the United States, is used for children 6 months of age and older with altitude adjusted.

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Albany	3,762	75.0	19	1,455	23.0	25	2,765	13.4	20	781	15.0	38	1,324	6.3	43	5,742	73.8	56	13,519	3.9	37
Allegany	710	71.4	30	295	23.1	24	558	11.3	35	174	25.9	5	286	16.4	4	1,331	82.8	33	2,826	8.8	61
Bronx	46,245	87.7	4	17,817	42.8	6	35,218	19.2	11	9,223	4.6	56	17,425	2.7	61	85,417	74.0	55	177,220	2.5	15
Broome	3,533	71.3	33	1,402	20.7	31	2,629	11.7	32	748	18.7	25	1,370	5.9	45	5,674	85.2	23	12,767	4.0	38
Cattaraugus	1,366	69.3	42	544	19.3	40	1,036	9.2	50	293	18.1	28	537	8.4	23	2,248	73.3	57	5,015	4.9	45
Cayuga	1,117	68.1	46	431	19.0	43	843	10.3	40	234	19.7	15	424	11.8	9	1,794	94.5	6	4,054	5.3	51
Chautauqua	2,613	65.1	57	1,106	16.2	55	1,955	8.9	54	551	14.5	41	1,015	8.4	25	4,322	80.3	39	9,665	8.5	60
Chemung	1,715	66.0	53	700	15.9	57	1,281	8.3	56	372	14.5	42	688	5.5	49	2,783	74.1	54	6,313	5.2	50
Chenango	1,026	75.8	18	431	17.4	51	711	7.5	58	214	18.2	26	426	12.4	8	1,682	97.0	1	3,870	9.3	62
Clinton	1,162	71.3	34	508	19.9	38	982	12.0	29	245	18.8	23	489	10.0	13	2,212	84.2	29	4,640	2.7	18
Columbia	816	71.2	35	331	26.3	17	593	16.4	14	163	19.6	17	328	9.1	18	1,444	79.1	45	3,161	3.4	28
Cortland	893	71.9	28	366	18.3	49	672	12.5	24	189	14.8	40	364	2.7	59	1,516	92.5	8	3,294	4.5	42
Delaware	614	71.7	29	244	20.1	36	452	12.2	27	127	16.5	34	224	8.0	27	1,182	87.1	17	2,530	3.6	32
Dutchess	2,805	75.9	17	1,089	31.1	14	2,107	20.4	9	629	18.8	24	1,041	9.8	14	4,500	75.0	53	10,076	5.0	46
Erie	14,343	64.4	58	5,016	18.6	44	9,955	10.0	44	2,576	14.9	39	4,714	8.1	26	20,448	84.1	31	47,849	2.8	22
Essex	479	74.3	24	188	19.1	42	352	12.2	26	95	.	.	183	7.1	34	943	90.6	10	1,988	2.9	24
Franklin	911	66.8	51	377	18.6	45	740	8.8	55	219	19.6	16	360	10.8	11	1,575	76.1	52	3,532	4.0	39
Fulton	737	62.1	60	263	12.5	61	488	7.2	59	152	11.8	46	263	3.0	58	1,112	78.3	47	2,566	6.0	55
Genesee	1,490	69.7	39	591	23.9	21	1,080	12.9	23	327	22.9	8	585	10.3	12	2,334	95.2	3	5,286	2.6	16
Greene	656	67.5	49	266	18.4	47	490	10.2	41	148	16.2	35	261	6.5	39	1,057	81.6	34	2,406	5.4	52

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: May 24, 2016

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Hamilton	42	.	.	15	.	.	32	.	.	8	.	.	15	.	.	72	.	.	167	3.6	31
Herkimer	1,139	70.2	38	446	19.3	41	857	10.7	39	211	19.4	18	443	9.5	15	1,820	81.5	35	4,168	3.2	27
Jefferson	3,672	74.8	20	1,530	24.8	20	2,422	13.6	19	1,065	25.8	6	1,520	8.9	19	5,441	72.9	58	13,048	2.3	13
Kings	78,225	85.5	6	30,295	52.7	2	57,889	31.2	2	15,934	11.8	47	29,136	8.4	24	145,698	86.8	18	301,525	1.4	7
Lewis	695	69.4	41	291	20.6	33	481	12.5	25	149	18.8	22	286	6.6	37	1,149	84.4	26	2,606	5.4	53
Livingston	690	73.2	27	276	25.0	18	460	14.1	17	180	22.2	10	273	8.8	21	1,114	86.7	20	2,595	2.6	17
Madison	1,091	69.1	44	451	20.6	32	800	11.6	33	252	17.1	30	447	5.4	50	1,846	78.6	46	4,171	5.0	47
Monroe	10,490	71.4	32	3,906	20.1	37	7,568	11.0	37	2,091	16.5	33	3,676	7.0	35	16,400	84.2	28	37,631	2.7	19
Montgomery	918	67.4	50	310	16.8	54	602	6.3	61	150	11.3	48	307	4.6	51	1,514	71.5	60	3,346	3.8	36
Nassau	11,082	81.8	10	3,858	34.9	11	7,699	13.2	21	2,110	5.7	55	3,770	2.7	60	15,813	80.3	40	36,870	0.6	2
New York	27,888	84.3	8	10,665	38.8	8	21,013	21.0	8	5,476	7.0	53	10,357	4.3	53	50,882	78.0	48	106,042	1.7	11
Niagara	3,334	60.4	61	1,211	14.0	60	2,396	6.9	60	645	15.7	37	1,139	5.5	48	5,094	85.8	21	11,588	6.2	57
Oneida	4,155	67.6	48	1,654	17.7	50	3,267	9.5	49	882	10.9	50	1,567	3.9	55	7,176	88.7	13	15,950	2.7	20
Onondaga	7,444	65.9	54	2,696	21.7	27	5,254	11.9	30	1,445	16.7	32	2,602	7.7	29	11,153	84.3	27	25,816	3.1	25
Ontario	1,300	74.7	22	532	21.4	30	940	12.0	28	308	20.5	13	528	9.5	16	1,995	79.9	43	4,588	3.8	35
Orange	6,570	81.6	11	2,938	46.1	3	4,806	27.9	3	1,638	14.2	43	2,829	8.8	20	12,986	83.5	32	27,288	1.8	12
Orleans	613	63.0	59	209	14.8	59	378	7.7	57	111	18.9	21	200	3.5	57	955	85.5	22	2,158	7.0	59
Oswego	2,307	66.4	52	988	18.5	46	1,554	9.1	51	538	19.0	20	979	5.6	47	3,687	77.8	49	8,570	5.2	49
Otsego	711	74.5	23	292	21.9	26	528	10.0	45	162	30.9	3	285	13.3	6	1,160	79.9	42	2,570	2.9	23
Putnam	724	85.4	7	326	39.6	7	580	25.3	4	152	19.1	19	306	7.5	31	1,532	93.0	7	3,052	3.2	26

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.

Run Date: May 24, 2016

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Queens	48,111	87.2	5	18,150	45.9	4	36,018	24.3	6	9,197	6.4	54	17,643	3.9	56	84,113	86.8	19	178,602	1.0	3
Rensselaer	2,515	65.8	55	1,042	16.1	56	1,854	9.1	52	531	12.6	45	999	5.8	46	3,932	72.8	59	9,072	4.6	43
Richmond	5,635	75.9	16	1,998	36.0	10	3,979	19.6	10	1,079	9.0	51	1,955	4.3	52	9,158	69.7	61	20,056	1.2	4
Rockland	7,511	94.2	1	3,187	71.8	1	6,361	51.5	1	1,808	43.8	1	3,134	35.3	1	16,235	96.9	2	32,634	0.2	1
Saratoga	1,538	73.5	26	561	21.6	28	1,016	11.8	31	337	23.4	7	543	9.2	17	2,194	94.6	5	5,228	1.5	9
Schenectady	2,626	69.2	43	968	19.7	39	1,820	9.6	47	532	17.9	29	945	7.5	32	3,924	80.1	41	9,045	3.4	29
Schoharie	423	67.8	47	181	23.8	23	302	12.9	22	96	.	.	172	20.9	2	817	91.1	9	1,683	5.1	48
Schuyler	250	68.8	45	106	17.0	53	196	10.2	42	62	.	.	102	6.9	36	450	81.1	37	984	3.8	34
Seneca	515	69.7	40	192	15.1	58	360	9.7	46	114	14.0	44	190	6.3	42	686	87.2	16	1,702	4.8	44
St. Lawrenc	1,768	65.7	56	787	17.3	52	1,052	9.6	48	461	20.2	14	782	8.6	22	2,855	77.6	50	6,703	4.2	41
Steuben	1,617	70.9	37	609	20.4	34	1,147	11.4	34	326	22.7	9	595	7.4	33	2,410	88.2	15	5,640	3.7	33
Suffolk	17,322	82.1	9	5,967	33.3	12	11,783	15.7	16	3,197	7.8	52	5,570	4.0	54	22,187	79.2	44	55,374	1.2	5
Sullivan	1,510	77.5	13	501	31.1	13	1,028	17.1	13	287	21.6	11	484	13.2	7	2,342	81.2	36	5,392	2.7	21
Tioga	852	77.6	12	337	24.9	19	645	14.1	18	207	26.6	4	332	10.8	10	1,418	84.9	25	3,158	6.6	58
Tompkins	1,136	87.9	3	411	38.4	9	779	25.0	5	227	32.2	2	390	14.9	5	1,609	88.6	14	3,920	1.4	8
Ulster	1,707	73.9	25	607	27.7	15	1,187	16.0	15	420	21.2	12	605	7.8	28	2,162	84.1	30	5,478	1.6	10
Warren	879	74.7	21	323	23.8	22	646	11.1	36	178	15.7	36	316	6.3	41	1,523	89.1	11	3,289	3.5	30
Washington	1,076	71.1	36	453	20.1	35	782	9.0	53	244	16.8	31	440	6.4	40	1,983	95.1	4	4,304	2.4	14
Wayne	1,216	71.4	31	478	21.5	29	936	10.9	38	281	18.1	27	472	6.6	38	2,089	85.1	24	4,646	5.4	54
Westchester	12,725	88.1	2	5,124	45.2	5	10,125	23.9	7	2,511	11.2	49	4,911	6.1	44	25,412	80.8	38	51,350	1.3	6

(1) Records are rejected if date of birth and/or date of visit unknown.
(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.
(3) Percentages are not calculated if < 100 records are available for analysis.
(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.
(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analysis.

Run Date: May 24, 2016

Table 27B Comparison of Breastfeeding, Daily TV Viewing, and Smoking in Household by County for Children Aged < 5 Years (1,2,3)

County	Breastfeeding (4,5,6)									Exclusive BF (4,5,6,7)						≤ 2 Hours TV			Smoking in		
	Ever			6+ Months			12+ Months			3+ Months			6+ Months			Viewing Time (4,8)			Household (4)		
	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk	Number	%	Rk
Wyoming	351	76.1	15	158	26.6	16	273	17.2	12	87	.	.	156	16.7	3	596	88.8	12	1,376	4.1	40
Yates	237	76.8	14	120	18.3	48	197	10.2	43	64	.	.	118	7.6	30	450	77.6	51	972	6.1	56
Total	361,603	81.2	.	138,569	39.0	.	266,919	21.3	.	73,213	12.1	.	133,826	6.7	.	625,348	82.6	.	1,346,934	2.1	.

(1) Records are rejected if date of birth and/or date of visit unknown.

(2) Analyses are done based on one record per child and year, excluding records with unknown data or errors.

(3) Percentages are not calculated if < 100 records are available for analysis.

(4) Rank (i.e. Rk) compares this county's rate to other counties. Rank 1 means the best rate.

(5) Infants born during the reporting period are included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analysis.