

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

New York State

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	114,868.6	474.4	473.1-475.7	57,391.0	517.8	515.8-519.7	57,477.6	446.6	444.9-448.3
Oral cavity and pharynx	2,772.8	11.3	11.1-11.5	1,888.6	16.7	16.4-17.1	884.2	6.7	6.5-6.9
Esophagus	1,080.0	4.3	4.2-4.4	817.0	7.3	7.0-7.5	263.0	1.9	1.8-2.0
Stomach	2,009.2	8.3	8.1-8.5	1,191.4	11.0	10.7-11.2	817.8	6.2	6.0-6.4
Colorectal	8,792.8	36.6	36.3-37.0	4,552.8	42.2	41.7-42.8	4,240.0	32.1	31.6-32.5
Colon excluding rectum	6,212.6	25.8	25.5-26.0	3,061.0	28.5	28.0-29.0	3,151.6	23.5	23.1-23.9
Rectum & rectosigmoid	2,580.2	10.9	10.7-11.1	1,491.8	13.7	13.4-14.0	1,088.4	8.5	8.3-8.8
Liver / intrahepatic bile duct	2,204.0	8.7	8.5-8.8	1,547.2	13.4	13.1-13.7	656.8	4.7	4.6-4.9
Pancreas	3,603.2	14.4	14.2-14.6	1,809.4	16.4	16.1-16.8	1,793.8	12.8	12.5-13.1
Larynx	705.8	2.8	2.7-2.9	557.0	4.9	4.7-5.1	148.8	1.1	1.0-1.2
Lung and bronchus	13,946.4	55.4	55.0-55.8	6,724.0	60.8	60.1-61.4	7,222.4	51.7	51.1-52.2
Melanoma of the skin	4,216.0	17.7	17.5-18.0	2,430.0	22.6	22.2-23.0	1,786.0	14.3	14.0-14.6
Female breast							16,688.2	134.0	133.1-135.0
Cervix uteri							808.6	7.4	7.1-7.6
Corpus uterus and NOS							4,168.8	31.2	30.7-31.6
Ovary							1,409.6	11.2	10.9-11.5
Prostate				15,455.6	130.3	129.4-131.2			
Testis				579.2	6.2	6.0-6.4			
Urinary bladder (incl. in situ)	5,362.4	21.4	21.2-21.7	4,001.0	37.1	36.6-37.7	1,361.4	9.6	9.4-9.9
Kidney and renal pelvis	4,044.2	16.8	16.6-17.1	2,618.2	23.7	23.3-24.2	1,426.0	11.0	10.8-11.3
Brain and other central nervous system	1,419.0	6.4	6.3-6.6	791.8	7.7	7.4-7.9	627.2	5.4	5.2-5.6
Thyroid	3,820.0	18.3	18.1-18.6	1,021.4	10.0	9.7-10.2	2,798.6	26.3	25.9-26.8
Hodgkin lymphoma	620.2	3.0	2.9-3.1	335.4	3.4	3.2-3.6	284.8	2.7	2.6-2.9
Non-Hodgkin lymphomas	5,006.2	21.0	20.7-21.3	2,681.6	25.1	24.7-25.5	2,324.6	17.8	17.4-18.1
Myeloma	1,984.6	8.0	7.9-8.2	1,078.6	9.8	9.5-10.1	906.0	6.7	6.5-6.9
Leukemias	3,697.8	15.7	15.5-15.9	2,150.4	20.4	20.0-20.8	1,547.4	12.0	11.7-12.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

New York City

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	41,441.6	431.7	429.8-433.6	19,931.0	469.5	466.6-472.5	21,510.6	409.9	407.4-412.4
Oral cavity and pharynx	931.6	9.6	9.4-9.9	608.0	14.2	13.6-14.7	323.6	6.0	5.7-6.4
Esophagus	316.0	3.2	3.0-3.3	225.8	5.3	5.0-5.6	90.2	1.6	1.4-1.7
Stomach	960.8	10.0	9.7-10.3	549.8	13.2	12.7-13.7	411.0	7.6	7.3-8.0
Colorectal	3,423.8	35.8	35.2-36.3	1,772.0	42.4	41.5-43.3	1,651.8	30.7	30.0-31.4
Colon excluding rectum	2,410.2	25.1	24.6-25.5	1,197.6	28.8	28.0-29.5	1,212.6	22.3	21.7-22.9
Rectum & rectosigmoid	1,013.6	10.7	10.4-11.0	574.4	13.6	13.1-14.1	439.2	8.4	8.0-8.8
Liver / intrahepatic bile duct	1,032.2	10.3	10.1-10.6	718.4	16.3	15.8-16.9	313.8	5.6	5.3-5.9
Pancreas	1,312.0	13.4	13.0-13.7	629.2	15.0	14.5-15.5	682.8	12.1	11.6-12.5
Larynx	243.4	2.5	2.3-2.6	192.4	4.5	4.2-4.8	51.0	0.9	0.8-1.1
Lung and bronchus	4,311.0	43.9	43.3-44.5	2,144.2	51.5	50.5-52.5	2,166.8	38.6	37.8-39.3
Melanoma of the skin	911.4	9.6	9.3-9.9	506.2	12.4	11.9-12.9	405.2	7.7	7.4-8.1
Female breast							6,422.4	126.1	124.7-127.6
Cervix uteri							415.2	8.6	8.2-9.0
Corpus uterus and NOS							1,654.0	30.5	29.9-31.2
Ovary							568.0	11.1	10.7-11.5
Prostate				5,560.4	124.9	123.4-126.4			
Testis				225.4	5.3	5.0-5.6			
Urinary bladder (incl. in situ)	1,542.2	15.8	15.4-16.1	1,131.4	27.8	27.1-28.6	410.8	7.3	7.0-7.6
Kidney and renal pelvis	1,388.6	14.5	14.2-14.9	886.4	20.8	20.2-21.4	502.2	9.5	9.1-9.9
Brain and other central nervous system	525.6	5.8	5.6-6.1	291.2	7.0	6.7-7.4	234.4	4.8	4.5-5.1
Thyroid	1,730.0	19.4	19.0-19.9	427.0	10.2	9.8-10.7	1,303.0	27.8	27.1-28.5
Hodgkin lymphoma	251.0	2.9	2.7-3.0	136.0	3.3	3.1-3.6	115.0	2.5	2.3-2.7
Non-Hodgkin lymphomas	1,844.4	19.5	19.1-19.9	970.2	23.4	22.8-24.1	874.2	16.5	16.0-17.0
Myeloma	846.2	8.7	8.4-8.9	435.2	10.3	9.9-10.8	411.0	7.5	7.1-7.8
Leukemias	1,243.2	13.4	13.0-13.7	695.0	17.1	16.5-17.7	548.2	10.5	10.1-11.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

Bronx County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	6,325.0	422.9	418.2-427.7	3,095.2	486.3	478.4-494.2	3,229.8	382.7	376.7-388.7
Oral cavity and pharynx	150.4	10.0	9.3-10.7	101.2	15.7	14.3-17.2	49.2	5.7	5.0-6.5
Esophagus	48.0	3.2	2.8-3.6	35.2	5.7	4.8-6.6	12.8	1.4	1.1-1.8
Stomach	144.8	10.0	9.2-10.7	80.6	13.3	12.0-14.7	64.2	7.7	6.8-8.6
Colorectal	521.2	35.4	34.0-36.8	267.2	43.0	40.7-45.4	254.0	29.9	28.3-31.6
Colon excluding rectum	365.4	24.9	23.7-26.0	181.6	29.4	27.5-31.4	183.8	21.6	20.2-23.1
Rectum & rectosigmoid	155.8	10.5	9.8-11.3	85.6	13.6	12.3-15.0	70.2	8.3	7.5-9.3
Liver / intrahepatic bile duct	218.2	14.0	13.2-14.9	151.2	22.8	21.2-24.5	67.0	7.5	6.7-8.3
Pancreas	200.8	13.4	12.5-14.2	103.8	16.7	15.3-18.2	97.0	11.0	10.0-12.0
Larynx	55.4	3.7	3.2-4.1	41.6	6.6	5.7-7.6	13.8	1.6	1.3-2.1
Lung and bronchus	644.4	42.9	41.4-44.4	325.2	52.9	50.3-55.6	319.2	36.0	34.3-37.9
Melanoma of the skin	58.4	4.0	3.6-4.5	32.2	5.5	4.7-6.5	26.2	3.1	2.6-3.7
Female breast							925.0	111.6	108.3-114.9
Cervix uteri							72.0	9.3	8.3-10.3
Corpus uterus and NOS							265.8	30.6	29.0-32.3
Ovary							89.0	10.6	9.7-11.7
Prostate				937.0	140.8	136.7-145.0			
Testis				21.4	3.2	2.6-3.8			
Urinary bladder (incl. in situ)	193.4	13.1	12.2-13.9	137.8	23.3	21.5-25.1	55.6	6.3	5.6-7.1
Kidney and renal pelvis	226.8	15.0	14.1-15.9	139.0	21.7	20.1-23.4	87.8	10.2	9.3-11.3
Brain and other central nervous system	75.4	5.2	4.7-5.7	42.4	6.6	5.7-7.6	33.0	4.0	3.4-4.7
Thyroid	203.8	14.3	13.5-15.3	41.8	6.6	5.7-7.6	162.0	21.0	19.5-22.5
Hodgkin lymphoma	41.2	2.9	2.5-3.3	22.2	3.4	2.8-4.1	19.0	2.5	2.0-3.0
Non-Hodgkin lymphomas	277.2	18.9	17.9-19.9	143.8	23.0	21.3-24.8	133.4	15.9	14.7-17.2
Myeloma	171.4	11.3	10.6-12.1	85.0	13.4	12.1-14.8	86.4	10.0	9.1-11.0
Leukemias	178.0	12.0	11.2-12.9	94.2	14.9	13.6-16.4	83.8	10.0	9.1-11.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
 Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.
 NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).
 For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Riverdale, Fieldston & Kingsbridge**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	609.4	401.9	387.0-417.3	283.8	434.3	411.3-458.3	325.6	384.0	364.2-404.7
Oral cavity and pharynx	14.2	9.5	7.3-12.2	10.4	16.5	12.1-21.9	3.8	4.0	2.3-6.6
Esophagus	3.2	2.0	1.1-3.4	1.6	2.5	1.1-5.1	1.6	1.6	0.6-3.5
Stomach	10.6	7.0	5.2-9.4	6.8	10.9	7.4-15.4	3.8	4.4	2.5-7.2
Colorectal	49.8	32.9	28.7-37.6	23.6	38.3	31.4-46.2	26.2	28.7	23.5-34.7
Colon excluding rectum	36.0	23.2	19.7-27.2	16.2	26.3	20.7-33.0	19.8	20.7	16.5-25.8
Rectum & rectosigmoid	13.8	9.6	7.4-12.4	7.4	12.0	8.3-16.8	6.4	7.9	5.3-11.6
Liver / intrahepatic bile duct	18.2	11.4	9.1-14.2	11.8	17.5	13.2-22.8	6.4	7.0	4.7-10.2
Pancreas	19.8	11.3	9.0-13.9	11.2	16.5	12.4-21.7	8.6	7.4	5.2-10.5
Larynx	3.6	2.2	1.3-3.6	2.8	4.0	2.2-6.9	0.8	1.0	0.3-2.7
Lung and bronchus	57.4	34.4	30.4-38.9	27.0	39.2	32.8-46.7	30.4	30.9	25.9-36.6
Melanoma of the skin	15.6	10.1	7.9-12.8	8.6	14.0	10.0-19.1	7.0	7.3	4.9-10.6
Female breast							100.2	126.5	114.9-139.0
Cervix uteri							4.4	6.8	4.2-10.6
Corpus uterus and NOS							25.2	28.7	23.7-34.5
Ovary							10.6	13.4	9.9-17.9
Prostate				79.6	116.4	105.0-128.7			
Testis				2.4	4.6	2.3-8.2			
Urinary bladder (incl. in situ)	22.8	13.5	11.0-16.4	16.8	24.5	19.4-30.6	6.0	6.1	4.0-9.0
Kidney and renal pelvis	18.4	12.1	9.7-15.1	11.6	17.5	13.2-22.9	6.8	8.4	5.6-12.1
Brain and other central nervous system	9.2	6.8	4.9-9.3	5.6	9.4	6.1-13.8	3.6	4.9	2.7-8.2
Thyroid	20.8	17.1	13.8-20.8	3.0	5.7	3.1-9.5	17.8	26.6	21.1-33.1
Hodgkin lymphoma	3.0	2.8	1.5-4.6	0.6	1.2	0.2-3.6	2.4	4.3	2.1-7.5
Non-Hodgkin lymphomas	25.8	16.9	13.9-20.4	14.0	21.5	16.6-27.5	11.8	13.9	10.3-18.4
Myeloma	16.0	10.0	7.9-12.7	8.2	12.0	8.5-16.5	7.8	8.8	6.1-12.3
Leukemias	19.0	12.8	10.1-15.9	10.2	16.6	12.2-22.2	8.8	9.9	7.0-13.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Wakefield, Williamsbridge & Woodlawn**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	673.2	422.4	407.9-437.2	326.6	482.3	458.4-507.0	346.6	383.0	364.8-401.8
Oral cavity and pharynx	13.4	8.6	6.6-11.0	8.8	13.5	9.7-18.2	4.6	5.3	3.3-8.0
Esophagus	3.8	2.4	1.5-3.9	2.4	3.9	2.0-6.9	1.4	1.4	0.6-3.1
Stomach	14.2	9.3	7.2-11.8	7.4	12.3	8.6-17.1	6.8	7.4	5.1-10.4
Colorectal	62.8	39.9	35.5-44.7	30.2	45.8	38.6-54.0	32.6	36.0	30.6-42.1
Colon excluding rectum	48.2	30.4	26.7-34.6	22.0	33.3	27.2-40.4	26.2	28.6	23.8-34.1
Rectum & rectosigmoid	14.6	9.4	7.4-11.9	8.2	12.5	8.9-17.1	6.4	7.4	5.0-10.5
Liver / intrahepatic bile duct	12.8	7.7	5.9-9.9	8.4	12.1	8.6-16.6	4.4	4.6	2.9-7.1
Pancreas	17.6	11.0	8.8-13.6	9.0	13.6	9.8-18.4	8.6	9.1	6.6-12.4
Larynx	5.2	3.5	2.2-5.1	4.6	7.8	4.9-11.7	0.6	0.6	0.1-1.9
Lung and bronchus	54.8	34.5	30.5-39.0	28.2	43.2	36.2-51.3	26.6	28.3	23.6-33.6
Melanoma of the skin	5.6	3.8	2.5-5.6	2.6	4.5	2.3-7.7	3.0	3.4	1.9-5.7
Female breast							101.6	113.6	103.7-124.2
Cervix uteri							9.0	10.8	7.8-14.6
Corpus uterus and NOS							34.4	35.9	30.7-41.9
Ovary							10.4	11.6	8.6-15.3
Prostate				123.8	168.8	155.4-183.0			
Testis				1.8	3.0	1.3-5.7			
Urinary bladder (incl. in situ)	12.0	7.5	5.7-9.7	8.2	13.5	9.6-18.4	3.8	4.0	2.4-6.4
Kidney and renal pelvis	25.4	15.9	13.2-19.1	16.2	24.2	19.1-30.2	9.2	10.2	7.4-13.7
Brain and other central nervous system	6.0	3.9	2.6-5.6	3.6	5.3	3.1-8.4	2.4	2.6	1.3-4.6
Thyroid	18.0	11.8	9.4-14.5	2.2	3.3	1.6-6.1	15.8	18.4	14.5-23.0
Hodgkin lymphoma	4.0	2.7	1.6-4.2	2.0	3.1	1.4-5.7	2.0	2.5	1.2-4.6
Non-Hodgkin lymphomas	29.6	19.3	16.2-22.7	16.2	25.7	20.3-32.1	13.4	14.9	11.5-19.0
Myeloma	23.8	14.9	12.3-17.9	12.2	18.7	14.2-24.3	11.6	12.5	9.5-16.3
Leukemias	18.8	12.1	9.7-14.9	8.8	13.3	9.6-18.1	10.0	11.5	8.5-15.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Co-op City, Pelham Bay & Schuylerville**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	743.6	412.0	398.3-426.2	350.2	463.2	441.3-486.0	393.4	381.1	363.2-399.8
Oral cavity and pharynx	17.6	9.8	7.8-12.3	10.8	14.4	10.7-19.0	6.8	6.7	4.6-9.8
Esophagus	4.8	2.4	1.5-3.7	3.4	4.2	2.4-6.9	1.4	1.2	0.5-2.8
Stomach	13.8	7.2	5.6-9.3	8.0	10.6	7.5-14.7	5.8	4.8	3.1-7.2
Colorectal	55.4	30.8	27.1-34.9	27.6	38.6	32.2-45.9	27.8	25.4	21.1-30.5
Colon excluding rectum	37.8	21.0	17.9-24.4	18.2	25.3	20.3-31.4	19.6	17.9	14.2-22.3
Rectum & rectosigmoid	17.6	9.9	7.8-12.3	9.4	13.2	9.6-17.8	8.2	7.5	5.3-10.5
Liver / intrahepatic bile duct	23.4	12.4	10.2-15.0	16.8	21.6	17.2-26.9	6.6	5.9	4.0-8.7
Pancreas	25.0	12.7	10.5-15.2	11.8	15.2	11.5-19.8	13.2	10.9	8.3-14.2
Larynx	8.0	4.2	3.0-5.8	5.6	7.0	4.6-10.2	2.4	2.3	1.1-4.3
Lung and bronchus	84.2	42.5	38.5-46.9	37.2	47.6	41.0-55.2	47.0	39.5	34.5-45.2
Melanoma of the skin	15.6	9.1	7.1-11.6	9.6	13.4	9.8-18.1	6.0	6.3	4.1-9.5
Female breast							106.2	109.9	100.1-120.5
Cervix uteri							6.2	8.4	5.5-12.2
Corpus uterus and NOS							34.4	31.7	26.9-37.1
Ovary							8.8	8.8	6.3-12.3
Prostate				103.0	129.1	118.0-141.0			
Testis				1.8	3.9	1.8-7.3			
Urinary bladder (incl. in situ)	31.8	16.2	13.7-19.1	21.0	26.8	21.9-32.7	10.8	9.1	6.8-12.3
Kidney and renal pelvis	30.0	16.1	13.5-19.1	18.2	23.5	18.8-29.0	11.8	11.1	8.3-14.7
Brain and other central nervous system	6.0	3.6	2.3-5.3	2.4	3.5	1.7-6.3	3.6	3.6	2.0-6.0
Thyroid	25.4	18.6	15.4-22.4	7.6	12.9	9.0-17.9	17.8	23.4	18.5-29.2
Hodgkin lymphoma	3.8	2.6	1.5-4.2	1.8	2.7	1.2-5.3	2.0	2.3	1.0-4.6
Non-Hodgkin lymphomas	33.6	19.7	16.7-23.2	17.0	24.3	19.3-30.4	16.6	15.9	12.4-20.3
Myeloma	20.0	10.8	8.8-13.3	8.0	10.4	7.4-14.3	12.0	11.3	8.5-14.8
Leukemias	21.8	12.6	10.2-15.5	10.4	14.3	10.6-19.0	11.4	11.7	8.5-15.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Pelham Parkway, Morris Park & Laconia**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	602.8	389.7	375.6-404.2	309.2	451.3	428.8-474.8	293.6	348.6	330.4-367.5
Oral cavity and pharynx	11.2	7.2	5.4-9.4	8.2	12.0	8.5-16.3	3.0	3.4	1.9-5.8
Esophagus	5.8	3.6	2.4-5.2	4.6	6.5	4.1-9.8	1.2	1.3	0.5-3.0
Stomach	14.8	9.8	7.6-12.4	7.6	11.4	8.0-15.8	7.2	8.8	6.1-12.4
Colorectal	56.2	35.8	31.7-40.4	30.4	44.3	37.4-52.0	25.8	29.2	24.2-35.0
Colon excluding rectum	41.4	26.3	22.8-30.2	21.2	30.7	25.1-37.3	20.2	23.1	18.7-28.3
Rectum & rectosigmoid	14.8	9.5	7.4-12.0	9.2	13.6	9.9-18.2	5.6	6.1	4.0-9.0
Liver / intrahepatic bile duct	21.6	13.4	10.9-16.2	13.6	19.1	14.8-24.3	8.0	8.9	6.3-12.2
Pancreas	17.4	10.4	8.3-12.9	9.4	13.4	9.8-17.9	8.0	8.3	5.8-11.5
Larynx	4.6	3.1	2.0-4.7	4.0	6.2	3.8-9.7	0.6	0.7	0.1-2.1
Lung and bronchus	64.0	39.9	35.6-44.6	35.6	52.5	45.0-61.0	28.4	31.1	26.1-36.9
Melanoma of the skin	6.2	4.0	2.7-5.8	4.0	5.9	3.6-9.2	2.2	2.7	1.3-5.0
Female breast							82.4	101.3	91.5-111.9
Cervix uteri							5.2	7.3	4.7-10.8
Corpus uterus and NOS							25.6	31.0	25.8-37.1
Ovary							8.2	9.5	6.7-13.1
Prostate				84.6	120.3	109.0-132.6			
Testis				2.4	3.8	1.9-6.7			
Urinary bladder (incl. in situ)	23.6	14.5	12.0-17.4	17.8	26.1	20.9-32.2	5.8	6.2	4.1-9.1
Kidney and renal pelvis	25.2	16.3	13.5-19.5	16.6	24.0	19.0-29.9	8.6	10.1	7.2-13.8
Brain and other central nervous system	8.4	6.0	4.3-8.2	6.0	9.8	6.5-14.1	2.4	2.9	1.5-5.2
Thyroid	17.4	13.5	10.8-16.8	4.2	6.8	4.2-10.5	13.2	19.6	15.1-25.1
Hodgkin lymphoma	2.8	2.4	1.3-4.0	1.6	3.1	1.3-6.0	1.2	1.7	0.6-3.8
Non-Hodgkin lymphomas	25.0	16.2	13.4-19.3	13.0	19.3	14.9-24.8	12.0	13.9	10.5-18.1
Myeloma	16.4	10.0	7.9-12.5	9.0	12.7	9.2-17.1	7.4	7.7	5.4-10.8
Leukemias	13.4	8.7	6.7-11.2	7.8	11.6	8.2-15.9	5.6	6.8	4.4-9.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Belmont, Crotona Park East & East Tremont**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	662.8	469.9	453.7-486.6	316.2	541.9	513.9-570.9	346.6	424.7	404.7-445.5
Oral cavity and pharynx	19.4	13.5	10.9-16.5	11.8	19.2	14.4-25.0	7.6	9.2	6.5-12.7
Esophagus	6.2	4.7	3.1-6.7	4.6	9.2	5.6-14.0	1.6	2.0	0.8-3.9
Stomach	13.2	9.9	7.6-12.7	7.6	13.8	9.6-19.2	5.6	7.3	4.8-10.5
Colorectal	54.6	40.2	35.5-45.4	28.0	50.9	42.3-60.5	26.6	33.1	27.7-39.4
Colon excluding rectum	35.4	26.6	22.8-31.0	18.0	33.6	26.6-41.7	17.4	22.0	17.6-27.2
Rectum & rectosigmoid	19.2	13.6	10.9-16.7	10.0	17.3	12.6-23.0	9.2	11.2	8.1-14.9
Liver / intrahepatic bile duct	28.2	19.0	15.9-22.5	20.2	32.3	26.0-39.6	8.0	9.5	6.7-13.0
Pancreas	21.2	15.8	12.8-19.2	10.8	19.3	14.2-25.5	10.4	13.3	9.9-17.4
Larynx	8.8	6.3	4.5-8.5	5.2	8.8	5.6-13.0	3.6	4.5	2.7-7.2
Lung and bronchus	80.8	59.6	53.8-65.9	36.6	68.9	58.7-80.2	44.2	54.0	47.0-61.7
Melanoma of the skin	2.8	2.4	1.3-4.0	2.4	5.8	2.9-10.2	0.4	0.5	0.1-1.7
Female breast							95.8	117.2	106.9-128.3
Cervix uteri							9.0	10.7	7.8-14.3
Corpus uterus and NOS							27.2	33.0	27.6-39.1
Ovary							9.6	12.1	8.9-16.1
Prostate				91.0	150.7	136.5-165.9			
Testis				1.8	2.2	1.0-4.5			
Urinary bladder (incl. in situ)	19.2	14.6	11.8-17.9	14.0	27.1	20.8-34.6	5.2	6.8	4.4-9.9
Kidney and renal pelvis	19.6	13.3	10.7-16.2	10.0	16.4	12.1-21.8	9.6	11.1	8.2-14.8
Brain and other central nervous system	8.6	5.8	4.1-7.9	4.4	6.5	3.9-10.0	4.2	5.1	3.2-7.9
Thyroid	17.0	11.7	9.3-14.5	2.6	4.0	2.1-7.0	14.4	17.6	13.7-22.2
Hodgkin lymphoma	4.4	2.8	1.8-4.4	2.8	4.0	2.2-6.9	1.6	1.9	0.8-3.7
Non-Hodgkin lymphomas	23.2	16.9	13.9-20.3	11.0	19.1	14.2-25.2	12.2	15.2	11.6-19.6
Myeloma	15.2	11.3	8.8-14.2	8.6	16.5	11.7-22.6	6.6	8.2	5.6-11.6
Leukemias	17.6	11.7	9.3-14.5	8.0	11.7	8.1-16.3	9.6	11.4	8.4-15.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Bedford Park, Fordham North & Norwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	526.0	445.3	428.0-463.2	264.0	521.1	492.0-551.4	262.0	394.8	373.3-417.3
Oral cavity and pharynx	14.8	12.3	9.6-15.6	9.2	17.1	12.3-23.0	5.6	8.5	5.6-12.3
Esophagus	3.8	3.2	1.9-5.0	3.0	6.0	3.3-10.1	0.8	1.1	0.3-2.9
Stomach	12.2	10.8	8.2-14.0	7.0	14.1	9.6-19.7	5.2	8.2	5.3-12.0
Colorectal	46.6	39.3	34.3-44.8	25.0	49.3	40.6-59.1	21.6	31.6	25.8-38.4
Colon excluding rectum	33.0	28.3	24.1-33.1	18.8	37.9	30.2-46.7	14.2	21.1	16.4-26.8
Rectum & rectosigmoid	13.6	11.0	8.5-14.0	6.2	11.4	7.6-16.4	7.4	10.5	7.4-14.6
Liver / intrahepatic bile duct	21.0	17.6	14.3-21.5	14.8	28.0	21.7-35.5	6.2	9.6	6.5-13.7
Pancreas	19.2	16.8	13.6-20.7	10.4	22.4	16.5-29.6	8.8	13.0	9.4-17.6
Larynx	3.8	3.2	1.9-5.1	3.4	6.8	3.8-11.2	0.4	0.5	0.1-2.0
Lung and bronchus	50.6	44.9	39.3-50.9	27.6	57.4	47.8-68.3	23.0	36.1	29.7-43.5
Melanoma of the skin	3.4	3.2	1.8-5.2	1.8	4.2	1.8-8.0	1.6	2.5	1.0-5.0
Female breast							75.8	113.5	102.2-125.8
Cervix uteri							6.4	10.0	6.8-14.2
Corpus uterus and NOS							19.0	27.9	22.5-34.2
Ovary							7.4	10.4	7.3-14.5
Prostate				73.6	142.1	127.2-158.1			
Testis				2.6	4.0	2.1-7.1			
Urinary bladder (incl. in situ)	13.4	12.0	9.2-15.4	10.2	22.1	16.1-29.3	3.2	5.0	2.8-8.2
Kidney and renal pelvis	19.6	16.1	13.0-19.8	11.8	22.8	17.1-29.7	7.8	11.3	8.0-15.6
Brain and other central nervous system	6.2	5.3	3.5-7.5	4.0	7.9	4.7-12.3	2.2	3.4	1.7-6.1
Thyroid	18.4	14.9	11.9-18.3	4.0	7.1	4.2-11.1	14.4	22.1	17.2-27.9
Hodgkin lymphoma	4.6	3.7	2.3-5.6	2.4	4.4	2.2-7.8	2.2	3.2	1.6-5.8
Non-Hodgkin lymphomas	28.8	24.8	20.8-29.3	15.0	28.8	22.4-36.4	13.8	21.3	16.4-27.1
Myeloma	12.0	10.5	7.9-13.5	6.0	12.0	7.9-17.3	6.0	9.6	6.4-13.8
Leukemias	13.6	11.1	8.6-14.2	7.4	14.5	10.0-20.2	6.2	8.7	5.8-12.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Morris Heights, Fordham South & Mount Hope**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	515.6	462.4	443.6-481.8	257.8	553.5	519.9-588.5	257.8	404.3	381.7-427.9
Oral cavity and pharynx	12.8	10.7	8.1-13.9	9.0	18.1	12.7-24.9	3.8	5.5	3.2-8.7
Esophagus	4.0	4.3	2.5-6.7	2.6	6.5	3.1-11.8	1.4	2.7	1.1-5.6
Stomach	13.8	13.0	9.9-16.6	7.2	16.5	11.1-23.6	6.6	10.6	7.2-15.1
Colorectal	39.8	37.2	31.9-43.1	21.6	47.5	37.7-58.8	18.2	30.4	24.3-37.6
Colon excluding rectum	26.8	25.9	21.4-30.9	13.4	31.2	23.1-40.9	13.4	22.7	17.4-29.0
Rectum & rectosigmoid	13.0	11.3	8.6-14.6	8.2	16.3	11.2-22.8	4.8	7.8	4.9-11.6
Liver / intrahepatic bile duct	17.0	14.3	11.2-17.8	12.0	24.0	17.7-31.8	5.0	7.4	4.7-11.0
Pancreas	16.2	15.1	11.7-19.0	8.2	17.3	11.8-24.4	8.0	13.2	9.2-18.2
Larynx	5.0	4.2	2.6-6.2	3.4	7.1	3.9-11.9	1.6	2.2	0.9-4.5
Lung and bronchus	47.6	48.2	41.9-55.2	26.2	66.3	54.2-80.2	21.4	36.6	29.7-44.6
Melanoma of the skin	1.2	1.4	0.5-3.0	0.2	0.3	0.0-2.1	1.0	2.0	0.6-4.6
Female breast							78.6	119.6	107.7-132.5
Cervix uteri							7.0	10.2	7.0-14.3
Corpus uterus and NOS							19.8	29.7	23.9-36.3
Ovary							6.4	11.1	7.5-15.8
Prostate				85.6	175.5	157.6-194.9			
Testis				1.8	2.5	1.1-5.1			
Urinary bladder (incl. in situ)	12.4	13.2	9.9-17.1	8.4	24.0	16.5-33.3	4.0	6.9	4.2-10.8
Kidney and renal pelvis	22.0	19.6	15.9-23.8	14.2	30.7	23.4-39.6	7.8	11.8	8.3-16.3
Brain and other central nervous system	6.2	5.2	3.4-7.6	2.8	5.0	2.5-8.9	3.4	5.3	3.0-8.6
Thyroid	16.8	13.6	10.7-17.0	2.6	4.9	2.5-8.6	14.2	20.7	16.1-26.3
Hodgkin lymphoma	3.4	2.3	1.3-3.9	2.2	3.0	1.5-5.7	1.2	1.7	0.6-3.8
Non-Hodgkin lymphomas	21.8	17.9	14.6-21.8	11.6	21.7	16.1-28.7	10.2	15.1	11.1-20.0
Myeloma	13.4	12.9	9.8-16.5	7.0	15.7	10.5-22.4	6.4	10.6	7.2-15.2
Leukemias	12.4	10.5	7.9-13.6	6.6	13.8	9.1-20.1	5.8	8.4	5.6-12.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Concourse, Highbridge & Mount Eden**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	591.6	445.2	428.9-462.0	308.2	539.6	511.2-569.2	283.4	379.8	360.0-400.4
Oral cavity and pharynx	16.4	12.0	9.5-15.0	12.0	20.9	15.7-27.2	4.4	5.6	3.5-8.5
Esophagus	3.8	2.8	1.6-4.4	3.2	5.8	3.2-9.6	0.6	0.7	0.1-2.1
Stomach	16.2	12.6	10.0-15.8	8.6	16.3	11.5-22.4	7.6	10.4	7.3-14.3
Colorectal	46.2	36.2	31.6-41.4	24.0	43.3	35.4-52.4	22.2	31.2	25.6-37.7
Colon excluding rectum	31.0	23.9	20.2-28.1	15.8	27.8	21.7-35.2	15.2	21.0	16.5-26.4
Rectum & rectosigmoid	15.2	12.3	9.6-15.5	8.2	15.5	10.8-21.4	7.0	10.2	7.1-14.2
Liver / intrahepatic bile duct	20.2	14.4	11.7-17.6	12.8	20.2	15.4-26.2	7.4	9.5	6.7-13.2
Pancreas	20.0	16.1	13.0-19.6	12.2	22.9	17.1-29.9	7.8	11.3	8.0-15.5
Larynx	4.6	3.6	2.2-5.4	3.4	7.0	3.9-11.5	1.2	1.5	0.5-3.4
Lung and bronchus	61.8	47.3	42.0-53.1	32.6	59.8	50.3-70.4	29.2	38.7	32.6-45.6
Melanoma of the skin	2.4	2.2	1.1-3.8	1.0	2.2	0.7-5.1	1.4	2.1	0.8-4.3
Female breast							79.0	105.3	95.1-116.4
Cervix uteri							6.0	8.4	5.6-12.0
Corpus uterus and NOS							20.4	26.0	21.2-31.7
Ovary							6.8	9.0	6.2-12.6
Prostate				100.4	166.3	151.2-182.4			
Testis				2.6	3.4	1.8-6.0			
Urinary bladder (incl. in situ)	15.4	12.7	10.0-16.0	11.6	22.7	16.9-29.7	3.8	5.5	3.3-8.6
Kidney and renal pelvis	20.0	14.5	11.8-17.8	12.8	21.7	16.4-28.0	7.2	9.3	6.4-12.9
Brain and other central nervous system	6.4	4.7	3.2-6.7	3.6	5.8	3.3-9.5	2.8	3.9	2.1-6.5
Thyroid	21.6	16.4	13.4-19.8	5.8	10.8	7.0-15.8	15.8	21.5	17.0-26.9
Hodgkin lymphoma	3.4	2.4	1.4-3.9	2.0	3.1	1.4-5.9	1.4	1.9	0.7-3.9
Non-Hodgkin lymphomas	26.2	19.6	16.3-23.4	13.6	23.9	18.2-30.7	12.6	16.5	12.7-21.2
Myeloma	16.4	12.6	9.9-15.7	7.2	12.9	8.8-18.2	9.2	12.2	8.9-16.3
Leukemias	18.2	13.7	11.0-17.0	11.0	20.3	14.9-27.0	7.2	9.5	6.6-13.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Castle Hill, Clason Point & Parkchester**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	796.2	411.5	398.5-424.7	385.4	474.9	453.1-497.5	410.8	371.9	355.7-388.7
Oral cavity and pharynx	16.6	8.8	6.9-10.9	11.4	14.5	10.9-18.9	5.2	4.5	2.9-6.7
Esophagus	6.6	3.6	2.4-5.0	5.0	6.8	4.3-10.1	1.6	1.3	0.6-2.7
Stomach	19.8	10.7	8.6-13.0	11.8	15.2	11.5-19.8	8.0	7.5	5.3-10.2
Colorectal	66.8	35.3	31.6-39.4	36.0	45.7	39.0-53.1	30.8	28.1	23.8-33.1
Colon excluding rectum	46.4	24.7	21.6-28.2	24.0	30.5	25.1-36.7	22.4	20.6	16.9-24.9
Rectum & rectosigmoid	20.4	10.6	8.6-13.0	12.0	15.2	11.4-19.7	8.4	7.5	5.4-10.2
Liver / intrahepatic bile duct	27.0	13.1	11.0-15.6	20.2	23.0	18.6-28.1	6.8	5.8	4.0-8.2
Pancreas	26.0	13.6	11.3-16.2	12.8	15.7	11.9-20.2	13.2	11.8	9.1-15.2
Larynx	7.0	3.5	2.4-5.0	5.6	6.9	4.5-10.1	1.4	1.2	0.5-2.5
Lung and bronchus	79.8	41.3	37.2-45.6	41.8	52.6	45.4-60.6	38.0	33.3	28.7-38.5
Melanoma of the skin	3.2	1.6	0.9-2.6	1.2	1.4	0.5-3.1	2.0	1.8	0.8-3.3
Female breast							119.4	108.6	99.9-117.9
Cervix uteri							9.4	9.4	6.9-12.6
Corpus uterus and NOS							37.8	32.5	28.0-37.6
Ovary							13.0	12.0	9.2-15.4
Prostate				112.0	128.4	117.6-139.9			
Testis				2.0	2.3	1.1-4.2			
Urinary bladder (incl. in situ)	23.0	12.6	10.4-15.2	17.0	25.2	19.9-31.3	6.0	5.2	3.5-7.5
Kidney and renal pelvis	25.2	12.9	10.7-15.4	14.4	17.9	13.9-22.7	10.8	9.5	7.1-12.5
Brain and other central nervous system	9.8	5.4	4.0-7.2	5.6	7.2	4.7-10.5	4.2	3.8	2.3-5.9
Thyroid	27.0	14.3	11.9-17.0	5.8	6.7	4.4-9.8	21.2	20.6	16.8-25.1
Hodgkin lymphoma	5.2	2.8	1.8-4.1	2.8	3.3	1.8-5.6	2.4	2.3	1.2-4.1
Non-Hodgkin lymphomas	34.8	18.1	15.5-21.1	17.2	22.1	17.5-27.5	17.6	15.6	12.4-19.3
Myeloma	22.2	11.3	9.2-13.6	10.6	13.1	9.7-17.4	11.6	10.2	7.7-13.2
Leukemias	23.2	12.2	10.0-14.7	13.0	15.4	11.8-19.8	10.2	9.7	7.2-12.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Bronx County
Hunts Point, Longwood & Melrose**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	602.2	436.7	420.9-452.9	292.4	501.4	474.7-529.1	309.8	402.4	382.3-423.2
Oral cavity and pharynx	14.0	10.2	7.9-12.9	9.6	15.1	11.0-20.2	4.4	6.0	3.7-9.0
Esophagus	6.0	4.3	2.9-6.1	4.8	7.9	5.0-11.9	1.2	1.6	0.6-3.5
Stomach	16.2	12.6	10.0-15.7	8.6	16.2	11.5-22.1	7.6	10.3	7.2-14.1
Colorectal	43.0	32.0	27.8-36.7	20.8	33.9	27.5-41.4	22.2	30.0	24.6-36.1
Colon excluding rectum	29.4	22.4	18.8-26.4	14.0	23.6	18.1-30.1	15.4	21.1	16.6-26.5
Rectum & rectosigmoid	13.6	9.6	7.5-12.2	6.8	10.3	7.1-14.5	6.8	8.8	6.1-12.4
Liver / intrahepatic bile duct	28.4	20.2	16.9-23.9	20.2	33.0	26.6-40.4	8.2	10.5	7.5-14.3
Pancreas	18.4	13.8	11.1-17.0	8.0	14.3	10.0-19.6	10.4	13.4	10.0-17.6
Larynx	4.8	3.5	2.2-5.2	3.6	6.1	3.5-9.8	1.2	1.7	0.6-3.7
Lung and bronchus	63.2	47.1	41.9-52.7	32.2	58.1	49.0-68.2	31.0	39.8	33.7-46.7
Melanoma of the skin	2.4	1.9	1.0-3.3	0.8	2.0	0.5-4.9	1.6	2.1	0.9-4.1
Female breast							85.8	110.7	100.4-121.9
Cervix uteri							9.4	12.5	9.1-16.6
Corpus uterus and NOS							22.0	27.9	22.8-33.7
Ovary							7.8	10.7	7.5-14.6
Prostate				83.0	143.8	129.7-159.0			
Testis				2.2	3.0	1.5-5.5			
Urinary bladder (incl. in situ)	19.8	15.1	12.2-18.5	12.8	23.0	17.5-29.7	7.0	9.5	6.6-13.2
Kidney and renal pelvis	21.4	15.4	12.6-18.7	13.2	22.3	17.0-28.7	8.2	10.4	7.4-14.2
Brain and other central nervous system	8.6	5.8	4.2-7.8	4.4	6.4	4.0-9.9	4.2	5.4	3.3-8.2
Thyroid	21.2	14.3	11.6-17.3	3.8	6.0	3.5-9.5	17.4	22.3	17.8-27.5
Hodgkin lymphoma	6.6	4.4	3.0-6.2	4.0	5.6	3.3-8.8	2.6	3.4	1.8-5.8
Non-Hodgkin lymphomas	28.4	20.8	17.5-24.6	15.2	26.5	20.6-33.5	13.2	17.6	13.5-22.4
Myeloma	16.0	11.4	9.0-14.3	8.2	13.8	9.7-18.9	7.8	9.9	7.0-13.6
Leukemias	20.0	13.9	11.2-17.0	11.0	17.2	12.7-22.6	9.0	11.4	8.3-15.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

Kings (Brooklyn) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	12,018.8	430.7	427.2-434.2	5,739.8	472.2	466.6-477.8	6,279.0	406.1	401.5-410.8
Oral cavity and pharynx	254.8	9.1	8.6-9.7	165.0	13.6	12.7-14.6	89.8	5.7	5.1-6.2
Esophagus	83.8	2.9	2.6-3.2	59.0	4.8	4.3-5.4	24.8	1.5	1.3-1.8
Stomach	301.8	10.7	10.2-11.3	175.0	14.6	13.6-15.6	126.8	7.9	7.3-8.6
Colorectal	1,047.2	37.7	36.6-38.7	538.4	45.0	43.3-46.8	508.8	32.1	30.9-33.4
Colon excluding rectum	740.8	26.6	25.7-27.4	363.4	30.5	29.1-32.0	377.4	23.7	22.6-24.8
Rectum & rectosigmoid	306.4	11.1	10.5-11.7	175.0	14.5	13.6-15.6	131.4	8.5	7.8-9.2
Liver / intrahepatic bile duct	276.4	9.6	9.1-10.2	194.2	15.6	14.6-16.6	82.2	5.0	4.5-5.5
Pancreas	384.6	13.6	13.0-14.2	180.2	14.9	14.0-16.0	204.4	12.5	11.7-13.3
Larynx	65.8	2.3	2.0-2.6	51.2	4.2	3.7-4.8	14.6	0.9	0.7-1.1
Lung and bronchus	1,209.0	42.7	41.6-43.8	627.6	52.9	51.0-54.8	581.4	35.6	34.3-36.9
Melanoma of the skin	230.2	8.4	7.9-8.9	122.2	10.4	9.6-11.3	108.0	7.0	6.4-7.6
Female breast							1,858.8	123.9	121.4-126.5
Cervix uteri							134.4	9.3	8.6-10.0
Corpus uterus and NOS							505.2	31.7	30.5-33.0
Ovary							166.6	11.0	10.2-11.8
Prostate				1,630.8	128.9	126.0-131.8			
Testis				70.0	5.4	4.8-6.0			
Urinary bladder (incl. in situ)	427.8	15.2	14.6-15.9	320.2	27.6	26.2-29.0	107.6	6.7	6.1-7.3
Kidney and renal pelvis	404.0	14.5	13.8-15.1	256.8	20.9	19.8-22.1	147.2	9.4	8.7-10.2
Brain and other central nervous system	164.4	6.1	5.7-6.5	88.6	7.2	6.6-8.0	75.8	5.2	4.6-5.7
Thyroid	543.0	20.3	19.5-21.1	131.6	10.7	9.8-11.5	411.4	28.7	27.5-30.0
Hodgkin lymphoma	82.0	3.1	2.8-3.4	44.4	3.6	3.2-4.2	37.6	2.6	2.3-3.0
Non-Hodgkin lymphomas	511.4	18.6	17.9-19.4	272.0	22.8	21.6-24.1	239.4	15.4	14.5-16.3
Myeloma	248.6	8.9	8.4-9.4	123.0	10.4	9.6-11.2	125.6	7.9	7.3-8.5
Leukemias	351.2	12.9	12.3-13.5	191.8	16.3	15.3-17.4	159.4	10.3	9.6-11.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Greenpoint & Williamsburg**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	505.4	378.6	363.6-394.2	252.4	424.0	400.1-449.0	253.0	354.9	334.8-375.8
Oral cavity and pharynx	11.6	9.0	6.8-11.7	8.2	14.5	10.3-19.7	3.4	4.9	2.8-7.9
Esophagus	2.6	2.0	1.1-3.5	2.4	4.1	2.1-7.3	0.2	0.3	0.0-1.6
Stomach	12.8	9.4	7.2-12.1	8.0	13.5	9.5-18.5	4.8	6.5	4.1-9.7
Colorectal	44.2	32.8	28.5-37.5	26.4	45.5	37.9-54.3	17.8	23.0	18.4-28.6
Colon excluding rectum	32.4	23.8	20.2-27.9	19.4	33.1	26.6-40.6	13.0	16.6	12.7-21.3
Rectum & rectosigmoid	11.8	9.0	6.8-11.6	7.0	12.5	8.6-17.4	4.8	6.5	4.1-9.7
Liver / intrahepatic bile duct	12.4	9.6	7.3-12.4	8.6	14.6	10.5-19.8	3.8	5.3	3.1-8.3
Pancreas	18.8	14.3	11.5-17.6	8.8	15.6	11.2-21.0	10.0	13.6	10.0-18.0
Larynx	4.2	3.2	2.0-5.0	3.4	6.0	3.4-9.6	0.8	1.1	0.3-2.9
Lung and bronchus	51.2	39.1	34.4-44.3	25.8	46.6	38.7-55.6	25.4	33.7	28.0-40.2
Melanoma of the skin	14.2	10.1	7.8-12.8	6.6	10.0	6.7-14.3	7.6	10.3	7.1-14.4
Female breast							67.6	101.3	90.3-113.2
Cervix uteri							5.2	7.9	5.0-11.8
Corpus uterus and NOS							21.4	31.1	25.3-37.8
Ovary							7.6	11.3	7.8-15.6
Prostate				55.4	94.7	83.6-106.7			
Testis				7.4	6.6	4.5-9.6			
Urinary bladder (incl. in situ)	17.2	13.2	10.5-16.3	13.6	24.1	18.5-30.7	3.6	5.0	2.9-8.0
Kidney and renal pelvis	17.6	13.6	10.8-16.8	11.8	20.0	15.1-25.9	5.8	7.7	5.1-11.1
Brain and other central nervous system	10.8	8.0	6.0-10.6	5.6	8.9	5.7-13.2	5.2	7.6	4.9-11.3
Thyroid	20.8	13.7	11.0-16.8	5.0	6.9	4.2-10.5	15.8	20.4	15.8-25.9
Hodgkin lymphoma	7.8	4.4	3.0-6.3	3.8	4.8	2.7-7.9	4.0	4.2	2.4-6.9
Non-Hodgkin lymphomas	27.4	20.7	17.3-24.6	17.4	29.1	23.1-36.1	10.0	14.3	10.5-19.0
Myeloma	7.2	5.8	4.0-8.0	3.0	5.0	2.8-8.4	4.2	6.5	3.9-9.9
Leukemias	13.8	10.2	7.8-12.9	7.8	13.1	9.2-18.1	6.0	8.0	5.3-11.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Bushwick**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	396.4	365.1	348.7-382.1	196.6	417.9	390.2-446.8	199.8	333.2	312.5-354.9
Oral cavity and pharynx	9.0	8.3	6.0-11.2	5.2	11.5	7.3-17.0	3.8	5.9	3.5-9.3
Esophagus	3.2	3.1	1.7-5.1	2.4	5.3	2.6-9.4	0.8	1.4	0.4-3.6
Stomach	13.0	12.6	9.6-16.1	7.4	16.4	11.2-23.0	5.6	9.9	6.5-14.3
Colorectal	36.0	35.1	30.0-40.7	22.2	51.0	41.3-62.1	13.8	23.7	18.4-30.1
Colon excluding rectum	25.8	25.6	21.2-30.5	14.6	33.9	26.1-43.3	11.2	19.5	14.7-25.4
Rectum & rectosigmoid	10.2	9.5	7.0-12.5	7.6	17.0	11.8-23.7	2.6	4.2	2.2-7.2
Liver / intrahepatic bile duct	9.6	8.9	6.5-11.8	6.4	13.5	9.0-19.3	3.2	5.3	3.0-8.7
Pancreas	11.4	10.8	8.1-14.1	6.4	13.9	9.3-19.9	5.0	8.5	5.4-12.6
Larynx	2.8	2.5	1.4-4.2	2.0	4.2	1.9-7.8	0.8	1.3	0.3-3.3
Lung and bronchus	37.8	39.0	33.5-45.1	20.2	49.0	39.4-60.1	17.6	31.3	25.0-38.6
Melanoma of the skin	3.6	2.8	1.6-4.6	2.0	2.6	1.2-5.3	1.6	2.6	1.1-5.3
Female breast							56.2	93.0	82.3-104.7
Cervix uteri							7.0	11.5	7.9-16.0
Corpus uterus and NOS							20.0	32.6	26.5-39.8
Ovary							5.4	9.0	5.9-13.2
Prostate				47.4	98.0	85.4-112.0			
Testis				6.6	8.1	5.5-11.8			
Urinary bladder (incl. in situ)	11.8	12.0	9.1-15.6	9.0	24.0	17.1-32.5	2.8	4.6	2.5-7.8
Kidney and renal pelvis	10.2	9.8	7.3-12.9	6.4	14.2	9.5-20.2	3.8	6.6	3.9-10.3
Brain and other central nervous system	6.8	5.8	4.0-8.3	4.2	7.4	4.4-11.7	2.6	4.1	2.1-7.0
Thyroid	17.8	13.8	11.0-17.2	5.4	7.8	5.1-11.7	12.4	19.2	14.6-24.7
Hodgkin lymphoma	3.2	2.3	1.3-3.9	2.2	3.4	1.6-6.4	1.0	1.3	0.4-3.3
Non-Hodgkin lymphomas	15.8	14.3	11.2-17.9	9.0	17.8	12.6-24.3	6.8	11.6	8.0-16.3
Myeloma	7.6	7.8	5.5-10.8	3.2	8.9	4.8-14.6	4.4	7.7	4.8-11.6
Leukemias	13.0	11.6	8.9-14.9	7.6	15.4	10.7-21.4	5.4	8.6	5.6-12.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Bedford-Stuyvesant**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	478.4	396.8	380.7-413.4	221.0	440.9	414.0-469.0	257.4	370.0	349.7-391.1
Oral cavity and pharynx	10.4	8.4	6.3-11.1	7.0	13.5	9.3-19.0	3.4	4.6	2.7-7.5
Esophagus	4.2	3.4	2.1-5.2	2.2	3.9	1.9-7.0	2.0	3.0	1.4-5.5
Stomach	9.8	9.0	6.6-12.0	5.8	13.5	8.8-19.5	4.0	6.1	3.7-9.5
Colorectal	40.0	34.1	29.4-39.2	19.0	39.1	31.3-48.1	21.0	30.4	24.8-36.9
Colon excluding rectum	29.6	25.6	21.5-30.1	13.8	28.1	21.6-35.8	15.8	23.5	18.6-29.4
Rectum & rectosigmoid	10.4	8.5	6.3-11.2	5.2	11.0	7.1-16.2	5.2	6.9	4.5-10.2
Liver / intrahepatic bile duct	11.4	8.9	6.7-11.6	7.6	14.5	10.1-20.1	3.8	5.1	3.1-8.0
Pancreas	14.0	11.8	9.1-15.0	5.8	12.0	7.9-17.4	8.2	11.8	8.4-16.0
Larynx	4.2	3.2	2.0-5.0	2.4	4.6	2.3-8.3	1.8	2.3	1.0-4.4
Lung and bronchus	47.0	41.1	35.9-46.9	21.8	48.0	39.0-58.3	25.2	37.0	30.7-44.1
Melanoma of the skin	3.0	2.4	1.3-3.9	1.0	1.9	0.6-4.4	2.0	2.7	1.3-5.1
Female breast							76.6	110.6	99.7-122.4
Cervix uteri							6.0	8.3	5.6-11.9
Corpus uterus and NOS							22.4	31.7	26.0-38.3
Ovary							5.4	7.8	5.1-11.5
Prostate				76.0	149.6	134.3-166.1			
Testis				3.6	5.0	2.9-8.2			
Urinary bladder (incl. in situ)	10.8	9.6	7.1-12.5	7.6	16.7	11.5-23.1	3.2	5.0	2.8-8.1
Kidney and renal pelvis	17.0	13.9	11.1-17.3	10.0	19.4	14.2-25.8	7.0	9.9	6.9-13.8
Brain and other central nervous system	6.0	4.6	3.1-6.7	3.2	6.3	3.5-10.4	2.8	3.6	2.0-6.2
Thyroid	15.2	11.5	9.0-14.5	3.2	5.6	3.1-9.2	12.0	16.2	12.3-21.0
Hodgkin lymphoma	3.0	2.3	1.2-3.8	1.8	2.8	1.3-5.5	1.2	1.7	0.6-3.8
Non-Hodgkin lymphomas	16.6	13.6	10.7-16.9	9.6	19.2	13.9-25.7	7.0	9.6	6.6-13.4
Myeloma	13.0	11.7	9.0-15.0	6.2	13.5	9.0-19.4	6.8	10.2	7.0-14.4
Leukemias	12.8	10.3	7.9-13.3	6.4	12.1	8.1-17.4	6.4	9.0	6.1-12.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Brooklyn Heights & Fort Greene**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	582.8	481.5	463.6-499.8	273.6	526.9	498.5-556.4	309.2	457.4	434.1-481.6
Oral cavity and pharynx	13.8	11.5	8.9-14.6	9.8	18.4	13.5-24.5	4.0	5.8	3.5-9.1
Esophagus	3.0	2.7	1.5-4.5	2.0	4.5	2.1-8.3	1.0	1.5	0.5-3.7
Stomach	9.6	7.9	5.8-10.6	5.6	11.0	7.2-16.1	4.0	5.8	3.5-9.1
Colorectal	51.6	44.5	39.1-50.4	28.6	57.3	48.1-67.8	23.0	34.7	28.5-41.9
Colon excluding rectum	34.2	29.9	25.5-34.8	17.6	36.7	29.3-45.4	16.6	24.4	19.3-30.5
Rectum & rectosigmoid	17.4	14.6	11.6-18.1	11.0	20.6	15.4-27.1	6.4	10.3	6.9-14.7
Liver / intrahepatic bile duct	11.4	8.9	6.7-11.6	8.6	16.0	11.5-21.7	2.8	3.5	1.9-6.1
Pancreas	17.2	14.5	11.5-18.0	7.4	14.9	10.3-20.7	9.8	14.8	10.9-19.8
Larynx	1.8	1.4	0.6-2.8	1.2	2.2	0.8-5.0	0.6	0.9	0.2-2.9
Lung and bronchus	56.8	47.5	42.0-53.5	27.2	54.5	45.5-64.6	29.6	42.3	35.6-50.0
Melanoma of the skin	19.0	15.6	12.5-19.2	10.2	19.6	14.5-26.0	8.8	12.9	9.3-17.6
Female breast							101.0	155.0	141.4-169.6
Cervix uteri							5.4	7.9	5.1-11.7
Corpus uterus and NOS							25.8	36.6	30.4-43.7
Ovary							7.8	10.4	7.3-14.4
Prostate				72.8	138.1	123.9-153.4			
Testis				5.4	7.3	4.7-11.1			
Urinary bladder (incl. in situ)	17.2	14.8	11.7-18.3	11.4	23.3	17.5-30.3	5.8	8.4	5.6-12.3
Kidney and renal pelvis	18.8	14.8	11.9-18.2	11.0	20.5	15.3-26.8	7.8	10.2	7.2-14.2
Brain and other central nervous system	4.6	4.0	2.5-6.1	2.4	4.3	2.1-7.8	2.2	3.7	1.7-6.8
Thyroid	24.2	17.3	14.2-21.0	6.8	11.2	7.6-15.9	17.4	23.0	18.2-28.8
Hodgkin lymphoma	4.8	4.0	2.5-6.1	3.0	5.7	3.1-9.6	1.8	2.5	1.0-5.3
Non-Hodgkin lymphomas	23.6	20.7	17.0-24.9	13.4	26.3	20.2-33.7	10.2	16.4	12.0-21.8
Myeloma	14.6	12.5	9.8-15.8	6.6	14.3	9.8-20.2	8.0	11.6	8.2-15.9
Leukemias	16.2	14.1	11.1-17.7	11.0	21.7	16.2-28.6	5.2	7.9	5.0-11.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Park Slope, Carroll Gardens & Red Hook**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	468.8	459.6	440.5-479.4	214.0	483.6	453.6-515.1	254.8	454.5	428.9-481.2
Oral cavity and pharynx	8.8	8.5	6.1-11.6	6.4	13.8	9.3-19.7	2.4	4.5	2.3-8.0
Esophagus	2.8	3.2	1.7-5.5	1.8	4.8	2.1-9.2	1.0	2.1	0.7-5.0
Stomach	7.8	8.2	5.8-11.3	4.4	11.1	6.8-17.1	3.4	6.4	3.7-10.4
Colorectal	33.2	33.0	28.0-38.7	17.8	39.3	31.2-48.9	15.4	28.4	22.3-35.8
Colon excluding rectum	22.4	22.8	18.6-27.6	10.6	25.1	18.6-33.3	11.8	21.7	16.4-28.3
Rectum & rectosigmoid	10.8	10.3	7.6-13.5	7.2	14.2	9.7-20.0	3.6	6.7	3.9-10.8
Liver / intrahepatic bile duct	12.2	12.0	9.1-15.5	7.6	15.9	11.1-22.2	4.6	8.7	5.4-13.2
Pancreas	12.6	12.2	9.3-15.8	6.6	15.9	10.8-22.7	6.0	10.0	6.6-14.5
Larynx	2.2	2.1	1.0-3.8	1.8	3.8	1.7-7.6	0.4	0.7	0.1-2.8
Lung and bronchus	44.4	47.4	41.2-54.3	20.4	51.7	41.8-63.2	24.0	45.3	37.4-54.5
Melanoma of the skin	21.0	21.1	17.1-25.7	10.6	23.6	17.4-31.3	10.4	19.8	14.7-26.2
Female breast							83.8	149.8	135.4-165.4
Cervix uteri							4.8	8.2	5.1-12.5
Corpus uterus and NOS							17.6	32.2	25.7-40.0
Ovary							5.8	10.5	7.0-15.3
Prostate				57.2	125.4	110.7-141.5			
Testis				4.4	6.4	3.9-10.1			
Urinary bladder (incl. in situ)	17.0	17.6	13.9-21.9	12.2	30.7	23.2-39.8	4.8	8.4	5.3-12.7
Kidney and renal pelvis	15.2	15.0	11.7-18.9	11.4	25.3	19.0-33.2	3.8	6.4	3.8-10.3
Brain and other central nervous system	8.8	8.6	6.1-11.9	4.4	9.8	5.9-15.2	4.4	7.9	4.7-12.5
Thyroid	22.6	18.2	14.8-22.2	4.0	7.3	4.4-11.7	18.6	28.2	22.3-35.2
Hodgkin lymphoma	3.4	3.5	1.8-5.9	1.8	4.7	1.8-9.5	1.6	2.3	0.9-4.9
Non-Hodgkin lymphomas	20.8	19.9	16.1-24.4	9.4	20.7	14.9-28.0	11.4	19.3	14.4-25.4
Myeloma	7.0	7.5	5.2-10.5	3.6	9.5	5.5-15.2	3.4	6.3	3.6-10.2
Leukemias	14.6	14.8	11.5-18.8	8.0	17.4	12.2-24.0	6.6	12.9	8.8-18.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Crown Heights North & Prospect Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	533.0	426.6	410.2-443.5	244.8	488.0	459.9-517.3	288.2	391.7	371.4-412.9
Oral cavity and pharynx	11.0	8.7	6.5-11.3	6.8	14.0	9.5-19.8	4.2	5.5	3.4-8.6
Esophagus	4.6	3.9	2.5-5.9	2.6	5.8	3.0-9.9	2.0	2.7	1.3-5.0
Stomach	10.2	8.0	5.9-10.5	6.2	12.5	8.3-18.0	4.0	5.3	3.2-8.2
Colorectal	46.2	38.3	33.4-43.7	21.8	47.9	39.0-58.1	24.4	32.9	27.2-39.4
Colon excluding rectum	34.6	28.9	24.7-33.7	15.6	35.5	27.7-44.5	19.0	25.5	20.6-31.4
Rectum & rectosigmoid	11.6	9.4	7.1-12.2	6.2	12.5	8.3-17.9	5.4	7.3	4.8-10.8
Liver / intrahepatic bile duct	11.2	8.1	6.1-10.6	7.6	13.7	9.5-19.0	3.6	4.4	2.6-7.1
Pancreas	16.8	13.5	10.8-16.8	7.2	14.4	9.9-20.1	9.6	12.9	9.5-17.3
Larynx	3.2	2.6	1.4-4.2	2.2	4.8	2.3-8.7	1.0	1.2	0.4-3.1
Lung and bronchus	46.0	37.6	32.8-42.9	22.2	45.5	37.1-55.1	23.8	32.3	26.7-38.8
Melanoma of the skin	5.4	3.9	2.5-5.7	3.4	6.0	3.4-9.8	2.0	2.6	1.2-4.9
Female breast							95.6	133.6	121.7-146.4
Cervix uteri							7.4	10.1	7.0-14.0
Corpus uterus and NOS							27.4	36.4	30.5-43.2
Ovary							9.6	13.2	9.6-17.6
Prostate				86.6	168.3	152.3-185.6			
Testis				3.8	5.5	3.2-8.8			
Urinary bladder (incl. in situ)	13.2	11.1	8.5-14.2	10.6	22.6	16.6-29.8	2.6	3.9	2.1-6.7
Kidney and renal pelvis	15.6	12.2	9.6-15.3	9.0	17.4	12.6-23.5	6.6	8.4	5.8-12.0
Brain and other central nervous system	9.6	7.4	5.4-9.9	5.2	9.1	5.9-13.5	4.4	6.0	3.7-9.2
Thyroid	17.4	13.0	10.3-16.1	4.0	7.3	4.4-11.4	13.4	17.4	13.4-22.2
Hodgkin lymphoma	3.2	2.5	1.4-4.0	1.2	2.2	0.8-4.9	2.0	2.6	1.2-5.0
Non-Hodgkin lymphomas	17.2	13.6	10.8-16.9	9.2	18.1	13.1-24.3	8.0	10.2	7.3-14.0
Myeloma	13.6	11.5	8.9-14.7	6.4	13.7	9.2-19.5	7.2	10.1	7.0-14.1
Leukemias	11.4	9.5	7.2-12.4	6.8	14.0	9.5-19.7	4.6	6.3	3.9-9.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Brownsville & Ocean Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	542.6	480.6	462.2-499.6	253.0	576.0	542.7-610.7	289.6	425.6	403.7-448.5
Oral cavity and pharynx	10.6	9.4	7.0-12.3	6.0	13.8	9.1-20.0	4.6	6.7	4.2-10.1
Esophagus	4.0	3.4	2.0-5.4	2.6	5.5	2.8-9.7	1.4	2.1	0.8-4.4
Stomach	10.8	9.6	7.2-12.6	7.0	15.9	10.8-22.6	3.8	5.7	3.4-8.9
Colorectal	46.6	42.0	36.7-47.9	22.2	49.5	40.3-60.1	24.4	37.0	30.6-44.2
Colon excluding rectum	33.8	30.4	25.9-35.5	15.0	32.8	25.5-41.5	18.8	28.4	22.9-34.9
Rectum & rectosigmoid	12.8	11.6	8.9-14.8	7.2	16.7	11.4-23.5	5.6	8.5	5.6-12.4
Liver / intrahepatic bile duct	14.0	11.7	9.1-14.9	10.0	21.1	15.4-28.1	4.0	5.6	3.4-8.7
Pancreas	13.8	12.8	9.9-16.3	6.0	14.3	9.4-20.9	7.8	12.0	8.5-16.5
Larynx	4.0	3.3	2.0-5.2	2.6	5.9	3.0-10.4	1.4	1.9	0.7-3.9
Lung and bronchus	57.2	52.3	46.2-58.9	26.8	65.1	53.9-77.9	30.4	45.0	38.0-52.9
Melanoma of the skin	1.0	1.0	0.3-2.3	0.4	1.0	0.1-3.5	0.6	1.0	0.2-2.8
Female breast							89.4	129.9	118.0-142.7
Cervix uteri							9.6	14.1	10.3-18.7
Corpus uterus and NOS							23.4	33.5	27.6-40.3
Ovary							7.4	11.0	7.7-15.2
Prostate				97.6	214.8	195.1-236.0			
Testis				1.8	3.6	1.6-7.1			
Urinary bladder (incl. in situ)	9.0	8.5	6.2-11.5	6.0	15.9	10.3-23.2	3.0	4.6	2.5-7.6
Kidney and renal pelvis	18.6	16.0	12.8-19.6	10.2	23.2	16.9-31.0	8.4	11.8	8.5-16.1
Brain and other central nervous system	5.6	4.9	3.3-7.2	3.8	8.6	5.1-13.6	1.8	2.6	1.2-5.0
Thyroid	10.4	8.9	6.6-11.7	1.8	4.2	1.8-8.3	8.6	12.4	8.9-16.7
Hodgkin lymphoma	5.0	4.3	2.7-6.3	2.6	5.2	2.8-9.1	2.4	3.5	1.8-6.2
Non-Hodgkin lymphomas	21.2	19.1	15.5-23.2	10.8	25.7	19.0-34.0	10.4	15.2	11.3-20.0
Myeloma	18.0	16.7	13.3-20.6	6.8	17.1	11.5-24.2	11.2	16.7	12.5-21.8
Leukemias	11.0	9.4	7.0-12.4	5.2	10.9	6.9-16.3	5.8	8.3	5.5-12.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
East New York & Starrett City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	681.0	435.4	420.6-450.6	320.6	492.1	467.5-517.7	360.4	400.1	381.6-419.3
Oral cavity and pharynx	13.8	8.7	6.7-11.0	10.0	14.9	11.0-19.7	3.8	4.2	2.5-6.5
Esophagus	6.0	3.8	2.5-5.5	4.0	6.1	3.6-9.5	2.0	2.2	1.0-4.1
Stomach	15.2	9.9	7.8-12.4	6.8	11.0	7.5-15.5	8.4	9.3	6.7-12.7
Colorectal	59.8	39.6	35.2-44.5	31.6	50.9	43.0-59.7	28.2	32.3	27.1-38.1
Colon excluding rectum	41.6	27.7	24.0-31.8	20.4	33.3	27.0-40.7	21.2	24.1	19.6-29.2
Rectum & rectosigmoid	18.2	12.0	9.6-14.7	11.2	17.5	13.1-22.9	7.0	8.2	5.7-11.4
Liver / intrahepatic bile duct	17.2	11.0	8.8-13.7	11.8	18.2	13.7-23.6	5.4	6.1	4.0-8.9
Pancreas	24.4	15.9	13.2-19.1	10.2	16.1	11.8-21.3	14.2	15.7	12.2-19.9
Larynx	5.0	3.0	1.9-4.5	3.2	4.7	2.7-7.8	1.8	1.9	0.8-3.6
Lung and bronchus	66.2	42.3	37.8-47.2	34.6	52.8	45.0-61.7	31.6	35.1	29.8-41.2
Melanoma of the skin	4.6	3.1	2.0-4.7	2.2	3.8	1.8-6.8	2.4	2.7	1.4-4.7
Female breast							102.6	113.2	103.5-123.6
Cervix uteri							13.0	14.6	11.2-18.6
Corpus uterus and NOS							31.8	34.0	28.9-39.9
Ovary							10.2	11.7	8.7-15.5
Prostate				107.4	159.7	146.0-174.3			
Testis				2.0	2.7	1.3-5.0			
Urinary bladder (incl. in situ)	21.4	14.1	11.5-17.1	15.2	25.9	20.2-32.7	6.2	6.5	4.4-9.2
Kidney and renal pelvis	17.6	10.7	8.5-13.2	10.0	14.2	10.5-18.9	7.6	8.1	5.7-11.2
Brain and other central nervous system	7.2	4.4	3.1-6.2	3.8	5.3	3.1-8.3	3.4	3.7	2.1-6.0
Thyroid	27.2	18.0	15.0-21.3	5.6	8.5	5.6-12.4	21.6	25.1	20.6-30.4
Hodgkin lymphoma	5.8	3.9	2.6-5.6	3.2	4.8	2.8-7.9	2.6	3.1	1.6-5.3
Non-Hodgkin lymphomas	26.6	17.3	14.4-20.6	14.0	21.7	16.8-27.6	12.6	14.2	10.9-18.2
Myeloma	16.6	10.4	8.2-12.9	8.0	11.9	8.4-16.4	8.6	9.2	6.6-12.4
Leukemias	18.8	12.3	9.9-15.1	10.0	15.7	11.5-20.9	8.8	9.9	7.2-13.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Canarsie & Flatlands**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,066.0	455.7	443.2-468.4	520.6	529.6	508.6-551.2	545.4	407.1	391.6-423.1
Oral cavity and pharynx	16.8	7.3	5.8-9.1	11.4	12.2	9.1-15.9	5.4	3.8	2.5-5.6
Esophagus	7.8	3.2	2.3-4.4	5.0	5.0	3.1-7.5	2.8	1.9	1.0-3.4
Stomach	24.4	10.8	8.9-13.0	12.0	13.1	9.9-17.0	12.4	9.3	7.0-12.0
Colorectal	89.6	38.7	35.1-42.6	43.8	45.3	39.3-52.0	45.8	34.2	29.8-39.0
Colon excluding rectum	63.8	27.5	24.5-30.7	28.2	29.4	24.5-34.8	35.6	26.2	22.4-30.4
Rectum & rectosigmoid	25.8	11.2	9.3-13.4	15.6	15.9	12.5-20.1	10.2	8.0	5.9-10.6
Liver / intrahepatic bile duct	15.8	6.7	5.3-8.5	9.6	9.7	7.0-13.0	6.2	4.6	3.1-6.7
Pancreas	34.0	14.4	12.2-16.8	18.6	18.9	15.1-23.3	15.4	11.2	8.8-14.1
Larynx	4.0	1.7	1.0-2.6	3.8	3.9	2.3-6.2	0.2	0.2	0.0-1.0
Lung and bronchus	86.4	37.7	34.1-41.5	41.8	46.9	40.5-54.0	44.6	31.9	27.7-36.5
Melanoma of the skin	17.2	7.3	5.8-9.1	10.2	10.2	7.5-13.6	7.0	5.2	3.6-7.3
Female breast							175.6	132.5	123.7-141.9
Cervix uteri							10.2	8.2	6.1-10.9
Corpus uterus and NOS							53.6	37.0	32.6-41.9
Ovary							15.4	11.4	8.9-14.3
Prostate				208.6	199.9	187.4-212.9			
Testis				1.4	1.6	0.6-3.3			
Urinary bladder (incl. in situ)	35.0	15.0	12.8-17.4	27.0	28.4	23.7-33.8	8.0	6.0	4.2-8.3
Kidney and renal pelvis	34.6	14.8	12.6-17.2	24.4	23.8	19.6-28.6	10.2	8.0	5.9-10.6
Brain and other central nervous system	13.8	6.7	5.2-8.6	6.8	7.3	5.0-10.2	7.0	6.5	4.5-9.2
Thyroid	32.6	15.0	12.7-17.6	8.2	9.2	6.5-12.6	24.4	19.6	16.2-23.5
Hodgkin lymphoma	6.2	3.1	2.1-4.4	3.4	3.8	2.2-6.2	2.8	2.4	1.3-4.1
Non-Hodgkin lymphomas	44.4	19.1	16.6-21.9	22.8	23.1	18.9-28.0	21.6	16.2	13.2-19.7
Myeloma	30.2	13.0	11.0-15.3	15.4	16.3	12.7-20.5	14.8	10.8	8.5-13.7
Leukemias	24.6	11.1	9.2-13.3	11.2	12.4	9.3-16.2	13.4	10.2	7.8-13.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
East Flatbush, Farragut & Rugby**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	696.2	422.7	408.3-437.5	346.8	507.0	482.2-532.8	349.4	369.8	352.1-388.1
Oral cavity and pharynx	9.4	5.9	4.3-8.0	6.2	10.1	6.7-14.6	3.2	3.4	1.9-5.7
Esophagus	4.2	2.6	1.6-4.0	2.2	3.2	1.5-6.0	2.0	2.2	1.0-4.1
Stomach	18.2	11.9	9.5-14.8	10.8	18.8	13.9-24.9	7.4	8.0	5.6-11.2
Colorectal	58.0	36.0	31.9-40.6	26.8	41.0	34.0-49.0	31.2	32.8	27.7-38.5
Colon excluding rectum	41.8	26.0	22.5-30.0	19.0	29.0	23.1-35.8	22.8	24.2	19.9-29.3
Rectum & rectosigmoid	16.2	10.0	7.9-12.5	7.8	12.0	8.4-16.7	8.4	8.5	6.1-11.7
Liver / intrahepatic bile duct	10.6	6.5	4.8-8.6	6.2	9.3	6.2-13.4	4.4	4.6	2.8-7.1
Pancreas	22.0	13.8	11.2-16.7	9.0	13.5	9.7-18.4	13.0	13.9	10.6-17.8
Larynx	3.4	2.0	1.1-3.2	2.6	3.6	1.9-6.4	0.8	0.9	0.2-2.3
Lung and bronchus	50.8	31.4	27.6-35.7	26.6	40.3	33.5-48.2	24.2	25.3	20.9-30.4
Melanoma of the skin	2.0	1.2	0.6-2.3	0.8	1.0	0.3-2.8	1.2	1.4	0.5-3.1
Female breast							116.2	121.8	111.8-132.5
Cervix uteri							9.4	10.4	7.6-14.0
Corpus uterus and NOS							38.6	36.8	31.7-42.6
Ovary							8.6	9.2	6.6-12.5
Prostate				161.8	218.0	202.5-234.3			
Testis				2.0	3.2	1.5-6.0			
Urinary bladder (incl. in situ)	15.4	10.2	8.0-12.8	10.6	17.8	13.1-23.6	4.8	5.3	3.3-7.9
Kidney and renal pelvis	18.2	10.6	8.5-13.1	12.0	17.2	12.9-22.6	6.2	6.3	4.2-9.1
Brain and other central nervous system	5.2	3.3	2.1-4.9	3.0	4.5	2.5-7.6	2.2	2.5	1.2-4.5
Thyroid	15.6	10.7	8.4-13.4	3.4	5.3	3.0-8.6	12.2	14.4	11.0-18.6
Hodgkin lymphoma	4.4	3.1	1.9-4.8	1.4	2.3	0.9-4.8	3.0	3.8	2.1-6.3
Non-Hodgkin lymphomas	23.0	14.6	12.0-17.7	11.2	17.6	13.1-23.1	11.8	12.8	9.7-16.7
Myeloma	22.2	13.7	11.2-16.6	12.2	19.2	14.4-25.0	10.0	10.2	7.5-13.6
Leukemias	19.0	12.9	10.4-15.9	9.6	16.4	11.9-21.9	9.4	10.9	7.9-14.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Crown Heights So., Prospect Lefferts & Wingate**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	509.4	403.4	387.5-419.8	239.8	463.1	436.4-491.0	269.6	368.3	348.4-389.2
Oral cavity and pharynx	9.6	7.4	5.4-9.9	5.2	10.2	6.6-15.1	4.4	5.7	3.5-8.8
Esophagus	3.4	2.6	1.5-4.3	2.2	4.2	2.0-7.6	1.2	1.4	0.5-3.3
Stomach	14.0	11.7	9.0-14.8	7.8	16.1	11.3-22.3	6.2	8.9	6.0-12.8
Colorectal	45.2	36.3	31.6-41.4	18.6	36.2	29.0-44.7	26.6	36.0	30.0-42.9
Colon excluding rectum	33.6	26.9	22.9-31.4	12.6	24.1	18.3-31.0	21.0	28.3	23.0-34.5
Rectum & rectosigmoid	11.6	9.4	7.1-12.2	6.0	12.2	8.1-17.6	5.6	7.7	5.0-11.2
Liver / intrahepatic bile duct	8.6	6.2	4.4-8.4	6.2	11.2	7.5-16.1	2.4	2.9	1.5-5.3
Pancreas	16.4	12.8	10.1-16.0	6.0	11.2	7.5-16.3	10.4	13.5	10.1-17.9
Larynx	2.4	1.9	0.9-3.3	2.0	4.0	1.9-7.4	0.4	0.6	0.1-2.3
Lung and bronchus	34.8	27.5	23.5-32.0	16.4	33.0	26.0-41.2	18.4	24.3	19.5-29.9
Melanoma of the skin	1.6	1.5	0.6-2.9	0.8	1.8	0.5-4.6	0.8	1.2	0.3-3.2
Female breast							82.2	116.3	105.0-128.5
Cervix uteri							7.4	10.6	7.3-14.8
Corpus uterus and NOS							27.4	34.3	28.6-40.8
Ovary							7.0	9.0	6.2-12.8
Prostate				103.2	189.0	172.5-206.6			
Testis				2.2	4.3	2.1-7.8			
Urinary bladder (incl. in situ)	11.4	9.3	7.0-12.1	7.0	14.9	10.3-20.9	4.4	5.9	3.7-9.0
Kidney and renal pelvis	15.4	12.4	9.7-15.6	9.8	19.7	14.4-26.2	5.6	7.5	4.9-11.0
Brain and other central nervous system	6.0	4.6	3.1-6.6	3.2	5.9	3.3-9.8	2.8	3.7	2.0-6.3
Thyroid	16.4	13.8	10.9-17.3	2.4	5.0	2.5-8.8	14.0	20.8	16.1-26.6
Hodgkin lymphoma	2.4	2.0	1.0-3.5	1.2	2.3	0.8-5.1	1.2	1.8	0.6-3.9
Non-Hodgkin lymphomas	14.6	12.8	10.0-16.2	8.0	17.4	12.4-23.9	6.6	9.6	6.5-13.6
Myeloma	17.6	13.6	10.9-16.9	8.8	17.3	12.4-23.5	8.8	11.4	8.2-15.4
Leukemias	13.4	11.4	8.8-14.6	8.2	17.8	12.6-24.3	5.2	7.1	4.6-10.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Sunset Park & Windsor Terrace**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	605.6	440.8	424.9-457.1	301.4	481.4	456.4-507.4	304.2	421.0	399.9-443.0
Oral cavity and pharynx	19.6	13.8	11.2-16.9	13.8	20.2	15.6-25.8	5.8	8.0	5.3-11.5
Esophagus	5.6	4.2	2.8-6.1	5.0	8.8	5.6-13.2	0.6	0.7	0.1-2.2
Stomach	29.6	21.2	17.9-25.0	20.8	32.0	26.0-39.0	8.8	11.6	8.4-15.7
Colorectal	60.6	44.6	39.6-50.0	32.0	51.4	43.4-60.3	28.6	39.1	32.9-46.1
Colon excluding rectum	40.4	30.0	26.0-34.6	20.8	34.4	27.8-41.9	19.6	26.8	21.7-32.8
Rectum & rectosigmoid	20.2	14.5	11.8-17.7	11.2	17.0	12.7-22.3	9.0	12.2	8.9-16.5
Liver / intrahepatic bile duct	28.6	20.6	17.3-24.4	23.4	35.4	29.1-42.6	5.2	7.3	4.8-10.8
Pancreas	16.2	13.0	10.3-16.1	7.6	14.1	9.8-19.4	8.6	12.0	8.6-16.2
Larynx	3.4	2.4	1.4-3.9	3.0	4.7	2.5-7.8	0.4	0.5	0.1-1.9
Lung and bronchus	59.6	44.2	39.2-49.6	33.8	55.9	47.5-65.3	25.8	35.1	29.2-41.8
Melanoma of the skin	8.4	6.2	4.4-8.4	3.8	6.4	3.8-10.1	4.6	6.2	3.9-9.4
Female breast							81.0	114.6	103.6-126.5
Cervix uteri							8.2	11.5	8.2-15.7
Corpus uterus and NOS							17.8	25.1	20.1-30.9
Ovary							8.0	11.3	8.1-15.5
Prostate				56.2	93.2	82.2-105.1			
Testis				4.2	4.8	2.9-7.6			
Urinary bladder (incl. in situ)	17.6	13.7	11.0-16.9	12.6	22.9	17.4-29.5	5.0	7.2	4.6-10.7
Kidney and renal pelvis	20.2	14.6	11.8-17.8	11.0	15.9	11.9-20.9	9.2	13.2	9.6-17.6
Brain and other central nervous system	9.0	6.3	4.5-8.4	4.4	5.9	3.7-9.1	4.6	6.5	4.1-9.8
Thyroid	50.8	32.9	28.9-37.3	14.6	19.1	14.9-24.3	36.2	47.4	40.6-55.0
Hodgkin lymphoma	3.8	2.6	1.5-4.1	2.0	2.9	1.3-5.6	1.8	2.3	1.0-4.5
Non-Hodgkin lymphomas	25.6	19.3	16.0-23.0	14.4	23.5	18.2-29.8	11.2	15.8	11.9-20.6
Myeloma	7.6	5.7	4.0-7.8	4.4	7.7	4.8-11.8	3.2	4.2	2.4-6.9
Leukemias	19.0	13.8	11.1-16.9	10.4	16.3	12.0-21.6	8.6	11.7	8.4-15.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Bay Ridge & Dyker Heights**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	705.0	444.6	429.7-460.0	333.8	464.6	442.3-487.8	371.2	441.9	421.1-463.4
Oral cavity and pharynx	13.8	8.9	6.9-11.3	10.4	14.7	10.9-19.4	3.4	3.8	2.2-6.3
Esophagus	5.6	3.3	2.2-4.8	5.2	7.1	4.6-10.5	0.4	0.3	0.0-1.7
Stomach	14.6	8.9	7.0-11.3	9.0	12.5	9.1-16.8	5.6	6.1	4.0-9.0
Colorectal	63.0	39.4	35.0-44.1	33.2	47.7	40.6-55.7	29.8	33.6	28.2-39.8
Colon excluding rectum	41.8	25.4	22.0-29.2	21.4	30.7	25.1-37.3	20.4	21.8	17.6-26.8
Rectum & rectosigmoid	21.2	14.0	11.4-17.0	11.8	17.0	12.9-22.0	9.4	11.8	8.5-15.9
Liver / intrahepatic bile duct	16.2	10.0	7.9-12.6	11.4	15.8	11.9-20.6	4.8	5.3	3.4-8.1
Pancreas	24.2	14.2	11.7-17.0	10.6	14.6	10.9-19.2	13.6	13.4	10.3-17.3
Larynx	4.0	2.5	1.5-4.0	3.4	5.0	2.9-8.1	0.6	0.7	0.1-2.3
Lung and bronchus	89.4	52.9	48.0-58.1	45.4	61.0	53.3-69.7	44.0	47.5	41.3-54.5
Melanoma of the skin	19.0	12.5	10.0-15.4	9.8	14.4	10.6-19.1	9.2	11.3	8.2-15.3
Female breast							110.4	133.6	122.3-145.7
Cervix uteri							4.8	6.3	4.0-9.5
Corpus uterus and NOS							24.0	28.5	23.5-34.4
Ovary							10.2	12.6	9.2-16.8
Prostate				68.8	91.3	81.8-101.7			
Testis				5.0	7.9	5.0-11.8			
Urinary bladder (incl. in situ)	32.0	19.1	16.2-22.3	24.0	33.5	27.8-40.2	8.0	8.4	6.0-11.7
Kidney and renal pelvis	24.2	15.6	12.9-18.7	17.4	24.1	19.3-29.9	6.8	8.4	5.8-11.9
Brain and other central nervous system	9.4	6.6	4.8-8.9	5.0	7.0	4.5-10.5	4.4	6.5	3.9-10.0
Thyroid	43.2	31.5	27.3-36.1	11.0	15.9	11.9-20.9	32.2	47.0	39.7-55.2
Hodgkin lymphoma	4.4	3.7	2.2-5.6	2.8	4.7	2.5-8.0	1.6	2.6	1.1-5.4
Non-Hodgkin lymphomas	32.4	20.5	17.4-24.0	16.4	23.2	18.4-29.0	16.0	18.5	14.5-23.3
Myeloma	9.0	5.6	4.1-7.5	4.0	5.6	3.4-8.8	5.0	5.6	3.6-8.4
Leukemias	20.6	12.7	10.3-15.6	12.8	17.8	13.6-22.9	7.8	9.1	6.4-12.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Borough Park, Kensington & Ocean Parkway**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	657.6	430.0	414.8-445.6	315.4	440.8	418.6-463.8	342.2	430.3	408.9-452.4
Oral cavity and pharynx	14.6	9.9	7.7-12.6	8.6	12.7	9.0-17.2	6.0	7.4	4.9-10.8
Esophagus	2.4	1.4	0.7-2.6	1.2	1.7	0.6-3.8	1.2	1.1	0.4-2.7
Stomach	15.6	10.5	8.2-13.2	9.4	14.1	10.3-18.9	6.2	7.4	4.9-10.7
Colorectal	65.4	41.8	37.2-46.8	36.8	50.8	43.5-59.0	28.6	33.8	28.2-40.2
Colon excluding rectum	46.6	29.9	26.0-34.2	25.4	35.1	29.1-42.1	21.2	25.4	20.6-31.0
Rectum & rectosigmoid	18.8	11.9	9.5-14.7	11.4	15.7	11.7-20.4	7.4	8.4	5.7-11.9
Liver / intrahepatic bile duct	15.6	9.9	7.7-12.4	11.2	15.4	11.5-20.1	4.4	4.6	2.8-7.2
Pancreas	22.8	14.7	12.1-17.8	12.4	18.1	13.8-23.3	10.4	11.8	8.7-15.7
Larynx	2.6	1.9	1.0-3.2	1.8	2.9	1.3-5.5	0.8	1.1	0.3-2.7
Lung and bronchus	65.6	42.6	37.9-47.7	33.8	47.0	40.0-54.9	31.8	39.4	33.2-46.4
Melanoma of the skin	16.2	10.5	8.2-13.1	9.6	13.4	9.8-17.8	6.6	8.3	5.6-11.9
Female breast							87.2	117.4	106.0-129.6
Cervix uteri							3.8	5.7	3.3-9.0
Corpus uterus and NOS							22.0	27.3	22.2-33.2
Ovary							9.8	13.4	9.7-17.9
Prostate				57.4	81.9	72.5-92.2			
Testis				4.8	6.9	4.3-10.5			
Urinary bladder (incl. in situ)	27.2	17.7	14.7-21.0	20.6	29.8	24.2-36.4	6.6	8.3	5.5-12.0
Kidney and renal pelvis	25.4	16.6	13.7-19.8	15.6	21.5	16.9-27.1	9.8	12.0	8.7-16.2
Brain and other central nervous system	13.8	7.9	6.1-10.2	9.2	10.6	7.6-14.3	4.6	5.4	3.4-8.3
Thyroid	45.8	32.0	27.9-36.6	12.6	17.2	13.0-22.2	33.2	47.6	40.4-55.7
Hodgkin lymphoma	4.4	2.7	1.7-4.2	2.4	2.7	1.4-4.8	2.0	2.7	1.3-5.0
Non-Hodgkin lymphomas	33.2	21.3	18.0-24.9	17.8	25.2	20.1-31.2	15.4	17.5	13.6-22.2
Myeloma	11.2	7.4	5.5-9.7	6.8	9.5	6.5-13.4	4.4	5.4	3.3-8.4
Leukemias	23.6	15.0	12.3-18.0	11.4	16.1	12.1-20.9	12.2	14.0	10.6-18.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Flatbush & Midwood**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	735.2	404.5	391.2-418.1	351.2	444.3	423.2-466.2	384.0	378.1	360.9-395.9
Oral cavity and pharynx	12.0	6.8	5.1-8.8	7.4	9.4	6.6-13.1	4.6	4.5	2.8-6.9
Esophagus	6.2	3.5	2.3-5.0	4.8	6.1	3.8-9.1	1.4	1.5	0.6-3.1
Stomach	20.2	11.2	9.1-13.7	10.8	14.5	10.8-19.1	9.4	9.0	6.5-12.1
Colorectal	58.2	31.6	28.0-35.5	30.2	37.5	31.6-44.2	28.0	26.7	22.4-31.7
Colon excluding rectum	39.4	21.5	18.6-24.9	20.4	25.9	21.0-31.6	19.0	18.2	14.6-22.4
Rectum & rectosigmoid	18.8	10.0	8.1-12.3	9.8	11.6	8.5-15.5	9.0	8.6	6.2-11.6
Liver / intrahepatic bile duct	15.0	7.9	6.2-10.0	11.0	13.1	9.8-17.2	4.0	3.8	2.3-6.0
Pancreas	25.2	13.4	11.1-16.0	10.8	13.6	10.1-17.8	14.4	12.9	10.0-16.4
Larynx	3.4	1.7	1.0-2.8	2.4	2.9	1.5-5.2	1.0	0.9	0.3-2.2
Lung and bronchus	63.6	34.6	30.8-38.7	33.2	43.3	36.8-50.7	30.4	28.9	24.4-34.0
Melanoma of the skin	15.4	8.8	6.9-11.1	8.0	10.6	7.5-14.5	7.4	7.6	5.3-10.7
Female breast							112.6	115.6	105.9-125.9
Cervix uteri							7.6	7.7	5.4-10.7
Corpus uterus and NOS							34.2	32.2	27.4-37.5
Ovary							9.0	8.4	6.1-11.4
Prostate				105.4	126.2	115.4-137.9			
Testis				4.0	5.2	3.2-8.1			
Urinary bladder (incl. in situ)	30.4	16.8	14.2-19.8	22.8	29.7	24.4-35.9	7.6	7.7	5.4-10.7
Kidney and renal pelvis	29.2	16.2	13.6-19.1	18.8	23.9	19.2-29.4	10.4	10.2	7.6-13.5
Brain and other central nervous system	9.8	6.0	4.4-8.0	5.8	7.9	5.2-11.4	4.0	4.4	2.6-6.8
Thyroid	30.6	17.8	15.1-21.0	6.6	8.7	5.9-12.4	24.0	25.7	21.2-30.9
Hodgkin lymphoma	4.8	2.9	1.8-4.4	2.2	2.9	1.4-5.2	2.6	2.9	1.5-5.0
Non-Hodgkin lymphomas	37.2	20.5	17.6-23.8	19.8	25.1	20.3-30.7	17.4	17.2	13.7-21.4
Myeloma	11.0	5.9	4.4-7.8	5.8	7.5	4.9-10.8	5.2	5.0	3.2-7.4
Leukemias	24.6	13.7	11.3-16.4	12.6	16.7	12.8-21.5	12.0	11.2	8.5-14.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Sheepshead Bay, Gerritsen Beach & Homecrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	975.4	466.5	452.8-480.5	459.8	470.6	451.0-490.9	515.6	471.6	452.3-491.5
Oral cavity and pharynx	23.4	11.3	9.2-13.7	13.2	14.9	11.4-19.2	10.2	7.9	5.8-10.8
Esophagus	4.6	2.1	1.3-3.3	3.0	2.9	1.6-5.0	1.6	1.6	0.6-3.3
Stomach	26.2	12.2	10.1-14.6	13.6	13.8	10.6-17.7	12.6	10.9	8.2-14.3
Colorectal	83.8	37.6	34.0-41.6	41.8	41.2	35.6-47.4	42.0	34.5	29.7-39.9
Colon excluding rectum	63.4	28.0	24.9-31.5	30.2	29.6	24.9-35.0	33.2	26.6	22.4-31.3
Rectum & rectosigmoid	20.4	9.6	7.8-11.8	11.6	11.6	8.7-15.2	8.8	8.0	5.7-10.9
Liver / intrahepatic bile duct	16.4	7.3	5.8-9.2	11.2	11.2	8.4-14.7	5.2	4.3	2.7-6.6
Pancreas	34.4	15.1	12.9-17.6	18.0	17.8	14.3-22.1	16.4	12.7	10.0-16.0
Larynx	4.6	2.1	1.3-3.2	4.4	4.3	2.7-6.7	0.2	0.1	0.0-1.2
Lung and bronchus	109.2	47.1	43.1-51.4	63.2	61.8	55.1-69.3	46.0	35.3	30.7-40.4
Melanoma of the skin	28.8	13.8	11.6-16.4	16.8	17.4	13.8-21.7	12.0	11.2	8.4-14.6
Female breast							151.4	145.4	134.6-156.9
Cervix uteri							8.8	9.4	6.7-12.9
Corpus uterus and NOS							34.6	31.5	26.8-36.9
Ovary							12.8	12.6	9.5-16.4
Prostate				100.6	97.4	88.9-106.6			
Testis				3.2	5.0	2.8-8.0			
Urinary bladder (incl. in situ)	50.2	22.0	19.3-25.0	38.6	38.8	33.4-44.9	11.6	9.1	6.8-12.0
Kidney and renal pelvis	32.2	16.4	13.9-19.3	19.8	21.6	17.4-26.5	12.4	12.0	9.0-15.6
Brain and other central nervous system	14.0	7.5	5.8-9.6	6.8	7.8	5.3-11.1	7.2	7.2	4.9-10.3
Thyroid	53.2	33.0	29.0-37.4	11.8	13.9	10.4-18.1	41.4	51.2	44.2-59.1
Hodgkin lymphoma	5.2	3.3	2.1-5.0	3.0	3.8	2.1-6.4	2.2	2.9	1.4-5.3
Non-Hodgkin lymphomas	49.6	24.5	21.4-27.9	27.0	29.9	24.9-35.6	22.6	19.7	16.1-24.0
Myeloma	13.8	6.0	4.6-7.6	6.6	6.3	4.3-9.0	7.2	5.8	4.0-8.2
Leukemias	33.6	16.2	13.7-19.0	20.0	21.2	17.1-26.0	13.6	12.6	9.6-16.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Bensonhurst & Bath Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	987.2	414.1	402.4-426.2	472.6	427.0	409.8-444.9	514.6	413.9	397.4-430.9
Oral cavity and pharynx	28.6	12.3	10.3-14.6	18.0	16.6	13.3-20.5	10.6	8.3	6.1-11.1
Esophagus	8.0	3.2	2.3-4.4	6.4	5.6	3.8-7.9	1.6	1.1	0.5-2.4
Stomach	28.6	11.4	9.6-13.5	17.2	15.4	12.3-19.1	11.4	8.2	6.2-10.8
Colorectal	86.2	35.3	31.9-38.9	46.2	41.6	36.4-47.5	40.0	29.8	25.7-34.5
Colon excluding rectum	58.8	23.8	21.1-26.8	30.2	27.0	22.8-31.8	28.6	21.1	17.6-25.1
Rectum & rectosigmoid	27.4	11.5	9.6-13.6	16.0	14.6	11.6-18.3	11.4	8.7	6.5-11.5
Liver / intrahepatic bile duct	30.4	12.6	10.6-14.8	21.2	19.7	16.0-23.9	9.2	6.2	4.5-8.4
Pancreas	26.4	10.3	8.6-12.3	13.2	11.8	9.1-15.1	13.2	9.2	7.1-11.9
Larynx	6.6	2.6	1.8-3.7	5.8	5.2	3.5-7.5	0.8	0.6	0.2-1.6
Lung and bronchus	136.8	53.3	49.3-57.5	73.6	64.9	58.4-72.0	63.2	45.2	40.2-50.7
Melanoma of the skin	22.2	9.2	7.5-11.1	11.0	10.1	7.6-13.2	11.2	8.9	6.6-11.7
Female breast							148.4	124.4	115.3-134.0
Cervix uteri							7.6	7.4	5.2-10.3
Corpus uterus and NOS							30.2	24.7	20.8-29.1
Ovary							13.6	11.0	8.5-14.1
Prostate				81.0	70.1	63.4-77.4			
Testis				5.8	6.3	4.2-9.1			
Urinary bladder (incl. in situ)	40.2	15.4	13.3-17.7	31.6	27.5	23.4-32.3	8.6	6.2	4.4-8.5
Kidney and renal pelvis	35.6	15.4	13.2-18.0	24.0	22.4	18.5-26.9	11.6	9.6	7.2-12.5
Brain and other central nervous system	14.4	7.0	5.4-8.9	7.6	7.6	5.3-10.5	6.8	6.5	4.4-9.3
Thyroid	61.0	29.7	26.3-33.3	16.2	15.7	12.4-19.7	44.8	43.6	37.9-49.9
Hodgkin lymphoma	6.6	3.3	2.2-4.7	4.4	4.6	2.9-7.1	2.2	2.0	1.0-3.7
Non-Hodgkin lymphomas	41.8	17.6	15.2-20.2	21.6	19.8	16.2-24.0	20.2	15.7	12.7-19.3
Myeloma	13.0	5.0	3.9-6.5	7.4	6.5	4.6-9.1	5.6	3.7	2.4-5.5
Leukemias	31.2	14.0	11.8-16.5	18.8	17.6	14.1-21.6	12.4	11.1	8.4-14.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Kings (Brooklyn) County
Brighton Beach & Coney Island**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	891.6	460.9	446.3-475.9	421.4	490.7	468.9-513.4	470.2	444.6	424.7-465.2
Oral cavity and pharynx	18.0	9.4	7.4-11.9	11.4	14.3	10.6-18.9	6.6	5.4	3.6-8.1
Esophagus	5.6	2.6	1.7-4.0	4.0	4.0	2.4-6.5	1.6	1.7	0.6-3.8
Stomach	21.2	11.1	9.0-13.7	12.4	14.8	11.2-19.4	8.8	8.5	5.9-11.9
Colorectal	79.4	38.9	34.9-43.3	39.2	46.0	39.4-53.4	40.2	33.6	28.7-39.3
Colon excluding rectum	56.6	26.7	23.5-30.3	28.0	31.3	26.1-37.2	28.6	23.5	19.4-28.4
Rectum & rectosigmoid	22.8	12.2	9.9-14.9	11.2	14.7	10.8-19.6	11.6	10.1	7.5-13.5
Liver / intrahepatic bile duct	19.8	9.3	7.5-11.6	14.6	16.6	12.9-21.3	5.2	3.7	2.4-5.8
Pancreas	34.0	15.7	13.3-18.5	15.6	16.8	13.2-21.3	18.4	14.9	11.7-18.8
Larynx	4.0	2.1	1.2-3.5	3.2	4.1	2.2-7.0	0.8	0.5	0.1-2.0
Lung and bronchus	106.0	47.6	43.5-52.1	60.6	65.3	58.0-73.4	45.4	35.0	30.3-40.3
Melanoma of the skin	27.6	14.0	11.6-16.9	15.0	18.3	14.1-23.4	12.6	11.0	8.2-14.7
Female breast							120.8	122.2	111.6-133.6
Cervix uteri							8.2	10.9	7.6-15.3
Corpus uterus and NOS							33.0	32.0	26.9-37.9
Ovary							13.0	13.6	10.1-17.9
Prostate				87.0	95.3	86.3-105.1			
Testis				2.4	4.6	2.3-8.1			
Urinary bladder (incl. in situ)	50.8	22.2	19.5-25.4	39.8	41.9	36.2-48.5	11.0	8.4	6.1-11.4
Kidney and renal pelvis	38.4	20.7	17.7-24.2	24.2	29.7	24.4-36.0	14.2	13.8	10.5-18.0
Brain and other central nervous system	9.6	6.2	4.4-8.4	4.2	6.2	3.7-9.8	5.4	6.1	3.8-9.5
Thyroid	38.2	26.8	22.8-31.2	9.0	14.4	10.2-19.7	29.2	37.2	30.9-44.5
Hodgkin lymphoma	3.6	3.0	1.7-4.9	2.0	3.6	1.7-6.8	1.6	2.5	1.0-5.2
Non-Hodgkin lymphomas	40.4	20.8	17.8-24.2	20.2	24.9	20.0-30.8	20.2	17.6	14.1-22.0
Myeloma	15.4	7.0	5.5-8.9	7.8	8.6	6.0-12.1	7.6	5.7	4.0-8.2
Leukemias	30.0	16.7	13.8-20.0	14.0	19.1	14.6-24.6	16.0	14.6	11.2-18.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

New York (Manhattan) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	8,601.8	436.2	432.0-440.5	4,116.6	470.0	463.5-476.5	4,485.2	419.0	413.3-424.7
Oral cavity and pharynx	217.0	10.9	10.2-11.5	144.8	16.3	15.1-17.5	72.2	6.5	5.8-7.3
Esophagus	63.8	3.1	2.8-3.5	41.8	4.8	4.1-5.5	22.0	1.8	1.5-2.2
Stomach	142.8	7.2	6.6-7.7	79.8	9.2	8.3-10.1	63.0	5.6	5.0-6.3
Colorectal	614.6	31.1	30.0-32.3	316.8	36.7	34.9-38.6	297.8	26.8	25.4-28.2
Colon excluding rectum	421.4	21.1	20.2-22.1	207.2	24.1	22.6-25.6	214.2	18.9	17.7-20.1
Rectum & rectosigmoid	193.2	10.0	9.4-10.7	109.6	12.7	11.6-13.8	83.6	7.9	7.1-8.7
Liver / intrahepatic bile duct	197.0	9.6	9.0-10.3	131.0	14.6	13.5-15.8	66.0	5.6	5.0-6.3
Pancreas	263.2	12.8	12.1-13.5	129.0	14.8	13.7-16.0	134.2	11.3	10.4-12.2
Larynx	44.0	2.2	1.9-2.5	34.6	3.9	3.3-4.5	9.4	0.9	0.6-1.2
Lung and bronchus	882.4	42.8	41.6-44.1	395.0	45.3	43.3-47.4	487.4	41.1	39.5-42.8
Melanoma of the skin	340.2	17.2	16.3-18.0	195.2	22.5	21.1-24.0	145.0	13.3	12.4-14.4
Female breast							1,399.6	138.1	134.8-141.5
Cervix uteri							62.0	6.5	5.8-7.3
Corpus uterus and NOS							315.6	29.3	27.8-30.8
Ovary							105.6	10.0	9.2-11.0
Prostate				1,145.6	126.3	123.0-129.6			
Testis				65.4	7.2	6.4-8.0			
Urinary bladder (incl. in situ)	345.0	16.7	15.9-17.5	245.0	28.4	26.8-30.1	100.0	8.4	7.7-9.2
Kidney and renal pelvis	238.0	12.3	11.6-13.0	153.8	17.7	16.5-19.1	84.2	8.0	7.2-8.8
Brain and other central nervous system	117.2	6.5	6.0-7.1	68.6	8.3	7.4-9.2	48.6	5.0	4.4-5.8
Thyroid	326.4	17.9	17.0-18.8	89.4	10.4	9.4-11.4	237.0	24.9	23.5-26.5
Hodgkin lymphoma	51.0	2.8	2.5-3.2	25.6	3.0	2.5-3.6	25.4	2.6	2.2-3.2
Non-Hodgkin lymphomas	424.8	21.7	20.7-22.6	218.2	25.5	24.0-27.1	206.6	18.8	17.6-20.0
Myeloma	155.2	7.7	7.1-8.2	86.2	9.9	9.0-10.9	69.0	6.0	5.4-6.7
Leukemias	274.4	14.3	13.6-15.1	155.2	18.6	17.3-20.0	119.2	11.0	10.1-12.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Washington Heights, Inwood & Marble Hill**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	868.2	373.6	362.5-385.1	418.4	435.6	416.7-455.1	449.8	340.3	326.0-355.1
Oral cavity and pharynx	18.8	8.1	6.5-10.0	12.6	13.1	10.0-16.9	6.2	4.4	2.9-6.3
Esophagus	7.6	3.1	2.2-4.3	5.4	5.5	3.6-8.0	2.2	1.5	0.8-2.9
Stomach	16.8	7.4	5.9-9.1	9.4	10.3	7.5-13.7	7.4	5.3	3.7-7.5
Colorectal	78.6	33.5	30.2-37.0	39.2	40.5	34.9-46.7	39.4	28.3	24.4-32.7
Colon excluding rectum	55.0	23.5	20.8-26.5	25.4	26.7	22.1-31.8	29.6	21.2	17.8-25.0
Rectum & rectosigmoid	23.6	10.0	8.2-12.0	13.8	13.9	10.7-17.6	9.8	7.1	5.2-9.5
Liver / intrahepatic bile duct	22.8	9.6	7.9-11.6	13.0	13.1	10.1-16.8	9.8	7.0	5.1-9.4
Pancreas	27.2	11.5	9.6-13.6	15.2	16.4	12.8-20.6	12.0	8.4	6.4-10.9
Larynx	4.2	1.8	1.1-2.8	3.0	2.9	1.6-4.9	1.2	0.9	0.3-2.1
Lung and bronchus	68.4	28.8	25.8-32.1	33.2	36.4	31.0-42.5	35.2	24.3	20.8-28.3
Melanoma of the skin	11.6	5.1	3.9-6.7	7.0	7.2	5.0-10.1	4.6	3.7	2.3-5.6
Female breast							142.0	113.1	104.8-122.0
Cervix uteri							6.8	5.8	4.0-8.2
Corpus uterus and NOS							36.0	26.6	22.8-30.9
Ovary							14.2	11.3	8.8-14.4
Prostate				148.0	149.5	138.7-160.9			
Testis				5.2	4.5	2.9-6.8			
Urinary bladder (incl. in situ)	28.6	11.9	10.0-14.1	19.6	21.4	17.3-26.1	9.0	6.2	4.5-8.4
Kidney and renal pelvis	22.0	9.6	7.8-11.6	13.6	14.1	10.9-17.9	8.4	6.2	4.4-8.5
Brain and other central nervous system	11.4	5.2	3.9-6.7	6.6	6.8	4.6-9.6	4.8	3.8	2.4-5.8
Thyroid	30.2	13.7	11.6-16.1	6.6	6.7	4.6-9.5	23.6	19.8	16.3-23.9
Hodgkin lymphoma	4.8	2.3	1.4-3.4	2.4	2.7	1.4-4.8	2.4	2.1	1.1-3.7
Non-Hodgkin lymphomas	39.0	17.0	14.7-19.6	17.8	19.4	15.5-23.9	21.2	15.3	12.5-18.6
Myeloma	19.2	8.3	6.7-10.2	9.8	10.9	8.0-14.4	9.4	6.9	5.1-9.3
Leukemias	25.6	11.4	9.5-13.6	15.2	15.9	12.4-20.0	10.4	8.2	6.0-10.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Hamilton Heights, Manhattanville & West Harlem**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	525.0	389.1	374.1-404.5	258.4	453.4	428.5-479.3	266.6	352.6	333.5-372.6
Oral cavity and pharynx	13.8	10.4	8.1-13.2	8.0	14.2	10.0-19.4	5.8	7.9	5.3-11.6
Esophagus	3.0	2.2	1.2-3.7	2.4	4.8	2.4-8.4	0.6	0.9	0.2-2.6
Stomach	9.6	7.0	5.2-9.4	5.0	9.2	5.9-13.7	4.6	5.8	3.7-8.9
Colorectal	42.6	32.2	28.0-36.9	23.0	41.8	34.4-50.4	19.6	25.4	20.5-31.1
Colon excluding rectum	28.6	21.4	18.0-25.3	15.4	28.3	22.2-35.5	13.2	16.7	12.9-21.4
Rectum & rectosigmoid	14.0	10.8	8.4-13.7	7.6	13.5	9.5-18.7	6.4	8.7	5.9-12.4
Liver / intrahepatic bile duct	15.2	11.2	8.8-14.1	10.8	18.9	14.1-24.7	4.4	5.4	3.4-8.4
Pancreas	14.6	10.6	8.3-13.3	7.4	13.6	9.5-18.8	7.2	8.6	6.0-12.1
Larynx	4.0	2.9	1.8-4.6	2.8	4.8	2.6-8.2	1.2	1.4	0.5-3.3
Lung and bronchus	43.2	31.2	27.1-35.7	21.2	39.0	31.8-47.4	22.0	26.6	21.8-32.1
Melanoma of the skin	8.4	5.9	4.2-8.0	4.6	7.2	4.5-10.9	3.8	4.8	2.9-7.7
Female breast							80.6	112.5	101.5-124.4
Cervix uteri							4.6	6.9	4.3-10.5
Corpus uterus and NOS							24.6	32.5	26.9-39.0
Ovary							7.4	9.2	6.4-12.8
Prostate				83.2	141.1	127.7-155.6			
Testis				3.8	5.0	2.9-8.1			
Urinary bladder (incl. in situ)	15.8	11.7	9.2-14.6	10.2	19.1	14.1-25.2	5.6	6.6	4.3-9.6
Kidney and renal pelvis	15.4	11.6	9.1-14.6	8.4	14.7	10.5-20.0	7.0	9.3	6.4-13.1
Brain and other central nervous system	7.0	5.1	3.5-7.2	3.6	6.0	3.5-9.7	3.4	4.5	2.6-7.4
Thyroid	18.2	13.8	11.1-17.1	6.0	9.7	6.5-14.1	12.2	17.5	13.3-22.7
Hodgkin lymphoma	3.6	2.3	1.3-3.7	2.0	3.3	1.5-6.2	1.6	1.6	0.7-3.4
Non-Hodgkin lymphomas	28.8	21.8	18.3-25.8	14.2	26.0	20.2-32.9	14.6	20.0	15.5-25.4
Myeloma	12.4	9.2	7.0-11.9	7.2	12.9	9.0-17.9	5.2	6.6	4.2-9.8
Leukemias	13.6	10.6	8.2-13.5	8.8	16.1	11.6-21.8	4.8	6.3	4.0-9.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020
New York (Manhattan) County
Central Harlem

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	601.6	484.9	467.6-502.7	284.2	550.3	521.3-580.4	317.4	445.6	423.8-468.3
Oral cavity and pharynx	13.2	10.4	8.1-13.3	9.0	17.2	12.5-23.2	4.2	5.7	3.5-8.9
Esophagus	4.0	3.3	2.0-5.1	1.8	4.2	1.9-7.9	2.2	3.0	1.5-5.4
Stomach	13.0	10.9	8.4-14.0	5.6	11.8	7.7-17.1	7.4	10.3	7.2-14.2
Colorectal	48.4	39.0	34.2-44.3	23.8	46.4	38.3-55.8	24.6	34.1	28.3-40.8
Colon excluding rectum	35.0	28.3	24.3-32.9	17.4	34.9	27.8-43.2	17.6	24.2	19.4-29.9
Rectum & rectosigmoid	13.4	10.6	8.2-13.5	6.4	11.5	7.8-16.4	7.0	9.9	6.9-13.9
Liver / intrahepatic bile duct	18.4	14.8	11.9-18.1	13.6	26.4	20.3-33.6	4.8	6.7	4.3-10.1
Pancreas	22.8	18.6	15.3-22.4	9.6	18.8	13.7-25.1	13.2	18.0	13.9-23.0
Larynx	4.4	3.5	2.2-5.3	3.4	6.4	3.7-10.4	1.0	1.4	0.5-3.4
Lung and bronchus	66.6	54.4	48.6-60.6	29.0	59.6	50.1-70.4	37.6	51.5	44.3-59.5
Melanoma of the skin	4.6	3.7	2.3-5.5	2.8	4.9	2.6-8.2	1.8	2.6	1.2-5.0
Female breast							98.0	139.7	127.6-152.8
Cervix uteri							7.4	10.3	7.2-14.3
Corpus uterus and NOS							26.4	36.7	30.7-43.6
Ovary							6.8	10.0	6.9-14.0
Prostate				94.8	181.0	164.7-198.5			
Testis				4.6	7.8	4.9-11.8			
Urinary bladder (incl. in situ)	15.6	12.8	10.1-16.0	10.2	20.6	15.2-27.3	5.4	7.5	4.9-11.0
Kidney and renal pelvis	20.4	16.2	13.2-19.7	11.6	21.3	16.1-27.7	8.8	12.4	9.0-16.8
Brain and other central nervous system	5.2	4.2	2.7-6.1	2.4	4.7	2.4-8.2	2.8	3.9	2.1-6.6
Thyroid	14.8	11.6	9.1-14.6	3.8	6.4	3.8-10.1	11.0	15.9	12.0-20.8
Hodgkin lymphoma	3.8	3.0	1.8-4.8	2.2	4.0	2.0-7.3	1.6	2.3	1.0-4.6
Non-Hodgkin lymphomas	20.6	16.9	13.8-20.6	11.8	22.6	17.1-29.3	8.8	12.6	9.1-16.9
Myeloma	14.6	12.0	9.4-15.1	6.8	13.1	9.0-18.5	7.8	10.9	7.8-15.0
Leukemias	13.6	11.3	8.8-14.4	6.6	13.5	9.2-19.1	7.0	9.9	6.9-13.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020
New York (Manhattan) County
East Harlem

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	609.8	458.8	442.5-475.6	277.2	511.5	484.8-539.4	332.6	430.9	409.9-452.6
Oral cavity and pharynx	16.0	12.4	9.8-15.5	11.2	20.9	15.7-27.2	4.8	6.5	4.1-9.8
Esophagus	3.6	2.7	1.6-4.2	1.2	2.3	0.8-5.0	2.4	2.8	1.4-5.1
Stomach	12.2	9.2	7.0-11.9	6.0	10.8	7.3-15.5	6.2	8.2	5.5-11.8
Colorectal	52.4	39.1	34.5-44.2	27.0	50.7	42.4-60.0	25.4	31.4	26.0-37.5
Colon excluding rectum	35.4	26.3	22.5-30.5	16.8	31.6	25.2-39.2	18.6	22.7	18.2-28.0
Rectum & rectosigmoid	17.0	12.8	10.2-15.9	10.2	19.0	14.1-25.1	6.8	8.7	6.0-12.3
Liver / intrahepatic bile duct	24.8	18.0	15.0-21.5	16.0	29.8	23.6-37.1	8.8	10.2	7.4-13.8
Pancreas	20.0	14.6	11.8-17.8	9.2	17.4	12.7-23.3	10.8	12.7	9.5-16.7
Larynx	5.4	4.0	2.6-5.9	4.6	8.5	5.4-12.8	0.8	1.0	0.3-2.6
Lung and bronchus	66.2	47.9	42.8-53.4	31.0	57.4	48.7-67.3	35.2	41.8	35.8-48.7
Melanoma of the skin	6.2	4.5	3.1-6.4	4.2	7.4	4.6-11.4	2.0	2.6	1.2-4.8
Female breast							94.8	128.2	116.7-140.6
Cervix uteri							8.6	12.2	8.8-16.5
Corpus uterus and NOS							25.2	33.0	27.4-39.4
Ovary							6.8	9.0	6.1-12.7
Prostate				68.4	124.5	111.6-138.5			
Testis				4.2	7.3	4.4-11.3			
Urinary bladder (incl. in situ)	21.2	15.1	12.3-18.3	11.8	22.0	16.7-28.4	9.4	10.8	7.9-14.6
Kidney and renal pelvis	22.6	17.4	14.3-21.0	13.6	24.7	19.1-31.3	9.0	11.9	8.6-16.1
Brain and other central nervous system	7.8	6.4	4.5-8.8	4.0	7.3	4.5-11.4	3.8	5.7	3.4-9.1
Thyroid	18.4	14.8	11.9-18.2	3.6	6.8	4.0-10.8	14.8	21.6	16.9-27.3
Hodgkin lymphoma	5.0	4.1	2.6-6.1	2.6	4.9	2.6-8.5	2.4	3.7	1.9-6.4
Non-Hodgkin lymphomas	27.4	21.0	17.6-24.9	12.8	24.0	18.5-30.7	14.6	19.0	14.8-24.1
Myeloma	17.0	12.9	10.3-16.1	9.2	17.5	12.8-23.3	7.8	9.6	6.8-13.3
Leukemias	17.6	13.1	10.5-16.2	10.6	18.7	13.9-24.5	7.0	9.3	6.4-13.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.
Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.
NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).
For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Upper East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,443.8	456.2	445.1-467.6	651.8	459.9	443.5-476.9	792.0	457.6	442.3-473.3
Oral cavity and pharynx	33.8	10.0	8.5-11.7	21.0	14.2	11.6-17.4	12.8	6.8	5.2-8.9
Esophagus	10.6	3.0	2.2-4.0	6.0	3.9	2.6-5.8	4.6	2.3	1.4-3.6
Stomach	13.6	4.2	3.2-5.4	7.4	5.0	3.5-7.1	6.2	3.7	2.5-5.5
Colorectal	78.6	25.2	22.7-28.1	38.2	28.7	24.5-33.4	40.4	22.4	19.2-26.0
Colon excluding rectum	53.6	16.6	14.5-18.9	27.4	20.1	16.7-24.2	26.2	13.8	11.4-16.6
Rectum & rectosigmoid	25.0	8.6	7.1-10.4	10.8	8.6	6.4-11.3	14.2	8.6	6.6-11.1
Liver / intrahepatic bile duct	16.6	5.0	3.9-6.3	10.4	7.2	5.3-9.6	6.2	3.2	2.1-4.7
Pancreas	44.0	12.7	11.0-14.7	23.4	15.9	13.0-19.3	20.6	10.4	8.4-12.8
Larynx	5.6	1.6	1.1-2.5	4.8	3.2	2.0-4.9	0.8	0.5	0.1-1.5
Lung and bronchus	148.0	41.4	38.4-44.6	50.8	33.1	29.1-37.5	97.2	47.8	43.6-52.5
Melanoma of the skin	95.8	30.2	27.4-33.2	55.6	39.5	34.9-44.7	40.2	23.3	20.0-27.1
Female breast							262.2	159.9	150.9-169.5
Cervix uteri							6.4	4.9	3.3-7.0
Corpus uterus and NOS							45.2	25.7	22.3-29.6
Ovary							20.4	11.3	9.1-14.0
Prostate				166.4	110.8	103.3-118.8			
Testis				8.0	7.5	5.2-10.5			
Urinary bladder (incl. in situ)	70.0	19.4	17.4-21.6	51.2	33.1	29.1-37.5	18.8	9.3	7.5-11.6
Kidney and renal pelvis	34.0	10.7	9.1-12.5	23.6	17.0	13.9-20.5	10.4	5.7	4.2-7.7
Brain and other central nervous system	21.8	9.0	7.2-11.2	14.0	13.5	10.1-17.6	7.8	5.3	3.5-7.7
Thyroid	59.0	23.0	20.2-26.0	17.6	14.6	11.5-18.2	41.4	29.8	25.5-34.7
Hodgkin lymphoma	8.4	3.5	2.4-5.1	4.6	4.4	2.4-7.1	3.8	2.7	1.5-4.5
Non-Hodgkin lymphomas	76.2	23.8	21.3-26.6	39.6	28.0	24.1-32.5	36.6	20.7	17.4-24.5
Myeloma	25.6	7.5	6.2-9.1	14.4	9.8	7.6-12.5	11.2	5.9	4.4-7.8
Leukemias	57.4	18.4	16.2-20.9	32.6	23.8	20.2-28.1	24.8	14.0	11.3-17.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Upper West Side & West Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,286.6	448.3	437.0-459.9	614.4	473.5	456.4-491.1	672.2	437.6	422.0-453.6
Oral cavity and pharynx	30.2	10.0	8.4-11.8	21.2	15.6	12.7-19.0	9.0	5.7	4.1-7.8
Esophagus	8.2	2.6	1.9-3.7	5.6	4.3	2.8-6.3	2.6	1.4	0.7-2.6
Stomach	18.0	6.4	5.1-8.1	10.0	8.2	6.0-11.0	8.0	5.2	3.5-7.5
Colorectal	80.8	27.9	25.1-30.9	40.8	31.9	27.6-36.9	40.0	24.8	21.3-28.8
Colon excluding rectum	57.0	19.3	17.1-21.9	26.0	20.3	16.9-24.3	31.0	18.7	15.7-22.2
Rectum & rectosigmoid	23.8	8.5	7.0-10.3	14.8	11.6	9.1-14.8	9.0	6.1	4.4-8.3
Liver / intrahepatic bile duct	18.0	5.7	4.5-7.0	12.0	8.5	6.4-11.1	6.0	3.3	2.2-5.0
Pancreas	40.2	13.0	11.3-15.1	19.2	14.8	11.9-18.2	21.0	11.8	9.6-14.5
Larynx	3.6	1.1	0.7-1.9	3.0	2.1	1.2-3.7	0.6	0.3	0.1-1.3
Lung and bronchus	117.6	38.5	35.4-41.9	49.8	37.9	33.3-43.1	67.8	39.3	35.1-43.9
Melanoma of the skin	68.4	23.6	21.1-26.4	39.4	30.6	26.4-35.4	29.0	18.3	15.3-21.8
Female breast							225.8	154.5	145.2-164.3
Cervix uteri							6.2	4.9	3.3-7.2
Corpus uterus and NOS							45.4	28.5	24.8-32.7
Ovary							12.0	7.6	5.7-10.0
Prostate				184.0	134.3	125.6-143.5			
Testis				7.8	8.5	5.9-12.0			
Urinary bladder (incl. in situ)	60.8	19.7	17.5-22.1	45.4	34.7	30.3-39.7	15.4	9.2	7.2-11.7
Kidney and renal pelvis	31.2	10.6	8.9-12.5	22.0	16.6	13.6-20.2	9.2	5.9	4.2-8.1
Brain and other central nervous system	17.8	7.1	5.6-9.0	9.2	8.3	5.9-11.3	8.6	6.3	4.3-8.9
Thyroid	47.8	20.0	17.4-22.9	12.0	10.2	7.7-13.3	35.8	28.6	24.3-33.6
Hodgkin lymphoma	6.4	3.4	2.2-5.0	3.0	3.0	1.6-5.2	3.4	3.9	2.1-6.5
Non-Hodgkin lymphomas	70.6	24.4	21.8-27.2	38.2	29.9	25.7-34.7	32.4	20.1	17.0-23.8
Myeloma	23.0	7.4	6.1-9.0	13.2	9.8	7.5-12.6	9.8	5.6	4.1-7.6
Leukemias	43.8	15.3	13.2-17.6	24.0	19.5	16.0-23.6	19.8	11.8	9.4-14.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Chelsea, Clinton & Midtown Business District**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	815.8	485.7	470.6-501.3	432.4	518.8	496.5-542.1	383.4	473.3	451.6-496.0
Oral cavity and pharynx	23.4	14.0	11.5-16.9	16.4	19.2	15.2-24.2	7.0	8.2	5.6-11.7
Esophagus	6.0	3.6	2.4-5.3	4.6	5.8	3.7-9.1	1.4	1.6	0.6-3.8
Stomach	11.6	7.1	5.4-9.3	6.6	8.6	5.8-12.4	5.0	5.8	3.7-8.9
Colorectal	58.0	35.0	31.1-39.5	34.6	43.4	37.1-50.8	23.4	27.7	22.8-33.5
Colon excluding rectum	38.6	23.4	20.1-27.0	22.0	28.2	23.1-34.4	16.6	19.2	15.2-24.1
Rectum & rectosigmoid	19.4	11.7	9.4-14.4	12.6	15.2	11.6-19.8	6.8	8.5	5.8-12.3
Liver / intrahepatic bile duct	18.4	10.7	8.6-13.3	13.4	15.6	12.0-20.2	5.0	6.1	3.9-9.3
Pancreas	22.6	13.4	11.0-16.2	11.0	13.6	10.2-18.1	11.6	12.9	9.8-17.0
Larynx	3.6	2.1	1.3-3.6	2.6	2.9	1.6-5.5	1.0	1.3	0.4-3.5
Lung and bronchus	80.2	47.9	43.3-53.0	40.2	49.6	42.8-57.3	40.0	46.3	40.0-53.5
Melanoma of the skin	35.0	20.2	17.2-23.6	21.2	24.8	20.1-30.3	13.8	17.2	13.2-22.2
Female breast							115.4	149.6	137.3-162.9
Cervix uteri							7.6	9.4	6.6-13.2
Corpus uterus and NOS							31.6	39.6	33.5-46.6
Ovary							11.2	14.6	10.9-19.3
Prostate				118.0	138.0	126.9-150.0			
Testis				7.8	7.0	4.9-10.2			
Urinary bladder (incl. in situ)	30.2	18.5	15.6-21.8	23.2	30.4	25.0-36.8	7.0	8.1	5.6-11.6
Kidney and renal pelvis	21.0	12.9	10.5-15.7	14.8	17.6	13.8-22.5	6.2	7.9	5.3-11.5
Brain and other central nervous system	12.6	7.7	5.8-10.2	9.4	11.5	8.1-16.0	3.2	3.7	2.1-6.5
Thyroid	33.6	18.8	16.0-22.1	10.0	11.3	8.3-15.3	23.6	28.9	23.6-35.2
Hodgkin lymphoma	6.4	3.1	2.1-4.6	3.8	3.6	2.1-6.2	2.6	2.4	1.2-4.6
Non-Hodgkin lymphomas	36.8	21.7	18.6-25.2	22.0	26.3	21.5-32.0	14.8	17.3	13.4-22.0
Myeloma	10.0	5.7	4.2-7.7	6.2	7.6	5.1-11.1	3.8	4.1	2.5-6.8
Leukemias	26.0	16.7	13.8-20.1	15.8	20.2	15.8-25.6	10.2	13.7	9.9-18.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Murray Hill, Gramercy & Stuyvesant Town**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	931.6	469.1	454.6-484.0	421.2	473.0	451.5-495.3	510.4	473.9	453.8-494.7
Oral cavity and pharynx	25.4	12.4	10.3-15.0	16.2	18.0	14.2-22.8	9.2	7.7	5.5-10.7
Esophagus	7.8	3.6	2.5-5.1	4.2	4.5	2.7-7.3	3.6	2.8	1.6-5.0
Stomach	11.6	5.8	4.4-7.8	6.4	6.8	4.6-10.0	5.2	5.1	3.2-7.9
Colorectal	59.0	29.6	26.0-33.6	31.2	36.2	30.2-43.1	27.8	24.0	19.9-28.9
Colon excluding rectum	43.4	21.5	18.4-25.0	21.2	24.6	19.6-30.6	22.2	19.0	15.5-23.5
Rectum & rectosigmoid	15.6	8.1	6.3-10.3	10.0	11.6	8.5-15.7	5.6	5.0	3.2-7.7
Liver / intrahepatic bile duct	20.2	9.8	7.9-12.1	14.4	16.0	12.4-20.5	5.8	4.9	3.2-7.5
Pancreas	25.4	12.2	10.1-14.7	11.4	12.7	9.6-16.8	14.0	11.5	8.9-15.0
Larynx	3.2	1.6	0.9-2.8	2.6	2.9	1.5-5.5	0.6	0.6	0.1-2.3
Lung and bronchus	97.6	44.4	40.5-48.8	42.2	45.2	39.3-52.1	55.4	43.3	38.3-49.1
Melanoma of the skin	52.8	25.2	22.1-28.7	28.6	31.5	26.4-37.5	24.2	20.6	16.8-25.1
Female breast							165.2	166.3	154.3-179.1
Cervix uteri							3.8	4.6	2.7-7.6
Corpus uterus and NOS							30.4	27.8	23.3-33.1
Ovary							10.8	9.8	7.2-13.2
Prostate				105.8	112.0	102.5-122.3			
Testis				9.2	11.8	7.7-17.4			
Urinary bladder (incl. in situ)	43.2	19.9	17.2-22.9	28.4	30.7	25.8-36.5	14.8	11.9	9.3-15.3
Kidney and renal pelvis	23.0	11.7	9.5-14.3	14.6	16.2	12.6-20.8	8.4	8.2	5.6-11.8
Brain and other central nervous system	14.2	9.3	6.7-12.6	7.8	11.5	7.4-17.1	6.4	7.7	4.6-12.0
Thyroid	32.6	18.7	15.7-22.1	9.2	10.9	7.9-15.0	23.4	25.7	20.8-31.6
Hodgkin lymphoma	6.6	3.8	2.3-5.9	2.6	3.3	1.4-6.7	4.0	4.1	2.1-7.2
Non-Hodgkin lymphomas	50.8	25.8	22.4-29.6	24.6	28.9	23.6-35.2	26.2	23.4	19.2-28.4
Myeloma	11.8	5.7	4.3-7.6	6.2	6.6	4.4-9.8	5.6	5.1	3.3-7.9
Leukemias	29.8	16.1	13.0-19.7	14.8	19.4	14.4-25.6	15.0	13.6	10.0-18.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Chinatown & Lower East Side**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	829.6	392.5	380.4-405.0	409.0	428.7	410.1-448.0	420.6	375.2	358.5-392.5
Oral cavity and pharynx	22.8	11.1	9.2-13.5	15.4	16.6	13.1-20.9	7.4	6.4	4.4-9.1
Esophagus	6.2	2.8	1.9-4.0	5.2	5.4	3.5-8.0	1.0	0.7	0.2-2.0
Stomach	28.8	12.8	10.8-15.2	19.2	19.9	16.1-24.4	9.6	7.3	5.3-9.9
Colorectal	69.6	32.2	28.8-35.9	33.8	35.5	30.3-41.4	35.8	29.9	25.5-35.0
Colon excluding rectum	44.8	20.4	17.8-23.4	19.6	20.3	16.5-24.9	25.2	20.8	17.2-25.1
Rectum & rectosigmoid	24.8	11.8	9.7-14.1	14.2	15.1	11.8-19.2	10.6	9.1	6.7-12.2
Liver / intrahepatic bile duct	33.8	15.5	13.2-18.2	21.8	22.7	18.6-27.5	12.0	9.3	7.1-12.3
Pancreas	27.2	11.9	10.0-14.2	13.0	13.3	10.3-17.1	14.2	10.6	8.2-13.6
Larynx	6.2	2.8	1.9-4.1	4.6	4.9	3.1-7.4	1.6	1.3	0.5-2.7
Lung and bronchus	122.6	54.4	50.1-59.0	66.0	68.4	61.2-76.3	56.6	44.4	39.2-50.3
Melanoma of the skin	15.8	8.0	6.3-10.1	8.2	8.9	6.4-12.2	7.6	7.3	5.0-10.3
Female breast							104.6	99.7	90.9-109.0
Cervix uteri							6.8	6.9	4.7-9.9
Corpus uterus and NOS							30.8	28.9	24.4-34.1
Ovary							9.8	9.1	6.6-12.3
Prostate				85.2	87.4	79.3-96.2			
Testis				7.4	7.5	5.2-10.6			
Urinary bladder (incl. in situ)	29.0	12.8	10.8-15.1	22.0	22.9	18.8-27.8	7.0	5.2	3.6-7.5
Kidney and renal pelvis	29.6	14.9	12.5-17.7	17.8	19.5	15.6-24.2	11.8	11.6	8.7-15.2
Brain and other central nervous system	10.6	5.3	3.9-7.1	6.0	6.5	4.3-9.4	4.6	4.4	2.6-6.9
Thyroid	41.8	22.3	19.3-25.7	12.0	13.3	10.1-17.3	29.8	31.3	26.3-37.0
Hodgkin lymphoma	4.6	2.4	1.5-3.7	1.8	1.9	0.8-3.8	2.8	2.7	1.4-4.8
Non-Hodgkin lymphomas	35.4	17.2	14.7-20.0	16.8	18.2	14.5-22.7	18.6	16.4	13.1-20.4
Myeloma	11.2	5.1	3.8-6.7	6.0	6.4	4.3-9.2	5.2	4.1	2.6-6.2
Leukemias	22.8	11.1	9.0-13.5	11.6	12.3	9.3-16.1	11.2	10.5	7.7-14.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**New York (Manhattan) County
Battery Park City, Greenwich Village & Soho**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	685.6	445.7	430.5-461.3	347.8	469.9	447.5-493.2	337.8	434.1	412.9-456.2
Oral cavity and pharynx	19.4	12.2	9.8-15.0	13.8	17.4	13.5-22.3	5.6	7.2	4.7-10.6
Esophagus	6.8	4.5	3.1-6.3	5.4	7.3	4.7-10.8	1.4	1.7	0.7-3.8
Stomach	7.6	4.7	3.3-6.6	4.2	5.4	3.3-8.5	3.4	3.9	2.2-6.5
Colorectal	45.8	30.5	26.6-34.9	24.6	33.8	28.0-40.5	21.2	27.8	22.4-34.1
Colon excluding rectum	29.6	19.7	16.6-23.4	15.8	21.7	17.1-27.2	13.8	18.0	13.7-23.3
Rectum & rectosigmoid	16.2	10.8	8.5-13.5	8.8	12.1	8.7-16.4	7.4	9.8	6.8-13.8
Liver / intrahepatic bile duct	8.6	5.5	3.9-7.5	5.4	7.1	4.6-10.5	3.2	3.7	2.1-6.2
Pancreas	19.0	12.3	9.9-15.1	9.6	13.1	9.6-17.6	9.4	11.5	8.4-15.6
Larynx	3.8	2.4	1.4-3.8	3.2	4.2	2.4-7.1	0.6	0.7	0.1-2.4
Lung and bronchus	72.0	47.9	43.0-53.2	31.6	45.4	38.5-53.2	40.4	50.7	43.9-58.4
Melanoma of the skin	41.6	26.1	22.6-30.1	23.6	31.5	26.0-38.0	18.0	21.1	16.8-26.3
Female breast							110.8	150.2	137.6-163.7
Cervix uteri							3.8	4.9	2.9-7.9
Corpus uterus and NOS							19.8	25.3	20.5-31.0
Ovary							6.2	8.5	5.4-12.6
Prostate				91.4	121.2	110.1-133.1			
Testis				7.4	6.8	4.7-9.9			
Urinary bladder (incl. in situ)	30.4	20.5	17.3-24.1	22.8	33.3	27.4-40.2	7.6	9.6	6.8-13.4
Kidney and renal pelvis	18.4	12.1	9.7-15.0	13.4	18.1	13.9-23.2	5.0	6.4	4.1-9.7
Brain and other central nervous system	8.8	5.1	3.7-7.1	5.6	5.9	3.9-8.9	3.2	4.3	2.4-7.2
Thyroid	29.8	17.9	15.0-21.2	8.6	11.2	8.0-15.3	21.2	25.5	20.6-31.2
Hodgkin lymphoma	1.4	0.8	0.3-1.9	0.6	0.6	0.1-2.2	0.8	1.2	0.3-3.2
Non-Hodgkin lymphomas	38.6	24.7	21.2-28.5	20.4	27.4	22.2-33.5	18.2	22.6	18.1-28.0
Myeloma	10.4	6.7	5.0-8.9	7.2	9.8	6.8-13.8	3.2	3.8	2.2-6.5
Leukemias	24.2	17.1	14.0-20.8	15.2	22.5	17.4-28.7	9.0	12.0	8.4-16.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

Queens County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	11,454.4	415.5	412.0-419.0	5,505.4	440.9	435.6-446.3	5,949.0	403.7	399.0-408.5
Oral cavity and pharynx	249.0	9.0	8.5-9.5	155.0	12.2	11.3-13.1	94.0	6.3	5.8-7.0
Esophagus	92.0	3.2	2.9-3.5	67.6	5.3	4.7-5.9	24.4	1.5	1.2-1.8
Stomach	324.4	11.8	11.2-12.4	185.4	15.2	14.2-16.2	139.0	9.3	8.6-10.0
Colorectal	1,000.2	36.3	35.3-37.4	519.4	42.0	40.3-43.6	480.8	31.8	30.5-33.1
Colon excluding rectum	705.2	25.5	24.7-26.4	352.4	28.6	27.3-30.0	352.8	23.0	21.9-24.2
Rectum & rectosigmoid	295.0	10.8	10.2-11.4	167.0	13.3	12.4-14.3	128.0	8.8	8.1-9.5
Liver / intrahepatic bile duct	275.4	9.6	9.1-10.2	194.8	15.1	14.1-16.1	80.6	5.2	4.7-5.7
Pancreas	369.2	13.0	12.4-13.6	169.6	13.7	12.8-14.7	199.6	12.3	11.5-13.1
Larynx	60.6	2.1	1.9-2.4	51.0	4.0	3.5-4.6	9.6	0.6	0.4-0.8
Lung and bronchus	1,190.4	42.0	40.9-43.1	614.4	50.0	48.3-51.9	576.0	36.1	34.8-37.5
Melanoma of the skin	198.4	7.2	6.8-7.7	111.0	9.3	8.5-10.1	87.4	5.9	5.3-6.5
Female breast							1,808.4	125.6	122.9-128.3
Cervix uteri							124.6	9.3	8.6-10.1
Corpus uterus and NOS							451.0	29.5	28.2-30.7
Ovary							161.2	11.4	10.6-12.3
Prostate				1,499.6	113.1	110.5-115.7			
Testis				54.4	4.8	4.2-5.4			
Urinary bladder (incl. in situ)	431.6	15.3	14.6-15.9	322.2	26.9	25.6-28.3	109.4	6.7	6.2-7.4
Kidney and renal pelvis	393.8	14.4	13.7-15.1	251.4	20.2	19.0-21.3	142.4	9.6	8.8-10.3
Brain and other central nervous system	132.2	5.2	4.8-5.6	72.6	6.1	5.5-6.8	59.6	4.4	3.9-5.0
Thyroid	492.4	20.1	19.3-20.9	115.6	9.7	8.9-10.6	376.8	30.0	28.6-31.4
Hodgkin lymphoma	60.8	2.6	2.3-2.9	34.6	3.0	2.6-3.5	26.2	2.2	1.8-2.6
Non-Hodgkin lymphomas	492.6	18.1	17.4-18.8	264.0	21.7	20.5-22.9	228.6	15.2	14.3-16.2
Myeloma	216.0	7.6	7.2-8.1	111.6	8.9	8.1-9.7	104.4	6.6	6.1-7.3
Leukemias	341.4	13.0	12.4-13.7	197.0	16.8	15.7-17.9	144.4	10.0	9.3-10.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Astoria & Long Island City**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	788.4	408.4	395.5-421.6	385.6	445.6	425.5-466.4	402.8	392.3	374.8-410.5
Oral cavity and pharynx	16.8	8.7	6.9-10.9	10.8	12.1	9.0-15.9	6.0	6.0	4.0-8.8
Esophagus	6.6	3.4	2.3-4.8	5.2	5.9	3.8-8.8	1.4	1.3	0.5-2.9
Stomach	22.0	11.3	9.3-13.7	12.6	15.0	11.5-19.3	9.4	8.6	6.3-11.6
Colorectal	69.0	35.3	31.6-39.3	38.0	43.7	37.6-50.5	31.0	28.7	24.3-33.8
Colon excluding rectum	48.4	24.7	21.6-28.1	25.0	28.8	23.9-34.5	23.4	21.5	17.7-25.9
Rectum & rectosigmoid	20.6	10.6	8.6-13.0	13.0	14.9	11.4-19.1	7.6	7.2	5.0-10.0
Liver / intrahepatic bile duct	20.4	10.2	8.3-12.4	15.4	17.5	13.7-21.9	5.0	4.6	2.9-6.9
Pancreas	23.4	11.9	9.8-14.3	10.4	12.1	9.0-15.9	13.0	11.5	8.8-14.8
Larynx	4.8	2.4	1.5-3.7	3.6	3.9	2.3-6.3	1.2	1.2	0.4-2.7
Lung and bronchus	84.8	43.2	39.2-47.6	45.6	54.9	48.0-62.7	39.2	35.2	30.4-40.7
Melanoma of the skin	15.4	7.5	5.9-9.5	7.4	8.0	5.6-11.1	8.0	7.4	5.2-10.3
Female breast							115.8	119.9	110.0-130.5
Cervix uteri							10.0	11.0	8.1-14.6
Corpus uterus and NOS							27.4	25.6	21.4-30.5
Ovary							10.8	10.4	7.7-13.8
Prostate				86.0	96.1	87.1-105.8			
Testis				7.8	6.6	4.6-9.3			
Urinary bladder (incl. in situ)	35.0	18.2	15.6-21.1	27.2	33.8	28.3-40.0	7.8	6.9	4.9-9.6
Kidney and renal pelvis	25.0	13.3	11.1-16.0	16.2	18.4	14.6-23.0	8.8	8.7	6.2-11.8
Brain and other central nervous system	10.8	6.2	4.6-8.2	6.6	8.0	5.5-11.4	4.2	4.5	2.7-7.1
Thyroid	38.0	20.3	17.4-23.6	7.8	8.5	6.0-11.8	30.2	32.5	27.2-38.4
Hodgkin lymphoma	6.6	4.0	2.7-5.7	4.6	5.7	3.6-8.7	2.0	2.3	1.0-4.3
Non-Hodgkin lymphomas	39.0	20.1	17.3-23.3	23.0	26.6	21.9-32.1	16.0	14.4	11.3-18.1
Myeloma	13.6	6.9	5.4-8.8	5.8	6.8	4.5-9.8	7.8	6.9	4.9-9.6
Leukemias	24.2	12.9	10.7-15.6	13.6	16.5	12.7-21.1	10.6	10.2	7.6-13.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Jackson Heights & North Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	701.0	377.3	364.7-390.2	336.8	398.6	379.1-418.9	364.2	375.6	358.2-393.5
Oral cavity and pharynx	15.6	8.1	6.4-10.2	9.8	11.3	8.2-15.0	5.8	5.7	3.8-8.2
Esophagus	3.8	2.2	1.3-3.4	2.0	2.5	1.2-4.6	1.8	1.8	0.8-3.5
Stomach	23.6	13.0	10.7-15.6	12.8	14.8	11.3-19.1	10.8	11.3	8.4-14.8
Colorectal	60.4	32.9	29.2-36.9	34.2	39.6	33.7-46.2	26.2	27.0	22.5-32.2
Colon excluding rectum	39.8	21.9	18.9-25.2	21.0	24.7	20.1-30.1	18.8	19.3	15.6-23.7
Rectum & rectosigmoid	20.6	11.0	9.0-13.4	13.2	14.9	11.4-19.1	7.4	7.7	5.4-10.7
Liver / intrahepatic bile duct	21.6	11.8	9.6-14.3	15.4	18.1	14.1-22.7	6.2	6.3	4.3-9.0
Pancreas	21.0	11.5	9.4-14.0	10.2	12.6	9.2-16.6	10.8	10.5	7.8-13.7
Larynx	1.6	1.0	0.4-1.9	1.4	2.1	0.8-4.3	0.2	0.2	0.0-1.2
Lung and bronchus	57.8	31.6	28.0-35.5	28.8	35.4	29.7-41.9	29.0	28.6	24.1-33.8
Melanoma of the skin	10.6	5.9	4.4-7.8	7.4	9.3	6.5-12.9	3.2	3.5	2.0-5.7
Female breast							104.2	107.6	98.4-117.5
Cervix uteri							10.0	10.6	7.8-14.0
Corpus uterus and NOS							24.6	24.8	20.5-29.6
Ovary							11.0	12.0	9.0-15.7
Prostate				91.8	107.9	98.0-118.6			
Testis				5.0	4.7	3.0-7.0			
Urinary bladder (incl. in situ)	21.2	11.8	9.7-14.4	15.0	19.8	15.4-25.0	6.2	6.2	4.2-8.9
Kidney and renal pelvis	29.4	15.6	13.2-18.4	17.4	20.4	16.2-25.3	12.0	12.0	9.1-15.6
Brain and other central nervous system	9.4	5.1	3.7-6.8	5.4	6.1	4.0-9.0	4.0	4.3	2.6-6.6
Thyroid	38.0	19.8	17.1-22.9	7.8	7.8	5.5-10.8	30.2	32.9	27.8-38.7
Hodgkin lymphoma	4.0	2.2	1.3-3.4	2.2	2.3	1.1-4.2	1.8	2.2	1.0-4.1
Non-Hodgkin lymphomas	33.0	18.1	15.4-21.1	16.4	19.9	15.6-24.9	16.6	17.3	13.7-21.5
Myeloma	15.0	8.3	6.5-10.5	9.0	11.3	8.2-15.3	6.0	6.4	4.3-9.1
Leukemias	21.2	11.4	9.3-13.9	12.8	14.8	11.3-19.1	8.4	8.7	6.2-11.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Flushing, Murray Hill & Whitestone**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,577.8	432.0	422.1-442.0	764.0	447.3	432.9-462.2	813.8	426.5	412.8-440.6
Oral cavity and pharynx	37.8	10.4	9.0-12.1	23.8	14.1	11.6-17.0	14.0	7.3	5.6-9.4
Esophagus	14.4	3.6	2.8-4.6	11.0	6.2	4.7-8.2	3.4	1.5	0.9-2.5
Stomach	60.2	15.7	14.0-17.7	37.4	21.6	18.5-25.0	22.8	11.0	9.0-13.3
Colorectal	149.6	40.6	37.6-43.7	78.8	47.5	42.8-52.6	70.8	34.8	31.1-38.8
Colon excluding rectum	107.0	28.4	26.0-31.0	55.0	32.7	28.8-36.9	52.0	24.9	21.8-28.3
Rectum & rectosigmoid	42.6	12.1	10.5-14.0	23.8	14.8	12.2-17.8	18.8	9.9	7.9-12.3
Liver / intrahepatic bile duct	48.2	12.8	11.2-14.6	33.4	18.9	16.1-22.2	14.8	7.4	5.8-9.5
Pancreas	53.8	13.4	11.9-15.2	24.4	13.9	11.5-16.7	29.4	13.0	10.9-15.5
Larynx	11.0	2.8	2.1-3.7	8.8	5.0	3.6-6.8	2.2	1.0	0.5-2.0
Lung and bronchus	216.0	54.6	51.3-58.0	113.6	64.5	59.2-70.1	102.4	46.8	42.7-51.2
Melanoma of the skin	24.4	6.6	5.4-7.9	13.6	8.5	6.5-10.9	10.8	5.0	3.7-6.7
Female breast							235.2	129.6	122.0-137.7
Cervix uteri							18.0	11.0	8.8-13.6
Corpus uterus and NOS							45.4	22.7	19.7-26.0
Ovary							21.8	12.0	9.8-14.7
Prostate				163.8	89.5	83.4-96.0			
Testis				4.8	4.3	2.7-6.4			
Urinary bladder (incl. in situ)	68.2	17.0	15.2-19.0	49.4	28.4	24.9-32.3	18.8	8.1	6.5-10.1
Kidney and renal pelvis	50.2	14.4	12.6-16.4	32.2	20.0	16.9-23.4	18.0	9.5	7.6-11.9
Brain and other central nervous system	16.2	5.0	3.9-6.4	7.8	5.1	3.5-7.1	8.4	4.9	3.4-6.9
Thyroid	72.4	25.4	22.8-28.3	19.0	13.2	10.6-16.3	53.4	36.9	32.4-41.8
Hodgkin lymphoma	6.2	2.1	1.4-3.0	3.6	2.4	1.4-3.9	2.6	1.8	1.0-3.2
Non-Hodgkin lymphomas	66.0	18.0	16.0-20.1	34.6	20.8	17.8-24.3	31.4	15.6	13.1-18.5
Myeloma	22.4	5.6	4.6-6.8	13.6	7.5	5.8-9.6	8.8	4.1	3.0-5.7
Leukemias	42.6	13.0	11.1-15.0	25.4	16.7	13.8-20.1	17.2	10.0	7.8-12.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Bayside, Douglaston & Little Neck**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	728.2	408.9	395.1-423.1	353.0	425.5	405.2-446.6	375.2	401.9	382.7-421.8
Oral cavity and pharynx	16.8	9.2	7.3-11.6	11.6	13.9	10.4-18.3	5.2	5.2	3.3-7.9
Esophagus	5.0	2.7	1.7-4.1	3.8	4.6	2.7-7.5	1.2	0.9	0.3-2.5
Stomach	19.4	10.3	8.3-12.8	10.4	12.6	9.3-16.8	9.0	8.4	6.0-11.5
Colorectal	55.2	30.6	26.9-34.6	28.8	34.5	28.9-41.0	26.4	27.1	22.3-32.6
Colon excluding rectum	41.8	23.0	19.9-26.6	21.0	24.7	20.0-30.2	20.8	21.3	17.1-26.4
Rectum & rectosigmoid	13.4	7.5	5.8-9.7	7.8	9.8	6.9-13.7	5.6	5.8	3.8-8.6
Liver / intrahepatic bile duct	14.0	8.1	6.2-10.4	9.2	11.3	8.2-15.3	4.8	5.3	3.3-8.3
Pancreas	24.2	12.7	10.5-15.3	12.4	14.8	11.3-19.3	11.8	11.2	8.5-14.8
Larynx	2.4	1.2	0.6-2.2	2.2	2.3	1.1-4.4	0.2	0.2	0.0-1.6
Lung and bronchus	102.6	54.5	49.8-59.7	53.0	63.7	56.1-72.2	49.6	47.7	41.8-54.4
Melanoma of the skin	20.8	11.0	9.0-13.5	12.6	14.6	11.2-19.0	8.2	8.6	6.1-11.9
Female breast							115.4	128.1	117.3-139.7
Cervix uteri							4.6	6.4	3.9-9.8
Corpus uterus and NOS							29.2	29.6	24.8-35.2
Ovary							8.4	8.7	6.1-12.1
Prostate				82.6	93.7	84.7-103.6			
Testis				3.6	7.0	4.0-11.2			
Urinary bladder (incl. in situ)	36.2	18.9	16.2-22.1	28.6	33.5	28.1-39.7	7.6	7.4	5.1-10.6
Kidney and renal pelvis	20.6	11.8	9.5-14.5	11.8	14.1	10.6-18.5	8.8	9.8	7.0-13.6
Brain and other central nervous system	5.8	3.7	2.4-5.5	2.6	3.6	1.8-6.5	3.2	3.8	2.0-6.6
Thyroid	29.6	22.8	19.1-27.0	7.6	11.7	8.1-16.4	22.0	33.1	26.8-40.4
Hodgkin lymphoma	2.2	1.6	0.8-3.0	1.0	1.8	0.5-4.4	1.2	1.4	0.5-3.4
Non-Hodgkin lymphomas	33.6	18.6	15.7-21.9	19.6	24.2	19.5-29.9	14.0	14.1	10.8-18.2
Myeloma	11.2	6.3	4.7-8.3	5.6	6.8	4.5-10.2	5.6	6.0	3.8-9.0
Leukemias	23.4	13.6	11.1-16.6	12.8	16.8	12.8-21.8	10.6	11.3	8.2-15.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Queens Village, Cambria Heights & Rosedale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,103.0	430.9	419.3-442.9	537.6	482.0	463.4-501.3	565.4	397.9	382.8-413.5
Oral cavity and pharynx	19.2	7.9	6.4-9.8	10.8	10.2	7.6-13.5	8.4	6.2	4.4-8.5
Esophagus	5.6	2.1	1.4-3.0	3.8	3.5	2.1-5.6	1.8	1.1	0.5-2.3
Stomach	27.6	11.2	9.3-13.3	15.0	14.6	11.4-18.5	12.6	9.0	6.8-11.8
Colorectal	88.0	34.7	31.4-38.2	40.8	37.7	32.5-43.5	47.2	32.3	28.2-36.9
Colon excluding rectum	67.2	26.3	23.5-29.4	30.0	27.8	23.4-32.8	37.2	24.9	21.3-29.0
Rectum & rectosigmoid	20.8	8.4	6.8-10.2	10.8	9.9	7.4-13.1	10.0	7.4	5.4-9.9
Liver / intrahepatic bile duct	18.6	6.9	5.5-8.6	12.8	10.9	8.3-14.1	5.8	3.8	2.5-5.7
Pancreas	39.4	15.1	13.0-17.4	17.4	16.2	12.9-20.1	22.0	14.1	11.5-17.2
Larynx	4.6	1.7	1.1-2.6	4.0	3.6	2.2-5.7	0.6	0.4	0.1-1.3
Lung and bronchus	86.4	33.0	29.9-36.4	43.0	40.0	34.7-45.9	43.4	28.1	24.4-32.2
Melanoma of the skin	10.6	4.0	3.0-5.3	6.0	5.7	3.8-8.2	4.6	3.0	1.9-4.7
Female breast							184.8	133.4	124.6-142.7
Cervix uteri							11.2	9.2	6.9-12.2
Corpus uterus and NOS							55.4	36.3	32.1-41.1
Ovary							15.8	11.3	8.8-14.2
Prostate				215.0	178.0	167.2-189.4			
Testis				4.0	4.8	2.9-7.5			
Urinary bladder (incl. in situ)	38.0	14.0	12.1-16.3	27.2	25.8	21.5-30.7	10.8	6.6	4.9-8.7
Kidney and renal pelvis	38.8	14.9	12.9-17.3	24.6	21.8	18.0-26.2	14.2	9.9	7.7-12.6
Brain and other central nervous system	9.2	4.4	3.2-5.9	5.0	5.4	3.4-8.1	4.2	3.6	2.1-5.7
Thyroid	30.6	14.3	12.0-16.9	7.0	7.1	4.9-10.0	23.6	20.1	16.5-24.3
Hodgkin lymphoma	4.4	2.1	1.3-3.2	2.4	2.3	1.2-4.2	2.0	2.0	0.9-3.7
Non-Hodgkin lymphomas	40.6	16.1	13.9-18.5	21.6	19.6	15.9-23.8	19.0	13.4	10.7-16.6
Myeloma	33.0	12.7	10.8-14.9	17.6	16.4	13.0-20.3	15.4	9.8	7.7-12.4
Leukemias	33.2	14.3	12.1-16.8	18.0	18.2	14.6-22.6	15.2	11.5	8.9-14.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Briarwood, Fresh Meadows & Hillcrest**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	800.6	403.7	390.8-416.9	386.2	422.2	403.0-442.1	414.4	394.0	376.4-412.2
Oral cavity and pharynx	17.4	8.8	6.9-10.9	10.0	10.7	7.9-14.3	7.4	7.1	4.9-10.0
Esophagus	6.6	2.9	2.0-4.2	5.0	5.1	3.3-7.7	1.6	1.2	0.5-2.5
Stomach	19.8	10.4	8.4-12.8	10.6	12.4	9.2-16.3	9.2	9.0	6.5-12.2
Colorectal	71.8	36.6	32.8-40.8	39.6	45.0	38.8-52.0	32.2	29.2	24.7-34.4
Colon excluding rectum	51.2	26.4	23.2-30.0	28.0	32.5	27.2-38.6	23.2	20.9	17.2-25.4
Rectum & rectosigmoid	20.6	10.2	8.3-12.5	11.6	12.5	9.4-16.3	9.0	8.3	5.9-11.3
Liver / intrahepatic bile duct	19.6	9.1	7.3-11.2	13.6	14.2	10.9-18.2	6.0	4.9	3.3-7.2
Pancreas	26.6	12.3	10.3-14.7	11.4	12.1	9.1-15.8	15.2	12.6	9.8-15.9
Larynx	3.6	1.7	1.0-2.8	2.6	2.8	1.4-4.8	1.0	0.9	0.3-2.3
Lung and bronchus	81.4	39.9	36.0-44.1	42.6	45.8	39.7-52.6	38.8	35.3	30.3-40.9
Melanoma of the skin	13.4	6.4	4.9-8.2	9.0	10.1	7.3-13.6	4.4	3.6	2.2-5.7
Female breast							133.4	130.0	119.9-140.9
Cervix uteri							6.0	6.5	4.3-9.4
Corpus uterus and NOS							31.6	28.9	24.4-34.0
Ovary							10.0	10.3	7.5-13.8
Prostate				103.2	106.1	96.9-116.0			
Testis				2.0	2.8	1.3-5.2			
Urinary bladder (incl. in situ)	27.6	12.6	10.6-15.0	23.0	24.1	19.8-29.1	4.6	3.8	2.3-5.8
Kidney and renal pelvis	26.0	13.5	11.2-16.2	16.6	18.4	14.5-23.0	9.4	9.7	7.0-13.0
Brain and other central nervous system	10.4	5.5	4.1-7.4	6.6	7.7	5.2-11.0	3.8	3.5	2.1-5.7
Thyroid	38.2	23.3	20.0-27.0	8.4	11.1	7.9-15.1	29.8	34.6	29.1-40.9
Hodgkin lymphoma	4.8	2.9	1.8-4.4	2.8	3.7	2.0-6.2	2.0	2.2	1.0-4.2
Non-Hodgkin lymphomas	35.0	18.1	15.4-21.1	20.0	23.4	18.9-28.7	15.0	14.0	10.9-17.8
Myeloma	14.4	6.8	5.2-8.6	8.8	9.2	6.6-12.5	5.6	4.7	3.1-7.0
Leukemias	25.0	12.8	10.6-15.4	14.4	16.8	13.0-21.3	10.6	9.4	6.9-12.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Elmhurst & South Corona**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	582.8	389.2	374.9-403.9	283.8	416.2	393.9-439.4	299.0	379.1	359.8-399.2
Oral cavity and pharynx	10.8	7.1	5.3-9.3	6.6	9.6	6.5-13.6	4.2	4.8	3.0-7.5
Esophagus	4.6	2.9	1.8-4.4	3.8	5.4	3.2-8.7	0.8	0.9	0.2-2.5
Stomach	25.0	17.1	14.2-20.5	15.4	22.3	17.4-28.0	9.6	12.8	9.4-17.0
Colorectal	46.8	32.6	28.4-37.1	23.6	35.4	29.1-42.7	23.2	30.1	24.8-36.2
Colon excluding rectum	31.0	21.5	18.2-25.2	14.8	22.3	17.4-28.2	16.2	21.0	16.6-26.2
Rectum & rectosigmoid	15.8	11.0	8.7-13.8	8.8	13.1	9.4-17.8	7.0	9.1	6.3-12.8
Liver / intrahepatic bile duct	21.6	14.4	11.8-17.5	15.4	22.0	17.1-27.7	6.2	8.3	5.6-11.8
Pancreas	15.8	10.9	8.6-13.7	7.0	10.5	7.1-14.8	8.8	11.1	8.0-14.9
Larynx	2.8	1.8	1.0-3.0	2.6	4.0	2.1-7.1	0.2	0.2	0.0-1.4
Lung and bronchus	56.6	39.1	34.6-44.0	33.4	52.4	44.4-61.4	23.2	29.4	24.2-35.4
Melanoma of the skin	3.8	2.8	1.7-4.4	2.0	3.6	1.7-6.7	1.8	2.4	1.1-4.6
Female breast							90.4	115.2	104.6-126.6
Cervix uteri							6.2	7.6	5.1-10.9
Corpus uterus and NOS							25.0	30.9	25.6-37.0
Ovary							6.4	8.4	5.7-11.9
Prostate				74.8	104.7	94.0-116.4			
Testis				2.8	3.1	1.7-5.4			
Urinary bladder (incl. in situ)	17.4	12.5	10.0-15.5	14.6	25.0	19.4-31.7	2.8	3.5	1.9-6.0
Kidney and renal pelvis	21.2	13.9	11.4-16.9	12.0	16.7	12.6-21.7	9.2	11.1	8.1-14.9
Brain and other central nervous system	9.6	6.8	5.0-9.1	6.0	9.1	6.0-13.1	3.6	4.8	2.8-7.7
Thyroid	34.2	21.7	18.5-25.2	7.2	9.5	6.6-13.3	27.0	34.0	28.4-40.4
Hodgkin lymphoma	1.4	0.9	0.4-1.9	0.8	1.1	0.3-2.8	0.6	0.7	0.1-2.2
Non-Hodgkin lymphomas	24.8	16.8	13.9-20.2	13.2	19.9	15.2-25.6	11.6	14.5	10.9-18.8
Myeloma	8.8	5.7	4.1-7.7	5.6	7.7	5.0-11.3	3.2	3.9	2.2-6.5
Leukemias	17.0	11.5	9.2-14.4	10.4	14.7	10.9-19.5	6.6	8.7	5.9-12.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Forest Hills & Rego Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	720.8	414.0	399.7-428.7	328.0	421.8	400.7-443.7	392.8	414.4	394.6-435.0
Oral cavity and pharynx	12.4	7.6	5.7-10.0	6.4	9.1	6.1-13.2	6.0	6.3	4.1-9.5
Esophagus	5.4	2.6	1.7-4.0	3.8	4.4	2.6-7.3	1.6	1.1	0.5-2.9
Stomach	17.6	10.1	8.0-12.8	9.4	11.8	8.6-16.0	8.2	9.1	6.2-13.1
Colorectal	62.6	34.2	30.4-38.5	31.8	41.1	34.8-48.4	30.8	28.5	23.8-34.0
Colon excluding rectum	44.2	24.1	20.8-27.7	21.2	27.2	22.2-33.2	23.0	21.5	17.4-26.4
Rectum & rectosigmoid	18.4	10.2	8.1-12.7	10.6	13.9	10.3-18.5	7.8	7.0	4.9-10.1
Liver / intrahepatic bile duct	12.8	6.8	5.2-9.0	7.8	9.1	6.4-12.8	5.0	4.9	3.0-7.8
Pancreas	22.8	11.3	9.3-13.8	9.4	11.5	8.4-15.6	13.4	11.1	8.5-14.5
Larynx	2.8	1.4	0.8-2.6	2.6	3.3	1.7-5.9	0.2	0.2	0.0-1.7
Lung and bronchus	70.0	36.1	32.3-40.3	36.6	44.6	38.2-51.8	33.4	29.8	25.3-35.2
Melanoma of the skin	21.2	11.8	9.6-14.4	12.8	16.5	12.6-21.3	8.4	8.2	5.8-11.5
Female breast							124.0	138.4	126.9-150.8
Cervix uteri							4.2	5.3	3.2-8.4
Corpus uterus and NOS							22.4	22.6	18.4-27.6
Ovary							9.8	12.3	8.7-16.8
Prostate				77.6	91.0	82.1-100.9			
Testis				2.8	6.0	3.2-10.1			
Urinary bladder (incl. in situ)	34.6	17.5	14.9-20.5	24.8	30.0	24.9-36.0	9.8	8.6	6.3-11.8
Kidney and renal pelvis	26.0	14.2	11.7-17.0	15.4	19.6	15.4-24.8	10.6	9.9	7.3-13.4
Brain and other central nervous system	8.4	5.8	4.0-8.2	3.6	5.4	3.0-8.9	4.8	6.3	3.6-10.1
Thyroid	34.6	25.8	21.8-30.3	9.6	14.8	10.7-20.0	25.0	35.8	29.3-43.3
Hodgkin lymphoma	3.2	3.1	1.6-5.2	1.8	3.9	1.6-7.7	1.4	2.3	0.9-4.9
Non-Hodgkin lymphomas	38.6	23.2	19.8-27.0	16.8	23.1	18.2-29.0	21.8	23.6	18.9-29.4
Myeloma	14.4	8.1	6.3-10.5	7.2	9.7	6.7-13.8	7.2	6.8	4.7-9.9
Leukemias	24.2	14.4	11.7-17.6	15.4	20.7	16.0-26.5	8.8	9.4	6.5-13.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Sunnyside & Woodside**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	596.6	405.7	390.9-420.8	277.2	415.8	393.3-439.3	319.4	419.0	398.1-440.8
Oral cavity and pharynx	16.4	10.6	8.4-13.3	9.4	12.6	9.2-17.0	7.0	9.0	6.2-12.6
Esophagus	4.6	3.1	2.0-4.8	3.2	4.7	2.6-7.8	1.4	1.9	0.7-3.9
Stomach	20.4	14.1	11.4-17.1	13.6	20.7	15.9-26.6	6.8	8.8	6.0-12.4
Colorectal	50.0	34.6	30.4-39.3	26.0	39.4	32.7-47.1	24.0	31.7	26.1-38.0
Colon excluding rectum	29.6	20.6	17.4-24.3	12.8	20.4	15.5-26.4	16.8	21.9	17.4-27.3
Rectum & rectosigmoid	20.4	14.0	11.3-17.0	13.2	19.0	14.6-24.4	7.2	9.7	6.7-13.6
Liver / intrahepatic bile duct	15.0	9.9	7.8-12.6	11.2	17.0	12.7-22.3	3.8	4.5	2.7-7.1
Pancreas	17.0	12.0	9.6-14.9	9.4	15.4	11.1-20.7	7.6	9.7	6.8-13.5
Larynx	2.2	1.4	0.7-2.6	2.0	2.8	1.3-5.4	0.2	0.2	0.0-1.6
Lung and bronchus	54.4	37.1	32.7-41.9	27.8	45.8	38.2-54.4	26.6	31.9	26.7-38.1
Melanoma of the skin	14.8	10.2	8.0-12.9	6.4	10.0	6.7-14.3	8.4	10.8	7.7-14.8
Female breast							98.4	130.9	119.3-143.4
Cervix uteri							7.6	9.6	6.7-13.4
Corpus uterus and NOS							23.6	30.4	25.0-36.6
Ovary							9.0	11.8	8.5-16.1
Prostate				60.8	86.5	76.7-97.3			
Testis				5.2	6.1	3.9-9.1			
Urinary bladder (incl. in situ)	18.4	12.9	10.4-15.9	13.0	21.6	16.5-27.8	5.4	6.7	4.4-9.9
Kidney and renal pelvis	18.6	12.5	10.0-15.4	13.6	19.7	15.2-25.2	5.0	6.0	3.9-9.1
Brain and other central nervous system	7.6	5.6	3.9-7.8	4.0	5.6	3.4-8.9	3.6	5.5	3.2-9.0
Thyroid	33.4	22.8	19.4-26.7	6.2	8.6	5.7-12.4	27.2	38.2	31.8-45.6
Hodgkin lymphoma	5.4	3.9	2.5-5.9	4.0	6.1	3.6-9.6	1.4	2.0	0.7-4.3
Non-Hodgkin lymphomas	29.8	20.6	17.4-24.4	14.4	21.3	16.5-27.2	15.4	20.4	16.0-25.8
Myeloma	9.6	6.4	4.7-8.6	4.8	6.7	4.2-10.2	4.8	5.8	3.7-8.7
Leukemias	17.4	12.4	9.8-15.4	9.8	14.4	10.5-19.2	7.6	10.8	7.5-15.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Ridgewood, Glendale & Middle Village**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	834.6	407.3	394.8-420.0	398.8	426.6	407.7-446.1	435.8	398.7	381.7-416.2
Oral cavity and pharynx	22.6	11.0	9.1-13.3	15.4	16.3	12.8-20.5	7.2	6.6	4.6-9.3
Esophagus	8.0	3.7	2.6-5.1	6.0	6.3	4.2-9.1	2.0	1.6	0.8-3.0
Stomach	18.8	9.3	7.5-11.5	10.6	11.6	8.6-15.2	8.2	7.6	5.4-10.4
Colorectal	78.0	37.4	33.7-41.3	39.6	41.9	36.1-48.3	38.4	33.9	29.2-39.3
Colon excluding rectum	54.2	26.0	23.0-29.4	27.2	29.3	24.5-34.8	27.0	23.5	19.7-28.0
Rectum & rectosigmoid	23.8	11.3	9.4-13.6	12.4	12.6	9.6-16.3	11.4	10.4	7.8-13.6
Liver / intrahepatic bile duct	19.4	9.1	7.4-11.2	14.6	15.1	11.8-19.1	4.8	4.2	2.7-6.4
Pancreas	25.8	12.3	10.2-14.6	9.4	10.1	7.4-13.6	16.4	13.7	10.9-17.1
Larynx	5.4	2.6	1.7-3.8	4.2	4.3	2.6-6.7	1.2	1.1	0.4-2.4
Lung and bronchus	90.8	43.1	39.2-47.4	45.0	48.9	42.6-55.8	45.8	39.2	34.2-44.7
Melanoma of the skin	21.6	10.7	8.7-12.9	9.4	10.8	7.9-14.5	12.2	11.4	8.7-14.8
Female breast							125.0	117.1	107.8-126.9
Cervix uteri							9.2	9.1	6.6-12.3
Corpus uterus and NOS							30.2	26.7	22.5-31.4
Ovary							11.2	10.9	8.2-14.3
Prostate				90.0	90.6	82.3-99.6			
Testis				4.2	4.9	3.0-7.6			
Urinary bladder (incl. in situ)	42.0	20.1	17.4-23.0	33.0	36.7	31.3-42.9	9.0	7.5	5.5-10.2
Kidney and renal pelvis	31.8	15.8	13.4-18.5	20.2	21.7	17.6-26.4	11.6	10.6	8.0-13.9
Brain and other central nervous system	10.6	5.5	4.1-7.2	5.0	5.3	3.4-7.9	5.6	5.6	3.7-8.3
Thyroid	35.4	19.1	16.3-22.2	9.2	10.4	7.6-13.9	26.2	27.6	22.9-32.9
Hodgkin lymphoma	4.4	2.5	1.5-3.8	2.6	3.0	1.6-5.2	1.8	2.0	0.9-3.9
Non-Hodgkin lymphomas	38.0	18.9	16.2-21.8	22.4	24.3	19.9-29.4	15.6	14.0	11.0-17.6
Myeloma	10.0	4.8	3.5-6.4	4.8	5.4	3.5-8.2	5.2	4.3	2.8-6.4
Leukemias	26.0	13.1	10.9-15.6	15.4	16.9	13.3-21.3	10.6	9.8	7.2-12.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Richmond Hill & Woodhaven**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	596.6	400.6	385.9-415.7	295.8	434.0	411.0-458.0	300.8	382.9	363.3-403.2
Oral cavity and pharynx	11.8	7.5	5.6-9.7	8.0	10.4	7.3-14.5	3.8	5.0	3.0-7.9
Esophagus	5.8	3.6	2.4-5.3	4.8	6.6	4.1-10.0	1.0	1.1	0.3-2.8
Stomach	13.0	9.0	6.9-11.6	6.6	10.2	6.9-14.6	6.4	8.4	5.7-11.9
Colorectal	54.8	36.8	32.4-41.5	33.2	47.9	40.5-56.1	21.6	27.7	22.6-33.6
Colon excluding rectum	36.0	24.5	20.9-28.5	22.8	34.0	27.8-41.2	13.2	16.9	13.0-21.7
Rectum & rectosigmoid	18.8	12.3	9.9-15.1	10.4	13.9	10.2-18.4	8.4	10.8	7.7-14.7
Liver / intrahepatic bile duct	14.8	10.0	7.8-12.7	11.2	16.7	12.4-22.0	3.6	4.6	2.7-7.3
Pancreas	16.8	12.0	9.5-15.0	10.6	16.6	12.2-22.0	6.2	8.1	5.4-11.6
Larynx	3.2	2.4	1.4-4.0	3.2	5.6	3.1-9.2	0.0	0.0	0.0-1.1
Lung and bronchus	55.2	38.8	34.2-43.9	28.4	44.7	37.2-53.1	26.8	34.7	29.0-41.3
Melanoma of the skin	8.2	6.0	4.2-8.2	5.0	8.2	5.2-12.3	3.2	4.5	2.5-7.3
Female breast							89.2	111.8	101.4-122.9
Cervix uteri							9.0	11.5	8.3-15.5
Corpus uterus and NOS							28.6	35.6	29.9-42.1
Ovary							10.2	12.1	8.9-16.0
Prostate				76.2	105.6	94.7-117.4			
Testis				4.0	5.4	3.3-8.5			
Urinary bladder (incl. in situ)	20.0	14.4	11.6-17.6	14.2	23.8	18.3-30.3	5.8	7.3	4.8-10.6
Kidney and renal pelvis	20.2	13.1	10.6-16.0	14.2	19.6	15.1-25.0	6.0	7.5	5.0-10.8
Brain and other central nervous system	7.8	5.1	3.6-7.0	5.2	6.8	4.4-10.1	2.6	3.4	1.8-5.9
Thyroid	32.8	21.7	18.4-25.3	9.8	13.4	9.8-17.9	23.0	29.8	24.6-36.0
Hodgkin lymphoma	5.2	3.6	2.3-5.3	2.2	3.1	1.5-5.6	3.0	4.2	2.3-7.0
Non-Hodgkin lymphomas	27.0	18.6	15.5-22.1	14.8	22.1	17.1-28.0	12.2	15.6	11.9-20.2
Myeloma	12.4	8.6	6.5-11.1	6.4	9.8	6.6-14.0	6.0	7.8	5.2-11.2
Leukemias	18.8	13.5	10.8-16.6	10.2	16.4	12.1-21.8	8.6	11.3	8.1-15.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Jamaica, Hollis & St. Albans**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,136.0	439.5	428.0-451.4	526.6	481.5	462.8-500.9	609.4	418.0	403.0-433.5
Oral cavity and pharynx	20.4	7.9	6.4-9.6	12.2	11.2	8.5-14.5	8.2	5.7	4.0-7.8
Esophagus	10.2	3.9	2.9-5.2	7.0	6.3	4.3-8.9	3.2	2.2	1.2-3.6
Stomach	29.4	11.8	9.9-13.9	16.2	16.2	12.8-20.3	13.2	8.8	6.8-11.3
Colorectal	99.2	38.7	35.3-42.3	43.0	40.5	35.2-46.5	56.2	38.0	33.6-42.8
Colon excluding rectum	74.8	29.1	26.2-32.3	31.2	29.7	25.1-35.0	43.6	29.1	25.3-33.3
Rectum & rectosigmoid	24.4	9.5	7.9-11.4	11.8	10.8	8.1-14.0	12.6	8.9	6.8-11.5
Liver / intrahepatic bile duct	23.2	8.7	7.2-10.5	16.4	15.0	11.9-18.8	6.8	4.2	2.9-6.0
Pancreas	38.6	15.1	13.0-17.4	16.6	15.8	12.5-19.7	22.0	14.3	11.7-17.3
Larynx	6.4	2.4	1.6-3.4	5.4	4.9	3.2-7.3	1.0	0.6	0.2-1.5
Lung and bronchus	93.4	36.4	33.2-40.0	48.8	47.6	41.6-54.2	44.6	29.1	25.3-33.2
Melanoma of the skin	3.4	1.3	0.8-2.1	1.8	1.5	0.7-2.9	1.6	1.1	0.5-2.3
Female breast							200.8	139.0	130.3-148.1
Cervix uteri							17.6	13.3	10.6-16.6
Corpus uterus and NOS							55.6	35.9	31.7-40.5
Ovary							17.6	12.6	10.1-15.7
Prostate				210.4	182.9	171.6-194.7			
Testis				3.0	3.0	1.7-4.9			
Urinary bladder (incl. in situ)	26.0	10.4	8.6-12.4	19.2	18.8	15.1-23.1	6.8	4.7	3.2-6.6
Kidney and renal pelvis	36.4	13.7	11.7-15.9	23.4	20.7	17.0-25.0	13.0	8.4	6.5-10.8
Brain and other central nervous system	12.0	5.0	3.8-6.5	7.0	6.5	4.5-9.1	5.0	3.7	2.4-5.6
Thyroid	31.0	13.3	11.3-15.6	4.6	4.3	2.7-6.6	26.4	21.0	17.5-25.0
Hodgkin lymphoma	6.2	2.8	1.9-3.9	2.6	2.6	1.3-4.4	3.6	3.0	1.8-4.8
Non-Hodgkin lymphomas	37.2	14.5	12.4-16.8	17.8	16.2	12.9-20.1	19.4	13.3	10.7-16.3
Myeloma	27.2	10.3	8.7-12.3	10.6	9.4	7.0-12.4	16.6	10.9	8.7-13.6
Leukemias	30.0	12.3	10.4-14.5	14.0	13.5	10.4-17.1	16.0	11.5	9.1-14.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Howard Beach & Ozone Park**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	609.4	405.9	391.3-420.9	291.8	428.0	405.6-451.2	317.6	394.3	374.7-414.7
Oral cavity and pharynx	12.4	8.3	6.3-10.7	8.0	12.2	8.6-16.7	4.4	5.3	3.3-8.2
Esophagus	6.2	4.0	2.7-5.7	4.8	7.1	4.5-10.7	1.4	1.6	0.6-3.5
Stomach	15.0	9.9	7.7-12.5	8.0	11.3	7.9-15.5	7.0	8.7	6.0-12.2
Colorectal	52.2	35.2	31.0-39.9	27.4	39.5	32.9-47.0	24.8	31.5	26.1-37.8
Colon excluding rectum	37.4	25.3	21.7-29.3	20.8	30.0	24.3-36.6	16.6	21.0	16.7-26.2
Rectum & rectosigmoid	14.8	10.0	7.8-12.6	6.6	9.5	6.5-13.6	8.2	10.5	7.5-14.4
Liver / intrahepatic bile duct	11.8	7.6	5.8-9.9	8.6	12.2	8.8-16.6	3.2	3.8	2.1-6.3
Pancreas	22.0	14.8	12.1-17.9	11.0	16.3	12.1-21.4	11.0	13.3	10.0-17.5
Larynx	4.2	2.8	1.7-4.3	3.8	5.8	3.4-9.1	0.4	0.4	0.0-1.7
Lung and bronchus	63.0	41.2	36.7-46.2	28.8	43.6	36.6-51.6	34.2	40.1	34.2-46.8
Melanoma of the skin	9.6	6.2	4.5-8.2	5.6	8.0	5.2-11.7	4.0	4.7	2.9-7.5
Female breast							100.0	123.7	112.9-135.4
Cervix uteri							5.0	6.7	4.3-10.0
Corpus uterus and NOS							26.8	33.2	27.7-39.6
Ovary							9.2	11.9	8.6-16.0
Prostate				73.6	100.7	90.4-112.0			
Testis				2.8	4.9	2.7-8.3			
Urinary bladder (incl. in situ)	25.4	17.1	14.2-20.4	18.0	27.7	22.1-34.3	7.4	8.9	6.3-12.5
Kidney and renal pelvis	24.8	16.6	13.8-19.9	17.0	24.5	19.4-30.6	7.8	9.5	6.7-13.2
Brain and other central nervous system	7.0	5.1	3.5-7.1	4.2	6.2	3.8-9.7	2.8	3.8	2.0-6.5
Thyroid	24.4	17.9	14.8-21.4	6.4	9.9	6.7-14.1	18.0	25.6	20.5-31.6
Hodgkin lymphoma	2.6	2.0	1.0-3.5	1.8	2.8	1.3-5.5	0.8	1.2	0.3-3.2
Non-Hodgkin lymphomas	23.2	15.8	13.0-19.1	14.6	22.4	17.4-28.3	8.6	10.8	7.8-14.8
Myeloma	10.2	6.3	4.7-8.4	5.0	6.7	4.3-10.2	5.2	5.9	3.8-8.9
Leukemias	17.8	12.5	10.0-15.5	12.2	19.1	14.5-24.7	5.6	7.2	4.7-10.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Queens County
Far Rockaway, Breezy Point & Broad Channel**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	671.4	467.2	451.0-483.7	336.2	506.6	482.0-532.2	335.2	437.3	416.0-459.5
Oral cavity and pharynx	18.2	12.8	10.3-15.9	11.8	17.7	13.4-23.0	6.4	9.0	6.1-12.9
Esophagus	5.2	3.3	2.2-4.9	3.4	4.9	2.8-8.1	1.8	2.0	0.9-4.0
Stomach	12.2	8.5	6.4-11.0	6.4	9.9	6.7-14.2	5.8	7.4	4.8-10.8
Colorectal	61.6	43.7	38.8-49.0	34.0	52.7	44.9-61.6	27.6	35.9	30.0-42.7
Colon excluding rectum	42.0	29.3	25.4-33.7	21.2	32.8	26.7-40.0	20.8	26.1	21.3-31.9
Rectum & rectosigmoid	19.6	14.3	11.5-17.6	12.8	19.9	15.2-25.7	6.8	9.8	6.6-13.8
Liver / intrahepatic bile duct	14.2	8.9	6.9-11.3	9.6	13.5	9.8-18.1	4.6	5.1	3.2-7.9
Pancreas	21.6	14.1	11.5-17.1	9.8	14.2	10.4-18.9	11.8	13.8	10.5-18.0
Larynx	5.6	3.6	2.4-5.3	4.6	6.5	4.1-10.0	1.0	1.3	0.4-3.1
Lung and bronchus	77.4	50.9	45.9-56.4	38.6	57.3	49.3-66.3	38.8	46.5	40.1-53.8
Melanoma of the skin	20.6	14.6	11.9-17.9	12.0	18.9	14.3-24.5	8.6	11.5	8.2-15.7
Female breast							91.0	122.1	110.8-134.3
Cervix uteri							5.6	7.6	4.9-11.1
Corpus uterus and NOS							25.2	32.2	26.7-38.7
Ovary							9.8	13.5	9.9-18.1
Prostate				93.4	130.8	119.0-143.6			
Testis				2.4	4.4	2.2-7.8			
Urinary bladder (incl. in situ)	21.6	14.3	11.7-17.3	15.0	23.0	18.0-29.1	6.6	7.5	5.2-10.7
Kidney and renal pelvis	24.8	17.6	14.6-21.1	16.8	26.3	20.8-32.8	8.0	10.6	7.5-14.6
Brain and other central nervous system	7.4	5.6	3.9-7.7	3.6	5.6	3.2-9.0	3.8	5.3	3.1-8.5
Thyroid	19.4	16.1	12.9-19.8	4.8	7.4	4.6-11.3	14.6	23.5	18.2-29.7
Hodgkin lymphoma	4.0	3.2	1.9-5.0	2.2	3.6	1.7-6.5	1.8	3.0	1.3-5.7
Non-Hodgkin lymphomas	26.6	19.0	15.8-22.6	14.6	22.6	17.6-28.7	12.0	16.0	12.1-20.8
Myeloma	13.4	9.5	7.3-12.2	6.4	9.8	6.6-14.0	7.0	9.3	6.4-13.2
Leukemias	20.6	15.3	12.4-18.7	12.6	22.0	16.8-28.4	8.0	9.9	7.0-13.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

Richmond (Staten Island) County

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	3,041.6	517.4	509.0-525.9	1,474.0	548.2	535.3-561.2	1,567.6	499.0	487.7-510.6
Oral cavity and pharynx	60.4	10.0	8.9-11.2	42.0	15.1	13.0-17.4	18.4	5.6	4.5-6.9
Esophagus	28.4	4.5	3.8-5.3	22.2	7.7	6.3-9.4	6.2	1.9	1.3-2.7
Stomach	47.0	8.1	7.1-9.3	29.0	11.5	9.6-13.6	18.0	5.5	4.4-6.8
Colorectal	240.6	41.0	38.7-43.4	130.2	49.3	45.5-53.4	110.4	34.0	31.2-37.1
Colon excluding rectum	177.4	30.1	28.1-32.2	93.0	35.4	32.2-38.9	84.4	25.7	23.3-28.4
Rectum & rectosigmoid	63.2	10.9	9.7-12.2	37.2	13.9	11.9-16.1	26.0	8.3	6.9-9.9
Liver / intrahepatic bile duct	65.2	10.3	9.2-11.5	47.2	16.4	14.3-18.7	18.0	5.3	4.2-6.5
Pancreas	94.2	15.5	14.1-17.0	46.6	17.0	14.8-19.5	47.6	14.1	12.3-16.1
Larynx	17.6	2.9	2.3-3.6	14.0	5.2	4.0-6.6	3.6	1.1	0.6-1.8
Lung and bronchus	384.8	63.6	60.8-66.6	182.0	69.1	64.6-73.9	202.8	60.3	56.6-64.2
Melanoma of the skin	84.2	14.4	13.0-15.9	45.6	17.5	15.2-20.0	38.6	12.1	10.4-14.1
Female breast							430.6	139.2	133.1-145.4
Cervix uteri							22.2	7.9	6.4-9.6
Corpus uterus and NOS							116.4	34.9	32.0-37.9
Ovary							45.6	15.0	13.0-17.1
Prostate				347.4	119.5	113.8-125.4			
Testis				14.2	6.6	5.1-8.3			
Urinary bladder (incl. in situ)	144.4	24.0	22.2-25.8	106.2	40.7	37.2-44.4	38.2	11.2	9.6-12.9
Kidney and renal pelvis	126.0	21.2	19.5-23.0	85.4	31.4	28.4-34.6	40.6	12.6	10.9-14.5
Brain and other central nervous system	36.4	6.7	5.7-7.8	19.0	7.5	6.1-9.3	17.4	5.9	4.7-7.4
Thyroid	164.4	31.8	29.6-34.2	48.6	19.2	16.8-21.9	115.8	43.7	40.1-47.5
Hodgkin lymphoma	16.0	3.3	2.6-4.1	9.2	3.9	2.8-5.3	6.8	2.7	1.8-3.8
Non-Hodgkin lymphomas	138.4	23.9	22.1-25.9	72.2	27.9	25.0-31.1	66.2	20.7	18.4-23.1
Myeloma	55.0	9.2	8.1-10.4	29.4	11.2	9.4-13.2	25.6	7.7	6.4-9.2
Leukemias	98.2	17.4	15.9-19.1	56.8	22.0	19.5-24.8	41.4	13.6	11.8-15.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Richmond (Staten Island) County
Tottenville, Great Kills & Annadale**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	1,133.2	548.1	533.5-563.1	552.4	577.5	555.4-600.4	580.8	531.2	511.4-551.7
Oral cavity and pharynx	24.0	11.7	9.6-14.1	16.8	17.2	13.6-21.5	7.2	6.9	4.7-9.7
Esophagus	9.2	4.2	3.1-5.7	8.2	8.3	5.9-11.5	1.0	0.9	0.3-2.3
Stomach	17.4	8.6	6.8-10.7	10.0	11.1	8.1-14.8	7.4	6.7	4.6-9.4
Colorectal	87.4	43.1	39.0-47.4	49.4	52.9	46.3-60.2	38.0	34.6	29.8-40.1
Colon excluding rectum	64.4	31.7	28.2-35.4	35.8	38.5	32.9-44.9	28.6	25.9	21.7-30.7
Rectum & rectosigmoid	23.0	11.4	9.4-13.8	13.6	14.4	11.0-18.4	9.4	8.7	6.4-11.8
Liver / intrahepatic bile duct	20.2	9.4	7.6-11.5	14.6	14.4	11.2-18.4	5.6	5.1	3.4-7.5
Pancreas	30.6	14.1	11.9-16.6	14.6	14.4	11.2-18.4	16.0	13.6	10.8-17.1
Larynx	7.0	3.4	2.3-4.8	5.4	5.9	3.8-8.7	1.6	1.4	0.6-2.9
Lung and bronchus	145.4	68.6	63.6-73.9	67.4	74.1	66.1-82.8	78.0	65.7	59.2-72.7
Melanoma of the skin	36.4	17.8	15.2-20.7	20.4	21.3	17.2-26.1	16.0	15.1	11.9-19.0
Female breast							163.8	149.7	139.2-160.8
Cervix uteri							7.8	8.4	5.9-11.7
Corpus uterus and NOS							42.0	35.6	30.8-41.0
Ovary							16.8	15.2	12.0-19.0
Prostate				128.2	122.3	112.7-132.6			
Testis				4.6	6.5	4.1-9.7			
Urinary bladder (incl. in situ)	62.8	30.0	26.7-33.7	45.8	49.6	43.2-56.8	17.0	14.4	11.5-18.0
Kidney and renal pelvis	52.2	24.5	21.5-27.8	35.0	35.5	30.2-41.4	17.2	15.1	12.0-18.9
Brain and other central nervous system	14.6	7.9	6.1-10.0	8.6	9.9	7.1-13.5	6.0	5.9	3.9-8.5
Thyroid	67.0	37.0	33.0-41.3	19.8	22.5	18.2-27.7	47.2	50.9	44.3-58.2
Hodgkin lymphoma	5.8	3.7	2.5-5.4	3.4	4.4	2.5-7.1	2.4	3.1	1.6-5.4
Non-Hodgkin lymphomas	51.8	24.7	21.7-28.0	28.2	29.6	24.8-35.2	23.6	20.7	17.0-25.0
Myeloma	19.2	9.0	7.3-11.1	10.6	11.3	8.4-15.0	8.6	7.3	5.2-10.0
Leukemias	34.2	17.1	14.5-19.9	19.8	20.6	16.6-25.3	14.4	14.2	11.0-18.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Richmond (Staten Island) County
New Springville & South Beach**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	936.4	502.0	487.2-517.3	450.2	530.5	508.2-553.7	486.2	488.3	467.9-509.4
Oral cavity and pharynx	16.8	8.6	6.8-10.7	11.8	13.4	10.1-17.5	5.0	4.5	2.8-6.9
Esophagus	7.6	3.7	2.6-5.2	6.4	7.1	4.8-10.2	1.2	1.0	0.4-2.5
Stomach	15.6	8.5	6.7-10.8	10.4	13.2	9.8-17.5	5.2	5.1	3.2-7.8
Colorectal	76.0	39.9	35.8-44.3	40.6	48.7	42.0-56.2	35.4	33.3	28.3-39.0
Colon excluding rectum	55.0	28.3	24.9-32.0	28.4	34.1	28.5-40.5	26.6	24.1	20.0-28.9
Rectum & rectosigmoid	21.0	11.6	9.4-14.2	12.2	14.6	11.1-19.0	8.8	9.2	6.5-12.7
Liver / intrahepatic bile duct	19.4	9.7	7.8-11.9	13.6	15.3	11.8-19.6	5.8	5.0	3.3-7.4
Pancreas	28.6	14.2	11.9-16.9	14.4	16.9	13.1-21.5	14.2	12.0	9.3-15.4
Larynx	5.4	2.7	1.8-4.1	4.4	5.1	3.1-7.8	1.0	1.0	0.3-2.7
Lung and bronchus	127.6	65.4	60.3-70.8	61.4	72.0	64.0-80.9	66.2	61.1	54.5-68.4
Melanoma of the skin	26.8	14.1	11.7-16.8	13.2	16.1	12.3-20.7	13.6	13.1	10.0-16.9
Female breast							133.4	138.3	127.4-150.0
Cervix uteri							7.8	8.5	5.8-11.9
Corpus uterus and NOS							33.8	31.6	26.9-37.1
Ovary							12.0	13.3	10.0-17.5
Prostate				103.0	111.0	101.5-121.3			
Testis				4.4	6.9	4.3-10.5			
Urinary bladder (incl. in situ)	41.0	20.6	17.8-23.7	30.2	35.4	29.9-41.8	10.8	9.3	6.9-12.3
Kidney and renal pelvis	38.0	20.3	17.4-23.6	25.6	30.4	25.2-36.5	12.4	11.6	8.8-15.1
Brain and other central nervous system	10.6	6.4	4.7-8.6	5.8	7.9	5.2-11.5	4.8	5.3	3.3-8.2
Thyroid	53.4	35.9	31.5-40.7	16.6	22.5	17.7-28.1	36.8	48.4	41.3-56.5
Hodgkin lymphoma	4.6	3.4	2.1-5.2	2.8	4.0	2.1-6.9	1.8	2.9	1.3-5.5
Non-Hodgkin lymphomas	40.4	21.9	18.8-25.3	20.0	24.7	19.9-30.3	20.4	19.6	15.8-24.1
Myeloma	15.0	7.4	5.8-9.4	8.2	9.6	6.8-13.1	6.8	5.8	3.9-8.3
Leukemias	30.6	16.9	14.2-20.0	18.0	22.3	17.8-27.6	12.6	12.6	9.5-16.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by New York City Neighborhood, 2016-2020**

**Richmond (Staten Island) County
Port Richmond, Stapleton & Mariner's Harbor**

Site of cancer	Males and Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI	Avg Ann Cases	Rate per 100,000	95% CI
All Invasive Malignant Tumors	970.8	501.5	487.1-516.1	470.2	532.0	510.0-554.7	500.6	479.8	460.7-499.4
Oral cavity and pharynx	19.6	9.6	7.8-11.8	13.4	14.5	11.2-18.6	6.2	5.4	3.6-7.7
Esophagus	11.6	5.6	4.3-7.3	7.6	7.8	5.5-10.8	4.0	3.7	2.3-5.9
Stomach	13.8	7.1	5.5-9.0	8.4	9.6	6.9-13.1	5.4	4.8	3.1-7.1
Colorectal	77.2	40.3	36.3-44.6	40.2	46.0	39.7-53.1	37.0	34.9	30.0-40.5
Colon excluding rectum	58.0	30.3	26.9-34.1	28.8	33.5	28.1-39.6	29.2	27.4	23.1-32.4
Rectum & rectosigmoid	19.2	10.0	8.1-12.3	11.4	12.6	9.4-16.4	7.8	7.5	5.3-10.4
Liver / intrahepatic bile duct	25.6	12.4	10.3-14.8	19.0	19.8	15.9-24.4	6.6	6.1	4.2-8.7
Pancreas	35.0	18.1	15.4-21.0	17.6	20.2	16.0-25.0	17.4	16.3	13.0-20.2
Larynx	5.2	2.5	1.6-3.7	4.2	4.5	2.7-7.0	1.0	0.9	0.3-2.2
Lung and bronchus	111.8	57.2	52.5-62.3	53.2	61.3	53.9-69.4	58.6	54.4	48.2-61.1
Melanoma of the skin	20.6	10.8	8.8-13.2	11.6	14.0	10.5-18.2	9.0	8.3	6.0-11.2
Female breast							133.4	129.4	119.6-139.9
Cervix uteri							6.6	7.0	4.8-10.0
Corpus uterus and NOS							40.6	37.1	32.0-42.7
Ovary							16.8	16.1	12.8-20.1
Prostate				115.8	124.1	113.9-135.0			
Testis				5.2	6.4	4.2-9.5			
Urinary bladder (incl. in situ)	40.6	21.0	18.2-24.2	30.2	36.3	30.6-42.7	10.4	9.7	7.2-12.8
Kidney and renal pelvis	35.8	18.5	15.8-21.5	24.8	27.8	23.0-33.4	11.0	10.6	7.9-13.9
Brain and other central nervous system	11.2	5.6	4.2-7.4	4.6	4.8	3.0-7.3	6.6	6.4	4.4-9.1
Thyroid	44.0	23.8	20.7-27.2	12.2	13.4	10.1-17.3	31.8	33.3	28.2-39.0
Hodgkin lymphoma	5.6	3.0	2.0-4.4	3.0	3.5	1.9-5.8	2.6	2.5	1.3-4.4
Non-Hodgkin lymphomas	46.2	25.0	21.8-28.5	24.0	29.3	24.1-35.2	22.2	21.4	17.6-26.0
Myeloma	20.8	11.1	9.1-13.6	10.6	12.6	9.3-16.6	10.2	9.9	7.3-13.1
Leukemias	33.4	17.9	15.2-20.9	19.0	22.6	18.1-27.7	14.4	13.8	10.8-17.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2022.

Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

NYC neighborhoods were defined in terms of Public Use Microdata Areas (PUMAs). PUMAs approximate NYC Community Districts (CDs).

For more information about PUMAs, please refer to <http://www1.nyc.gov/site/planning/data-maps/nyc-population/geographic-reference.page>.